

Portland State University

PDXScholar

Counselor Education Faculty Publications and
Presentations

Counselor Education

11-2014

Aligning Counselor Training Clinics with the DSM-5: Tips, Tools, and Challenges

Joel A. Lane

Portland State University, lanejoel@pdx.edu

Lisa Aasheim

Portland State University

Follow this and additional works at: https://pdxscholar.library.pdx.edu/coun_fac



Part of the [Mental Disorders Commons](#), and the [Student Counseling and Personnel Services Commons](#)

Let us know how access to this document benefits you.

Citation Details

Lane, J. A., & Aasheim, L. (2014, November). Aligning counselor training clinics with the DSM-5: Tips, tools, and challenges. Paper presented at the 2014 Bi-Annual Western Association of Counselor Education and Supervision Conference, Anaheim, CA.



This Presentation is brought to you for free and open access. It has been accepted for inclusion in Counselor Education Faculty Publications and Presentations by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: pdxscholar@pdx.edu.

**ALIGNING COUNSELOR
TRAINING CLINICS WITH
THE DSM-5: TIPS, TOOLS
AND CHALLENGES**

Joel A. Lane,
Ph.D.

Lisa Aasheim,
Ph.D.

Portland State
University



MULTIAXIAL DX

- Began with DSM-III (1974)
- Goal: Improve *reliability*
- Basic Tenets:
 - Clear lines of delineation
 - All-or-nothing dx
 - Shift from environmental to biological focus

DIMENSIONAL DX

- Began with DSM-5 (2013)
- Goals:
 - Improve *clinical utility*
 - Further improve reliability
- Basic Tenets:
 - Lines of delineation are not always clear
 - Spectrum of symptoms
 - Multiaxial dx resulted in *false hierarchy*

DIMENSIONAL DX CHANGES

- **Removal of 5 Axes**
 - Instead, Dx arranged by clinical utility
- **Expansion of 'V-Codes'**
 - (Replaces Axis IV)
- **Removal of GAF**
 - Instead, use symptom severity measure
 - WHODAS 2.0
 - Level I & Level II Cross-Cutting Symptom Measures

Client A:

Axis I:

- 309.28 Adjustment Disorder w/ Mixed Anxiety & Depressed Mood, Acute
- 313.82 Identity Problem

Axis II:

- V71.09 No Diagnosis on Axis II

Axis III:

- ICD-10 C25, Pancreatic Cancer

Axis IV:

- Occupational problems
- Economic problems

Axis V:

GAF: 55

Client B

Axis I:

-296.26 Major Depressive Disorder, Single Episode, in Full Remission

Axis II:

-301.83 Borderline Personality Disorder

Axis III:

-None

Axis IV:

-Problems with Primary Support Group

Axis V:

-GAF: 45

MAJOR CONTENT CHANGES

- Autism Spectrum Disorder
 - Combines Autistic Disorder & Asperger's Disorder
- Substance Use Disorder
 - Combines Substance Abuse & Substance Dependence
- Reorganization of chapters
- Removal of grief exclusion for Major Depression
- Enhanced severity specifiers and descriptive specifiers
- Gambling Disorder
- Gender Dysphoria instead of Gender Identity Disorder
- Disruptive Mood Dysregulation Disorder
 - Alternate to pediatric Bipolar Disorder
- Premenstrual Dysphoric Disorder

CHANGES *NOT* MADE

- **Personality Disorders**
- **Mixed Anxiety & Depressive Disorder**
- **Attenuated Psychosis**