

5-1997

Provisioning On-line Games: A Traffic Analysis of a Busy Counter-Strike Server

Francis Chang

Oregon Graduate Institute of Science & Technology

Wu-chang Feng

Oregon Graduate Institute of Science & Technology

Wu-chi Feng

Oregon Graduate Institute of Science & Technology

Jonathan Walpole

Oregon Graduate Institute of Science & Technology

Let us know how access to this document benefits you.

Follow this and additional works at: https://pdxscholar.library.pdx.edu/compsci_fac

 Part of the [Computer Engineering Commons](#), and the [Computer Sciences Commons](#)

Citation Details

"Provisioning On-line Games: A Traffic Analysis of a Busy Counter-Strike Server," Francis Chang, Wu-Chang Feng, Wu-Chi Feng, and Jonathan Walpole, ACM SIGCOMM Poster Session, Pittsburgh, PA, August 2002.

This Poster is brought to you for free and open access. It has been accepted for inclusion in Computer Science Faculty Publications and Presentations by an authorized administrator of PDXScholar. For more information, please contact pdxscholar@pdx.edu.


Provisioning On-line Games: A Traffic Analysis of a Busy Counter-Strike Server

Francis Chang, Wu-chang Feng, Wu-chi Feng, Jonathan Walpole

The Story:

A Week in the life of a loaded Counter-Strike Server






•Internet Video Games follow a simple client-server model: Multiple transient clients connect to a pre-existing stationary game server



Counter-Strike Screenshot



A simplified view of the network topology



Which can be disastrous if the server's network cannot switch at a high enough speed:

- Routers must be able to handle a large bursts of small packets
- Experiments with commercial NAT devices show a high packet loss rate, due to under-provisioned hardware
- But buffering is not the solution! Buffers introduce latency - which is detrimental to client performance

