

Portland State University

**PDXScholar**

---

Mechanical and Materials Engineering Faculty  
Publications and Presentations

Mechanical and Materials Engineering

---

3-2016

# Dynamic Stall of an Experimental Wind Turbine Blade

Matthew Scott Melius  
*Portland State University*

Raúl Bayoán Cal  
*Portland State University, rcal@pdx.edu*

Karen Mulleners  
*École Polytechnique Fédérale de Lausanne*

Follow this and additional works at: [https://pdxscholar.library.pdx.edu/mengin\\_fac](https://pdxscholar.library.pdx.edu/mengin_fac)



Part of the [Mechanical Engineering Commons](#)

**Let us know how access to this document benefits you.**

---

## Citation Details

Melius, M., Cal, R. B., & Mulleners, K. (2016). Dynamic stall of an experimental wind turbine blade. *Physics of Fluids*, 28(3), 034103. <http://doi.org/10.1063/1.4942001>

This Article is brought to you for free and open access. It has been accepted for inclusion in Mechanical and Materials Engineering Faculty Publications and Presentations by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: [pdxscholar@pdx.edu](mailto:pdxscholar@pdx.edu).

# Available after embargo



## Dynamic stall of an experimental wind turbine blade

Matthew Melius<sup>1</sup>, Raúl Bayoán Cal<sup>1</sup> and Karen Mulleners<sup>2</sup>

+ VIEW AFFILIATIONS

Phys. Fluids **28**, 034103 (Tue Mar 01 00:00:00 UTC 2016);  
<http://dx.doi.org/10.1063/1.4942001>

Buy: \$30.00

< PREVIOUS ARTICLE | TABLE OF CONTENTS | NEXT ARTICLE >



Abstract Full Text References (37) Cited By (0) Data & Media Metrics Related

To understand the complex flow phenomena over wind turbine blades during stall development, a scaled three-dimensional non-rotating blade model is designed to be dynamically similar to a rotating full-scale NREL 5 MW wind turbine blade. A time-resolved particle image velocimetry (PIV) investigation of flow behavior during the stall cycle examines the processes of stall development and flow reattachment. Proper orthogonal decomposition (POD) and vortex detection techniques are applied to the PIV fields to quantify relevant flow characteristics such as vortex size, separation angle, and separation point throughout a dynamic pitching cycle. The behavior of the POD coefficients provides time scales for the transitional stages which are quantified and compared, revealing that transition from attached flow to full stall is delayed to higher angles of attack and occurs at a higher rate than the transition from full stall to attached flow. The instantaneous flow fields are then reconstructed using the first four POD modes to demonstrate their prominent roles throughout the stall cycle and their ability to capture the general separation behavior over the blade surface.

© 2016 AIP Publishing LLC

Received Wed Oct 14 00:00:00 UTC 2015 Accepted Tue Jan 26 00:00:00 UTC 2016 Published online

Wed Mar 02 00:00:00 UTC 2016

### Acknowledgments:

This work was in part funded by the National Science Foundation (NSF-CBET-1034581). The authors thank the Helicopter and Fluid Systems Departments of the German Aerospace Center (DLR) in Göttingen for providing access to the experimental facilities detailed in this manuscript.

### Article outline:

- I. INTRODUCTION
- II. COHERENT STRUCTURE IDENTIFICATION TECHNIQUES

### Key Topics

**Rotating flows**  
53.0

**Aerodynamics**  
20.0

**Wind turbines**  
19.0

**Velocimetry**  
8.0

**Boundary element methods**  
6.0

### IPC Codes:

#### F03D

Wind motors

#### F15D

[Fluid dynamics, i.e. methods or means for influencing the flow of gases or liquids, Fluid dynamics, i.e. methods or means for influencing the flow of gases or liquids, Fluid dynamics, i.e. methods or means for influencing the flow