Portland State University PDXScholar

**Dissertations and Theses** 

**Dissertations and Theses** 

1-1-1983

# A descriptive predictive model for the employment of computer-based management information systems for the government of a developing country: case, Iran

Hossein Bidgoli Portland State University

Follow this and additional works at: https://pdxscholar.library.pdx.edu/open\_access\_etds Let us know how access to this document benefits you.

## **Recommended Citation**

Bidgoli, Hossein, "A descriptive predictive model for the employment of computer-based management information systems for the government of a developing country: case, Iran" (1983). *Dissertations and Theses.* Paper 482.

https://doi.org/10.15760/etd.482

This Dissertation is brought to you for free and open access. It has been accepted for inclusion in Dissertations and Theses by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: pdxscholar@pdx.edu.

A DESCRIPTIVE/PREDICTIVE MODEL FOR THE EMPLOYMENT OF COMPUTER-BASED MANAGEMENT INFORMATION SYSTEMS FOR THE GOVERNMENT OF A DEVELOPING COUNTRY CASE: IRAN

.

by Hossein Bidgoli

# A dissertation submitted in partial fulfillment of the requirements for the degree of

DOCTOR OF PHILOSOPHY in SYSTEMS SCIENCE

Portland State University

© 1983 Hossein Bidgoli

TO THE OFFICE OF GRADUATE STUDIES AND RESEARCH:

The members of the Committee approve the dissertation of Hossein Bidgoli, presented August 26, 1983.

Dr Grover Rodich, Chairman
Dr Robert Good
Dr Géorge Lendaris
Dr Abdul Qayum

# APPROVED:



Dr S E Rauch, Dean, Graduate Studies and Research

AN ABSTRACT OF THE DISSERTATION OF Hossein Bidgoli for the Doctor of Philosophy in Systems Science presented August 26, 1983.

Title: A Descriptive/Predictive Model for the Employment of Computer-Based Management Information Systems for the Government of a Developing Country--Case: Iran

APPROVED BY MEMBERS OF THE DISSERTATION COMMITTEE:

Dr Gro	ver W Rodich, Chairman	, ·
		-
Dr Rob	ert E Good	
Dr-Geo	rgg G L'endaris	<u> </u>

This study was undertaken to identify the most decisive variables involved in the successful employment of a Computer-Based Management Information System (CBMIS) in a developing country such as Iran.

A descriptive model was designed; using a series of predictive models, different dimensions of successful CBMIS employment were investigated. Necessary data was collected via a questionnaire sent to 79 Iranian governmental computer installations.

Questions initially posed by the study are:

- Under what conditions should a developing country such as Iran continue to operate manually?
- If computerization is feasible, what should the acquisition criteria be?
- 3. What are some of the most important variables for optimum utilization of existing computers?
- 4. What are some of the most important variables for the timely and efficient implementation of a CBMIS?
- 5. Should a developing country employ standardization in data collection? In data transmission? In hardware selection? In software selection?
- 6. How should a developing country choose the manufacturer of computer technology?
- 7. How can the level of experience sharing among the installations be improved?
- 8. How can the reliability of the provided information be improved? The usefulness? The responsiveness of the CBMIS? Utilization of the provided information? The adaptability of the existing CBMIS to the growing technology?

In order to answer these questions, a series of multiple regression models were run, using four different methods: forced entry, backward

elimination, forward entry, and stepwise selection. The analyses showed that of the 54 original variables hypothesized to be significant, 24 were, in fact, significant at the 5% level. It also demonstrated seven circumstances under which a change to automation in a developing country such as Iran would not be advisable.

### ACKNOWLEDGEMENTS

I am indebted to many people for their support and assistance in the completion of this project.

I gratefully express my thanks to my committee: first to my Chairman, Dr Grover Rodich, whose continued advice and encouragement through all phases of my career here has meant so much; to Dr Robert E Good, who reviewed my work several times and made valuable suggestions for improvement; to Dr George Lendaris, particularly for his assistance with the questionnaire; and to Dr Abdul Qayum for his thoughtful support throughout the project. Mr Edward Schafer, Director of the Population Center at PSU, also deserves special mention. His assistance in the data analysis section of this project was invaluable.

I send a very special thanks to my family in Iran--to my brother and sisters, who have assisted me in so many ways; to my brother-in-law, for his help in the dissemination and collection of the questionnaire; and, foremost, to my parents, whose uncompromising belief in the power of education has motivated me to continually reach for what seems impossible.

Finally, I thank two dear friends: Bahram Ahanin, who has buoyed my spirits many times in the past few years; and Sally Lopez, without whose practical advice and editorial assistance I would have found it difficult to finish the project.

## TABLE OF CONTENTS

P	PAGE
CKNOWLEDGEMENTS	iii
IST OF TABLES	iii
IST OF FIGURES	iii
HAPTER	
I STATEMENT OF THE PROBLEM	1
Computer Technology in Developing Countries: Some Background Information	4
The Role of Computer Technology in Economic and Social Development	
The Economic Gap Between Developing Countries and the Industrialized World	
The Status of Computers in Developing Countries	
Problems Encountered in Computer Utilization in Developing Countries	12
Objectives of the Study	14
Research Questions	15
Expected Contributions of the Study	17
Sources	17
II LITERATURE REVIEW	19
A general Definition of Information Technology	19
Electronic Data Processing (EDP), Management Information Systems (MIS), and Decision	
Support Systems (DSS)	20
Management Information Systems	22

III

IV

Definition	
Components of a CBMIS	
Centralization and Decentralization in MIS Organization	
The Human Factor in MIS Design and Implementation	
Computer-Based Management Information Systems as a Transferred Technology	
Project Management as a Tool for Design and Implementation of a CBMIS	
Cost/Benefit Analysis in the Design and Implementation of a CBMIS	
The Future of the CBMIS and Its Impli- cations for Developing Countries	
Summary	42
DEVELOPMENT OF A DESCRIPTIVE MODEL FOR A COMPUTER- BASED MANAGEMENT INFORMATION SYSTEM (CBMIS) FOR DEVELOPING COUNTRIES	43
General Models for a Computer-Based Management Information System	43
Other Work Relating to the Proposed CBMIS	48
Developmental Phases of the Proposed CBMIS	52
The Acquisition Phase	
The Design Phase	
The Implementation Phase	
The Operational Phase	
Summary	81
RESEARCH METHODOLOGY, PHASE I	82
Introduction	82
Elements of the Descriptive Model	82

PAGE
The Predictive Models
Relationship Between the Descriptive and Predictive Models
Background for the Predictive Models 89
Predictive Model #1: Efficiency and Effec- tiveness of the Organization Due to the Acquisition of Computer Technology
Predictive Model #2: Utilization of Existing Computers
Predictive Model #3: Delays in Computer Installation and Utilization
Predictive Model #4: Cooperation and Coor- dination Among the Installations
Predictive Model #5: Migration of Data from Place to Place
Predictive Model #6: Reliability of the Provided Information
Predictive Model #7: Usefulness of the Provided Information
Predictive Model #8: Responsiveness of the CBMIS
Predictive Model #9: Utilization of the Provided Information
Predictive Model #10: Adaptability of the Present CBMIS to the Growing Tech- nology
Predictive Model #11: Physical Acquisition of Computer Technology
Predictive Model #12: Manufacturer Satis- faction
Summary

CHAPTER		PAGE
v	RESEARCH METHODOLOGY, PHASE II	98
	Introduction	<b>9</b> 8
	Rationale for the Employment of Multiple Linear Regressions	<b>9</b> 8
	Multiple Linear Regression as a Theory Building Technique	100
	Test of Hypotheses and Research Questions	103
	Summary	108
VI	ANALYSIS	109
	Introduction	109
	Relationships Between Dependent and Independent Variables	109
	Test of Hypotheses	128
	Choosing the Best Predictive Model	130
	Summary of Significant Final Statistics for the 12 Predictive Models	136
	Assumptions of Multiple Regression	141
	Summary	146
VII	SUMMARY AND CONCLUSION	147
	Summary of the Research	147
	Answer to the Research Questions	147
	Recommendation for Future Areas of Research	154
REFERENC	ES	155
APPENDIX	Α	161
APPENDIX	В	179

vii

# LIST OF TABLES

TABLE		PAGE
I	Computer Statistics: Breakdown by Number	
	and Usage	9
II	Growth in Numbers of Computers in Selected	
	Countries	10
III	General Classification of Computer Utilization	
	in Developing Countries	11
IV	Comparative Advantages of Centralization vs	
	Decentralization	26
۷	Centralization vs Decentralization	27
VI	Possible Information System Benefits	37
VII	Possible Information System Costs	38
VIII	Overall Development of Hardware Technology	40
IX	Summary of Riehl's Normative-Reference Model .	50
Х	A Conceptual Model for the Computer-Based In-	
	formation System for the Dept of Statistics,	
	Sudan • • • • • • • • • • • • • • • • • • •	51
XI	The Systems Life Cycle	67
XII	The Relationship Between the Dependent and	
	Independent Variables	90
XIII	Mean and Standard Deviation for Predictive	
	Model #1	110

TABLE		PAGE
XIV	Pairwise Correlation for Dependent Variable	
	V <sub>55</sub>	111
XV	Mean and Standard Deviation for Predictive	
	Model #2	112
XVI	Pairwise Correlation for Dependent Variable	
	v <sub>56</sub>	113
XVII	Mean and Standard Deviation for Predictive	
	Model #3	114
XVIII	Pairwise Correlation for Dependent Variable	
	V <sub>57</sub>	115
XIX	Mean and Standard Deviation for Predictive	
	Model #4	116
XX	Pairwise Correlation for Dependent Variable	
	V <sub>58</sub>	117
XXI	Mean and Standard Deviation for Predictive	
	Model #5	117
XXII	Pairwise Correlation for Dependent Variable	
	V <sub>59</sub>	118
XXIII	Mean and Standard Deviation for Predictive	
	Model #6	119
XXIV	Pairwise Correlation for Dependent Variable	
	V <sub>60</sub>	119
XXV	Mean and Standard Deviation for Predictive	
	Model #7	120

TABLE		PAGE
XXVI	Pairwise Correlation for Dependent Variable	
	V <sub>61</sub>	121
XXVII	Mean and Standard Deviation for Predictive	
	Model #8	122
XXVIII	Pairwise Correlation for Dependent Variable	
	V <sub>62</sub>	122
XXIX	Mean and Standard Deviation for Predictive	
	Model #9	123
XXX	Pairwise Correlation for Dependent Variable	
	v <sub>63</sub>	124
XXXI	Mean and Standard Deviation for Predictive	
	Model #10	125
XXXII	Pairwise Correlation for Dependent Variable	
	V <sub>64</sub>	126
XXXIII	Mean and Standard Deviation for Predictive	
	Model #11	127
XXXIV	Pairwise Correlation for Dependent Variable	
	V <sub>65</sub>	127
XXXV	Mean and Standard Deviation for Predictive	
	Model #12	128
XXXVI	Pairwise Correlation for Dependent Variable	
	v <sub>66</sub>	128
XXXVII	Hypotheses Testing for the Twelve Predictive	
	Models	130

х

TABLE		PAGE
XXXVIII	Forward Entry Multiple Regression for the	
	Twelve Predictive Models	132
XXXXIX	Backward Elimination Multiple Regression for	
	The Twelve Predictive Models	133
XL	Stepwise Selection Multiple Regression for the	
	Twelve Predictive Models	134
XLI	Summary of Statistics for Predictive Model #2	135
XLII	Predictive Model #1: Summary of Significant	
	Final Statistics	137
XLIII	Predictive Model #2: Summary of Significant	
	Final Statistics	137
XLIV	Predictive Model #3: Summary of Significant	
	Final Statistics	138
XLV	Predictive Model #4: Summary of Significant	
	Final Statistics	138
XLVI	Predictive Model #5: Summary of Significant	
	Final Statistics	138
XLVII	Predictive Model #6: Summary of Significant	
	Final Statistics	139
XLVIII	Predictive Model #7: Summary of Significant	
	Final Statistics	139
XLIX	Predictive Model #8: Summary of Significant	
	Final Statistics	139
L	Predictive Model #9: Summary of Significant	
	Final Statistics	140

xi

PAGE		TABLE
	Predictive Model #10: Summary of Significant	LI
140	Final Statistics	
	Predictive Model #12: Summary of Significant	LII
i 40	Final Statistics	
142	Casewise Plot of Standardized Residual	LIII

xii

## LIST OF FIGURES

FIGURE		PAGE
1.	The Widening Gap	7
2.	MIS in the Organization	22
3.	Hardware/Software Cost Trends	41
4.	Information Systems in Context	44
5.	An Information System Framework	45
6.	A General Management Information System Model	46
7.	Basic Components of a Computer-Based Information	
	System	47
8.	The Systems Development Methodology and Its	
	Relationship to the Information Systems	
	Building Blocks	48
9.	The Structural Components of the Proposed CBMIS .	52
10.	The Acquisition Phase of the Proposed CBMIS	54
11.	The Design Phase of the Proposed CBMIS	65
12.	The Systems Development Life Cycle Showing Five	
	Major Phases and the Major Activities Associated	
	With Each	66
13.	The Most Relevant Environment for a CBMIS in a	
	Developing Country	68
14.	The Implementation Phase of the Proposed CBMIS	75
15.	The Operational Phase of the Proposed CBMIS	79

		xiv
FIGURE		PAGE
16.	Normal Probability Plot of Studentized	
	Residuals	14:4
17.	Standardized Scatter Plot of Predicted Values	
	vs Residuals	145

### CHAPTER I

## STATEMENT OF THE PROBLEM

The economic disparity between developed and developing countries is on the increase, and experts generally believe that the advent of the computer age in developed countries has been instrumental in widening an already significant economic gap between the two. Most developing countries have recognized the magnitude of the problem and have responded to it by attempting to acquire and utilize computer technology. Their efforts to date have not, however, ameliorated the problem. A careful study of computer status in these countries shows the reason: most have encountered problems in the acquisition and utilization of Computer-Based Management Information Systems (CBMIS's) which have considerably reduced their efficiency and effectiveness. A majority of these problems have been caused by the lack of a systematic approach for the acquisition, design, and implementation of a CBMIS.

To help assure that developing countries can indeed benefit from the acquisition of computer technology, this study has been undertaken. Expert opinions presented in international conferences on information technology throughout the world have been studied, books and journals in the computer field have been carefully examined, and the problems encountered by users in several developing nations have been scrutinized. Based upon the results of this research, various measures of CBMIS success have been established; and the design, acquisition, and implementation factors \* associated with these measures of success have been identified. Because several different success measures were used, each with a separate set of associated design, acquisition, and implementation factors, twelve predictive regression equations were developed. These equations were tested using data collected in Spring 1983 from 79 Iranian governmental computer installations (which includes relatively successful as well as not-so-successful users). A variety of multiple regression procedures were run on the data, including forced entry, forward entry, backward elimination, and stepwise selection techniques.

The end product of this project is a series of guidelines for the CBMIS decisionmaker which have been derived from statistically significant regression equations. The guidelines are clustered into two parts: (1) whether or not a country should automate; and (2) if automation is advisable, how to improve the chances of success in various phases of design, acquisition, and implementation of the CBMIS.

The study shows that there are seven types of situations for which computer automation may not be advisable. For the remaining types of situations where computer automation seems to be advisable, the study has provided answers to the following questions:

2

Throughout this study, "factor" and "variable" have been used interchangeably; "predictive equation" and "predictive model" have also been used interchangeably.

- What are the most important variables for the optimum utilization of the existing computers? (Success in utilization)
- What are the most important variables for the timely and efficient implementation of a CBMIS (Success in implementation)
- Should a developing country employ standardization in data collection? In data transmission? In hardware selection? In software selection? (Success in data migration)
- How should a developing country choose the manufacturer of computer technology? (Success in obtaining satisfactory manufacturer performance)
- How can experience-sharing among installations be improved? (Success in experience-sharing)
- How can the reliability of the provided information be improved? The usefulness? Responsiveness of the CBMIS? Utilization of the provided information? Adaptability of the existing CBMIS to the growing technology? (Success in reliability, usefulness, responsiveness, utilization, and adaptability to changing technology).

The magnitude of the challenge facing developing nations cannot be fully appreciated without an understanding of at least three related areas: (1) the role of computer technology in the economic and social development of Third World countries; (2) the ever-increasing economic gap between developed and developing countries; and (3) the status of computers in developing countries. The first portion of this study will be devoted to an examination of these three areas.

## COMPUTER TECHNOLOGY IN DEVELOPING COUNTRIES: SOME BACKGROUND INFORMATION

## The Role of Computer Technology in Economic and Social Development

This topic has been succinctly covered by Ralph Simmons in his report, <u>Guidelines for the Use of Computer Technology in Developing</u> <u>Countries</u>. He states:

The computer is unique within the fields of science and technology in terms of its potential support to economic and social development. It serves as an important tool in numerous functional activities that are at the core of the developmental process. Within service areas such as transportation or communications, the computer is used to support daily operations as well as long range planning. The uses range from support to engineering design and construction to operational control to business and fiscal activities. The support to the planning function frequently includes economic analysis, facility expansion, and operational modeling. In the area of public administration and government operations, the computer has proved to be valuable through its capabilities to assist in information processing. When properly used, it can provide information that is more comprehensive, more timely, more accurate, more detailed and more relevant. It is especially significant to development as it can support the national planning process itself.

(Simmons, 1972: 2)

Others see the role of the computer slightly differently.

Donald Sexton, for example, in an article in <u>Technos</u> expresses the role in the following way:

Developing countries do have a great need for computers. While they desire sound, rapid states of economic growth, their plans are severely constrained by scarce resources. In such environments, planning is paramount. The computer, with its immense data processing, statistical, and operations research capabilities, can immeasurably aid such planning.

(Sexton, 1972: 9)

Yet another perspective is offered by the United Nations in its two comprehensive reports (1971, 1973) on the <u>Application of</u> <u>Computer Technology for Development</u>. These reports emphasize the role of the computer in national development.

Every government requires systematic maintenance of records if it is to function effectively. Examples of statistics which are basic to governments are:

--population and demographic records

--taxation records

- --production statistics in various industry groupings, for example, agriculture, manufacturing, mining, construction
- --economic indices, foreign reserves and trade balances, national income, private and public debt, consumer spending, average prices and earnings, and the like
- --educational statistics, including number and types of schools, teacher training, educational level attained within the population, etc.

(United Nations, 1971: 85)

Simmons also considers the importance of computers to economic planning and national development.

Computers and computer technology have played a central role in the growth of modern economics by providing an essential bridge between the accumulated body of formal theory on the one hand, and the growing availability of large data bases on the other. The result of this crucial bridging function has been the growth of modern econometrics and, more recently, an increasing application of economics to the formulation and testing of alternative policies and programs for dealing with social and economic problems.

(Simmons, 1972: 49)

Computer capabilities have been used extensively by a few developing countries in solving mathematical models. One such country is Israel, which has used computers in Kibbutz agriculture for more than a decade (Goldschmidt, 1974: 77-90). India has also employed computers in commercial, educational, and research activities (Chandrasekkar, 1972: 844-852).

Since the cost of labor in developing countries is much cheaper than in developed countries, many people initially felt that the application of computers in service areas of developing countries may not be cost justified. However, several studies have proven that this is an incorrect assumption. As Joseph Papa points out,


A recently conducted feasibility study for the Ministry of Communication in Korea found that large benefits could be gained by automating telephone billings, central postal savings, national life insurance accounting, and inventory control. Although clerks receive only the equivalent of \$50 per month working for the ministry, personnel savings which would be achieved by automating these applications nationwide would yield a benefit/cost ratio of approximately two.

(Papa, 1972: 27)

# The Economic Gap Between Developing Countries and the Industrialized World

The number of computers used in industrialized countries is increasing. In 1974, there were 162,000 computers in operation in the United States alone; by 1980, that number had climbed to more than a million (Couger, 1981: 1).

Figure 1 demonstrates the huge economic gap that exists between developing and industrialized countries. Many people believe that computer technology has been instrumental in widening this gap.



Source: (Ward, 1971: xii)

An effective computer utilization program, one which considers all the important variables involved in computer utilization, may help developing countries to narrow this gap.

## The Status of Computers in Developing Countries

Most of the developing countries have realized that computer

technology may well be the key to increasing their economic status. One series of surveys which has proven convincing to them was done by the United Nations. These studies show clearly that developing countries with a relatively high GNP have employed more computers than have countries with a relatively low GNP.

Table I shows the number of computers and computer usage in several of the developing countries. As the table indicates, developing countries have used computers for administrative purposes more than for any other. Table II shows the growth in the numbers of computers in selected countries, and Table III indicates the United Nation's classification (under four general headings) of the level of computerization in all developing countries. Taken together, these three tables provide an accurate and concise picture of the status of computers in developing countries.

As Table I (and many other studies) shows, most of the applications of the computer in developing countries have been business related. A comprehensive study conducted by the US Dept of Commerce to determine the market for computers in Iran showed that 94% of small-, 89% of medium-, and 74% of large-scale computer time has been utilized in business-oriented applications\* (US Dept of Commerce, 1976: 20). Since the cost of labor in developing countries is relatively cheap, it appears they might better direct their computer utilization toward scientific and other applications which are less labor-intensive than business applications are.

8

At that time, the US Dept of Commerce classified as small computers up to 32K of CPU, medium between 33-99K, and large as 100+K.

# TABLE I

## COMPUTER STATISTICS: BREAKDOWN BY NUMBER AND USAGE

		Usage				
Country	Total # of Computers	Education and Training	Inventory Distr and <u>Manufacturing</u>	Business Admin	Public Admin and 	
Bolivia	6	1	3	1	2	
Brazil	1,219	110	475	445	189	
Central African						
Republic	3	-	-	-	3	
Colombia	82	7	40	20	15	
Cyprus	5	-	1	3	1	
Fiji	6	-	-	2	4	
Greece	175	7	38	75	55	
Hungary	161	26	38	26	10	
Iceland	17	1	4	10	1	
Iraq	7	1	1	3	2	
Jamaica	34	3	8	20	3	
Kuwait	17	1	8	7	ī	
Lebanon	29	-	4	14	11	
Madagascar	24	1	3	15	5	
Malaysia	28	1	7	7	13	
Morocco	52	3	_	29	20	
Nicaragua	14	-	-	8	6	
Pakistan	19	2	2	ġ	6	
Poland	245	70	109	34	24	
Singapore	34	3	5	18	8	
Sudan	4	1	1	-	2	
Thailand	27	4	6	2	8 2 15	
Turkey	82	8	43	20	ii	
Upper Volta	1	-	-	-	1	
Yugoslavia	147	20	82		45	
Zaire	19	4	-	15	-	

9

Source: (United Nations, 1973: 28)

## TABLE II

## GROWTH IN NUMBERS OF COMPUTERS IN SELECTED COUNTRIES

Country	Item	<u>1960</u>	<u>1963</u>	<u>1965</u>	<u>1967</u>	1968	<u>1969</u>
Australia	1 2 3	30 16.4 1.8	137 20.0 6.8	348 23.0 15.1	608 27.1 22.4	718 30.2 23.8	869 33.3 26.1
Chile	1 2 3	 	9 2.7 0.3	14 4.ő 3.0	26 5.6 4.6	32 5.5 5.8	36 6.0 6.0
Iran	1 2 3		 	2 6.6 0.3	9 8.0 1.1	18 8.9 2.0	32 10.2 3.1
Israel	1 2 3	2 2.0 1.0	12 2.5 4.8	35 3.5 10.0	80 3.9 20.2	100 4.0 24.7	160 4.6 34.8
Japan	1 2 3	 	 	1,683 88.6 19.0	3,035 120.0 25.3	4,132 142.3 29.0	5,601 166.9 33.6
Philippines	1 2 3		6 8.1 0.7	19 9.1 2.1	30 10.5 2.9	45 11.4 3.9	67 12.9 5.2
USA	1 2 3	4,528 509.0 8.9	15,867 596.3 26.6	29,142 692.1 42.1	55,785 803.6 66.9	55,606 863.6 64.4	61,977 929.5 66.7

Item 1 = number of computers

2 = gross domestic product in billions of dollars

3 = number of computers per billion dollars GDP

Source: (United Nations, 1973: 32)

### TABLE III

## GENERAL CLASSIFICATION OF COMPUTER UTILIZATION IN DEVELOPING COUNTRIES

Level	Characteristics
Initial	There are no operational computers in the country. A few nationals have had contact with computing. The only local sources of information are computer salesmen.
Basic	There is some understanding of computers in government (and private) decision centers. A few computer in- stallations are to be found. There are some nationals involved in computer operations. There is some educa- tion and training in computer technology in the country. Computers are used in basic government operations.
Operational	There is extensive understanding of computers in govern- ment (and private) decision centers. Among the numerous computer installations there are some very large machines. There are centers for education and training in computer technology, and some are of excellent quality. They

offer degree programs in computer or information science. There is design and production of software and some manufacture of hardware. Computers are affecting many disciplines, particularly science, engineering and medicine.

Advanced Most government and administrative work is carried out by computers. There are well established professional activities and national meetings on computers. There is a complete range of quality education and training programs. The number of computers, of all sizes, is increasing rapidly. Time-sharing, teleprocessing and remote job entry are common. There is design and production of both hardware and software. Many technologies have been changed or are in the course of being changed. New applications of computers are found regularly. There is a strong participation in and contribution to international activities.

Source: (United Nations, 1973: 50)

With regard to the issue of computer application, Simmons has classified use as one of five types: (1) business-oriented (accounting, payroll, inventory), (2) scientific and engineering (highway design, meteorology, economic analysis), (3) information management (data storage and retrieval systems, library automation), (4) industrial (process control, quality control), and (5) education (computer-aided instruction, specific educational programs). He clearly indicates that of the five types, only classification (1) is generally used by developing countries (Simmons, 1972: 48).

Management information systems supported by computers offer a means of major improvement to the fundamental functions of management; i.e., planning, organizing, directing, controlling, and evaluating, but they have not been widely used in the developing countries.

(Simmons, 1972: 12)

## PROBLEMS ENCOUNTERED IN COMPUTER UTILIZATION IN DEVELOPING COUNTRIES

Several studies have shown that developing countries have encountered a series of problems in the utilization of computers. The nature and degree of seriousness of the problems vary from country to country, but some examples are human, economic, technical, managerial, political, and social problems. A comprehensive study conducted by Ralph Simmons over nine selected countries highlights some of these problems:

- Ethiopia: Underutilization of existing hardware, shortages of qualified personnel and discrepancies in the salaries of government employees and people in industry and quasi-governmental positions are the most serious problems. (p 66)
  - Turkey: Unreliable voltage levels in power supplies and unreliable communication systems, shortage of qualified data processing personnel, and under

utilization of existing computers are the major concerns. (pp 79, 83, 85)

- Brazil: Because of the shortage of qualified personnel, salaries are very high. This has created serious problems in terms of friction between employees, which, in turn, stimulates a high turnover rate. (p 96)
- Colombia: The major problem here is the lack of available foreign exchange, the high tax rates, etc, associated with bringing a computer into Colombia. Duties, transportation, etc, total 84% of the purchase price. It is also difficult to arrange financing. (p 101)
  - Korea: Some computers were acquired for the prestige factor with no analysis made as to their actual application. (p 108) Under utilization of existing computers and shortage of foreign exchange are other serious problems. (p 108) Perhaps the most serious of all is the lack of systemization in traditional manual methods of data handling. Changes are thus difficult because they involve not only the procedure itself but also changes in the basic system of operations and in patterns of human behavior in work performance. (p 109)

(Simmons, 1972: 57-124)

Nigeria, Uganda, the Republic of China, and Thailand, the other four countries detailed in the Simmons study, experienced problems similar to those outlined above.

A detailed examination of the documents published by the Plan and Budget Organization (PBO) of the Iranian government, indicates that Iran, like the other developing countries discussed above, has encountered many problems in attempting to become a computerized society. These problems may be summarized as follows: underutilization of computer capacity; delays in computer installation and utilization; lack of an information center (prices, applications, new developments, etc); lack of cooperation and coordination among the installed computer centers; severe shortage in computer personnel (managers, systems analysts, technical advisors, programmers, and operators); discrepancies in salaries of foreign and domestic consultants; and problems of unskilled labor (displaced personnel) (PBO, 1977).

Another important problem in computer utilization has been pointed out by the US Department of Commerce (1976: 7). Due to the lack of reliable communications systems in Iran, more than 70% of all applications have been batch processed. For this country of 33 million people, there were, for example, only 500,000 telephone numbers! (US Dept of Commerce, 1976: 12)

## OBJECTIVES OF THE STUDY

After a careful examination of the status of computers in several developing countries, the following can readily be concluded:

- Most of the developing countries do not have a significant number of operational computers;
- There is no single study done to show whether any of these countries have used a systematic approach for the employment of computers in their operations; i.e., a guide to organize a listing of the key variables involved in this transformation;
- By ignoring the most crucial variables involved in computer utilization, existing computers have not been efficiently and effectively used. Misutilization and under utilization have created several undesirable results.

The major objective of this research project is to improve the technology transfer process by an identification of the most

14

critical variables involved in this process and an incorporation of those variables into a descriptive model. The variables span a broad range, all the way from acquisition to implementation of a CBMIS.

A statement made by the United Nations about the use of computers in developing countries neatly states the underlying philosophy of this study:

The computer is not a panacea for administrative and development problems. Possession of a computer may at first create at least as many problems as it solves. Its use requires highly trained systems designers, analysts, programmers and operators. Without such trained personnel, the computer cannot be used effectively. It also requires reliable data which have to be collected and transcribed suitably. The computer demands a considerable infrastructure or else it cannot function. There can be no question of the unjustified advocacy of computers, and the Secretary General concurs with the conviction that it is better not to get a computer at all than to get one and not be prepared or able to use it effectively.

(United Nations, 1973: 9)

## RESEARCH QUESTIONS

This study seeks answers to many questions relating to the transfer of computer technology from developed to underdeveloped countries. Of the two groups of questions used, the first deals with preliminary considerations and includes the following:

- What are the important variables to include in a model of transferring CBMIS technology to a developing country such as Iran?
- Which variables are the most crucial?
- Based on the proposed model, under what conditions might a country choose to continue to operate manually?

The second group of questions is concerned with the

transformation process after the decision to automate has been made. Questions in this category include:

- What should the acquisition criteria be?
- How important is the role of the user and of top management in the utilization of the existing computers?
- How important is the existence of a master system plan?
- What are some of the most important variables for the optimum utilization of the existing computers?
- How should a developing country choose the manufacturer of computer technology?
- What are some of the most important variables for the timely and efficient implementation of a CBMIS?
- How can the level of experience sharing among the installations be improved?
- Should a developing country employ standardization in data collection? in data transmission? in hardware selection? in software selection?
- How can the level of data migration be improved?
- How can the reliability of the provided information be improved?
- How can the usefulness of the provided information be improved?
- How can the responsiveness of the CBMIS be improved?
- How can the utilization of the provided information be improved?

- How can the adaptability of the existing CBMIS to the growing technology be improved?
- How can the economic difficulties encountered in the acquisition of a CBMIS be improved?
- How important is the role of project management in the implementation of a CBMIS?
- What are some of the most important social issues for the employment of a CBMIS in a developing country?
- How important is the role of economic feasibility for timely implementation of a CBMIS?
- How important is the role of data base in the migration of data?

### EXPECTED CONTRIBUTIONS OF THE STUDY

The end product of this study is a series of guidelines for decisionmakers which have been derived from statistically significant regression equations. The guidelines are clustered into two parts: (1) whether or not a developing country such as Iran should automate; and (2) if automation is advisable, how to improve the chances of success in various phases of the acquisition, design, and implementation of the CBMIS.

#### SOURCES

Both primary and secondary sources of information are used in this study. Secondary material, which provides the building blocks of the model set forth in this study, includes the following: technical journals, books, articles and materials generated at international conferences and seminars, United Nations materials, information disseminated by the government of Iran, and personal experiences and observations.

The primary source of information for this study is a detailed questionnaire which was completed by responsible authorities at all the significant computer installations in Iran (see Appendix A).

Chapter II, following, deals expressly with the crucial background material obtained through secondary sources of information.

## CHAPTER II

### LITERATURE REVIEW

The overall aim of this chapter is to provide a brief look at other secondary sources which have a bearing on the subject study and to provide a definition of terms which will be central to later discussions. This material necessarily focuses on management information systems--what they are, what their role has been in the past, and what it is likely to be in the future, relative to developing countries.

#### A GENERAL DEFINITION OF INFORMATION TECHNOLOGY

Information technology is a relatively new field of science which includes several interrelated subfields of which hardware, software, and telecommunications are probably the most important.

The Conference Board (1972: v) defines information technology as

. . . the collection, storage, processing, dissemination, and use of information. It is not confined to hardware or software but acknowledges the importance of man and the goal he sets for information technology, the values employed in making these choices, the assessment criteria used to decide whether he is controlling this technology and is being enriched by it.

The Conference Board also says that the components of information technology include: mass and individual communications, computer technology, audio technology, and image technology (1972: 23).

ELECTRONIC DATA PROCESSING (EDP), MANAGEMENT INFORMATION SYSTEMS (MIS), AND DECISION SUPPORT SYSTEMS (DSS)

Computer scientists have traditionally treated electronic data processing, management information systems, and decision support systems as though they were one and the same. Because there has been no agreement on a working definition for each of these terms, the distinctions have blurred; the three terms have been used interchangeably in much of the data processing literature. Walter Kennevan, for example, defines MIS as

. . . an organized method of providing past, present, and projected information relating to internal operations and external intelligence. It supports the planning, control, and operational functions of an organization by furnishing uniform information in the proper time frame to assist the decision-making process.

(Kennevan in McLeod, 1979: 14)

As this definition indicates, the author uses MIS as a decision support system. However, he does not clarify whether MIS is to be used for a particular level of organization (e.g., strategic planning, management control, operations management). His failure to make such a clarification confuses MIS with EDP and DSS in the minds of many readers.

More recently, some authors have attempted to make the distinction between EDP/MIS and DSS clear. One such author is Steven Alter. Alter uses EDP mostly for clerical activities. He believes that EDP focuses mostly on the past, while DSS, which is involved largely with management activities, places its emphasis on the present and the future (1980: 2). Throughout his book, Alter describes a broad range of successful and not-so-successful decision support systems.

Peter Keen and Michael Scott Morton are two other authors who address the distinction between EDP/MIS and DSS. They describe DSS as the use of the computer to:

- assist the manager in his decisionmaking process for semistructured tasks;
- support, rather than replace, managerial judgment;
- improve the effectiveness of decisionmaking rather than its efficiency.

(Keen, 1978: 1)

They describe the main characteristics of MIS somewhat differently:

The main impact has been on structured tasks where standard operating procedures, decision rules, and information flows can be reliably predefined . . . The main payoff has been in improving efficiency by reducing costs, turnaround time, and so on, and by replacing clerical personnel . . . The relevance for managers' decisionmaking has mainly been indirect, for example, by providing reports and access to data.

(Keen, 1978: 1-2)

Ralph Sprague and Eric Carlson (1982) have gone one step further. Throughout their book, <u>Building Effective Decision Support</u> <u>Systems</u>, these authors discuss the differences between EDP and MIS/ DSS. They also present a variety of guidelines for the design and implementation of effective decision support systems.

The above-mentioned authors have all demonstrated amply how a computer can support a manager in his decisionmaking activities. One is aware, from a synthesis of these different definitions, that the computer can be used in all three levels of organization. If, however, it is used at the bottom, it is referred to as MIS; and if it is used at the middle and upper levels, it is called DSS. The following diagram clarifies this notion.




Figure 2. MIS in the Organization

### MANAGEMENT INFORMATION SYSTEMS

## Definition

Throughout this study, Management Information Systems may be taken to mean the following:

. . . a well organized integration of men, machines, facilities, and procedures designed to assist a decisionmaker in making decisions--or better decisions-at all levels in an organization.

This definition highlights six important elements in a management

information system:

- It is well organized and integrated (in terms of the elements which comprise it);
- The human element is a key factor (i.e., the user, the designer, the implementer, and the maintainer);

- "Machine" refers to the computer and other related technologies, i.e., telecommunications, telex, . . .
- "Facilities" refers to other supporting technologies, such as the building, the air conditioning system . . .
- "Procedure" is the way a process must be done. It is important, even in a manual system;
- 6. The last element is the necessity for a goal in MIS. The goal must always be the production of an accurate, timely, relevant, integrated body of information to support a decisionmaker in his decisionmaking activities.

One needs to keep in mind that the existence of a computer is not a requirement in MIS design; a manual MIS can provide meaningful information as well. However, this study will be concerned with computer based management information systems (CBMIS) exclusively.

### Components of a CBMIS

Many authors have discussed this topic. Although each author has stressed the fact that there are many variables, one can find a striking number of similarities among the descriptions of the various writers. For example, Gordon Davis (1974: 192) lists the physical components of a management information system in the following manner:

-- hardware (CPU, I/O units, . . .)

- -- software (computer programs, operating systems . . . .)
- -- files (data base) (tapes, disk packs, . . . )
- -- procedures (user instructions, instructions for preparation
   of input, . . .)

-- operating personnel (computer operators, system

analysts, . . .)

However, as Davis mentions, the above are just the physical components of a MIS. Robert Good's (1979) definition emphasizes the user impact of MIS:

- -- data
- -- storage and retrieval
- -- analysis
- -- communication and data transmission
- -- presentation
- -- manager

William Taggert's description (1980: 30-31), like that of Davis, places the emphasis on the physical components of a MIS:

- -- input
- -- processing units
- -- transmission units
- -- output

The summary notion from the descriptions of these different authors is that the MIS definition presented earlier in this chapter should include the following elements:

 <u>Data</u>: the raw facts which come to the system from its environment. The environment of an MIS depends upon the particular context in which the system has been designed. (The section of this study which deals with the descriptive model for a CBMIS will provide an opportunity for a
fuller discussion of the "environment" of the system.)

- <u>Storage</u>: the location of the data (in its original or "disaggregated" form--or in any other form) filed for future usage. The storage device can be a simple cabinet, or a modern data base with multiple access, or anything in between.
- <u>Analysis</u>: the process of putting the data into a form which is more meaningful for a decisionmaker. In this stage, many different options exist for the transforming of data into information.
- <u>Information</u>: the output of a MIS. The designer must consider a broad range of options available to the user. He certainly should take into account the user's personal organizational style.
- <u>The Human Factor</u>: includes operating personnel, the user, and the top management of the organization. A close communication among these people is crucial for a successful MIS design.

# Centralization and Decentralization in MIS Organization

Centralization/decentralization is an issue which is prevalent in much of the literature. William Taggart, for instance, discusses it in terms of several factors such as: applications, decisionmaking, coordination and control, and economics. He summarizes the advantages and disadvantages of each issue in Table IV on the following page.

# TABLE IV

# COMPARATIVE ADVANTAGES OF CENTRALIZATION VS DECENTRALIZATION

Factor		Centralization		Decentralization		
Applications	1. 2.	Uniform nonduplicate. Higher integration.	1. 2.	Tailored to local needs. Increased flexi- bility.		
Decisionmaking	1.	Focus on overall organi- zation situation.	1.	Recognize local circumstances in situation.		
	2.	Decide more compre- hensively.	2.	Decide more quickly.		
Coordination and Control	1.	Corporate plan easier to implement.	1.	Direct insight into and accountability for variance.		
	2.	Best for strong central management.		Best for loosely grouped autono- mous units.		
Economics	1.	Personnel specializa- tion with fewer total staff.	1.	Staff attuned to user at lower individual cost.		
	2.	Hardware for high technical requirements.	2.	Better performance/ price for feasible requirements.		

Source: (Taggart, 1980: 30-31)

Gordon Davis explains this issue a little differently, although there are several similarities between the two authors' points of view. The Davis summary appears as Table V on the following page.

For an MIS design to be successful, there should be a balance between centralization and decentralization. Using the computer situation in developing countries as an example, the following capsulizes the comparative disadvantages of both centralization and decentralization:

# TABLE V

### CENTRALIZATION VS DECENTRALIZATION

	Supportive of Centralization		Supportive of Decentralization			
1.	. Economies of scale, espec- ially hardware but also personnel		Improved service through respon- siveness to location conditions (or lack of responsiveness by centralized system)			
2.	Savings from elimination of duplicate system development	2.	Company policy of decentraliza- tion in management			
3.	Advantages from standarization	3.	Lack of commonality among organizational units makes standard systems infeasible			
4.	Advantages from uniform system output					
	output		Source: (Davis, 1974: 376)			

# Disadvantages of Centralization

- -- scheduling problems
- -- poor responsiveness
- -- administrative problems
- -- limited national training
- -- limited applications (fewer applications being user-oriented)
- -- high risks in decisionmaking (larger scale decisions)
- -- highly trained people are required
- -- high installation costs
- -- high unused capacity

# Disadvantages of Decentralization

- -- lack of economy of scales (personnel, hardware, applications)
- -- lack of centralized control
- -- lack of unique decisionmaking
- -- possible redundancy

#### The Human Factor in MIS Design and Implementation

In reviewing the literature, one can readily see that this subject has been thoroughly treated for MIS design in the United States. However, due to the high unemployment rate, relatively low user awareness, and traditional environments of developing countries, this issue becomes more complicated, and thus has more implications for the MIS designer, when applied to them. (See the following for indepth discussions of the human factor in US MIS design: Dock,(1981: 379-380), Willoughby (1981: 31-42), Dickson (1970: 59-71), Alter (1980: 23-32), Carper (1977: 48-50), Testa (1974: 13-17), Mintzberg, (1978: 1-23), Bariff (1977: 820-828), and Berkeley (1975: 6).

The human factor has always been and likely will always be a key element in all stages of computer acquisition, design, and implementation in developing countries, as well as in developed ones. However, the most serious problem in connection with computer utilization in developing countries involves the human element. For example, in the acquisition phase of computer technology, highly informed managers are required in order to justify an acquisition. In the design and implementation phases of computer utilization, highly informed managerial and technical personnel are required to carry out the project. Still the process is not over; on the part of the user, this issue takes on even more importance. The number of computer users in developing countries who consider the computer to be a status symbol is high. However, there are many cases in which computer systems have not been used at all, or at best, have been used only at the very lowest levels of their capacities. As mentioned earlier, many authors have treated the human issue. Mintzberg (1978: 1-23) studies this important issue under the following three headings: "The Formal Information at Fault," "The Organization at Fault," and "The Brain at Fault." In the case of formal information, he argues that the formal information system is too limited, that formal information systems tend to aggregate data (and, as a result, much of the information produced is too general for the manager), that much formal information is received too late, and, finally, that some formal information is unreliable.

In the case of the organization, he levels what are probably his most serious criticisms:

- -- organizational objectives are often rigid and dynfunctional and encourage the manager to use inappropriate information;
- -- the power and political situations within the organization may cause the manager to ignore or distort information related to overall effectiveness;
- -- the nature of his work drives the manager to favor verbal channels and neglect documented sources of information.

And finally, about the brain, Mintzberg makes these comments:

- -- the manager suffers from cognitive limitations that restrict the amount of information he can consider in complex decision processes;
- -- the brain systematically filters information in line with predetermined patterns of experience (and this filtering may be significantly different in different cultures!);

-- psychological failures and threats further impede the brain's openness to information.

These points which have been made by Mintzberg have widespread implications for the purposes of the present research and will therefore be explored in greater detail in another part of this study.

Dickson and Simmons (1970: 59-71) discuss this issue under the heading "Consequences of Change." They conclude that people resist the new in favor of the old. Change has always been a threat to economic security, status, and interrelationships among people at work. They also state that the resulting behavior may be one of aggression, projection, and/or avoidance. These types of behavior may/may not occur, depending upon the particular position of the affected person in his organization, his own temperament, etc.

Carper (1977: 48-50) treats the human issue similarly to Dickson and Simmons. He points out that people believe the new MIS causes job or role ambiguity, job rigidity, and time pressures.

Most of the authors listed above have come up with solutions to the problem. The consensus seems to be that an MIS design which gets the user involved in all stages of the design and implementation has a good change of overcoming most of the aforementioned problem areas. In each case, the solutions proposed by these authors have something to do with the user. They have all, directly or indirectly, emphasized that a successful MIS must be as responsive as possible to the user's needs. The user's personal and organizational styles must be considered,

30

and, more importantly, the user's cognitive map must be emphasized in the MIS design.

# Computer-Based Management Information Systems as a Transferred Technology

Technology transfer has a lot to do with the model which is designed in this study. The major element of the model, computer technology, is being transferred from developed countries to developing ones. The particular methods by which this transfer can take place have been studied by authors such as Kathie Priebe (1978: 109-113). While these methods provided an essential body of background information for this study, they are not the project's focus. Rather, this project will be interested in identifying the important variables to be considered in the transferrence.

In reference to the successful transfer of computer technology, Harry Huskey (1978: 256) makes the following points:

- there must be a need;
- technical leadership is required;
- managerial leadership is essential; and
- the necessary resources must be available.

To emphasize the importance of established infrastructure in support of the transferred technology in the recipient country, Foley points out:

the problem with technology transfer lies not with the technology itself but within the replication of the environment in which it operates.

(Foley, 1978: 119)

He continues:

The successful transfer of technology from one site to multiple locations depends on certain prerequisites being fulfilled. The major prerequisites are:

- -- that the administrative environment in the remote sites has evolved to a sufficient degree to where it can raise its performance by accepting centrally developed technology;
- -- that the development, maintenance and change to the technology can be managed centrally with a sufficient degree of responsiveness to meet remote site needs;
- -- that each remote site has the skill to accurately define requirements of 100% quality, assure the imported product, and manage the technology;
- -- that remote sites have the administrative and technological skills to achieve and maintain commonality in methods, data, information, architecture, and use of technology;
- -- that the total administrative needs and their solutions are clearly articulated in an end-point plan and that resources can be directed towards achieving the end point.

(Foley, 1978: 124)

D A Golden (1978: 1-2) mentions still other points involved

in the technology transfer situations:

While the objective of technology transfer is easily defined, the process as a whole is complex and almost defies description. However, some of the basic characteristics of a true transfer should be mentioned:

- -- It is a people-oriented phenomenon, and its success depends upon close interrelationships between the donor and the recipient.
- -- It demands the existence of a high degree of motivation on the parts of both the donor and the recipient.
- -- It is a continuing activity, since technology does not stand still.

-- It is a multifaceted, diversified, and constantly

changing process with great variations from one industry to another.

- -- It requires that the technology gap between the donor and the recipient be of manageable proportions.
- -- It is a very costly operation, and, what is worse, most of the cost is hidden.
- -- It has little similarity with the dissemination of knowledge or pure science.
- -- Buying technology can either be the most useless outlay, or the best possible bargain, depending upon both the ability of the donor to transmit it and the recipient to turn it into a successful enterprise.

Clearly, then, there are many key variables involved in this transferrence. Taking these variables into consideration will greatly enhance the chances of success of the CBMIS.

### Project Management as a Tool for Design and Implementation of a CBMIS

Development of a CBMIS involves many people and many activities. It requires an interdisciplinary and interorganizational team that often includes new types of relationships and responsibilities. Project management can smooth this process if it is effectively used.

Thomas Gildersleeve, in his book, <u>Data Processing Project</u> <u>Management</u> (1974), lists several activities involved in the design and implementation of an MIS project. The relationship between the plan, the budget, and the schedule is, he feels, the key element in designing a satisfactory MIS project. He further states that communication and coordination among the people involved is an essential factor; this cooperative spirit can best be achieved by using project management techniques. There are some specific techniques which have been used as planning and controlling tools more frequently than other tools in project management. The responsibility matrix, the Gantt chart, and PERT are three such tools.

<u>The Responsibility Matrix</u>. Since, in the development of a CBMIS, many activities are involved, a responsibility matrix can be used to clarify relationships and performance responsibilities. A responsibility matrix shows the participants of the MIS project and documents their degree of involvement in each decision activity.

<u>The Gantt Chart</u>. The Gantt chart is a planning and scheduling tool which graphically shows the different activities involved in a project and the time period anticipated for completing each of them. It is helpful in showing the status of each activity and in identifying those activities which are behind or ahead of schedule.

<u>PERT</u>. (Program Evaluation and Review Technique) is another planning and controlling technique; it uses a network instead of the bar graph (which the Gantt chart employs). PERT focuses on interrelationships among activities and shows those activities which are critical in terms of finishing the project on time.

Many of the problems in the implementation of a CBMIS in developing countries are the result of not using the project management tools. Iran is a case in point. However, the responsible authorities in Iran are becoming aware of this important fact. As Ali Nowtash has stated:

EDP managers in developing countries should make extensive use of project control packages such as PERT and CPM. The use of these systems 34

indicates the bottlenecks and red tape in the various government departments.

(Nowtash, 1971: 87)

To emphasize the importance of project management in the implementation of a CBMIS, Henry Lucas points out:

The history of the development of computer software shows many failures. Projects either do not meet their initial design objectives or are implemented weeks or months behind schedule.

(Lucas, 1973: 173-183)

An effective project management must define the goals and objectives of MIS design and the available resources. These will aid in the designing of a satisfactory MIS which will respond to the users' needs on a timely basis.

#### Cost/Benefit Analysis in the Design and Implementation of a CBMIS

Cost/benefit analysis has always been a difficult task in CBMIS due to the difficulty of estimating the benefit generated by the CBMIS. Most of the benefits produced by computerized systems are intangible. As Leslie King and Edward Schrems conclude, "Costbenefit analysis applies where benefits are quantifiable and cost effectiveness is otherwise" (1978: 20).

However, cost/benefit analysis is one of the tools which enables a decisionmaker to operate manually or to automate his operations. Since the CBMIS is an expensive investment, several considerations should be explored before its acquisition. Computer investment is like any other investment. Consequently, capital budgeting such as net present value, pay back period, internal rate of return, and other capital budgeting techniques are applicable. One should consider modifying these techniques where intangible benefits are evident. A computer-based management information system produces (or is supposed to produce) many intangible benefits; these, of course, are difficult to express in monetary terms. But one can attach some monetary value to them, following a cost/benefit procedure. For any investment, the net present cash inflow should be equal to or greater than the present cash outflow. If this is the case, it is an appropriate investment from the cost/benefit point of view.

King and Schrems have a detailed documented list of the costs and benefits of computerized information systems. Two of their lists have been incorporated into this study and appear as Tables VI and VII. There is one significant omission in that material, however: opportunity cost should also be a consideration. Since most of the developing countries have serious problems with foreign currencies, this factor should be weighed heavily. Although an accurate evaluation of opportunity cost is almost impossible, even a rough estimation will provide the decisionmaker with a better view about the automation of his operations.

36

# TABLE VI

#### POSSIBLE INFORMATION SYSTEM BENEFITS

Benefits from contributions of calculating and printing tasks Reduction in per-unit costs of calculating and printing (CR) Improved accuracy in calculating tasks (ER) Ability to quickly change variables and values in calculation programs (IF) Greatly increased speed in calculating and printing (IS) Benefits from contributions to record-keeping tasks Ability to "automatically" collect and store data for records (CR, IS, ER) More complete and systematic keeping of records (CR, ER) Increased capacity for recordkeeping in terms of space and cost (CR) Standardization of recordkeeping (CR, IS) Increase in amount of data that can be stored per record (CR, IS) Improved security in records storage (ER, CR, MC) Improved portability of records (IF, CR, IS) Benefits from contributions to record searching tasks Faster retrieval of records (IS) Improved ability to access records from large databases (IF) Improved ability to change records in databases (IF, CR) Ability to link sites that need search capability through telecommunications (IF, IS) Improved ability to create records of records accessed and by whom (ER, MC) Ability to audit and analyze record searching activity (MC, ER) Benefits from contributions to system restructuring capability Ability to simultaneously change entire classes of records (IS, IF, CR) Ability to move large files of data about (IS, IF) Ability to create new files by merging aspects of other files (IS, IF) Benefits from contributions of analysis and simulation capability Ability to perform complex, simultaneous calculations quickly (IS, IF, ER) Ability to create simulations of complex phenomena in order to answer "what if?" questions (MC, IF) Ability to aggregate large amounts of data in various ways useful for planning and decisionmaking (MC, IF) Benefits from contributions to process and resource control Reduction of need for manpower in process and resource control (CR) Improved ability to "fine tune" processes such as assembly lines (CRM, MC, IS, ER) Improved ability to maintain continuous monitoring of processes and available resources (MC, ER, IF)

\*CR = Cost reduction or avoidance; ER - Error reduction; IF = Increased speed of activiity; MC = Improvement in management planning or control

Source: (King, 1978: 23)

#### TABLE VII

### POSSIBLE INFORMATION SYSTEMS COSTS

Procurement costs

Consulting costs Actual equipment pruchase or lease costs Equipment installation costs Costs for modifying the equipment site (air conditioning, security, etc) Cost of capital Cost of management and staff dealing with procurement

Start-up costs

Cost of operating system software Cost of communications equipment installation (telephone lines, data lines, etc) Cost of start-up personnel Cost of personnel searches and hiring activities Cost of disruption to the rest of the organization Cost of management required to direct start-up activity

Project-related costs

Cost of applications software purchased Cost of software modifications to fit local systems Cost of personnel, overhead, etc, from in-house application development Cost of interacting with users during development Cost of training user personnel in application use Cost of data collection and installing data collection procedures Cost of preparing documentation Cost of development management

Ongoing costs

System maintenance costs (hardware, sfotware, and facilities) Rental costs (electricity, telephones, etc) Depreciation costs on hardware Cost of staff involved in information systems management, operation, and planning activities

Source: (King, 1978: 24)

#### The Future of the CBMIS and Its Implications for Developing Countries

The following contain discussions of the future of the CBMIS in developing countries: (Davis, 1974: 468-470), (Huskey, 1978: 258), (Frienleib, 1978: 557-559), (Alter, 1980: 183-193), (Lucas, 1973: 252-261), (Dock, 1981: 453-456), (Spencer, 1978: 376-386), (Edwards, 1979: 341-353), and (Shelly, 1980: 134-138).

Although different authors have emphasized different issues with regard to the future of the CBMIS, nearly all of them agree on the following points:

- The cost of labor will continue to increase. This means that computers will likely play even more important roles in future societies than they do in today's.
- Hardware technology will continue to improve. Furthermore, the price of storage and retrieval of information will continue to decrease. Table VIII demonstrates the overall development of hardware technology.
- 3. Software technology will continue to improve. In comparing the development of hardware and software technologies, one can see that hardware technology has improved at a much faster rate than software technology. Figure 3 shows the hardware/software cost trends. A comparison of today's COBOL language with that of 15 years ago does not produce much of

a difference; therefore, in software technology, there is room for improvement. Data base management systems (DBMS), structured programming, and word processing will continue to improve, and their usage will become more common.

# TABLE VIII

OVERALL DEVELOPMENT OF HARDWARE TECHNOLOGY

TIME FRAMEWORK

	1950	1960	19	70					
		Hardware Generations							
COMPONENT TECHNOLOGY	First	Second	► Third —	Всу	ond				
						Integrated Circuits			
Component Type	Vacuum Tube	Transistor	SSI	MSI	LSI	VLSI			
		>							
		1							
Number of Elements per Component (chip)	1	1	1–10	10- 100	100- 10,000	10,000- 250,000			
PERFORMANCE AND PRICE		ł							
Number of Additions per Second *	1,000	10,000	25,000	40,000	<b>60,</b> 000	100,000			
Performance/ Price Improvement	1	10	100	1000	10,000	100,000			

• Five digit decimal number addition.

Source: (Taggart, 1980: 76)

40




Figure 3. Hardware/Software Cost Trends

Source: (Boehm, 1974: 75)

- 4. Improvement in telecommunication. In the future there will likely be inc reliable to reliable to reliable to reliable to the telectronic mail and electronic newspapers will become common.
- New applications of the computer will become viable due to the decreasing costs of purchasing and maintaining them.
- 6. People worldwide will become more aware of computers. As Couger and McFadden point out, "over 50% of the US labor force is now involved in information occupations-jobs that create, manipulate or use information or work with technologies which do these things" (1981: 3).

#### SUMMARY

So, what does all this mean to developing countries? According to Harry Huskey (1978: 256),

for developing countries this means that initial computer activity should be in the education area so that they can stay abreast in a quickly changing environment.

Boehm and Dexter indicate that

the costs of software (systems software, application programs, and related documentation) already far outweighs the cost of hardware for an average application. The effect on developing countries is to make manpower the critical resource, rather than hardware.

(1974: 75)

A careful study of the trends of growth in computer technology leads one to the following conclusions:

First, the ever-decreasing cost of hardware technology will make the computer a more affordable commodity for developing countries. These countries will, therefore, be in a better position to take advantage of this opportunity.

Secondly, developing countries, in their computer utilization, should consider this growth in order to be more adaptable to further development. Modular design is one technique which will likely help preserve adaptability.

Thirdly, to take full advantage of computer technology, developing countries should define their requirements for computer acquisition. This definition will be the major objective of the present research project.

### CHAPTER III

### DEVELOPMENT OF A DESCRIPTIVE MODEL FOR A COMPUTER-BASED MANAGEMENT INFORMATION SYSTEM (CBMIS) FOR DEVELOPING COUNTRIES

This chapter presents and develops the descriptive model which is the focal point of the current research project. As background material, alternative models by different authors are presented as well. Finally, the building blocks of the proposed model are examined; these blocks include the stage development of the CBMIS, different phases in the model, and the essential variables involved in each phase.

GENERAL MODELS FOR A COMPUTER-BASED MANAGEMENT INFORMATION SYSTEM

Henry Lucas has devised a general model for an information system (shown on the following page as Figure 4). As this figure demonstrates, Lucas identifies two types of information systems in an organization: the formal and the informal. He maintains that:

a formal system has a prescribed set of rules and procedures for gathering, analyzing, and disseminating data. An informal system is more concerned with highly variable information that is not collected as a matter of routine; such systems tend to develop naturally within the organization.

## (Lucas, 1973: 5)

As Figure 4 shows (see page 44), computer technology has been applied mainly to processing data in a formal information system. Based upon this figure, one can conclude that Lucas recognizes




Figure 4. Information Systems in Context

Source: (Lucas, 1973: 4)

computer technology, systems analysis and design, and the user as the major components of an information system. In Figure 5 (presented on p 45), Lucas distinguishes the characteristics of information for each level of the organization, and he defines the role of an information system to be the collection and interpretation of data.

Elias Awad presents a somewhat different model from Lucas's (although there are also striking similarities). The Awad model is presented on page 46 as Figure 6. As this figure shows, Awad defines




Figure 5. An Information System Framework

Source: (Lucas, 1973: 15)

the output of an information system as management information. His model demonstrates a continuous interaction between the MIS and the manager's functions (e.g., planning, organizing, etc). Figure 6 also shows that Awad includes the data base as an inherent part of an MIS.

John Burch et al present still a different model for a CBMIS. Their model is represented in Figure 7 on page 47. The major components of this CBMIS are human, software, hardware, and data base. These authors present a more detailed discussion than most on information processing operations. They are convinced that a well organized integration of the major components of a CBMIS will provide managers with all the necessary information for decisionmaking activities. A





Figure 6. A General Management Information System Model

Source: (Awad, 1979: 21)

close look at this figure indicates that information processing activities must include a variety of tasks, of which capturing the raw data is only one.


Ultimately, these authors present a comprehensive chart which shows clearly the relationship between the system design methodology



<u>Figure 7</u>. Basic Components of a Computer-Based Information System Source: (Burch et al, 1979: 75)

and their general model for a CBMIS. This chart is represented on page 48 as Figure 8. This chart overviews all the phases these authors believe to be involved in systems analysis and design.

While these models provided a rich theoretical background for the development of the model to be used in this study, they were not entirely relevant, either singularly or by composite, to the study at hand. As will be seen later, all these models exclude several very important variables which are crucial to a CBMIS for developing countries.



Design Blocks

Figure 8. The Systems Development Methodology and Its Relationship to the Information Systems Building Blocks

Source: (Burch et al, 1979:248)

OTHER WORK RELATING TO THE PROPOSED CBMIS

The closest work done relating to the present study is that of A M M Kheir (1979), which is a doctoral dissertation completed at

George Washington University. Kheir made an extensive study, guided by Reihl's normative reference model, with the result being the development of an acceptable framework for a CBMIS for developing countries. He incorporated the experience of the Bureau of Census into his model and had the model verified and revised by a panel of experts to suit the environment of a developing country such as the Sudan. Tables IX and X on the following pages show the results of both the Riehl and the Kheir models.

Unhappily, the Kheir model focuses almost exclusively on variables which relate only to the design and implementation of a CBMIS. thereby omitting several others of equal or even greater importance. As was shown in Chapter I, many other factors have a direct bearing on the success or failure of a CBMIS in a developing country, and these factors simply cannot be ignored.

The model proposed in this study incorporates those additional variables--indeed, it attempts to cover the whole scope of relevant variables--and additionally presents a series of predictive equations which can be utilized to predetermine the likelihood of success in various phases of the acquisition, design, and implementation of a CBMIS.

Despite its weaknesses, the Kheir model served as a useful starting point for the work accomplished in this study.

49

# TABLE IX

## SUMMARY OF RIEHL'S NORMATIVE-REFERENCE MODEL

#### STRATEGIC PLANNING PRINCIPLES

Master Systems Planning Management Involvement Master Systems Plan Planning Coordination Provision for Change

### PROJECT PLANNING PRINCIPLES

System Development Life Cycle Project Proposal Feasibility Study Economic Analysis Project Management Project Plan Project Control Reporting Estimation Process Change Control System Development Standards Cost Allocation

#### PROJECT CONTROL PRINCIPLES

User-Management Control Information Requirements Definition Functional Specifications Performance Criteria Detailed Design Specifications System Implementation System Testing Conversion Post Implementation Audit

# ORGANIZATIONAL BEHAVIOR CONSIDERATION PRINCIPLE

User Acceptance

Source: (Kheir, 1979: 33)

# TABLE X

## A CONCEPTUAL MODEL FOR THE COMPUTER-BASED INFORMATION SYSTEM FOR THE DEPT OF STATISTICS, SUDAN

- I. Strategic Planning
  - A. Master System Planning
  - B. Master System Plan
  - C. Provision for Change
  - D. Management Involvement
  - E. Planning Coordination
- II. Project Mangement, Planning and Coordination
  - A. Feasibility Study/Project Proposal
  - B. Functional Specifications
  - C. Performance Criteria
  - D. System Development Life Cycle
  - E. Project Management and Control
  - F. Estimation Resources (all resources including cost allocation)
  - G. Systems Development Standards
  - H. System Testing and Conversion
  - I. Post Implementation Audit
- III. Behavioral Considerations
  - A. Management Involvement
  - B. Motivation Factors
  - C. User Participation
  - D. Awareness of User Attitudes
  - E. Flow of Communications

Source: (Kheir, 1979: 145)

### DEVELOPMENTAL PHASES OF THE PROPOSED CBMIS

For the effective and efficient utilization of a CBMIS in a developing country, three phases must be carefully studied: the acquisition phase, the design phase, and the implementation phase. In this model, a fourth phase--the operational phase--has been added; its purpose is to demonstrate how carefully the other three have been examined. Figure 9, below, represents these relationships schematically.




Figure 9. The Structural Components of the Proposed CBMIS

The acquisition phase incorporates the most important variables which have either a direct or an indirect impact on the future success of the CBMIS in a developing country. This phase can be considered the most important on in that its proper employment, coupled with an accurate identification of the significant variables, will help a developing country to identify the basic requirements and at the same time see the consequences of a particular acquisition. Careful consideration of the appropriate variables in this phase may additionally assist a particular country in deciding whether or not employment of computer technology is suitable.

In the design phase, another series of variables which have either direct or indirect impact on the effectiveness and efficiency of the design and utilization of a CBMIS will be introduced. In this phase, the assumption is that a particular developing nation has carefully monitored the variables in the first phase and there are only minimal problems in the acquisition of computer technology.

During the implementation phase, the project is physically implemented. Here, ideas are transferred from paper to the actual situation.

The operational phase of the proposed model simply describes the performance of the CBMIS. This phase demonstrates the degree to which the variables in the first three phases have been considered.

It cannot be emphasized too strongly that the key to successful employment of this model can be found in a close, critical examination of the variables involved. Such careful scrutiny not only increases the chances of success for the CBMIS, but minimizes existing problems which developing countries have indicated they are experiencing.

The following pages will overview the essential variables included in each model phase.

53

# The Acquisition Phase

As mentioned earlier, this phase is the starting point for the employment of the CBMIS. This phase highlights the basic requirements for the technology transfer and indicates the consequences of the utilization of computers in developing nations. Figure 10 illustrates the basic variables incorporated in this phase.




Figure 10. The Acquisition Phase of the Proposed CBMIS

The Economic Dimension. The economic dimension of this model identifies all the costs and benefits involved in the employment of the CBMIS. As mentioned in Chapter II, probably the most comprehensive list of costs and benefits has been presented by J King-Leslie and E L Schrems. The following list of economic considerations used in this model is based on their work. It should be remembered, however, that the single greatest benefit to developing nations resulting from automation is the creation of a new set of decisionmaking tools for the enhancement of their economic and social development (Simmons, 1972: 2; Sexton, 1972: 9). Such a benefit is, of course, long-term and one which does not lend itself readily to quantification.

The economic considerations, then, are the following:

- -- consulting costs
- -- equipment purchase or lease costs
- -- equipment installation costs
- -- physical planning costs (air conditioning, remodeling, etc)
- -- cost of capital
- -- cost of software
- -- cost of communication devices
- -- personnel costs
- -- training costs
- -- research and development costs
- -- documentation costs
- -- maintenance costs
- -- depreciation costs
- -- opportunity costs
- -- availability of foreign exchange

A detailed cost/benefit analysis of computer utilization will enable a particular developing nation to justify this technology transfer

from an economic point of view. Opportunity costs in particular are difficult to estimate; however, an accurate determination of these costs is very significant in terms of the ultimate decision a country makes regarding whether or not to automate.

<u>The Social Dimension</u>. Since developing countries are the importers of computer technology, the social dimension of the CBMIS will be rather different than it would be for developed countries. This topic has been written about extensively (see, for example, Giannoni (1972: 300-302), Danet (1971: 31-33), Elizur (1971: 34-35) and Mumford (1978: 239-244)), and the major authors tend to be in agreement about the elements comprising this dimension. The following list takes into account the writings mentioned immediately above:

- -- unemployment for unskilled labor
- -- the privacy problem
- -- possible creation of unnecessary complexities
- -- computer fraud
- -- creation of a new working class (which may cause turnover in the organization)
- -- conflict between foreign and domestic consultants (higher pay for foreign consultants)
- -- social cost of retraining (what to do with traditional bookkeepers)
- -- reduction of employee's communication at work
- -- possible effect on population geographical distribution
   (moving from one place to another)
- -- possible effect on human communication outside work (i.e.,

conditioning people to prefer playing computer games rather than interacting socially)

A careful investigation of the social issues involved in the employment of computer technology will assist the decisionmakers in finding remedies for these problems. Although some of these social issues are an inherent part of the automation process, still, with careful planning, the negative aspects can be minimized.

<u>The Policy Dimension</u>. This dimension includes a variety of variables. Aspects of it may interface with several other national policies in a particular developing nation. The major considerations of this dimension are as follows:

-- acquisition criteria

-- employment of standardization

-- acquisition constraints

-- existence of information centers

-- existence of a system master plan

-- centralization/decentralization issues

-- number of training centers

These variables are important enough and diversified enough so that a brief statement must be made about each individually:

<u>Acquisition Criteria</u>: Computers have been acquired by different countries for different reasons. Some of the reasons are: complexity of organizational activities, decisions made by other organizations, economic factors, improvement over the control of operations and future planning, increased accuracy of information, capacity for future expansion, prestige, etc. Chapter IV of this study discusses these different reasons in detail.

Employment of Standardization: There are both advantages and disadvantages to the employment of standardization in hardware and software selection, in data collection, and in data transmission for developing countries. Bonn (1971: 278-296) and Brandon (1963) have both treated this subject in depth, as have others. The Brandon work in particular points out problems associated with standardization. And although his cautions are valid, this study chooses to treat standardization as a benefit, if it is effectively employed, in the case of developing nations. Some of the unique advantages of standardization include: an increase in experience sharing among various installations, an improvement in data migration from installation to installation, an improvement in the level of cooperation and coordination among the centers, an improvement in the adaptability of the present CBMIS to the growing body of technology, and, finally, a belief that standardization may make future computer acquisition an easier task.

Acquisition Constraints: Some of the developing countries studied in this research project have expressed difficulties in the physical acquisition of computer technology (India and Colombia are prime examples). These difficulties include high taxes, tariffs, and import duties and inefficient transportation. Clearly, these kinds of restrictions make the computer a much less affordable commodity; they also may delay the utilization of the CBMIS. Creation of a central office for coordination among the computer installations and central

government agencies may help to minimize the above-mentioned problems.

Existence of Information Centers: An examination of the computer status in several developing countries does not show clearly that information centers exist for advising users. The possible lack of such centers may result in buyers' making inappropriate investments. Such centers are invaluable for disseminating information about prices, new developments, new types of applications, characteristics of different systems, etc. They might also garner information from books, articles, professional societies, trade publications, conferences, and the like for users' benefit. Certainly, they would be of utmost importance in eliminating or reducing the duplication of mistakes among users. So it is critical to know whether such centers exist in a particular country, and if so, how effective the centers are in assisting in the above-mentioned ways.

Existence of a Master Systems Plan: This aspect of the policy dimension is essential in terms of helping a particular nation assess its needs and set up its priorities. As E M Shay has pointed out:

The Master Systems Plan (MSP) first and foremost is a plan: it is not a specification for a system design. Its purpose is twofold. First, it tells the systems manager (indeed all management) which system should be worked on next. Second, it describes the relationship of that system to all other systems which are currently operational, being implemented, or have been planned for possible development.

#### (Shay, 1975: 514)

In the particular case of developing nations, the Master System Plan should go beyond Shay's definition. It would be better for developing

nations to first define their priorities, goals, and objectives. Only after a careful definition of each of these factors should the computer be brought in. Bringing in the computer first and deciding what to do with it next is a great mistake which many developing countries have made in the past.

The MSP for developing countries should include the following: factors:

-- annual requirements of computer technology

-- future requirements of computer technology

-- cost estimation

-- staffing projections

-- a detailed statement of system development standards All phases involved in the proposed model will interact together through the Master System Plan. Careful preparation of the MSP will likely raise the interesting question of "Is the computer really needed?"

Centralization vs Decentralization Issues: The issue of whether the CBMIS should be centralized or decentralized has been debated widely in the literature. Une particularly cogent discussion is presented by A G Mollegaard (1972: 494-497). Traditionally, most developing countries have chosen to operate on a centralized basis. Probably the economy of scale in hardware acquisition has been a determining factor in this method of operation. In other cases, political motivations have had a great deal to do with the decision. A detailed analysis of the motivations behind these choices is beyond the scope of this project; suffice it to say that developing countries should carefully examine the centralization/decentralization issue (relative advantages/disadvantages of each was presented in Chapter II). Decentralized operations with centralized control may be the most appropriate policy for developing nations.

Number of Training Centers. Lack of gualified data processing personnel and a dearth of training centers have been a universal problem in most (if not all) of the developing countries. The significance of this issue has been discussed by several authors, notably Mead (1978: 665-671), Sexton (1972: 10), Thomson (1972: 947-949), Lucena (1974: 376-383), Blaxter (1971: 89-100), and Finerman (1971: 112-123). The majority of these countries have had severe problems in staffing their computer installations. Figures on Iran, for example, show that computer utilization has grown at a much faster rate than has the number of trained data processing personnel. The lack of qualified personnel has forced many of these countries (for example, Ethiopia, Brazil, and Turkey) either to hire foreign consultants (at very high salary rates) or to run the computer installations at less than optimum capacity. Additionally, the employment of foreign consultants has caused turnover problems in many of these countries. Higher salaries and better working conditions are the two major factors involved in the turnover problem. To avoid such problems, the MSP should be re-examined, and requirements and existing resources should be re-evaluated.

<u>The Human Dimension</u>. As mentioned above, the shortage of qualified data processing personnel is a universal problem in developing countries. However, it is not only the number of qualified people

which is at issue; it is also the level of their training, their awareness, and their willingness to cooperate.

For the efficient and effective utilization of a CBMIS, the expertise of the following staff members is required:

- -- decisionmaker managers
- -- user manager
- -- analyst programmer
- -- systems designer
- -- data collection expert
- -- hardware engineer
- -- software engineer
- -- systems programmer
- -- regular programmer
- -- technician
- -- input/output coordinator
- -- peripheral equipment operator
- -- key punch operator

A few of the developing countries have had some success in the training of the last three groups. However, in general, the shortage of qualified personnel remains a serious problem. Before bringing in the computer, these needs should be evaluated and appropriate actions taken for meeting the needs.

The human dimension of the proposed model does not limit itself to the number of data processing personnel required. User and top management involvement in all phases of the acquisition, design, and implementation of the computer is an equally important consideration. Involvement of these categories of staff members greatly increases the chances of success of the CBMIS.

<u>The Geographical Dimension</u>. The geographical dimension identifies the variables which should be considered in choosing a particular manufacturer or developed country as the exporter of the computer technology. This dimension encompasses a variety of variables such as the following:

-- availability of the maintenance personnel

-- availability of the replacement parts

-- availability of a backup for the exporter

-- the magnitude of the technological gap between the exporter and the recipient country

Consideration of the first three factors in this dimension is a straightforward process. However, the fourth factor raises a knotty issue: some studies have shown that the smaller the technological gap between the donor and the recipient, the higher the chances of success will be. One such study was performed by A K M Haq (1979). D A Golden, in his general guidelines for technology transfer from developed to developing countries (1978:2), comes to a similar conclusion: "It {the successful transfer of technology} requires that the technological gap between the donor and the recipient be of manageable proportions." These considerations become even more complicated if the choice of manufacturer has been made on a strictly or largely political basis.

While a detailed discussion of these elements is outside the aims of this study, it is essential that the decisionmaker look carefully at these issues for they may provide some interesting alternatives in terms of the choice of an exporter for the computer technology.

<u>The Technological Dimension</u>. This dimension identifies the basic technological requirements for the utilization of the CBMIS. Most of the developing countries studied in this project have had severe problems with the technological requirements of the CBMIS. The technological dimension may be summarized as follows:

-- existence of communication technology
-- existence of air conditioning technology
-- existence of a specially adapted housing structure

-- existence of reliable voltage

A final consideration in terms of the technological dimension is the suitability of a particular information system for automation. Obviously, not all information systems have the same suitability. For example, accounting and production information systems are considerably easier to automate than marketing information systems. This factor is referred to as the "technical feasibility" factor and is of prime importance in the employment of a CBMIS.

#### The Design Phase

This phase of the model identifies a series of variables which have a direct bearing on the effectiveness and efficiency of a CBMIS. The general framework for this phase has been adapted from a model presented by Dr George Lendaris<sup>\*</sup> in his SySc 573 course at Portland

Dr Lendaris includes context, environment, input, selector, data base, massager, output, and boundary in his model.

State University, Portland, Oregon. His model has been modified for the purposes of this study to increase its suitability for the particular environment of developing nations. Variables which have been incorporated into the proposed model are shown in Figure 11. They are briefly discussed below.




Figure 11. The Design Phase of the Proposed CBMIS

The Information System Life Cycle (ISLC). The information system life cycle has been fully discussed by many authors (see, for instance, (Grad, 1979: 16-27), (Davis, 1974: 413-419), Burch, 1979: 26-35), and (Lucas, 1978: 219-232)). Berch et al have neatly summarized the information system life cycle in Figure 12 on the following page. As it appears there, it consists of five major phases, with the major related activities from problem definition to systems followup detailed in the appropriate phase.




Figure 12. The Systems Development Life Cycle Showing Five Major Phases and the Major Activities Associated With Each

Source: (Burch, 1979: 32)

Lucas has expressed his view about the systems life cycle somewhat differently (albeit with many similarities). His view appears as Table XI on the following page. Taking both these views into account (as well as others mentioned briefly above), it appears that the well-defined information systems life cycle should include the following:

## TABLE XI

## THE SYSTEMS LIFE CYCLE

Inception Preliminary survey Feasibility study Existing procedures Alternative systems Cost estimates Systems analysis Details of present procedures Collection of data on volumes, input/output, files Design Ideal system unconstrained Revisions to make ideal acceptable Specifications Processing logic File design Input/output Programming requirements Manual procedures Programming Testing Unit tests Combined module tests Acceptance tests Training Conversion and installation **Operations** Maintenance Enhancements

Source: (Lucas, 1978: 220)

- -- problem definition: is the objective of automation
   quite clear?
- -- manual system considerations: is there a debugged manual
   system for automation?
- -- user needs: are the user needs well defined?
- -- types and characteristics of the particular information to be automated

-- system scope (boundary considerations): are the desired operating characteristics of the system defined?

In short, the information system life cycle is a macro view of the problem and the system which intends to solve it.

<u>Environment</u>. The environment of the CBMIS includes all the variables and factors which have something to do with the present and future success of the computerized system. A CBMIS could have many different environments, the most relevant of which (for this particular study) is shown below as Figure 13. Of course, other environments are possible, depending upon the particular situation for which a CBMIS is being designed.




Figure 13. The Most Relevant Environment for a CBMIS in a Developing Country.

Design Specifications. After a careful review of the information system's life cycle and a precise definition of the environment of a particular CBMIS, the design specifications should be elaborated. Comprehensive design specifications play a crucial role in the CBMIS by creating consistency in computer utilization, by increasing the adaptability of the existing CBMIS to growing technology, by increasing the chances of acceptance by the users, and finally by serving as a guideline for CBMIS utilization. The following four factors are the most important design specification variables for the special case of developing countries: types of design (task force vs individual), provision for change (modularity in design), functional specifications and performance criteria, and system documentation. These four design specification variables are briefly discussed immediately below.

Types of Design (task force vs individual): Traditionally, a CBMIS has been designed largely by data processing personnel. As a result, the designs have not always had the full support of the users. The emerging issue of task force design emphasizes the participation of all impacted personnel in the design of the CBMIS. This particular method could increase the commitment of users and at the same time give them a chance to express their views regarding the utilization of the CBMIS.

<u>Provision for Change (modularity in design)</u>: Acquisition and utilization of computer technology should not be a one-shot operation in developing nations; rather, it should be a continuous process. Design specifications of the proposed model should consider the ways

and methods by which a particular developing nation might adapt to the growing technology. Modularity in design could provide such an opportunity. Modularity should be considered in relation to: hardware acquisition, software acquisition, systems design principles, and, most importantly, software development.

<u>Functional Specifications and Performance Criteria</u>: In order to stay within the range of the predefined objectives for the CBMIS, the designer should articulate the functional specifications of a particular system. These specifications serve as a centralizing mechanism. A continuous comparison of these specifications with the actual operation of the system will point up the deviations between predefined goals and actual performance. The smaller the deviation, the higher the achievement of goals. Functional specification include the following:

- -- time/cost and other resource estimations (roughly, how much time and money are needed to design and implement a particular CBMIS?)
- -- specific objectives of the CBMIS
- -- input/output specifications
- -- a description of system functions and characteristics
- -- accuracy of reports
- -- reliability of reports
- -- degree of acceptance and utilization of the CBMIS by users

<u>System Documentation</u>: A comprehensive written document which describes the details and step-by-step operation of the CBMIS can be very helpful for its effective and efficient utilization. This document may also aid in improving the performance of existing systems.

<u>Input (Data)</u>. Inputs are facts which are incoming to the CBMIS from its environment. The sources of these inputs depend upon the situation for which a particular CBMIS has been designed, but at least the following elements should be considered:

-- external vs internal data

-- past/present/future data

-- recency of data

-- disaggregated vs aggregated data

-- numerical as well as conceptual data

In order to send data to the CBMIS, a sophisticated system should also include on-line, batch, and even voice input devices. However, due to the severe shortage of communication lines, on-line data entry in most developing countries is in its infancy.

Data Base. Data base is a series of computer files which attempts to eliminate or at least minimize duplication within the CBMIS. This study does not concern itself with the various types of data bases (e.g., relational, hiererchical, network); they have been fully discussed by others, notably Date (1981: 63-79). For amplification of the advantages and disadvantages of data base and Data Base Management Systems (DBMS) over the so-called flat files, see authors such as Chvalovsky (1976: 54-55), Curtice (1976: 46-49), Sobczak (1977: 139-150), Wiorkowski (1977: 109-114), Tsichritzis, 1978: 147-151), Holland (1980: 141-144), and McFadden (1978: 131-138). The central issue involved in this study is the existence of a data base (of any kind). Since different governmental agencies use the same data for different applications, the existence of a data base in the proposed model is an absolute requirement.

The advantages of a data base in the special case of developing countries is as follows:

-- data interchange or data migration improvement

-- enforcement of standards

- -- reduction of redundancy: different governmental agencies could specialize in the gathering and maintenance of particular data
- -- avoidance of inconsistency
- -- improvement of security

As I Padunchwit and B Tamthai have pointed out:

Another area that shows governments' great need is the use of data bank systems where, as the government draws on resources of information from mass storage devices, various vital pieces of information can be more readily correlated to assist the government to plan, forecast, develop, and control projects that previously had to be based upon accounting history sheets.

(1972: 546-547)

<u>Process</u>. With the existence of a well-defined data base in a CBMIS, a variety of analyses can be performed. Different mathematical models can be employed in order to convert raw data to the most acceptable and usable form of information. Statistical and financial analysis can become a very easy task. For this project, the following mathematical models may be included:

- -- econometric models
- -- optimization models
- -- simulation and forecasting models
- -- simple and multiple regression models
- -- budgeting and financial models
- -- cluster analysis models

Therefore, this part of the proposed model emphasizes two factors: availability of the appropriate models and types of analysis (e.g., simple vs complex, historical vs futuristic, etc)

<u>Output (Information)</u>. The ultimate objective of designing and implementing any CBMIS should be the production of timely, integrated, useful information. Utilization of the provided information can be drastically improved <u>if</u> the output format and methods of reporting match the particular needs and styles of the various users. A sophisticated CBMIS should include at least the following output formats:

-- hard vs soft copies

- -- graphic vs tabular format
- -- details vs summaries
- -- exceptional vs full reporting

In the case of reporting methods and utilization of a CBMIS, Steven Alter (1980: 110-112) has suggested the following methods:

- -- subscription method (information is reported on a regular basis)
- -- clerk method (there is one person between the CBMIS and the user)

- -- direct method (information can be requested directly from
   the CBMIS)

In summary, this part of the proposed model should consider the following factors:

- -- the screening process (conceptual filtering to avoid bombarding the decisionmaker with masses of information)
- -- timeliness (lacking this factor, decisionmakers may use an informal system)
- -- variety (internal vs external, comparison between different years or agencies, etc; wide variety is desirable)
- -- convenience of access (may include Alter's systems utilization methods)
- -- types of presentation and output (described in detail above)

A combination of these factors can have a dramatic impact on the success of the CBMIS.

#### The Implementation Phase

In the implementation phase of the proposed model, the project is transferred from paper to an actual physical situation. Variables in this phase identify the factors which are critical for the smooth and efficient implementation of the CBMIS. Figure 14 on the following page shows the most important factors involved in this phase.




Figure 14. The Implementation Phase of the Proposed CBMIS

<u>Human</u>. Timely and smooth implementation of a CBMIS is heavily dependent on availability of adequate numbers of trained technical and operational personnel. Obviously, this factor must have been considered in the acquisition phase of the proposed model.

User and top management involvement in the implementation phase of the CBMIS can also be quite important to its success. This may be the final opportunity for top management and the users to commit their views to the operation and utilization of the CBMIS.

<u>Project Management</u>. For the special purposes of this study, two major issues will be addressed in terms of project management as a tool for planning, scheduling, and coordination of all the activities involved in implementation of the CBMIS:

-- project management principles

-- utilization of tools and techniques of project management

Project management principles indicate the breakdown of all the activities involved in the implementation of a CBMIS into measurable tasks. As J G Burch has pointed out,

A project management system (PMS) is a system that supports the tasks of planning, scheduling, and controlling projects. The essential feature of a PMS is a mechanism for delineating a project into measurable work units.

(1979: 457)

The activities involved in the project management phase of the CBMIS have been shown in Figure 14. They are briefly explained below: -- physical planning: designers should consider the most appropriate physical layout for the installation of a CBMIS. This includes wiring, air conditioning, re-

modeling, etc.

- -- equipment selection: includes such considerations as CPU capacity, peripheral equipment, secondary storage, etc.
- -- personnel training: includes both on- and off-the-job training.
- -- testing the new system: the new system should be tested with sample data in order to increase the chances for future success.
- -- system conversion: should be accomplished after careful testing has been carried out. There are several different conversion methods: direct, parallel, modular, and phase-in conversion (for full explanations, see Bercher, 1979: 436-437), for example. The appropriate method should be selected depending upon the particular circumstances of a specific CBMIS.
- -- implementation: during this stage, the CBMIS is fully installed. The overall operation of the system starts after this phase.
- -- follow-up: After the system is fully implemented, the designers should continue to monitor it in order to be certain that the predefined objectives have been met and the users find the system workable. Adjustments should be made, as necessary.

To assure the most successful implementation of the CBMIS, several project management tools may be utilized: responsibility matrices, PERT/CPM, and Gantt charts, to name a few. These tools, which have been discussed to some extent in Chapter II of this research project, make a significant contribution to ensuring that the implementation phase of the CBMIS reaches its full potential.

#### The Operational Phase

This is the last phase of the proposed model. This phase demonstrates the performance of the CBMIS; it also indicates how carefully and fully the first three phases have been considered. The operational phase can be studied through several different dimensions, which are illustrated graphically in Figure 15 on page 79. This figure is derived from the study made of the computer status in ten developing countries (elaborated in Chapter I), and most of the variables included in Figure 15 come directly from that specific study. The remainder have been compiled by a careful analysis of related literature from both developed and developing countries.

The following list of variables also highlights significant questions which should be investigated in each case:

- -- Efficiency and Effectiveness of the Organization
  - Has efficiency and effectiveness of the organization been improved as a result of the acquisition of computer technology?
  - What are some of the most decisive variables which have either a direct or an indirect impact on this




Figure 15. The Operational Phase of the Proposed CBMIS

improvement?

- -- Utilization of Existing Computers
  - 1. Have the existing computers been efficiently used?
  - 2. What are some of the most decisive variables which have either a direct or an indirect impact on this issue?
- -- Delays in Computer Installation and Utilization
  - Has the computer installation and utilization been timely?
  - 2. What are the key variables?
- -- Cooperation and Coordination Among the Installations
  - Have the different installations been able to share experiences?
  - 2. What are the key variables?
- -- Migration of Data From Place to Place
  - Have the different installations been able to use each others data?
  - 2. What are the key variables?
- -- Reliability of the Provided Information
  - Has the information provided by the CBMIS been reliable?
  - 2. What are the key variables?
- -- Usefulness of the Provided Information
  - 1. How useful has the provided information been to users?
  - 2. What are the key variables?

- -- Responsiveness of the CBMIS
  - Has the CBMIS been responsive to the views and needs of the users?
  - 2. What are the key variables?
- -- Utilization of the Provided Information
  - 1. Has the provided information actually been utilized?
  - 2. What are the key variables?
- -- Adaptability of the Present CBMIS to the Growing Technology
  - 1. How adaptable is the present CBMIS?
  - 2. What are the key variables?
- -- Physical Acquisition of Computer Technology
  - Has the physical acquisition of computer technology been relatively easy to accomplish and timely?
  - 2. What are the key variables?

-- User Satisfication with the Manufacturer

- Has the user been satisfied with a particular manufacturer?
- 2. What are the key variables?

#### SUMMARY

This chapter developed the descriptive model for a CBMIS.

It discussed three different phases included in this model. It also introduced the fourth phase. This phase includes all the predictive equations for the successful employment of a CBMIS. Chapter IV will identify the most decisive elements from the four phases and will further the analysis.

#### CHAPTER VI

#### ANALYSIS

#### INTRODUCTION

A primary function of this chapter is to show the relationships which exist between various individual dependent variables and a respective series of independent variables. These relationships are demonstrated by use of forced entry multiple regression.

Secondly, tests of the experimental null hypotheses are presented; they consist of the global F test for a particular model and the test of an individual parameter coefficient in the multiple regression model.

A third purpose is to present the different runs accomplished for each predictive model in order to show the rationale for selecting one over the others as the best predictive model.

Finally, this chapter examines the residuals and explains the issue of multicolinearity. This examination helps locate areas where the assumptions of multiple regression may have been violated.

### RELATIONSHIPS BETWEEN DEPENDENT AND INDEPENDENT VARIABLES

This section introduces each of the predictive models, determines mean and standard deviation for all the variables, and discusses pairwise correlations between any dependent variable and respective independent variables. hereinafter referred to as "independent variables" or "measure of success factors," describe the first three phases of the proposed model. They are measurable and have a significant impact on the success of the CBMIS, both singularly and collectively (although some are more crucial than others). The issue of degree of impact will be dealt with more fully in Chapter VI of this project.

The <u>A</u>cquisition phase of this model will be described in terms of six major factors: Policy (P), Human (H), Social (S), Geographical (g), Economic (E), and Technical (T). These six elements can be further elaborated as follows:

Policy:

AV 1P - acquisition criteria: complexity of the organization's activities

AV  $_2P$  - acquisition criteria: other organizations' decisions

AV  $_3P$  - acquisition criteria: economic considerations

AV  $_{A}P$  - acquisition criteria: improve control of the operations

AV  $_5P$  - acquisition criteria: capability to plan for the future

AV <sub>c</sub>P - acquisition criteria: more accurate information

AV  $_7P$  - acquisition criteria: more current information

AV <sub>8</sub>P - existence of consulting firms and/or vendors for prices, applications, new developments, etc

AV <sub>g</sub>P - centralization/decentralization issues

 $AV_{10}P$  - existence of master system plan (goals, objectives, needs)

 $AV_{11}P$  - employment of standardization--in data collection

 $AV_{12}P$  - employment of standardization--in data transmission

 $AV_{13}^{P}$  - employment of standardization--in hardware selection  $AV_{14}^{P}$  - employment of standardization--in software selection  $AV_{15}^{P}$  - acquisition constraint: duties/tariffs  $AV_{16}^{P}$  - acquisition constraint: transportation  $AV_{17}^{P}$  - acquisition constraint: taxes  $AV_{18}^{P}$  - number of training centers

Human:

AV<sub>19</sub>H - user involvement (awareness, motivation, attitude, communication)

 $AV_{20}H$  - top management involvement

AV<sub>21</sub>H - existence of appropriate numbers of data processing personnel

Social:

Geographical:

 $AV_{27}G$  - availability of maintenance personnel for the manufacturer

 $\mathrm{AV}_{28}\mathrm{G}$  - availability of replacement parts for the manufacturer

 $AV_{29}G$  - availability of backup for the manufacturer

AV<sub>30</sub>G - political considerations for the selection of the manufacturer Economic:

AV<sub>31</sub>E - economic feasibility (cost/benefit analysis) AV<sub>32</sub>E - availability of foreign exchange

<u>Technical:</u>

 $AV_{33}T$  - existence of communication technology  $AV_{34}T$  - existence of air conditioning technology  $AV_{35}T$  - existence of specially-designed building  $AV_{36}T$  - existence of reliable voltage

The <u>D</u>esign phase of this model includes seven major elements: Life Cycle considerations (LC), ENvironmental considerations (EN), design SPecifications (SP), INput considerations (IN), Data Base considerations (DB), PRocess considerations (PR), and OUtput considerations (OU).

Life Cycle:

- DV<sub>37</sub>LC technical feasibility (suitability of different information systems for automation)
- $DV_{38}LC$  problem definition (goals and objectives--specific problem to be solved)
- $DV_{39}LC$  scope of the system (desired operating characteristics of the system)

 $DV_{40}LC$  - existence of debugged manual system

ENvironment:

 $DV_{41}EN$  - existence of information centers (experience sharing,

minimize duplication of mistakes) (computer experience center)

 $DV_{A2}EN$  - user involvement (information needs and styles)

 $\text{DV}_{43}\text{EN}$  - top management involvement

SPecifications:

 $DV_{44}SP$  - types of design (task force vs individual)  $DV_{45}SP$  - provision for change (modularity in design)  $DV_{46}SP$  - functional specifications and performance criteria  $DV_{47}SP$  - systems documentation

INput (Data):

DV<sub>48</sub>IN - internal vs external data DV<sub>49</sub>IN - recency of data DV<sub>50</sub>IN - disaggregated vs aggregated data

Data Base:

 $DV_{51}DB$  - existence of data base

PRocess:

DV<sub>52</sub>PR - availability of models (types of analysis, appropriateness of models)

OUtput:

DV<sub>53</sub>OU - output considerations (screening process, timeliness, variety, convenience of access, types of presentation)

The <u>Implementation</u> phase of this model has been described in terms of two major factors: HUman (HU) and Project Management Systems (PMS).

HUman:

IV<sub>54</sub>HU - user involvement IV<sub>55</sub>HU - top management involvement

Project Management Systems:

- IV<sub>57</sub>PMS usage of project management tools, e.g., PERT/CPM, Gantt chart, responsibility martix
- $IV_{58}PMS$  post-implementation audit (to guarantee that goals have been met)

### THE PREDICTIVE MODELS

Twelve predictive models are utilized in this research project. They were carefully constructed based upon information obtained on the status of computers in 10 developing countries (see Chapter I) and upon the literature search discussed in Chapters II and III. These models and their functional relationships form the foundation for the development of the predictive statistical equations formed in Chapter V. Their major function is to describe the performance of the CBMIS and to demonstrate how fully the first 58 variables have been considered. They have been employed, as Chapter V will detail more fully, for the following reasons:

- they will be used to test the significance of each variable included in the descriptive model;
- they will be used to support one or a series of policy decisions;
- they will be used as predictive models to improve the chances of success for the employment of a CBMIS.

Throughout the remainder of this study, these variables will be categorized as <u>Operational phase</u> (O), <u>DePendent</u> (DP) variables:

ODP 1 - efficiency and effectiveness of the organization due to to the acquisition of computers

ODP 2 - utilization of existing hardware

 $ODP_3$  - delays in computer installation and utilization

ODP  $_{\mbox{4}}$  - cooperation and coordination among the installations

ODP  $_{\rm S}$  - migration of data from place to place

ODP  $_{6}$  - reliability of the provided information

ODP  $_7$  - usefulness of the provided information

ODP 8 - responsiveness of the CBMIS

ODP  $_{o}$  - utilization of the provided information

- ODP<sub>10</sub> adaptability of the present CBMIS to the growing technology

 $ODP_{12}$  - manufacturer satisfaction

RELATIONSHIP BETWEEN THE DESCRIPTIVE AND PREDICTIVE MODELS

Table XII on the following page presents the overall relationships between the dependent and independent variables. Ultimately, a series of multiple linear regressions will be employed to provide a picture, through a set of products, of the extent to which a single dependent variable (Y) is dependent upon a series of independent variables (x's). The assumptions, the products, and the statistical significance of these relationships will be elaborated on in Chapters V and VI of this research project.


#### BACKGROUND FOR THE PREDICTIVE MODELS

This section presents all twelve of the predictive models, as well as the justification of their relationships with the independent variables from the descriptive model.

# <u>Predictive Model #1: Efficiency and Effectiveness of the Organization</u> <u>Due to the Acquisition of Computer Technology</u>

Generally, organizations elect to adopt computer technology in the first place in order to improve some aspect(s) of the efficiency and effectiveness of their operations. (Although there are documented cases of developing countries having adopted computer technology for other reasons, for example for perceived elevation in status, such cases are extremely rare.) Thus, it is reasonable to expect to find some correlation between computer acquisition criteria and an improvement in the efficiency and effectiveness of an organization.

The specific reasons developing countries usually decide to



This listing is slightly different from the detailed description presented in Chapter IV. For simplicity purposes, the following variables that the second

Subject subject subject         Subject subject subject         Subject subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject subject         Subject						-			
undig of PS, Iook - REDUCH, etc.         Iook						•		1	standerdization:
unage of PS, Insish - RE31/CPL, ecc.         Image: Considerations         Image: Consideratio	•				-				
supp.c=rbjeedaction autit     usage of 756 (ools - ranjered rate) (recaldan of activities)     autical consideration     auticate of all table     auticate of all table     auticates of all table     for crime all secficial rance criteria     receiver of data     receiver of receiver     receiver of receiver     receiver of receiver     re	•								
sps_t=rs_stead_tion       autitutututututututututututututututututu	•		1		_			1.	acquisition constraint:
syster distorial additional structures       Image: set of the set of		•			ļ			ł	
psyci-cipiestation multi     psyci-cipiestation     psyciecipiestation     psyciecipiestatis     psyciecipiestation     psyciecipiestation     psyciecipie						•	•	•	existence of appropriate number of data
pspt-fragmaticum and intermology       intermediation with the second intermology         pspt-fragmaticum and intermology       intermediation         parallelity of rate entities       intermediation         presence of data laxe       intermediation         intermediation       interminitien         intermediation       interminitien      <		•		+				†	
page-fragment_priceles       include of activities:         outuac consideration       include consideration         internal sector       include consideration         include consideration       include consideration         include consideration       include consideration         include consideration		•			ļ			l	
post-trainered principle (reading of activities)       autour principle (reading of activities)         outcad considerations       autourly (reading of activities)         outcad considerations       autourbarteristics         outcad consideration       autourbarteristics         outcad consideration       autourbarteristics         innermal vs external data       autourbarteristics         innermal vs external dat		•							1
psyt-transformation       event         using of 25k1 - 1641(201, event       event         psyt-transformation       event         suture of data Lato       event         suture of data       event			<u> </u>				•	ł	
post-trabe-entropy of PSE tools - FERT/CPM, etc.       ••••••••••••••••••••••••••••••••••••						•		<u> </u>	
post-irple-antation autit       usage of PS tools - PR7/CPM, etc       • <td>•</td> <td></td> <td>+ · ·</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	•		+ · ·						
post-irgle-gentation addit       usage of PS tools - FERI/CPM, etc         project ranage-ent principles (residuan of activities)       •         outaut considerations       •         project ranage-ent principles (residuan of activities)       •         outaut considerations       •         availability of -stne-atted atta       •         recency of data       •         internal vs external data       •         istance of data data data       •         istance of data data       •         istance of sociality data       •         istance of sociality data       •         istance of soco	•								manufacturer selection:
post-irple-entation addt       including of PS tools - FERICPM, etc         project ranageront principles (treaddown of activities)       including of ratheratical rodels         pasilability of ratheratical rodels       including of ratheratical rodels         pasilability of ratheration       including of ratheration         internal w external data       including of ratheration         internal w external data       including of ratheration         internal w external data       including including         internal specifications is perforance criteria       including including         internation       including including         inscriber of debugged rankel syster       including including         existence of finition isecial operating characteristics       including includi	•	-							manufacturer selection:
post-irple-entation suitt       usage of FXS tools - FERICUPY, etc         project ranagerent principles (breakdown of activities)       Image of activities)         outaut considerations       Image of data lase         availability of "athe-atical -odels       Image of data         availability of "athe-atical -odels       Image of data         availability of athe       Image of data         availability of athe       Image of data         availability of athe       Image of data         innernal vs external data	•								ranufacturer selection:
post-inside-relation suff.         usage of FNS tools - FERI/CEN, etc.         Image of PNS tools						•			1
post-irplerentation addit       usage of PRS tools - PERI/CPN, etc.         project ranagerent principles (treakdown of activities)       •         outaut considerations       •         outaut considerations       •         outaut considerations       •         availability of ratheratical -odels       •         existence of data tase       •         disaggregated vs aggregated data       •         recency of data       •         internal vs external data       •         introvision for contax: rodularity in desima discurstition       •         internal vs externe of allongerating contaxteristics       •         iscore of the system: desired operating contacteris						•			availability of
post-irplementation addit       usage of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         norject ranagement principle, (treakdown of activities)       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         output considerations       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         availability of mathematical models       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         availability of mathematical models       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         availability of mathematical models       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         availability of mathematical models       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         internal vs external data       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc <td></td> <td></td> <td><b> </b></td> <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td>			<b> </b>				•		
post-irplementation addit       usage of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         norject ranagement principles (treakdown of activities)       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         output considerations       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         availability of rane-atical models       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc       Image of PMS tools - FERT/CPM, etc         availability of rane-atical models       Image of PMS appreside data       Image of PMS tools - PERT/CPM, etc       Image of PMS tools - PERT/CPM, etc         availability of rane-atical models       Image of PMS tools - PERT/CPM, etc       Image of PMS tools - PERT/CPM, etc       Image of PMS tools - PERT/CPM, etc         availability of rane-atical models       Image of PMS tools - PERT/CPM, etc       Image of PMS tools - PERT/CPM, etc       Image of PMS tools - PERT/CPM, etc         internal vs external data       Image of PMS tools - PERT/CPM, etc         internal vs external data       Image of PMS tools - PERT/CPM, etc							٠		
post-irplementation addit       usage of PMS tools - PERT/CPM, etc         norject ranagement principles (treakdown of activities)       Image of PMS tools - PERT/CPM, etc         outuut considerations       Imagement principles (treakdown of activities)         outuut considerations       Imagement principles (treakdown of activities)         awalability of rathe-atical models       Imagement principles (treakdown of activities)         awalability of rathe-atical models       Imagement principles (treakdown of activities)         awalability of rathe-atical models       Imagement principles (treakdown of activities)         awalability of rathe-atical models       Imagement principles (treakdown of activities)         awalability of rathe-atical models       Imagement principles (treakdown of activities)         awalability of rathe-atical models       Imagement principles (treakdown of activities)         awalability of rathe-atical models       Imagement principles (treakdown of activities)         awalability of ata       Imagement principles (treakdown of activities)         awalability of ata       Imagement principles (treakdown of activities)         awalability of the system       Imagement principles (treakdown of activities)         awalability of different systems for automentum       Imagementum         awalability of different systems for automentum       Imagementum         awalability of different systems for autom							•	1	existence of
post-irple-entation adit       usage of PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         project ranagerent principles (breakdown of activities)       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         output considerations       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         output considerations       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         output consideration       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         internal vs external data       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         internal vs external data       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         internal vs external data       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc         internal vs external data       Image: PNS tools - FEBI/CPN, etc       Image: PNS tools - FEBI/CPN, etc <td></td> <td></td> <td> </td> <td></td> <td></td> <td>-</td> <td>•</td> <td>t</td> <td>ecistence of</td>						-	•	t	ecistence of
post-irple-entation adit       usage of PNS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc         project range-ont principles (breakdown of activities)       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc         output considerations       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc         output considerations       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc         output consideration       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc         internal vs external data       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc       Image: PRS tools - FEBT/CPN, etc         system docuentation       Image: Provision for change: Provision for							•		teconical feasibility (suitability of different systems for
post-irple-entation adit       usage of PNS tools - PERI/CPN, etc       Image: PERI/CPN, etc         project range-ent principles (breakdown of activities)       Image: PERI/CPN, etc       Image: PERI/CPN, etc         output considerations       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc         output considerations       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc         output considerations       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc         output consideration       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc         recency of data       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc         recency of data       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc         recency of data       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc       Image: PERI/CPN, etc         recency of decentation       Image: PERI/CPN, etc       Im							•		1
post-irplerentation a usage of PMS tools - f project ranagerent pr output considerations availability of ratine availability of ratine availability of ratine availability of ratine availability of data taggregated vs aggin recency of data internal vs external sister docularitation functional specificat provision for change targe of using task existence of informat existence of debugged		•	•	•					
post-irplerentation a usage of PXS tools - f project ranagerent pr output considerations availability of ratine availability of ratine availability of data Lass disapgregated v aggin recency of data recency of data internal vs external sister docurentation functional specificat i provision for change tures of design (task existence of informat						•			1
post-irple-entation a usage of PXS tools - f project ranage-ent pr output considerations availability of rates availability of rates availability of data taggregated vs aggre disaggregated vs aggre recency of data tas internal vs external system documentation functional specificat functional specificat					•	•			existence of
post-irple-entation a usage of PXS tools - f project ranage-ent pr output considerations availability of rathe availability of rathe availability of rathe existence of data Lass disagregated vs aggin recency of data internal vs external internal vs external system documentation functional specificat	<b> </b>	•	•						types of design (task
post-irplerentation a usage of PXS tools - f project ranagerent pr output considerations availability of rather existence of data lass disagregated vs aggre disagregated vs aggre recency of data internal vs external system documentation	 	•	   .				-		provision for change:
		•		   .		-			functional specificat
		•		-	-				
	-	•	•	•			-		
		•	•	•	·				recency of
		•	٠	•					
					•				
		•	•	•	_				
		•	•	•		• • •			
post-implementation audit usage of PMS tools - PERT/CPM.						•			
post-implementation						•			usage of PMS tools - PERT/CPM,
		•	•						post-implementation

ave been problemed in this phase:  $v_{19}$ ,  $v_{42}$ , and  $v_{54}$  are henceforth referred to as  $v_1$ ;  $v_{20}$ ,  $v_{43}$ , and  $v_{55}$  have become  $v_2$ .

computerize their operations include the following:

- increased complexity of the organization's activiites
- other organizations have done so (equivalent to adoption for status purposes)
- economic considerations (possibly THE major factor)
- anticipated improvement over control of the operations
- anticipated improvement in capability to plan for the future
- anticipated improvement in accuracy of information
- anticipated improvement in recency of information

# Predictive Model #2: Utilization of Existing Computers

Nearly all the countries studied in this research project have had the common problem of underutilization of existing computers (see, for example, Simmons, 1972 and Plan and Budget Organization, 1977). For developing countries, which generally have a shortage of resources and a severe need to accelerate their economic and social development, this problem has a particularly high significance. Computer underutilization may result from a variety of sources, the more significant of which are the following:

- lack of user invovlement in all phases of the acquisition, design, and implementation of the CBMIS (resulting in a lack of commitment)
- lack of top management involvement
- lack of a master plan for defining needs and priorities
- shortage of data processing personnel

- conflicts between foreign and native consultants
- inefficiency of supporting technologies (e.g., communication, air conditioning, specially-designed buildings, reliable voltage, etc)
- technical infeasibility of a system for automation
- problem not well defined before bringing in computer

# Predictive Model #3: Delays in Computer Installation and Utilization

Another common problem among developing countries is the delays in computer installation and utilization, which means simply that project utilization does not meet the deadlines (see Plan and Budget Organization, 1977). This problem is of concern in developed countries, too, but is much greater for underdeveloped ones. Several factors may contribute to the existence of this problem. The first five factors listed under Predictive Model #2 also apply to Model #3. In addition, the following are important contributors:

- economic infeasibility
- unavailability of foreign exchange
- lack of a debugged manual system
- lack of usage of project management principles and tools

# Predictive Model #4: Cooperation and Coordination Among the Installations

Experience sharing among computer installations in a developing country could significantly reduce duplication of mistakes, thereby

These problems originate due to the fact that foreign consultants generally receive higher salaries and more favorable working conditions.

assisting users in acquiring and installing the most appropriate systems. The creation of a harmonious pattern among the various installations is expected to set the stage for future cooperation to fluorish.

Following are some of the most important factors which could enhance cooperation and coordination among the various installations:

- existence of information centers for prices, applications, new developments, etc
- employment of standardization in data collection
- employment of standardization in data transmission
- employment of standardization in hardware selection
- employment of standardization in software selection
- existence of computer experience centers.

#### Predictive Model #5: Migration of Data from Place to Place

Because, on many occasions, different governmental agencies use the same data for different applications, migration of this data is very important, both in terms of saving money and of saving time. It would additionally have the benefit of allowing different agencies to specialize in accumulating and maintaining different types of data.

Following are some of the most important factors in assisting the migration of data from one agency to another:

- standardization in data collection
- standardization in data transmission
- existence of an operational data base
- existence of a computer experience center (or centers)

93

#### Predictive Model #6: Reliability of the Provided Information

The reliability of information has a high correlation with the success of the CBMIS. Reliability, for purposes of this study, refers to the nature of the data and the types of analysis which have been performed in order to provide information for decisionmaking.

Two general factors are probably the most crucial in terms of ensuring reliability:

- data considerations (e.g., internal vs external; past, present, and future data; recency; aggregated vs disaggregated)
- availability of appropriate mathematical models

Mathematical models, it should be noted, should be used with caution. While they are extremely important in converting data to information, the right data used in conjunction with an inappropriate model will not yield reliable information.

#### Predictive Model #7: Usefulness of the Provided Information

Obviously, the provided information should be reliable in order to be useful to a user. However, there are many instances in which reliable information has been provided which was simply not helpful for a particular decisionmaking process; i.e., the information was either superfluous or extraneous. Usefulness, therefore, is particularly important to the efficiency of a CBMIS.

Data considerations and the availability of mathematical models are important to usefulness as they were to reliability. In addition, the following two factors are important:

- scope of the system (desired operating characteristics)
- output considerations

#### Predictive Model #8: Responsiveness of the CBMIS

Reliability and usefulness of the data play an important role in the responsiveness of the CBMIS, but they, in and of themselves, do not ensure it. In addition, the information should be user and application oriented in order to be thoroughly responsive. The following three characteristics, then, are added to those listed for Models #6 and #7:

- centralization/decentralization issues
- types of design (task force vs individual)
- post-implementation audit (monitor to ensure goals have been met)

#### Predictive Model #9: Utilization of the Provided Information

Generally, users will not employ information which is not reliable, helpful, and/or responsive. However, some provided information can possess all these characteristics and still not be utilized.

Two important factors can rectify this situation: top management involvement and careful attention to the social issues involved in acquisition of computer technology. The specific issues are listed below (in addition to those mentioned for Models #6, #7, and #8):

- top management involvement (for detailed study, see Sexton)
- consideration of what to do with unemployed unskilled laborers
- computer fraud and privacy problems

# <u>Predictive Model #10: Adaptability of the Present CBMIS to the</u> <u>Growing Technology</u>

If developing nations intend to benefit fully from computer technology, their utilization should be a continuous one. Following are some of the most important considerations:

- number of data processing training centers
- provision for change (modularity in design)
- functional specifications and performance criteria (to serve as control mechanisms for defining future characteristics of a CBMIS)
- systems documentation

#### Predictive Model #11: Physical Acquisition of Computer Technology

A study done by Simmons has indicated that some of the developing countries have had various constraints placed upon them in terms of the physical acquisition of computer technology. While the degree and severity of these constraints differs somewhat from country to country, they can be generally classified as the following:

- heavy duties
- high taxes
- inefficient transportation systems

Certainly, a lessening of any of these problems would make the computer a more affordable commodity for developing countries.

#### Predictive Model #12: Manufacturer Satisfaction

Because developing nations must import computer technology from

developed nations, the manufacturers or exporters could be extremely important factors in the success (or failure) of a CBMIS. The following considerations could be important in selecting a manufacturer:

- availability of maintenance personnel
- availability of replacement parts
- availability of a back-up (hardware and software)
- political considerations (If this is the only criterion for selecting a given exporter, chances for success will be questionable, at best.)

#### SUMMARY

This chapter described the elements which make up both the descriptive model and the predictive models of the CBMIS. With these models firmly in mind, Chapter V will move on to the multiple linear regression modeling which will be used to interpret the significance of the included variables.

#### CHAPTER V

RESEARCH METHODOLOGY, PHASE II

# INTRODUCTION

This chapter carries the research methodology one step further. The rationale behind the employment of multiple linear regressions as a theory building technique is explained, the predictive models are fully elaborated, and the research questions are presented.

RATIONALE FOR THE EMPLOYMENT OF MULTIPLE LINEAR REGRESSIONS

In order to measure the significance of the variables involved in the proposed model, a series of hypotheses were tested. The test consisted of 12 multiple linear regressions, run using four different methods: stepwise, forward entry, forced entry, and backward elimination. This system of multiple linear regressions assists in answering the first group of research questions, as follows:

# • What are the important variables to include in a model of transferring CBMIS technology to a developing country such as Iran?

This question is answered by the variables contained in the descriptive model outlined in Chapter IV of this study. All of these variables have been included in the system of multiple linear regressions for further analysis. • Which variables are the most crucial?

The answer to this question is based upon the statistical significance of a particular variable employed in one of the twelve multiple regression models (e.g., standardized B coefficients).

# • Based on the proposed model, under what conditions should a developing country such as Iran operate manually?

Based upon the answer provided for the above question, one can draw some conclusions about the choice between automated and manual systems. This should highlight the significance of a particular variable for the success of the CBMIS and the status of this particular variable in a developing country such as Iran.

In order to answer the second group of research questions (presented in Chapter I), each multiple regression model was analyzed for the following three purposes:

- to test the significance of each variable included in the model;
- to support one or a series of policy decisions;
- to serve as a predictive model to improve the chances of successful employment of the CBMIS.

A detailed questionnaire was designed. It was pilot tested by the doctoral committee members and by outside experts and then sent to 79 Iranian governmental installations as a means of obtaining the necessary data for the regression analysis (See Appendices A and B). This questionnaire measures all the 66 variables included in the proposed models by use of a Likert scale of 1 to 7. The regression analysis used is cross-sectional and analyzes these variables at a specific moment in time.

The classic assumptions of regression analysis, e.g., linearity independence of residuals, homoscedasticity, normality of residuals, and the relevancy of each to this particular study will be fully discussed in Chapter VI. However, one issue must be mentioned here: since the data are ranked, an assumption of equal intervals among the ranks has been made--the data are treated as interval data. This is an acceptable assumption which has been used many times in social science research (e.g., Kerlinger, 1973).

#### MULTIPLE LINEAR REGRESSION AS A THEORY BUILDING TECHNIQUE

In order to establish a quantitative measure of the relationship among the variables and to define the relative importance of each, as well as to find the most accurate predictive models (from among those possible), two sets of multiple linear regression models were run.

The first set was run to define the relative importance of each variable in both the predictive and descriptive models. For this reason, a forced entry multiple linear regression option was run. This option included all the variables for each model and determined the relative importance of each variable.

The second set was run to present the most precise predictive models. A combination for stepwise, forward entry, and backward elimination techniques were used. The most complex, the stepwise linear regression technique, will be explained here as an example of how these techniques operate. This technique computes, by steps, the least squares values for the coefficients of an equation of the form:

 $Y = B_0 + B_1 X_1 + B_2 X_2 + B_3 X_3 + \dots + B_n X_n$ 

Y is the dependent variable,  $X_1, X_2 \ldots X_n$  are independent variables, and  $B_0, B_1, B_2 \ldots B_n$  are the coefficients to be determined. Any combination of one dependent variable and one or more independent variables may be selected for analysis. In the stepwise procedure, independent variables are added, one at a time to the regression, yielding the following intermediate equations:

$$Y = B_0 + B_1 X_1$$
  

$$Y = B_0^{\bullet} + B_1^{\bullet} X_2 + B_2^{\bullet} X_2$$
  

$$Y = B_0^{\bullet} + B_1^{\bullet} X_1 + B_2^{\bullet} X_2 + B_3^{\bullet} X_3$$

Therefore, it is possible to obtain valuable statistical information at each step of the calculation. In each step, those independent variables not included in the regression are inspected to find the one that will give the greatest reduction in the unexplained variation of Y. This variable is then tested for significance; i.e., the computed F-ratio of the variable is compared with the supplied critical F-value. If the computed value is greater than the critical value, the variable is considered significant and is added to the regression solution. Ater each new variable has been added, those variables already in the regression are inspected to see whether any of them can now be deleted because their contribution to the reduction in the variation of Y is no longer significant. Those variables which have a computed F-ratio less than the critical value are considered insignificant and are deleted from the regression solution. This process is continued until no more variables can be added or deleted. Thus, the final regression solution contains only those variables that are statistically significant (except forced variables).

Under user control, it is possible to force one or more of the independent variables into the regression solution.<sup>\*</sup> These variables are added to the fit before any other variables, with no regard for statistical significance. The remaining independent variables are then added to the fit in the normal stepwise procedure.

Before introducing the hypotheses involved in this study, another point should be made clear: two of the regressions involved in this model have relatively larger numbers of independent variables. In order to reduce the number of variables, at least two options are available. The first is an inherent part of stepwise regression, i.e., the process is started with the variables which best predict; after reaching a satisfactory level, the process can be stopped. (If, for example, 80% of the variation in Y is defined by 7 independent variables, a satisfactory level has been reached.) Of course, the background which supports each model is equally important. (This issue was discussed in Chapter IV of this paper).

A second option is to run a factor analysis on the variables involved in the regressions and to choose the most significant

This particular study does not, however, attempt to force any variable into the model.

variables on which to run a stepwise regression simultaneously.

In either case, the final models will include the most significant variables which have a direct impact on the success or failure of the CBMIS.

#### TEST OF HYPOTHESES AND RESEARCH QUESTIONS

In this section, all twelve predictive models are introduced, the experimental null hypothesis presented, and the decision applications addressed. In all twelve instances, the following two tests apply:

Test of the utility of a multiple regression model: the global F test\*  $H_0: B_1 = B_2 = ... B_k = 0$   $H_a: At least one of the B parameters does not equal 0$ Test of an individual parameter coefficient in the multiple regression model  $H_0: B_i = 0$   $H_a: B_i \neq 0$  when i = 1, 2 ... k (k = the number of independent variables)

Predictive Model #1: Efficiency and Effectiveness of the Organization Due to the Acquisition of Computer Technology

$$Y_1 = B_0 + B_1 V_3 + B_2 V_4 + B_3 V_5 + B_4 V_6 + B_5 V_7 + B_6 V_8 + B_7 V_9$$

Decision Application

• What should the acquisition criteria be?

--complexity of the organization's activities

--other organization's decisions

The second test is performed only if the first test has been passed.

--economic considerations
--better control of operations
--better capability to plan for the future
--more accurate information
--more current information

# Predictive Model #2: Utilization of the Existing Computers

$${}^{Y_{2}} = {}^{B_{0}} + {}^{B_{1}V_{1}} + {}^{B_{2}V_{2}} + {}^{B_{3}V_{12}} + {}^{B_{4}V_{21}} + {}^{B_{5}V_{25}} + {}^{B_{6}V_{33}} + {}^{B_{7}V_{34}} + {}^{B_{8}V_{35}} + {}^{B_{9}V_{36}} + {}^{B_{10}V_{37}} + {}^{B_{11}V_{38}}$$

# Decision Applications

- How important is the role of the user and of top management in the utilization of the existing computers?
- How important is the existence of a master system plan?
- What are some of the most important variables for the optimum utilization of the existing computers?

Predictive Model #3: Delays in Computer Installation and Utilization

$$Y_3 = B_0 + B_1 V_1 + B_2 V_2 + B_3 V_{12} + B_4 V_{21} + B_5 V_{26} + B_6 V_{31} + B_7 V_{32} + B_8 V_{40} + B_9 V_{52} + B_{10} V_{53}$$

# Decision Applications:

- What are some of the most important variables for the timely and efficient implementation of a CBMIS?
- How important is the role of project management in the

implementation of a CBMIS?

• How important is the role of economic feasibility for the timely implementation of a CBMIS?

<u>Predictive Model #4: Cooperation and Coordination Among the</u> <u>Installations</u>

$$Y_4 = B_0 + B_1 V_{10} + B_2 V_{13} + B_3 V_{14} + B_4 V_{15} + B_5 V_{16} + B_6 V_{41}$$

Decision Applications:

- How can the level of experience sharing among the installations be improved?
- Should developing countries employ standardization in data collection? in data transmission? in hardware selection? in software selection?

Predictive Model #5: Migration of the Data from Place to Place

 $Y_5 = B_0 + B_1 V_{13} + B_2 V_{14} + B_3 V_{41} + B_4 V_{49}$ 

Decision Applications:

- How can the level of data migration be improved?
- How important is the role of data base in the migration of data?

Predictive Model #6: Reliability of the Provided Information

$$Y_6 = B_0 + B_1 V_{46} + B_2 V_{47} + B_3 V_{48} + B_4 V_{50}$$

Decision Application:

 How can the reliability of the provided information be improved?

Predictive Model #7: Usefulness of the Provided Information

$$Y_7 = B_0 + B_1 V_{39} + B_2 V_{46} + B_3 V_{47} + B_4 V_{48} + B_5 V_{50} + B_6 V_{51}$$

Decision Application:

 How can the usefulness of the provided information be improved?

Predictive Model #8: Responsiveness of the CBMIS

$$V_8 = B_0 + B_1 V_{11} + B_2 V_{39} + B_3 V_{42} + B_4 V_{46} + B_5 V_{47} + B_6 V_{48} + B_7 V_{50} + B_8 V_{51} + B_9 V_{54}$$

Decision Application:

• How can the responsiveness of the CBMIS be improved?

Predictive Model #9: Utilization of the Provided Information

 $Y_{9} = B_{0} + B_{1}V_{1} + B_{2}V_{2} + B_{3}V_{11} + B_{4}V_{22} + B_{5}V_{23} + B_{6}V_{24} + B_{7}V_{39} + B_{8}V_{42} + B_{9}V_{46} + B_{10}V_{47} + B_{11}V_{48} + B_{12}V_{50} + B_{13}V_{51} + B_{14}V_{54}$ 

Decision Applications:

 How can the utilization of the provided information be improved? • What are some of the most important social issues for the employment of a CBMIS in a developing country?

Predictive Model #10: Adaptability of the Present CBMIS to the Growing Technology

 $Y_{10} = B_0 + B_1 V_{20} + B_2 V_{43} + B_3 V_{44} + B_4 V_{45}$ 

Decision Application:

 How can the adaptability of the existing CBMIS to the growing technology be improved?

Predictive Model #11: Economic Difficulties in the Physical Acquisition of Computer Technology

$$Y_{11} = B_0 + B_1 V_{17} + B_2 V_{18} + B_3 V_{19}$$

Decision Application:

 How can the economic difficulties encountered in the acquisition of a CBMIS be overcome?

Predictive Model #12: Manufacturer Satisfaction

 $Y_{12} = B_0 + B_1 V_{27} + B_2 V_{28} + B_3 V_{29} + B_4 V_{30}$ 

Decision Application:

 How should a developing country choose the manufacturer of computer technology?

In all of the above models, the following test statistic (see McClave and Dietrich, 1979) is used:

For testing the utility of a multiple regression model, the global F test:

Test statistic: 
$$F = \frac{R^2/K}{(1-R^2) / \{n-(k + 1)\}}$$

Rejection region:  $F > F_{\kappa}, k, \{n-(k + 1)\}$ 

n = number of data points
k = number of B parameters in the model
R<sup>2</sup> = coefficient of determination

For testing of an individual parameter coefficient in the multiple regression model (two-tailed test) (see McClave, p 537):

Test statistic: 
$$t = \hat{B}_i$$
  
 $S_{\hat{B}i}$ 

Rejection region:  $t < -t_{\alpha/2}$ , n-(k + 1)

or  $t > +t_{\infty/2}, n-(k + 1)$ 

In this study,  $\prec$  has been set at 5 per cent.

#### SUMMARY

This chapter has presented all the research questions involved in this study; it has also presented all the general hypotheses. In Chapter VI, the data will be analyzed. Various statistical analyses will be performed in order to show the significance of each variable.

#### CHAPTER IV

#### RESEARCH METHODOLOGY, PHASE I

#### INTRODUCTION

This chapter first presents the most decisive elements of a descriptive model for the employment of computer-based management systems in developing countries. It secondly presents the twelve predictive equations which make up the predictive aspect of the proposed model.

Additionally, a cross-reference table is presented to show which of the 54 variables in the descriptive model are used in each of the 12 predictive equations. These relationships will be used in establishing the regression equations presented in Chapter V.

Finally, this chapter provides a brief background discussion which justifies the relationships between elements of the descriptive model and the predictive equations.

# ELEMENTS OF THE DESCRIPTIVE MODEL

Fifty-eight variables were chosen to elaborate the descriptive part of the proposed model. For simplicity purposes, user involvement in all three phases ( $V_{19}$ ,  $V_{42}$ ,  $V_{54}$ ) has been combined and presented as  $V_1$ ; top management involvement in all three phases ( $V_{20}$ ,  $V_{43}$ , and  $V_{55}$ ) hereinafter is presented as  $V_2$ . For the remainder of this study, the names and numbers will be as appear in Table XII (p 90). These variables,

# <u>Predictive Model #1: Efficiency and Effectiveness of the Organiza-</u> tion Due to the Acquisition of Computer Technology

Tables XIII and XIV show the most important statistical properties of this model. As Table XIII indicates,  $V_5$  has the lowest mean, and  $V_9$  has the highest. This indicates that, on the average, economic considerations have been the least important reason for computer acquisition; the need for more current information has been the most important one. This table also shows that, overall, the efficiency and effectiveness of operations have been improved by the employment of a CBMIS.

#### TABLE XIII

Variable	Mean	Std Dev
V <sub>3</sub>	2.797	1.713
V <sub>4</sub>	3.544	1.693
۷ <sub>5</sub>	2.392	1.224
۷ <sub>6</sub>	4.291	1.578
V <sub>7</sub>	4.190	1.545
٧ <sub>8</sub>	4.468	1.693
۷ <sub>9</sub>	4.886	1.414
V <sub>55</sub>	4.722	1.025

#### MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #1

Table XIV demonstrates the strength and direction of the relationship between the dependent variable (efficiency and effectiveness) and all the independent variables which describe this particular model. As this table indicates,  $V_3$  (complexity of the organization's activities) has the strongest correlation with the dependent variable; conversely,  $V_5$  (economic considerations) has the lowest correlation. Additionally, this table indicates the positive direction of the correlation. All, in fact, save one (other organizations' decisions) are positive.

#### TABLE XIV

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V<sub>55</sub>

Independent	Strength	Direction
٧ <sub>3</sub>	0.691	positive
٧ <sub>8</sub>	0.653	positive
۷ <sub>9</sub>	0.571	positive
۷ <sub>7</sub>	0.568	positive
v <sub>4</sub>	0.510	negative
۷ <sub>6</sub>	0.495	positive
۷5	0.058	positive

Predictive Model #2: Utilization of the Existing Computers

Tables XV and XVI depict the most important statistical properties of this model. As Table XV indicates,  $V_{35}$  has the highest mean, and  $V_{25}$  has the lowest, which shows that existence of a specially-designed building is the most strongly considered variable in Model #2. The mean of  $V_{25}$  indicates that, on the average, a small percentage of the operations (~20%) has been managed by foreign consultants. It also shows that utilization of the existing computers is well under 100%.

#### TABLE XV

## MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #2

Variable	Mean	Std Dev
v <sub>1</sub>	2.481	1.663
v <sub>2</sub>	3.924	1.708
V <sub>12</sub>	4.329	1.685
v <sub>21</sub>	4.772	1.250
V <sub>25</sub>	1.544	0.829
v <sub>33</sub>	5.000	1.109
v <sub>34</sub>	5.051	0.999
۷ <sub>35</sub>	5.127	1.042
۷ <sub>36</sub>	4.329	1.095
V <sub>37</sub>	3.114	1.609
v <sub>38</sub>	4.291	1.923
۷ <sub>56</sub>	5.278	1.037

Table XVI shows the strength and direction of the relationship between the dependent variable (computer utilization) and all the independent variables which describe this particular model. As the table indicates,  $V_{38}$  (problem definition) has the strongest correlation with computer utilization, and  $V_{34}$  (existence of air conditioning) has the weakest, relatively speaking, although the absolute correlation is still high (.556). Furthermore, the direction of correlation is positive for each independent variable in this set, indicating that each of these variables has a positive impact on the utilization of existing computers.

# TABLE XVI

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V56

Independent	Strength	Direction
۷ <sub>38</sub>	0.814	positive
V <sub>12</sub>	0.805	positive
v <sub>21</sub>	0.801	positive
V <sub>37</sub>	0.734	positive
٧ <sub>1</sub>	0.672	positive
V <sub>2</sub>	0.627	positive
V <sub>25</sub>	0.627	positive
۷ <sub>33</sub>	0.591	positive
۷ <sub>36</sub>	0.585	positive
۷ <sub>35</sub>	0.560	positive
V <sub>34</sub>	0.556	positive

# Predictive Model #3: Delays in Computer Installation and Utilization

Tables XIVV and XVIII present the most important statistical properties of this model. Table XVII indicates that  $V_{26}$  has the lowest and  $V_{21}$  has the highest mean, which indicates that either the proportion of foreign consultants has been very low or that there have not been major conflicts between native and foreign consultants. Also,  $V_{21}$  (number of data processing personnel) has been the most important consideration in reducing delays in installation and utilization of a CBMIS. It is also clear that delays have occurred in several instances.

#### TABLE XVII

Variable	Mean	Std Dev
۲	2.481	1.663
V <sub>2</sub>	3.924	1.708
v <sub>12</sub>	4.329	1.685
V <sub>21</sub>	4.772	1.250
V <sub>26</sub>	1.063	0.245
۷ <sub>31</sub>	3.354	1.121
۷ <sub>32</sub>	1.127	0.335
V <sub>40</sub>	4.747	0.912
V <sub>52</sub>	4.532	1.608
۷ <sub>53</sub>	1.899	1.582
<sup>V</sup> 57	2.481	1.249

#### MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #3

Table XVIII indicates the strength and direction of the relationship between the dependent variable (delays in CBMIS installation and utilization) and all the independent variables which describe the model.  $V_{52}$  (project management principles) has the strongest correlation, and  $V_{26}$  (conflict among foreign and native

consultants) has the weakest correlation with the dependent variable. Direction of correlation, as Table XVIII shows, is all negative, with the exception of  $V_{26}$  (conflict between foreign and native consultants).

#### TABLE XVIII

#### PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V57

Independent	Strength	Direction
۷ <sub>52</sub>	0.818	negative
v <sub>40</sub>	0.679	negative
v <sub>12</sub>	0.606	negative
v <sub>21</sub>	0.561	negative
۷ <sub>31</sub>	0.499	negative
۷ <sub>53</sub>	0.384	negative
٧ <sub>١</sub>	0.304	negative
V <sub>32</sub>	0.240	negative
۷2	0.223	negative
V <sub>26</sub>	0.025	positive

#### Predictive Model #4: Cooperation and Coordination Among Installations

The most significant statistical properties of this model are contained in Tables XIX and XX. The lowest mean is shown to be  $V_{41}$  (existence of information centers), and the highest mean is  $V_{15}$ (standardization in hardware selection). This table indicates that lack of information centers for advising users is still a significant problem. It also indicates that standardization is becoming more common. The statistics additionally show that, on the average, the level of cooperation among users has been slightly above 50%.

#### TABLE XIX

# MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #4

Variable	Mean	Std Dev
v <sub>10</sub>	5.304	1.113
V <sub>13</sub>	4.000	1.528
V <sub>14</sub>	2.962	1.870
V <sub>15</sub>	5.316	1.225
V <sub>16</sub>	5.139	1.288
v <sub>41</sub>	2.481	1.584
V <sub>58</sub>	3.886	1.527

Table XX depicts the strength and direction of the relationship which exists between  $V_{58}$  and the relevant independent variables. As this table shows,  $V_{13}$  (standardization of data collection) has the strongest relationship with the dependent variable. It also shows that  $V_{10}$  (existence of consulting firms) has the weakest relationship. This table also demonstrates the fact that all the relationships are positive, i.e., all the independent variables have a positive impact on the level of cooperation and coordination among the installations.

# TABLE XX

Independent	Strength	Direction
V <sub>13</sub>	0.879	positive
۷ <sub>16</sub>	0.816	positive
v <sub>41</sub>	0.812	positive
v <sub>15</sub>	0.787	positive
v <sub>14</sub>	0.676	positive
V <sub>10</sub>	0.669	positive

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V<sub>58</sub>

#### Predictive Model #5: Migration of the Data from Place to Place

Tables XXI and XXII show the most important statistical properties of this model. As Table XXI indicates,  $V_{41}$  (existence of information centers) has the lowest and  $V_{49}$  (existence of an operational data base) the highest mean. This table also indicates that the overall level of data migration has been slightly above average.

# TABLE XXI

# MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #5

Variable	Mean	Std_Dev
۷ <sub>13</sub>	4.000	1.528
v <sub>14</sub>	2.962	1.870
۷ <sub>41</sub>	2.481	1.584
۷ <sub>49</sub>	4.975	1.368
۷ <sub>59</sub>	4.316	1.455

Table XXII demonstrates the strength and direction of the relationship which exists between  $V_{59}$  and the independent variables. As this table shows,  $V_{49}$  (existence of data base) has the strongest and  $V_{14}$  (standardization in data transmission) has the weakest relationship to the dependent variable. The direction of the relationships is positive for every variable.

#### TABLE XXII

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V59

Independent	Strength	Direction
V <sub>49</sub>	0.848	positive
۷ <sub>13</sub>	0.831	positive
v <sub>41</sub>	0.729	positive
V <sub>14</sub>	0.612	positive

#### Predictive Model #6: Reliability of the Provided Information

Tables XXIII and XXIV present the most important statistical properties of this model. As Table XXIII indicates,  $V_{50}$  (availability of mathematical models) has the lowest mean, and  $V_{47}$  (recency of data) has the highest. The table also shows that general users' beliefs about the reliability of the provided information has been above average.

Table XXIV shows the strength and direction of the relationshp which exists between  $V_{60}$  and the independent variables.  $V_{46}$  (internal vs external data) has the strongest and  $V_{48}$  (disaggregated vs aggregated

data) the weakest relationship with the dependent variable.

#### TABLE XXIII

# MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #6

Variable	Mean	Std Dev
v <sub>46</sub>	2.696	1.572
V <sub>47</sub>	4.557	1.913
v <sub>48</sub>	3.228	1.569
۷ <sub>50</sub>	1.975	1.552
V <sub>60</sub>	4.823	0.958

#### TABLE XXIV

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V<sub>60</sub>

Independent	Strength	Direction
v <sub>46</sub>	0.807	positive
V <sub>47</sub>	0.803	positive
۷ <sub>50</sub>	0.756	positive
V <sub>48</sub>	0.736	positive

# Predictive Model #7: Usefulness of the Provided Information

Tables XXV and XXVI present the most important statistical properties of this model. Table XXV indicates that  $V_{50}$  (availability of mathematical models) has the lowest mean, and  $V_{47}$  recency of data) has the highest. It also indicates that, on the average, users

believe the information provided by the CBMIS to have been about 60% useful for decisionmaking.

#### TABLE XXV

Variable	Mean	Std Dev
۷ <sub>39</sub>	3.506	1.860
V <sub>46</sub>	2.696	1.572
V <sub>47</sub>	4.557	1.913
V <sub>48</sub>	3.228	1.569
۷ <sub>50</sub>	1.975	1.552
v <sub>51</sub>	2.203	1.324
v <sub>61</sub>	4.620	1.090

# MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #7

Table XXVI shows the strength and direction of the relationship which exists between  $V_{61}$  and the independent variables.  $V_{39}$  (scope of the system) is shown to have the strongest relationship with usefulness of the provided information, and  $V_{50}$  (availability of mathematical models) has the weakest. The direction of all the relationships is positive, which means that the existence of any of these variables has a positive impact on the usefulness of the provided information.

#### TABLE XXVI

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V<sub>61</sub>

Independent	Strength	Direction
۷ <sub>39</sub>	0.868	positive
V <sub>47</sub>	0.822	positive
V <sub>46</sub>	0.815	positive
v <sub>51</sub>	0.809	positive
V <sub>48</sub>	0.794	positive
۷ <sub>50</sub>	0.783	positive

# Predictive Model #8: Responsiveness of the CBMIS

The most significant properties of this model are shown in Tables XXVII and XXVIII. Table XXVII shows that  $V_{11}$  (centralization vs decentralization) has the lowest mean. This clearly indicates that a centralized computer policy is much more common than a decentralized policy. This table also shows that  $V_{54}$  (post-implementation audit) has the highest mean. Furthermore, users generally believe that about 70% of the time, the CBMIS has been responsive to the needs of the users.

Table XXVIII shows the strength and the direction of the relationship which exists between  $V_{62}$  and the independent variables.  $V_{42}$ (types of design: task force vs individual) has been shown to have the strongest and  $V_{11}$  (centralization/decentralization) the weakest relationship with the responsiveness of the CBMIS.

# TABLE XXVII

# MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #8

Variable	Mean	Std Dev
۷۱۱	1.684	0.955
۷ <sub>39</sub>	3.506	1.860
V <sub>42</sub>	2.671	1.318
V <sub>46</sub>	2.696	1.572
V <sub>47</sub>	4.557	1.913
V <sub>48</sub>	3.228	1.569
۷ <sub>50</sub>	1.975	1.552
V <sub>51</sub>	2.203	1.324
V <sub>54</sub>	4.848	1.220
V <sub>62</sub>	4.924	0.997

# TABLE XXVIII

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V62

Independent	Strength	Direction
V <sub>42</sub>	0.820	positive
V <sub>54</sub>	0.812	positive
V <sub>47</sub>	0.795	positive
V <sub>46</sub>	0.787	positive
V <sub>39</sub>	0.761	positive
v <sub>50</sub>	0.744	positive
v <sub>51</sub>	0.730	positive
V <sub>48</sub>	0.716	positive
۷ <sub>11</sub>	0.621	positive

# Predictive Model #9: Utilization of the Provided Information

Tables XXIX and XXX show the most important statistical properties of this model. Table XXIX indicates that  $V_{23}$  (privacy problem) has the lowest and  $V_{47}$  (recency of data) the highest mean. It also shows that overall approximately 75% of the provided information has been utilized.

### TABLE XXIX

Variable	Mean	Std Dev
۷ <sub>۱</sub>	2.481	1.663
v <sub>2</sub>	3.924	1.708
٦٢	1.684	0.955
V <sub>22</sub>	3.291	1.434
V <sub>23</sub>	1.114	0.320
v <sub>24</sub>	1.519	0.798
۷ <sub>39</sub>	3.506	1.860
V <sub>42</sub>	2.671	1.318
v <sub>46</sub>	2.696	1.572
V <sub>47</sub>	4.557	1.913
V48	3.228	1.569
v <sub>50</sub>	1.975	1.552
v <sub>51</sub>	2.203	1.324
V <sub>54</sub>	4.848	1.220
V <sub>63</sub>	5.228	1.062

# MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #9

Table XXX shows the strength and direction of correlation which exists between the dependent variable,  $V_{63}$ , and the independent variables.  $V_{47}$  (recency of data) has the strongest correlation with the dependent variable, and  $V_{23}$  (privacy problem) has the weakest. Direction of correlation in this table is negative for some variables, positive for others.

#### TABLE XXX

Independent	Strength	Direction
v <sub>47</sub>	0.795	positive
V <sub>54</sub>	0.759	positive
۷ <sub>39</sub>	0.733	positive
v <sub>42</sub>	0.714	positive
v <sub>46</sub>	0.710	positive
V <sub>22</sub>	0.663	positive
v <sub>51</sub>	0.642	positive
۷ <sub>50</sub>	0.595	positive
V <sub>48</sub>	0.554	positive
v	0.515	positive
٧ <sub>٦</sub>	0.496	positive
۷2	0.469	positive
V <sub>24</sub>	0.429	negative
V <sub>23</sub>	0.153	negative

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V<sub>63</sub>

# Predictive Model #10: Adaptability of the Present CBMIS to the Growing Technology

Tables XXXI and XXXII show the most important statistical properties of this model. As Table XXXI demonstrates,  $V_{20}$  (the number of data processing training centers and their future plans) has the lowest mean, and  $V_{45}$  (system documentation) has the highest. This indicates that most of the users believe that their systems are well documented. This table also indicates that approximately 50% of the users believe their CBMIS to be adaptable to the growing technology.

#### TABLE XXXI

#### MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #10

<u>Variable</u>	Mean	Std Dev
۷ <sub>20</sub>	2.063	1.125
V <sub>43</sub>	3.354	1.657
V <sub>44</sub>	3.671	1.654
V <sub>45</sub>	5.076	1.308
V <sub>64</sub>	4.494	1.249

Table XXXII presents the strength and the direction of the relationship which exists between the dependent and the independent variables. As this table shows,  $V_{45}$  (system documentation) has the strongest correlation with the dependent variable;  $V_{20}$  (number of data processing training centers and their future plans).

#### TABLE XXXII

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V<sub>64</sub>

<u>Strength</u>	Direction
0.894	positive
0.867	positive
0.844	positive
0.762	positive
	0.894 0.867 0.844

#### <u>Predictive Model #11: Economic Difficulties in the Physical</u> Acquisition of Computer Technology

Tables XXXIII and XXXIV present the most significant statistical properties of this model. As Table XXXIII indicates, all the variables in this instance have a very low mean. This indicates that neither taxes/tariffs nor transportation has been a barrier to computer utilization in Iran. The table also shows that although in some cases the users have had economic difficulties, these difficulties have not been caused by heavy taxes or tariffs and/or inefficient transportation.

Table XXXIV shows the strength and the direction of the relationship which exists between these variables and the dependent variable,  $V_{65}$ . As the table indicates, the strength of the relationship is very low.

#### TABLE XXXIII

#### MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #11

Variable	Mean	Std Dev
V <sub>17</sub>	1.013	0.113
V <sub>18</sub>	1.051	0.221
V <sub>19</sub>	1.152	0.361
V <sub>65</sub>	1.684	0.671

#### TABLE XXXIV

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V<sub>65</sub>

Independent	<u>Strength</u>	Direction
٧ <sub>14</sub>	0.169	negative
V <sub>17</sub>	0.054	positive
v <sub>18</sub>	0.023	positive

## Predictive Model #12: Manufacturer Satisfaction

Tables XXXV and XXXVI present the most important statistical properties of this model. As Table XXXV indicates, all the independent variables have a relatively high mean.  $V_{30}$  (availability of a backup) has the lowest mean. National political considerations has been a very important factor in the choice of a manufacturer. Approximately 76% of the users indicate satisfaction with the manufacturer of computer technology.

## TABLE XXXV

Variable	Mean	Std Dev
V <sub>27</sub>	5.241	1.015
V <sub>28</sub>	5.494	1.048
V <sub>29</sub>	5.278	1.198
۷ <sub>30</sub>	4.101	1.524
V <sub>66</sub>	5.316	0.899

#### MEAN AND STANDARD DEVIATION FOR PREDICTIVE MODEL #12

## TABLE XXXVI

# PAIRWISE CORRELATION FOR DEPENDENT VARIABLE V66

Independent	Strength	Direction
۷ <sub>29</sub>	0.762	positive
۷ <sub>28</sub>	0.716	positive
۷ <sub>30</sub>	0.668	positive
V <sub>27</sub>	0.351	positive

# TEST OF HYPOTHESES

This section tests two different hypotheses. The first involves a global F test, which shows the significance of a particular model. The criteria for this test are both the magnitude of the coefficient of determination and the value of F. If this test is passed, the second test--the test of an individual parameter coefficient within the multiple regression model--is run. The criterion for this test is the magnitude of F comparing with the F value within the F table. If this value is greater than the value of F from the table, a particular coefficient will be considered to be significant.

As mentioned earlier, the value of  $\propto$  has been set to be equal to 5%. In order to perform these tests, the forced entry multiple regression model has been run. In this procedure, all the independent variables are forced into the model. The final value of the coefficient of determination shows whether a particular model is statistically significant. This value indicates the percent of variation in a dependent variable that is explained by all the independent variables included in the model. Table XXXVII presents a summary of the twelve different runs accomplished for the twelve predictive models.

Table XXXVII shows that all the null hypotheses are indeed rejected except for Model #11. The acceptance of the null hypothesis for this model yields two indications: (1) as Table XXXIII shows (p 127), taxes, cost of transportation and/or duties/tariffs have not been barriers for the acquisition of computer technology in Iran; (2) in cases where specific installations have had economic difficulties, the difficulties have not been caused by taxes, transportation costs, and/or duties/tariffs. Therefore, these three independent variables (i.e.,  $V_{17}$ ,  $V_{18}$ ,  $V_{19}$ ) do not explain any degree of variation in dependent variable  $V_{65}$ .

## TABLE XXXVII

#### HYPOTHESIS TESTING FOR THE TWELVE PREDICTIVE MODELS

Model	Test #1	R <sup>2</sup>	Test #2
Model # 1 (V <sub>55</sub> )	rejected	0.66184	V <sub>3</sub> , V <sub>4</sub> , V <sub>8</sub>
Model # 2 (V <sub>56</sub> )	rejected	0.78519	V <sub>21</sub> , V <sub>38</sub>
Model # 3 (V <sub>57</sub> )	rejected	0.75277	V <sub>52</sub> , V <sub>40</sub>
Model # 4 (V <sub>58</sub> )	rejected	0.80800	V <sub>13</sub>
Model # 5 (V <sub>59</sub> )	rejected	0.82957	V <sub>49</sub> , V <sub>13</sub>
Model # 6 (V <sub>60</sub> )	rejected	0.76670	V <sub>47</sub> , V <sub>60</sub> , V <sub>46</sub>
Model # 7 (V <sub>61</sub> )	rejected	0.87350	v <sub>39</sub> , v <sub>48</sub> , v <sub>51</sub> , v <sub>50</sub>
Model # 8 (V <sub>62</sub> )	rejected	0.81571	V <sub>54</sub>
Model # 9 (V <sub>63</sub> )	rejected	0.76943	V <sub>22</sub>
Model #10 (V <sub>64</sub> )	rejected	0.85190	V <sub>45</sub> , V <sub>44</sub>
Model #11 (V <sub>65</sub> )	accepted	0.03114	none
Model #12 (* 66)	rejected	0.63822	V <sub>29</sub>

#### CHOOSING THE BEST PREDICTIVE MODEL

Several studies have shown that models with fewer numbers of independent variables are, in general, more accurate than models including the whole set of independent variables (see, for example, Halinski, 1970; Darlington, 1968; Hull, 1981). Additionally, the study by Halinski shows that the stepwise and forward entry multiple regression in general produce a more accurate model, compared with that yielded with the backward elimination method. These three procedures are all used in this study to aid in selection of the best predictive model.

In the forward entry procedure, the independent variable which has the highest correlation with the dependent variable is entered into the model first. In each successive stage, a new variable which increases the coefficient of determination  $(R^2)$  the most is added. This procedure continues until there is no change in  $R^2$  for a particular level of significance.

In backward elimination, the regression model for the entire set of independent variables is initially established. Then, based on the value of F and  $R^2$ , the least significant variables are deleted in each successive stage.

As mentioned in Chapter V, in the stepwise procedure it is possible to eliminate a variable at a stage subsequent to its entry if that particular variable is not significant any more.

Tables XXXVIII, XXXIX, and XL present summaries of the three procedures established for the twelve predictive models.

In order to show that a model with fewer predictors (independent variables) is more accurate than a model which includes the whole set of predictors, a different version of the forward entry procedure has been run for each predictive model. In this version, a less rigorous set of entry criteria have been established for the independent variables, giving each the opportunity to enter the model. For example, the pattern of  $R^2$ , adjusted  $R^2$ , standard error of estimate, and F change for eleven different steps of predictive model #2 is shown in Table XLI. This example has only eleven steps because there

#### TABLE XXXVIII

Mode1	R <sup>2</sup>	Variables in the Model
Model # 1 (V <sub>55</sub> )	0.65198	$V_3, V_8, V_4, V_5$
Model # 2 (V <sub>56</sub> )	0.76785	V <sub>38</sub> , V <sub>21</sub> , V <sub>37</sub>
Model # 3 (V <sub>57</sub> )	0.74183	v <sub>52</sub> , v <sub>40</sub> , v <sub>2</sub>
Model # 4 (V <sub>58</sub> )	0.79324	V <sub>13</sub> , V <sub>16</sub>
Model # 5 (V <sub>59</sub> )	0.82373	V <sub>49</sub> , V <sub>13</sub>
Model # 6 (V <sub>60</sub> )	0.76371	V <sub>46</sub> , V <sub>47</sub> , V <sub>50</sub>
Model # 7 (V <sub>61</sub> )	0.86871	v <sub>39</sub> , v <sub>50</sub> , v <sub>48</sub> , v <sub>51</sub>
Model # 8 (V <sub>62</sub> )	0.80921	V <sub>42</sub> , V <sub>54</sub> , V <sub>50</sub> , V <sub>47</sub>
Model # 9 (V <sub>63</sub> )	0.70989	V <sub>47</sub> , V <sub>54</sub> , V <sub>22</sub>
Model #10 (V <sub>64</sub> )	0.84532	V <sub>45</sub> , V <sub>44</sub>
Model #11 (V <sub>65</sub> )	not significant	
Model #12 (V <sub>66</sub> )	0.61862	V <sub>29</sub> , V <sub>30</sub>

#### FORWARD ENTRY MULTIPLE REGRESSION FOR THE TWELVE PREDICTIVE MODELS

are only eleven independent variables included in this model. Table XLI presents the summary of all the statistics just mentioned.

Table XLI reveals a series of interesting facts. As the table shows, variables are entered into the regression model in the following order:  $V_{38}$ ,  $V_{21}$ ,  $V_{37}$ ,  $V_{36}$ ,  $V_{35}$ ,  $V_{25}$ ,  $V_{33}$ ,  $V_{34}$ ,  $V_2$ ,  $V_1$ , and  $V_{12}$ . As each additional variable is entered, the multiple R and the multiple R<sup>2</sup> increase, though by diminishing amounts. For example, for  $V_{38}$ , the R<sup>2</sup> value is 0.6628, while for all independent variables in the model, the multiple R<sup>2</sup> is 0.7852.

#### TABLE XXXIX

Model	R <sup>2</sup>	Variables in the Model
Model # 1 (V <sub>55</sub> )	0.65198	V <sub>5</sub> , V <sub>3</sub> , V <sub>4</sub> , V <sub>8</sub>
Model # 2 (V <sub>56</sub> )	0.77855	v <sub>38</sub> , v <sub>36</sub> , v <sub>21</sub> , v <sub>37</sub>
Model # 3 (V <sub>57</sub> )	0.74183	V <sub>40</sub> , V <sub>2</sub> , V <sub>52</sub>
Model # 4 (V <sub>58</sub> )	0,80111	V <sub>41</sub> , V <sub>13</sub> , V <sub>16</sub>
Mode1 # 5 (V <sub>59</sub> )	0.82373	V <sub>49</sub> , V <sub>13</sub>
Model # 6 (V <sub>60</sub> )	0.76371	V <sub>50</sub> , V <sub>47</sub> , V <sub>46</sub>
Mode1 # 7 (V <sub>61</sub> )	0.86871	V <sub>51</sub> , V <sub>48</sub> , V <sub>39</sub> , V <sub>50</sub>
Model # 8 (V <sub>62</sub> )	0.80921	V <sub>54</sub> , V <sub>50</sub> , V <sub>47</sub> , V <sub>42</sub>
Model # 9 (V <sub>63</sub> )	0.75189	V <sub>23</sub> , V <sub>22</sub> , V <sub>50</sub> , V <sub>39</sub> , V <sub>47</sub> , V <sub>1</sub>
Model #10 (V <sub>64</sub> )	0.85187	V <sub>45</sub> , V <sub>44</sub> , V <sub>43</sub>
Model #11 (V <sub>65</sub> )	not significant	
Model #12 (V <sub>66</sub> )	0.63610	V <sub>27</sub> , V <sub>29</sub> , V <sub>28</sub>

BACKWARD ELIMINATION	MULTIPLE	REGRESSION	FOR
THE TWELVE P	REDICTIVE	MODELS	

In contrast, the adjusted  $R^2$  does not increase beyond a certain point as independent variables are entered. In general, the adjusted  $R^2$  could be sensitive to a small sample size or to a relatively large number of independent variables (Hull, 1981). The fact that the magnitude of adjusted  $R^2$  declines after a certain point means that the eleven-variable model is worse than some others. By "worse" is meant that the final model may perform well for the given set of data, but is unlikely to do so well for a new set (Hull, 1981).

#### TABLE XL

THE TWELVE PREDICTIVE MODELS			
Model	R <sup>2</sup>	Variables in the Model	
Model # 1 (V <sub>55</sub> )	0.65198	V <sub>3</sub> , V <sub>8</sub> , V <sub>4</sub> , V <sub>5</sub>	
Model # 2 (V <sub>56</sub> )	0.76785	V <sub>38</sub> , V <sub>21</sub> , V <sub>37</sub>	
Mode1 # 3 (V <sub>57</sub> )	0.74183	V <sub>52</sub> , V <sub>40</sub> , V <sub>2</sub>	
Model # 4 (V <sub>58</sub> )	0.79324	V <sub>13</sub> , V <sub>16</sub>	
Model # 5 (V <sub>59</sub> )	0.82373	V <sub>49</sub> , V <sub>13</sub>	
Model # 6 (V <sub>60</sub> )	0.76371	V <sub>46</sub> , V <sub>47</sub> , V <sub>50</sub>	
Model # 7 (V <sub>61</sub> )	0.86871	V <sub>39</sub> , V <sub>50</sub> , V <sub>48</sub> , V <sub>51</sub>	
Model # 8 (V <sub>62</sub> )	0.80921	V <sub>42</sub> , V <sub>54</sub> , V <sub>50</sub> , V <sub>47</sub>	
Model # 9 (V <sub>63</sub> )	0.70989	V <sub>47</sub> , V <sub>54</sub> , V <sub>22</sub>	
Model #10 (V <sub>64</sub> )	0.84532	V <sub>45</sub> , V <sub>44</sub>	
Model #11 (V <sub>65</sub> )	not significant		

Model #12 (V<sub>66</sub>)

STEPWISE SELECTION MULTIPLE REGRESSION FOR THE TWELVE PREDICTIVE MODELS

As Table XLI demonstrates, the standard error of the estimate behaves in a contrary fashion to the pattern of the adjusted  $R^2$ , but works to the same effect (Hull, 1981). The pattern shows a decrease in value followed by an increase. Again, the message is that a model with three or four variables is likely to suffice.

0.61862

V<sub>29</sub>, V<sub>30</sub>

This table also shows the pattern of F change and its associated significance level. These two numbers provide a formal test of whether bringing in an additional variable results in an improved model. The pattern of significance levels, 0.000, 0.000, 0.001,

#### TABLE XLI

#### SUMMARY OF STATISTICS FOR PREDICTIVE MODEL #2

STEP	MULTR	RSQ	ADJRSQ	F(EQU)	SIGF	RSQCH	FCH	SIGCH	V.	ARIABLE	BETAIN	CORREL	SE ST.
1	0.8141	0.6628	0.6584	151.326	0.000	0.6628	151.326	0.000	IN:	V38	0.8141	0.8141	0.60609
2	0.8538	0.7289	0.7218	102.179	0.000	0.0662	18.547	0.000	IN:	V21	0.4202	0.8012	0.54696
3	0.8763	0.7679	0.7586	82.690	0.000	0.0389	12.579	0.001	IN:	V37	0.2829	0.7337	0.50952
4	0.8824	0.7785	0.7666	65.039	0.000	0.0107	3.574	0.063	IN:	V36	0.1275	0.5847	0.50100
5	0.8835	0.7806	0.7656	51.940	0.000	0.0020	0.678	0.413	IN:	V35	-0.0653	0.5601	0.50209
6	0.8841	0.7817	0.7635	42.958	0.000	0.0011	0.352	0.555	IN:	V25	0.0470	0.6268	0.50434
7	0.8845	0.7824	0.7609	36.462	0.000	0.0007	0.233	0.631	IN:	٧33	-0.450	0.5906	0.50705
8	0.8859	0.7848	0.7602	31.916	0.000	0.0025	0.802	0.373	IN:	V34	0.1045	0.5557	0.50775
9	0.8860	0.7849	0.7569	27.983	0.000	0.0001	0.037	0.848	IN:	٧2	0.0235	0.6275	0.51128
10	0.8861	0.7852	0.7536	24.856	0.000	0.0002	0.078	0.781	IN:	VI	-0.0395	0.6722	0.51473
11	0.8861	0.7852	0.7499	22.264	0.000	0.0000	0.000	0.987	IN:	V12	0.0026	0.8054	0.51856

0.063, 0.413, 0.555, 0.631, 0.373, 0.848, 0.781, 0.987, shows that at most, four independent variables have statistically significant impacts on the dependent variable. Analysis with the backward elimination method has yielded nearly identical results.

Based upon the discussion just presented and the work done by Halinski (1970) and Darlington (1968), stepwise regression has been determined to be the most appropriate method for selection of the best predictive model.

#### SUMMARY CF SIGNIFICANT FINAL STATISTICS FOR THE 12 PREDICTIVE MODELS

Tables XLII through LII present the summaries for predictive models 1 through 10 and model 12. The predictive model equations, derived from these tables, are shown below. The approximate percentage of the total variation accounted for by the variables included in each model equation is given in brackets to the right of each equation. (The percentage is the R square value multiplied by 100.) For a listing of the names associated with each variable, see Table XII on page 90.

$$Y_1(V_{55}) = 3.39 + 0.25V_3 + 0.20V_8 - 0.16V_4 + 0.14V_5$$
 {65%}

$$Y_2(V_{56}) = 2.46 + 0.16V_{38} + 0.33V_{21} + 0.18V_{37}$$
 {77%}

$$Y_3(V_{57}) = 6.44 - 0.55V_{52} - 0.41V_{40} + 0.11V_2$$
 {74%}

$$Y_4(V58) = 0.35 + 0.66V_{13} + 0.31V_{16}$$
 {77%]

$$Y_5(V_{59}) = -0.19 + 0.55V_{49} + 0.44V_{13}$$
 {82%}

$$Y_6(V_{60}) = 3.12 + 0.16V_{46} + 0.19V_{47} + 0.19V_{50}$$
 {76%}

$$Y_7(V_{61}) = 2.59 + 0.28V_{39} + 0.12V_{50} + 0.14V_{48} + 0.16V_{51}$$
 {87%}

136

$$Y_8(V_{62}) = 2.29 + 0.19V_{42} + 0.28V_{54} + 0.14V_{50} + 0.10V_{47}$$
 [81%]

$$Y_9(V63) = 2.40 + 0.25V_{47} + 0.24V_{54} + 0.16_{V22}$$
 {71%}

$$Y_{10}(V_{64}) = 0.67 + 0.54V_{45} + 0.30V_{44}$$
 {84%}

$$Y_{12}(V_{66}) = 2.38 + 0.43V_{29} + 0.16V_{30}$$
 {62%}

# TABLE XLII

# PREDICTIVE MODEL #1: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
Variable	<u> </u>	SE B	Beta	T	Sig T			
۷3	0.25393	0.04915	0.42446	5.167	0.0000			
V <sub>8</sub>	0.19599	0.05077	0.32395	3.860	0.0002			
V <sub>4</sub>	-0.16368	0.04986	-0.27050	-3.283	0.0016			
V <sub>5</sub>	0.13614	0.06145	0.16263	2.215	0.0298			
constant	3.38983	0.32930		10.294	0.0000			

# TABLE XLIII

# PREDICTIVE MODEL #2: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
Variable	<u> </u>	SE B	Beta	T	Sig T			
V <sub>38</sub>	0.16201	0.05626	0.30036	2.880	0.0052			
V <sub>21</sub>	0.32692	0.07564	0.39412	4.322	0.0000			
V <sub>37</sub>	0.18230	0.05140	0.28289	3.547	0.0007			
constant	2.45550	0.23967		10.245	0.0000			

# TABLE XLIV

## PREDICTIVE MODEL #3: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
<u>Variable</u>	B	SE B	Beta	F	Sig T			
۷ <sub>52</sub>	-0.54566	0.06051	-0.70236	-9.018	0.0000			
v <sub>40</sub>	-0.40714	0.10137	-0.29737	-4.016	0.0001			
V <sub>2</sub>	0.11426	0.04726	0.15622	2.417	0.0181			
constant	6.43799	0.39639		16.242	0.0000			

# TABLE XLV

# PREDICTIVE MODEL #4: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
<u>Variable</u>	B	SE B	Beta	<u> </u>	Sig T			
V <sub>13</sub>	0.65835	0.09623	0.65840	6.842	0.0000			
۷ <sub>16</sub>	0.31147	0.11409	0.26272	2.730	0.0079			
constant	-0.34806	0.34481		-1.009	0.3160			

## TABLE XLVI

# PREDICTIVE MODEL #5: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
Variable	B	SE B	Beta	T	Sig T			
V <sub>49</sub>	0.55339	0.07292	0.52033	7.589	0.0000			
V <sub>13</sub>	0.43850	0.06530	0.46041	6.715	0.0000			
constant	-0.19048	0.26416		-0.721	0.4731			

# TABLE XLVII

# PREDICTIVE MODEL #6: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
Variable	<u> </u>	SE B	Beta	T	Sig T			
V <sub>46</sub>	0.16070	0.06545	0.26380	2.455	0.0164			
V <sub>47</sub>	0.19448	0.04801	0.38856	4.051	0.0001			
V <sub>50</sub>	0.19474	0.05087	0.31569	3.828	0.0003			
constant	3.11872	0.14035		22.222	0.0000			

# TABLE XLVIII

# PREDICTIVE MODEL #7: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
Variable	В	SE B	Beta	<u>T</u>	Sig T			
۷ <sub>39</sub>	0.28243	0.03778	0.48202	7.476	0.0000			
V <sub>50</sub>	0.11661	0.05254	0.16612	2.219	0.0295			
V <sub>48</sub>	0.13948	0.04831	0.20079	2.887	0.0051			
V <sub>51</sub>	0.16362	0.06137	0.19883	2.666	0.0094			
constant	2.58909	0.11371		22.769	0.0000			

#### TABLE XLIX

# PREDICTIVE MODEL #8: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
Variable	<u> </u>	SE B	Beta	T	Sig T			
V <sub>42</sub>	0.19884	0.07292	0.26279	2.727	0.0080			
V <sub>54</sub>	0.28458	0.06979	0.34833	4.078	0.0001			
V <sub>50</sub>	0.13772	0.05141	0.21440	2.679	0.0091			
V <sub>47</sub>	0.09912	0.04718	0.19019	2.101	0.0391			
constant	2.28965	0.22151		10.337	0.0000			

# TABLE L

# PREDICTIVE MODEL #9: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
<u>Variable</u>	B	SE B	Beta	T	Sig T			
V <sub>47</sub>	0.24700	0.05699	0.44515	4.334	0.0000			
۷ <sub>54</sub>	0.24155	0.08986	0.27770	2.688	0.0089			
V22	0.16186	0.06085	0.21858	2.660	0.0096			
constant	2.39854	0.28049		8.551	0.0000			

#### TABLE LI

# PREDICTIVE MODEL #10: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation								
Variable	B	SE B	Beta	T	Sig T			
V <sub>45</sub>	0.53760	0.07960	0.56305	6.754	0.0000			
V <sub>44</sub>	0.29755	0.06296	0.39398	4.726	0.0000			
constant	0.67257	0.25049		2.685	0.0089			

# TABLE LII

# PREDICTIVE MODEL #12: SUMMARY OF SIGNIFICANT FINAL STATISTICS

Variables in the Equation							
Variable	В	SE B	Beta	T	Sig T		
V <sub>29</sub>	0.43216	0.07386	0.57549	5.851	0.0000		
V <sub>30</sub>	0.15885	0.05804	0.26921	2.737	0.0077		
constant	2.38378	0.28967		8.229	0.0000		

#### ASSUMPTIONS OF MULTIPLE REGRESSION

The assumptions of the multiple regression model are herein checked by the independence of residuals, normality, linearity, and colinearity. The first three are checked by a forced entry regression model with different plots. The plots include casewise plot of standardized residuals, normal probability studentized residuals, and a standardized scatter plot of predicted against residuals. These are employed for all the predictive models. Results show that in all cases there has been no serious violation of the assumptions of the regression model. The plots for Predictive Model #1 will serve as an example. Figure 16 shows the casewise plot of the standardized residuals along with some related statistics.

As this figure shows, the standardized residuals fall mostly between two standard deviation limits and are positively and negatively signed with equal frequency.

The normal probability plot of studentized residuals (Figure 17) shows no dramatic departure from normality. The plot of the predicted values versus the residuals (Figure 18) reveals no clear model inadequacies.

In order to check for colinearity, all the zero-order correlation matrices have been investigated. In some cases, colinearity among variables was discovered. However, those instances were not among variables which were largely responsible for the explanation of a particular model. Therefore, this issue does not present any major obstacle to the general interpretation.

141

#### TABLE LIII

#### CASEWISE PLOT OF STANDARDIZED RESIDUAL

	-3.0	0.0	3.0							
SEBNUR	0:		:0	V55	PRED	+RESID	SRESID	+SDRESID	• HAHA_	+CC3K_D
1	•		• .	5.0000	4.00E1	0.9939	1.8405	1.8714	17.9353	0.2170
2		+ .		4.0000	4.5762	-0.5762	-0.9737	-0.9734	6.0668	0.0169
3	•	+		5.0000	5.0382	-0.0382	-0.0661	-0.0657	9.3140	0.0001
4	•	+ .	•	4.0000	4.5935	-0.5825	-0.9674	-0.9570	3.3092	0.0109
5	•	+.	•	5.0000	5.5432	-0.5432	-0.9258	-0.9259	7.4165	0.0207
6	•	+.	•	4.0000	4.1862	-0.1862	-0.3123	-0.3104	5.0317	0.0016
7	•	+.	•	3.0000	3.2385	-0.2385	-0.4048	-0.4025	6.6826	0.0036
8		+		5.0000	4.9296	0.0704	0.1199	0.1191	7.2354	0.0003
9		.+	•	4.0000	3.7942	0.2055	0.3413	0.3392	3.3441	0.0014
10	•	+.	•	5.0000	5.4226	-0.4226	-0.7040	-0.7016	4.0225	0.0059
11		. •		6.0000	5.6626	0.3374	0.5527	0.551:	1.7773	0.0023
12	•	+		4.0000	3.9395	0.0E05	0.0990	0.0963	1.3990	0.0001
13			۰.	5.0000	3.7758	1,2242	2.0243	2.0667	2.9337	0.0434
14		+		6.0000	5.0942	-0.0942	-0.1581	-0.1571	5.1898	0.0004
15	•	+	•	6.0000	5.9488	0.05:2	0.0847	C.0841	2.9649	0.0001
16		.+	•	7.0000	6.7565	0.2435	0.4176	0.4:52	8.1254	C.0046
17		•	• .	6.0000	5,1392	0.8609	1.4046	1.4141	0.8353	0.0100
18	•	+.	•	4.0000	4.3591	-0.3591	-0.5520	-0.5823	2.480E	0.0023
:9	•	÷.	•	5.0000	5,3590	-0.3690	-0.6627	-0.6502	14.2000	0.0212
20		• .	•	4.0000	4.9451	-0.9451	-1.5502	-1.5553	1.7125	0.172
21	•	+.	•	5.0000	5.2265	-0.2265	-0.3735	-0.37:3	2.430E	0.0013
22	•	. •	•	5.0000	4.4952	0.5048	0.9237	0.9219	0.9304	0.0034
23	•	•	• •	6.0000	4,9249	1,0751	1.8051	1.8337	5.1544	0.0557
24	•	+	•	5.0000	5.074E	-0.0746	-0.1249	-0.1241	<b>4.7</b> 577	0.0003
25	•	+		4.0000	4.0177	-0.0177	-0.0291	-0.0299	1.6633	0.0000
26	•	. •	•	6.0000	5.6442	0.3558	0.5934	0.5858	2.9629	0.0027
27		•	۰.	7.0000	5.3154	1.6816	2.8302	2.9757	5,4944	0.1452
28	•	•	+.	5.0000	3.8768	1.1232	1.8567	1.8955	2.9811	0.03E0
29		۰.	•	5.0000	5.5062	-0.5062	-0.8511	-0.8595	7.0091	0.0159
30	, <b>i</b>	•	•	3.0000	4.1678	-1.1678	-1.9478	-1.9861	4,1982	0.0535
31	•	+	•	4.0000	3,9051	0.0909	V.150C	0.1490	2.5709	0.0002
32	•	. •	•	7.0000	6.647S	0.3521	0.5555	0.5939	6.4355	0.0075
33		+.		4.0000	4.4078	-0.4078	-0.6702	-0.5677	2.0217	0.0035
34		+	•	6.0000	5.9165	0.0925	0.1376	0.1367	Z.4060	0.0002
35		₽,	•	4.0000	4.2764	-0.2764	-0.4674	-0.4249	6.1678	0.0044
35	•	•.	•	4.0000	4.7168	-0.7168	-1.1655	-1.1E84	0.3854	0.0049
37	•		•	4.0000	4.1032	-0.1032	-0.1694	-0.1672	0.8715	0.0001
38		•	• .	5.0000	4.4353	0.5647	0.9185	0.9176	0.4636	0.0002
SEGNUM	0:		:0	V55	<pre>#PRED</pre>	*RESID	+SRESID	+SDRESID	+MAHAL	+CO2K 2
	-3.0	0.0	3.0							

(Table LIII is continued on p 145)

# TABLE LIII (continued)

# CASEWISE PLOT OF STANDARDIZED RESIDUAL

	-3.0 0.0	3.0							
SEGNUM	0:	:0	V55	+PRED	+RESID	+SRESID	+SDRESID	+MAHAL	+030X D
39		•	4.0000	4.2669	-0.2653	-0.4357	-0.4343	1.3512	0.0012
40		•	5,0000	4.1612	0.8388	1.3905	1.3995	3,3050	0.0225
41			5.0000	4.4306	0.5694	0.9410	0.9403	2.6380	0.0091
42			4.0000	4.2394	-0.2394	-0.3903	-0.3897	1.0619	0.0008
43			4.0000	4.8853	-0.8853	-1.4398	-1.4505	0.4332	0.0077
44			3.0000	4.2669	-1.2659	-2.0730	-2.12:5	1.35:2	0.0265
45			4.0000	3.9579	0.0421	0.0555	0.0592	2.9047	0.0001
46	*		5.0000	4.5990	0.4010	0.6549	0.6524	1.0958	0.0023
47	*	•	7.0000	6.5485	0.4515	0.7874	0.7854	10.3961	0.02:2
48			3.0000	3.4895	-0.4896	-0.8073	-0.8054	2.5073	0.005:
49			6.0000	6.3940	-0.3940	-0.6580	-0.6555	4.3991	0.0034
50			3.0000	3.4549	-0.4845	-0.8220	-0.820:	6.5316	0.0144
51			4.0000	4.9404	-0.9404	-1.5417	-1.5555	1.6450	0.0155
52	+		4,0000	3.8170	0.1830	0.3038	0.3019	3.4820	0.0011
53		÷ .	5.0000	4.4151	0.5849	0.9622	0.9820	5.1799	0.0165
54		•	5.0000	4.9535	0.0355	0.0603	0.0504	3.8036	0.0000
55		•	3.0000	3.7131	-0.7131	-1.1759	-1.1800	2.6306	0.0125
58	*	•	4.0000	3.6533	0.3457	0.5716	0.5630	2.4211	0.0021
57	*	•	5.0000	4.8805	0.1195	0.1955	0.1943	1.3E40	0.0002
58		•	4.0000	4.56BE	-0.5686	-0.9439	-0.9432	3,4906	0.0108
55	*		4.0000	3.5982	0.4018	0.6635	0.5671	4.0655	0.0052
60	<b>•</b>	•	5.0000	4.7795	0.2205	0.3627	0.3805	2.1535	0.0011
51	. •	•	4.0000	4.0158	-0.0158	-0.0263	-0.0261	3,9757	0.0000
62	*	•	7.0000	6.6479	0.3521	0.5955	0.5539	6,4356	0.0075
63		•	4.0000	4.4581	-0.4581	-0.7702	-0.763:	5.3470	0.0105
64			3.0000	4.2118	-1.2118	-1.997:	-2.0393	Z.4265	0.0385
65	. •.	•	4.0000	4.1308	-0.130B	-0.2152	-0.2139	2.2492	0.0004
66	· · · •	•	6.0000	5.4989	0.5011	0.8150	0.8171	1.1705	0.0038
67	. •	•	5.0000	4.9404	0.0536	0.0978	0.0971	1.5480	0.0001
68	· ·*	•	5.0000	4.8824	0.1176	0.1951	0.1939	3.4721	0.0015
69		•	4.0000	5.0186	-1.0195	-1.6917	-1.7032	2.5951	0.0281
70	•	•••	5.0000	4,4645	0.5352	0.2991	0.8275	5.230:	C.0140
71		•	6.0000	6.5485	-0.5485	-0.9564	-0.9559	10.225:	0.0313
72	. •.	•	4.0000	4.2688	-0.2686	-0.4460	-0.4435	3.4080	0.0024
73		•	5.0000	5.3580	-0.3560	-0.5920	-0.5854	2.9351	0.0027
74	· ·	• •	6.0000	5.1022	0.8178	1.3649	1.3730	4.2952	0.0271
75	• •	•	5.0000	4.7187	0.2813	0.4653	0.4535	3.3238	0.0025
76	• •	• •	5.0000	4.2589	0.7312	1.2130	1.2169	3.40E0	0.0175
77	*	•	4.0000	3.7619	0.2381	0.3964	0.3942	3.9264	0.0021
78	• •	+.	5.0000	3.8521	1.1479	1.9150	1.9510	4.2285	0.0525
79	· · · ·		4.0000	4.7444	-0.7444	-1.2234	-1.2276	2.0153	0.0120
SEGNUM	0:	:0	V55	+PRED	+RESID	+SRESID	+SDRESID	+MAHAL	+000% D
	-3.0 0.0	3.0							




Figure 16. Normal Probability Plot of Studentized Residuals

144




Figure 17. Standardized Scatter Plot of Predicted Values vs kesiduals

#### SUMMARY

This chapter analyzed the collected data. The most significant statistics for the predictive models were presented. By using different statistical procedures and different runs of multiple regression models, the most accurate predictive models were identified from among the possible choices. The final chapter of this study will utilize this information to answer the research questions posed at the outset and will recommend areas for future research.

~•

#### CHAPTER VII

#### SUMMARY AND CONCLUSION

This chapter summarizes the research problem, answers the research questions which were initially posed in Chapter I, and recommends areas of future research.

#### SUMMARY OF THE RESEARCH

The main objective of this study has been to identify the most decisive factors which impact the employment of a CBMIS in a developing country such as Iran. If properly identified, these factors can provide a series of guidelines, the most significant of which is whether or not a given country should begin to automate its business activities.

For the case of Iran, this project developed a descriptive model (Chapter III), identified the most decisive elements of the model (Chapter IV), designed a series of predictive equations (Chapter V), developed and utilized a questionnaire to measure the elements of the descriptive/predictive models (Appendix A), and analyzed the collected data (Appendix B and Chapter VI). Based upon these analyses, the research questions can now confidently be answered.

#### ANSWER TO RESEARCH QUESTIONS

Of the 54 variables hypothesized to be important to the problem at hand, 51 proved to be relevant. Twenty-four of these variables are statistically significant at the 5% level, as Tables XLII - LII (Chapter VI) show. These may be termed the most crucial variables; they are as follows:

V  $_3$  - acquisition criteria: complexity of the organization's activities V  $_5$  - acquisition criteria: economic considerations  $V_{R}$  - acquisition criteria: need for more accurate information  $V_{12}$  - standardization in data collection  $V_{16}$  - standardization in software selection  $V_{21}$  - existence of an appropriate number of data processing personnel V<sub>22</sub> - unemployment of unskilled labor  $V_{29}$  - manufacturer selection criteria: availability of replacement parts  $V_{30}$  - manufacturer selection criteria: availability of back-up  $V_{37}$  - technical feasibility  $V_{38}$  - problem definition  $V_{30}$  - scope of the system  $V_{\mbox{\footnotesize \Delta}\mbox{\footnotesize N}}$  - existence of a debugged manual system  $V_{A2}$  - types of design  $V_{\varDelta\varDelta}$  - functional specifications and performance criteria  $V_{A5}$  - system documentation V<sub>46</sub> - internal vs external data  $V_{A7}$  - recency of data  $V_{48}$  - aggregated vs disaggregated data  $V_{AQ}$  - existence of a data base  $V_{50}$  - availability of mathematical models  $V_{51}$  - output considerations

 $V_{52}$  - project management principles  $V_{54}$  - post-implementation audit

Another significant question posed in the early stages of this research project was: under what circumstances should a developing country such as Iran continue to operate manually? The analysis showed that the following circumstances are conditions under which a continuance of manual operation is advisable:

- <u>If</u> the acquisition criteria do not include complexity of the organization's activities, the need for more accurate information, economic considerations;
- <u>If</u> there are not adequate numbers of the appropriate data processing personnel;
- If the problem has not been clearly defined;
- <u>If</u> a technical feasibility study has not been performed in order to determine the suitability of an information system for automation;
- If the manual system has not been debugged;
- <u>If</u> standardization has not been employed at least in the the areas of data and software selection;
- <u>If</u> the problem of unemployment of unskilled labor has not been resolved--

--<u>If</u> any of the foregoing apply, <u>then</u> computerization of a government's activities should not be attempted.

The second series of questions posed in the early stages of this study has to do with circumstances under which the decision to automate has been made.

• What should the acquisition criteria be?

Table XLII (p 136) indicates that the acquisition criteria, from most to least important, should be:

- -- complexity of the organization's activities;
- -- the need for more accurate information;
- -- economic considerations.
- What are some of the most important variables for the optimum utilization of existing computers?

As Table XLIII (p 137) shows, these variables from most to least important, are:

- -- existence of appropriate numbers of data processing personnel;
- -- accurate problem definition (goals and objectives);
- -- technical feasibility (suitability of different systems for automation).
- How should a developing country choose the manufacturer of computer technology?

Table LII (p 144) indicates that <u>at least</u> the following two factors should be considered in choosing a manufacturer:

- -- availability of replacement parts for the manufacturer;
- -- availability of a back-up for the manufacturer.

 What are some of the most important variables for the timely and efficient implementation of a CBMIS?

According to Table XLIV (p 138), the following are the most important factors for the timely implementation of a CBMIS:

- -- project management principles (breakdown of activities);
- -- existence of a debugged manual system.
- How can the level of experience sharing among the installations be improved?

On the basis of Table XLV (p 139), the following two factors could drastically improve the level of experience sharing among the installations:

- -- standardization in data collection;
- -- standardization in software selection.

Additionally, as Table XX (p 117) shows, there is a significant correlation between standardization in hardware selection and cooperation among installations.

• How can the level of data migration be improved?

Table XLVI (p 139) demonstrates that the following two variables have a significant impact on the migration of data. Therefore, by improving the status of these variables, the level of data migration can also be improved.

-- existence of a data base;

-- standardization in data collection.

 How Can the reliability of the provided information be improved?

Three factors, as shown in Table VLVII (p 140), have a significant impact on the reliability of the provided data. Therefore, by improving these variables, the reliability of the provided data can also be improved:

- -- recency of the data;
- -- availability of mathematical models;
- -- internal vs external data (balance between the two).

 How can the usefulness of the provided information be improved? The following four variables appear in Table XLVIII (p 141) as the most important factors in terms of improving the usefulness of the provided information. From the most to the least important, these four factors are:

- -- scope of the system: desired operating characteristics;
- -- disaggregated vs aggregated data;
- -- output considerations;
- -- availability of mathematical models.
- How can the responsiveness of the CBMIS be improved?

Table XLIX (p 142) demonstrates that by improving the status of any or all of the following four factors, the responsiveness of the CBMIS will also be improved. These factors are listed from most to least important:

- -- post-implementation audit;
- -- types of design (task force vs individual);
- -- availability of mathematical models;
- -- recency of data.
- How can the utilization of the provided information be improved?

As Table L (p 142) indicates, by improving the following factors, the utilization of the provided information can also be improved:

- -- recency of the data;
- -- post-implementation audit;
- -- resolving the social issues of automation (e.g., the problem of unemployment among unskilled workers).
- What are some of the most important social issues for the employment of a CBMIS in a developing country?

Table L (p 142) shows that the overwhelmingly most important social issue is the unemployment of unskilled labor.

• How can the adaptability of the existing CBMIS to the growing technology be improved?

As Table LI (p 143) indicates, by improving the following factors, the adaptability of the existing CBMIS can also be enhanced:

- -- system documentation
- -- functional specifications and performance criteria

As a final word in terms of the analysis section of this project, this research shows that neither infrastructure nor economic issues have been serious problems in terms of computerization in Iran.

#### RECOMMENDATION FOR FUTURE AREAS OF RESEARCH

Now that a statistically significant set of guidelines has been developed for the employment of a CBMIS in developing countries and tested on the case of Iran, it would be quite useful to see the model tested on other developing nations. The countries studied in this project (i.e., Ethopia, Turkey, Brazil, Colombia, Korea, Nigeria, Uganda, Thailand, and The People's Republic of China) would provide interesting and helpful tests for the model. In addition to the information which would result from such applications, the hope is for a strengthening of cooperation and coordination among the various developing nations. This goal, of course, has been suggested several times by no less prestigious organizations than the United Nations.

#### REFERENCES

- Alter, Steven L, Decision Support Systems Current Practice and Continuing Challenges, Addison-Wesley Publishing Company: Reading, Mass, 1980.
- Alter, Steven L and Michael Ginzberg, "Managing Uncertainty in MIS Implementation," <u>Sloan Management Review</u>, Fall 1978, pp 21-31.
- Awad, Elias M, <u>Systems Analysis and Design</u>, Richard Irwin & Co: Homewood, Illinois, 1979.

Bariff, M L and E J Lusk, "Cognitive and Personality Tests for the Design of Management Information Systems," <u>Management</u> Science, v 23, no 8, April 1977, pp 820-828.

- Berkeley, Edmund C, "How Do Computers Affect People?" <u>Computers</u> <u>and People</u>, April 1975, p 6.
- Blalock, Jr, Hubert M, Social Statistics, 2nd ed, McGraw-Hill: NY, 1979.
- Blaxter, C, "National Policies in Computer Education and Training Setting Guidelines forthe Developing Countries," <u>The Jerusalem</u> <u>Conference on Information Technology</u>, ILTAM Corporation for Planning and Research: Jerusalem, Israel, 1971.

Boehm, Barry W and Benton Dexter Jr, "Software in Developing Countries," <u>Datamation</u>, September 1974, pp 73-78.

- Bonn, T H, "Computer and Related Standards," <u>The Jerusalem Conference</u> on Information Technology, ILTAM Corporation for Planning and Research: Jersualem, Israel, 1971.
- Brandon, Dick H, <u>Management Standards for Data Processing</u>, D Van Nostrand Co, Inc: Princeton, NJ, 1963.
- Burch, Jr, J G, F R Strater, and G Grudnitski, <u>Information Systems</u> <u>Theory and Practice</u>, 2nd ed, Wiley and Sons: <u>New York</u>, 1979.

Carper, William B, "Human Factors in MIS," Journal of Systems Management, November 1977, pp 48-50.

Chandrasekhar, P, "Application of Computer Technology for Economic Development of India," World Conference on Informatics in Government, Florence, Italy, October 16-20, 1972, part 2, pp 844-852.

- Chvalovsky, Vaclav, "Anything New in Data Base Technology?" <u>Datamation</u>, April 1976, pp 54-55.
- Clover, Vernon T and Howard L Balsley, <u>Business Research Methods</u>, Grid, Inc: Columbus, Ohio, 1974.
- Conference Board (The), <u>Information Technology: Some Critical</u> Implications for Decision Makers, Rept #537, New York, 1972.
- Couger, Daniel J and Fred P McFadden, <u>First Course in Data Process-</u> ing <u>With Basic</u>, John Wiley & Sons: NY, 1981.
- Curtice, Robert M, "The Outlook for Data Base Management," <u>Datamation</u>, April 1976, pp 46-49.
- Danet, B, "The Future of Privacy in Developing Countries," <u>The Jeru-</u> <u>salem Conference on Information Technology</u>, ILTAM Corporation for Planning and Research: Jerusalem, Israel, 1971.
- Darlington, Richard B. "Multiple Regression in Research and Practice," Psychological Bulletin, v 69, no 3, 1968, pp 161-182.
- Date, C J, <u>An Introduction to Database Systems</u>, Addison-Wesley Publishing Company: Reading, Mass, 3rd ed, 1981.
- Davis, Gordon B, <u>Management Information Systems Conceptual Founda</u>tions, Structure, and Development, McGraw-Hill: NY, 1974.
- Davis, Gordon B and Clyde A Parker, <u>Writing the Doctoral Dissertation</u>, Barron's Educational Series, Inc: NY, 1979.
- Dearden, John, Computer in Business Management, Dow Jones-Irwin: Homewood, Illinois, 1966.
- Dearden, John and I F Warren McFarlan, <u>Management Information Systems</u>: Text and Cases, Irwin, Inc: Homewood, Ill, 1966.
- Dearden, John, I F Warren McFarlan, and William M Zani, <u>Managing</u> <u>Computer-Based Information Systems</u>, Irwin, Inc: Homewood, Ill, 1971.
- Dickson, G W and John K Simmons, "The Behavioral Side of MIS," Business Horizons, August 1970, pp 59-71.
- Dock, Thomas V and Edward L Essick, <u>Principles of Business Data</u> <u>Processing with MIS . . Including BASIC</u>, SRA, Inc: Chicago, 4th ed, 1981.
- Edwards, Perry and Bruce Broadwell, <u>Data Processing: Computers in</u> Action, Wadsworth Publishing Company: Belmont, Ca, 1979.

- Elizur, D, "Social Impact of the Introduction of Computers," The Jerusalem Conference on Information Technology, ILTAM Corporation for Planning and Research: Jerusalem, Israel, 1971, pp 35-36.
- Finerman, A, "Education for Computing," <u>The Jerusalem Conference</u> <u>on Information Technology</u>, ILTAM Corporation for Planning and Research: Jerusalem, Israel, 1971, pp 112-123.
- Fitzroy, Peter, <u>Analytical Methods for Marketing Management</u>, McGraw-Hill: United Kingdom, 1976.
- Foley, C, "Why Does Technology Transfer Fail: A Study Based on Administration Systems," <u>Information Technology</u>, J Moneta (ed), North Holland Publishing Co: New York, 1978, pp 119-124.
- Foster, Geroge M, <u>Traditional Societies and Technological Change</u>, Harper and Row: New York, 1973.
- Frienleib, Harold, "A Future for Information Systems," <u>Information</u> <u>Technology</u>, J Moneta (ed), North Holland Publishing Co: New York, 1978, pp 557-559.
- Giannoni, R, "Social and Cultural Conditions Affecting the Use of Informatics by Government," <u>World Conference on Informatics in</u> <u>Government</u>, IBIDCC: Florence, Italy, 1972, pp 300-302.
- Gildersleeve, Thomas R, <u>Data Processing Project Management</u>, Van Nostrand Reinhold: New York, 1974.
- Golden, D A, "Technology Transfer From Developed to Less Developed Countries: An Analogy With the Technology Transfer from Government Laboratories to Industry," <u>Information Technology</u>, J Moneta (ed), North Holland Publishing Company: New York, 1978, pp 1-7.
- Goldschmidt, Yaacov, "Review of a Decade of Computer Applications in Kibbutz Agriculture," <u>The 2nd Jerusalem Conference on Information</u> <u>Technology: Computers for Social and Economic Development</u>, Jerusalem, Israel, July 29-August 1, 1974, pp 77-90.
- Good, Robert E, Course material from SySc 571, Information Systems I, Portland State University, Portland, Oregon, Fall 1979.
- Grad, Burton, Thomas B Glars, David Holstein, William G Meyers, and Richard N Schmidt, <u>Management Systems</u>, The Dryden Press, Hinsdale, Illinois, 1979.
- Halinski, Ronald S and Feldt S Leonard, "The Selection of Variables in Multiple Regression Analysis," <u>Journal of Educational Measurement</u>, v 7, no 3, Fall 1970, pp 151-157.
- Haq, Abdul A K M, <u>A Dynamic and Spatial Model for Measuring Technology</u> <u>Transfer Potentials</u>, D Engg Dissertation, Asian Institute of Technology: Bangkok, Thailand, 1979.

- Holland, Robert H, "DBMS: Developing User Views," <u>Datamation</u>, February 1980, pp 141-144.
- Hull, C Hadlai and Norman H Nie, <u>SPSS--Update 7-9</u>, McGraw Hill: New York, 1981.
- Huskey, Harry D, "The Transfer of Computer Technology," <u>Information</u> <u>Technology</u>, J Moneta (ed), North Holland Publishing Co: New York, 1978, pp 253-258.
- Keen, Peter G and Michael S Scott-Morton, <u>Decision Support Systems</u>: <u>An Organizational Perspective</u>, Addison-Wesley Publishing Co: Reading, Mass, 1978.
- Kerlinger, Fred N, Foundations of Behavioral Research, Holt, Reinhold, and Winston, Inc: New York, 2nd ed, 1973.
- Kheir, Abubaker, Mstafa M, <u>A Conceptual Model of Computer Based</u> <u>Information Systems Requirements for a Governmental Department in</u> <u>a Developing Country</u>, DBA Dissertation, George Washington University: Washington, DC, 1979.
- King, Leslie John and Edward L Schrems, "Cost-Benefit Analysis in Information Systems Development and Operation," <u>Computing Survey</u>, v 10, no 1, March 1978, pp 19-34.
- Lendaris, George G, course material from SySc 573, Information Systems III, Portland State University, Portland, Oregon, Spring 1980.
- Lucas, Jr, Henry C, <u>Computer Based Information Systems in Organiza-</u> tion, SRA, Inc: Chicago, 1973.
- Lucas, Jr, Henry C, <u>Information Systems Concepts for Management</u>, McGraw-Hill: New York, 1978.
- Lucena, C J, "Computer Education: A New Tool for Social and Economic Development," <u>The 2nd Jerusalem Conference on Information Technology</u>: <u>Computers for Social and Economic Development</u>, Jerusalem, Israel, July 29-August 1, 1974, pp 365-373.
- Makridakis, S and S C Wheelwright, Forecasting Methods and Applications, John Wiley & Sons: New York, 1978.
- Martino, Joseph, <u>Technological Forecasting for Decision Making</u>, Elsevier: New York, 1978.
- McClave, J T and F H Dietrich, <u>Statistics</u>, Dellen Publishing Co: San Francisco, Ca, 1979.
- McFadden, F R and J D Surer "Costs and Benefits of a Data Based System," <u>Harvard Business Review</u>, Jan-Feb 1978, pp 131-138.

- McLeod, Jr, Raymond, <u>Management Information Systems</u>, SRA, Inc: Chicago, 1979.
- Mead, G P, "Some Aspects of the Computer Education Requirement in Developing Countries," <u>Information Technology</u>, J Moneta (ed) North Holland Publishing Company: New York, 1978, pp 665-671.
- Mintzberg, Henry, "Impediments to the Use of Management Information," Society of Industrial Accountants of Canada Journal, 1978, pp 1-23.
- Mollegaard, A G, "Centralization Versus Decentralization of EDP Functions in Governments," World Conference on Informatics in Government, IBIICC: Florence, Italy, 1972, pp 494-497.
- Mumford, Enid, "Human Values and the Introduction of Technological Change," <u>Information Technology</u>, J Moneta (ed), North Holland Publishing Company: New York, 1978, pp 239-244.
- Nie, Norman H, Hadlai C Hull, Jean G Jenkins, K Steinbrenner, and Dale H Bent, <u>Statistical Package for the Social Sciences</u>, McGraw Hill: New York, 2nd ed, 1970.
- Nowtash, Ali, "Electronic Data Processing in Iran," <u>International Semi-</u> nar on Electronic Data Processing, United Nations, November 1971, pp 82-87.
- Padunchwit, I and B Tamthai, "Computer Organization Effectiveness in Government," World Conference on Informatics in Government, IBIDCC: Florence, Italy, 1972, pp 546-547.
- Plan and Budget Organization (PBO), Tehran, Iran, Fall 1977. (Documents were published in Persian language.)
- Priebe, Kathie, "The Transfer of Computer Technology from Developed to Developing Countries," <u>Information Technology</u>, J Moneta (ed), North-Holland Publishing Co: New York, 1978, pp 109-113.
- Sanders, Margaret J, <u>Computer Utilization in Public Administration in</u> the Underdeveloped Countries, PhD Dissertation, New School for Social Research: New York, 1973.
- Sexton, Jr, Donald E, "Computers in Developing Countries: The Case of Iran," <u>Technos</u>, Jan-Mar 1972, p 9-19.
- Shay, E M, "The MSP: A Master Plan for Systems Design and Development," <u>MIS in Action</u>, Murdick, R G and J E Ross (eds), West Publishing Company: New York, 1975, pp 513-524.
- Shelly, Gary B and Thomas J Cashman, <u>Introduction to Computers and</u> <u>Data Processing</u>, Anaheim Publishing: Fullerton, Ca, 1980.

- Simmons, Ralph A, <u>Guidelines for the Use of Computer Technology in</u> <u>Developing Countries</u>, NBSIR, #73-432: Washington, DC: December 1972, pp 1-126.
- SMLRP--Reference Manual for Step-wise Multiple Linear Regression, Portland State University, Portland, Oregon, pp ST 139-ST 148.
- Sobczak, J J, "A Data Base Story," Datamation, September 1977, pp 139-150.
- Spencer, Donald D, <u>Data Processing:</u> An Introduction, Charles G Merrill Publishing Company: Columbus, Ohio, 1978.
- Sprague, Jr, Ralph and Eric D Carlson, <u>Building Effective Decision</u> <u>Support Systems</u>, Prentice-Hall, Inc: Englewood Cliffs, New Jersey, 1982.
- Taggart, Jr, William M, Information Systems: An Introduction to Computers in Organizations, Allen and Bacon, Inc: Boston, 1980.
- Testa, Charles J, "Behavioral Factors in Information Systems," Computers and People, April 1974, pp 13-17.
- Thomson, R J, "EDP Education for Varying National Priorities," <u>World</u> <u>Conference on Informatics in Government</u>, IBIIC: Florence, Italy, 1972, pp 947-949.
- Tsichritzis, D C and F H Lochorsky, "Designing the Data Base," <u>Datamation</u>, August 1978, pp 147-151.
- United Nations, Dept of Economic and Social Affairs, Application of Computer Technology for Development, 1st Report, 1971; 2nd Report, 1973, New York.
- U S Department of Commerce, National Technical Information Service, <u>The Market for Computers in Iran</u>, Springfield, Va, March 1976, pp 1-56.
- Ward, B, J Runnells, and L D'Anjon (eds), <u>The Widening Gap</u>, Columbia University Press: New York, 1971.
- Willoughby, T C, <u>Business Systems</u>, The Association for Systems Management: Cleveland, Ohio, 1981.
- Wiorkowski, G K and J J Wiorkowski, "Does a Data Base Management System Pay Off?" <u>Datamation</u>, April 1977, pp 109-114.

## APPENDIX A

REQUIREMENTS FOR THE EMPLOYMENT OF COMPUTER BASED MANAGEMENT INFORMATION SYSTEMS IN DEVELOPING COUNTRIES:

A QUESTIONNAIRE

Designed by Hossein Bidgoli

February 1983

This questionnaire is part of a study which is attempting to identify variables which have the most significant impact on the success or failure of Computer Based Management Information Systems (henceforth referred to as CBMIS) in developing countries such as Iran. Questions included are based upon a careful examination of current literature (including proceedings of several international conferences) relating to computer technology in developing countries and a close review of individual studies concerning computer status in ten developing countries, including Iran. The goal of this project is to develop a computer policy with a higher chance of success than those adopted in the past.

You have been selected to complete this questionnaire because of your knowledge of and key role in your organization's computer effort. An earlier contact with authorities in the Iranian government produced a list of computer executives from which you were selected. Your contribution is important and is very much appreciated. In repayment for your time and effort, a copy of the results of this study will be sent you. To aid you in completing this questionnaire, a Persian translation accompanies the English text; please feel free to complete whichever version is easiest for you.

## DIRECTIONS

To determine the relative importance of each variable, a range of answers is possible, from 1 to 7. Circle the number which best describes your response to each question.

Please answer ALL questions; if you are uncertain of a particular answer, estimate to the best of your ability. If a particular question does not apply to your organization in any specific way, answer the question based on your general knowledge of the application of computer support in Iran.

Please circle only OHE response to each question.

Again, thank you very much for your contribution.

QUESTIONS 1 and 2 REFER TO THE DEGREE OF USER/TOP MANAGEMENT INVOLVEMENT IN THE ACQUISITION, DESIGN, AND IMPLEMENTATION PHASES OF A CBMIS.

 How do you rate the degree of <u>user</u> (i.e., anyone utilizing a CBMIS for decisionmaking purposes) involvement in the acquisition, design, and implementation of your organization's CBMIS?

1	2	3	4	5	6	7
no user involvement						total user involvement

2. How do you rate the degree of top management (i.e., the primary decisionmakers in your organization) involvement in the acquisition, design, and implementation of a CBMIS?

1	2	3	4	5	6	7
no top mgmt involvement						otal top mgmt involvement

QUESTIONS 3 THROUGH 9 ARE CONCERNED WITH THE FACTORS WHICH MAY HAVE NECESSI-TATED THE ACQUISITION OF A CBMIS.

3. To what degree has the acquisition of a CBMIS in your organization been determined or influenced by the perceived complexity of your organization's activities?

1	2	3	4	5	6	7
not a facto at all	or				r	the over- riding factor

4. To what degree has the acquisition of a CBMIS in your organization been determined or influenced by the perception that other organizations have already begun to use the computer?

1	2	3	4	5	6	7
not a factor at all						the over- riding factor

5. To what degree has the acquisition of a CBMIS in your organization been determined or influenced by <u>the belief that computers are</u> <u>cost efficient</u> ?								
	1	2	3	4	5	6	7	
	a factor t all						e over- ng factor	
6.	To what d been dete operation	rmined or	the acquis influenced	ition of a by <u>the nee</u>	CBMIS in y ed for bett	our organi er contro	zation <u>of</u>	
	1	2	3	4	5	6	7	
	a factor t all						e over- ng factor	
7.	been dete	legree has ermined or the future	the acquis influenced <u>e</u> ?	ition of a by <u>the nee</u>	CBMIS in y ed for a be	our organ <sup>±</sup> tter capal	ization bility to	
	1	2	3	4	5	6	7	
	a factor t all						e over- ng factor	
8.	To what d been dete	legree has ermined or	the acquis influenced	ition of a by <u>the nee</u>	CBMIS in y ed for more	our organ accurate	ization information?	
	1	2	3	4	5	6	7	
	a factor t all						e over- g factor	

9.	To what degree has	the acquisition	n of a CBMIS	in your organization
		influenced by t	the need for	more current informa-
	<u>tion</u> ?			

1	2	3	4	5	6	7
factor all						e over- ng factor

QUESTIONS 10 THROUGH 21 ARE CONCERNED WITH GENERAL POLICY CONSIDERATIONS FOR THE ACQUISITION OF A CBMIS.

10. Prior to the acquisition of your CMBIS, to what extent did you depend on consulting firms and/or vendors for advice regarding such information as price, applications, new developments, etc?

1	2	3	4	5	6	7
did not use or none existed						relied on heavily

11. To what extent has your computer policy become centralized (one computer for the entire organization) vs decentralized (wherein each department has its own computer)?

1	2	3	4	5	6	7
centralized		e	equal mix			decentralized

12. Prior to the acquisition of your CBMIS, to what degree was a master system plan for defining objectives and needs utilized in your acquisition of computer technology?

1	2	3	4	5	6	7
did not use						used for every phase

13.	13. Prior to the acquisition of your CBMIS, to what degree did you create standardized data collection procedures (e.g., types of data, format, sources of data, etc)?									
	1	2	3	4	5	6	7			
did	l not use						used for every phase			
14.		tent have <u>i</u> ocedures (e t) in your	e.g., data	communicat	tion, line	chara	<u>trans</u> - cteristics,			
	1	2	3	4	5	6	7			
no	t at all						totally			
15. To what extent have <u>hardware selection procedures</u> (e.g., hardware types, manufacturer, technical characteristics) in your organization become standardized?										
	1	2	3	4	5	6	7			
no	t at all						totally			
16.		dor, techni	oftware se cal charac	election protection protection (	nocedures ) in your (	(e.g., organi	software zation			
	1	2	3	4	5	6	7			
no	t at all						totally			
17.	17. To what extent did <u>duties/tariff charges</u> limit your ability to purchase/rent a computer system?									
	1	2	3	4	5	6	7			
	not a mitation						a significant limitation			

18.	18. To what extent did the <u>cost of transportation</u> limit your ability to purchase/rent a computer system?							
	1	2	3	4	5	6	7	
li	not a mitation						a significant limitation	
19.	To what ext to purchase				ffs) limit	your	ability	
	1	2	3	4	5	6	7	
li	not a mitation						a significant limitation	
20.	How importa processing computer te	training c	deration w enters in	as the <u>num</u> Iran to yo	<u>ber of exi</u> ur decisio	<u>sting</u> n to	<u>data</u> acquire	
	1	2	3	4	5	6	7	
i	not mportant						very important	
21.	How importa data_proces technology?	sing perso	deration w <u>nnel</u> to y	as the <u>ava</u> our decisi	<u>ilability</u> on to acqu	<u>of tr</u> ire c	ained omputer	
	1	2	3	4	5	6	7	
i	not mportant						very important	

QUESTIONS 22-26 ARE CONCERNED WITH SOCIAL ISSUES RELATED TO THE ACQUISITION OF A CBMIS.

22. Frequently, acquisition of computer technology results in a loss of jobs. Although not particularly important in the first stages of acquisition, this element can become an issue during the later stages. To what extent have you considered in advance the likelihood of <u>loss of jobs</u>?

l 2 3 4 5 6 7 did not strongly consider considered

23. Storing masses of data often creates problems in terms of <u>protection</u> <u>of privacy</u>. To what extent has this been a problem in your organization?

1234567not a problema very serious<br/>problem

24. <u>Computer fraud and embezzlement</u> have also been sources of problems. To what extent has this been a problem in your organization?

1	2	3	4	5	6	7
not a problem at all					a	very serious problem

25. To what extent have your computer operations been managed by foreign consultants?

1	2	3	4	5	6	7
~10%			<b>∼</b> 50%			∿ 90%

26. <u>Working conditions</u> are generally better and <u>salaries</u> higher for foreign consultants than for natives. To what extent has this been a problem in your organization?									
	1	2	3	4	5	6	7		
	a problem at all						y serious roblem		
QUESTIONS 27 THROUGH 30 ARE CONCERNED WITH FACTORS INVOLVED IN CHOOSING AN EXPORTER OF COMPUTER TECHNOLOGY.									
27.	How importa choice of a	int were <u>na</u> 1 manufactu	tional pol irer?	itical cor	sideratior	<u>is</u> to your			
	1	2	3	4	5	6	7		
not	important					very	important		
28.	How importa personnel t					of_mainter	nance		
	1	2	3	4	5	6	7		
not	important					very	important		
29.	How importa ment parts	nt a consi to your ch	deration w wice of a	vas the <u>ava</u> manufactur	<u>ilability</u> er?	of replace	<u>e</u> -		
	1	2	3	4	5	6	7		
not	important					very	important		

30.		ant a cons that shut	ideration downs do r	was the av not occur)	<u>vailability</u> to your ch	<u>vofa</u> bac noice of a	<u>:k-up</u> 1 manu-			
	1	2	3	4	5	6	7			
not	: important					verj	/ important			
	ONS 31 AND 3 TION OF COM			I ECONOMIC	ISSUES INV	OLVED IN	THE			
31.	To what ex feasibilit computer to	y study to	determine							
	1	2	3	4	5	6	7			
no	ot at all						totally			
32.	32. Since computer technology is generally imported from the industrial- ized part of the world, availability of foreign exchange may be a factor in the acquisition and utilization of computer technology. To what extent did you consider this factor before acquiring your CBMIS?									
	1	2	3	4	5	6	7			
no	t at all						fully			
-	ONS 33 THROUG TO THE OPEN			WITH AREAS	5 OF TECHNI	CAL SUPPC	DRT			
33. Prior to acquiring computer technology, how important a factor did you consider the <u>existence of communication technology</u> (e.g., telephone lines, telex) to be in ensuring the success of your organization's CBMIS?										
	1	2	3	4	5	6	7			
no	t at all						very			

not at all important very important

34. Prior to acquiring computer technology, how important a factor did you consider the <u>existence of air conditioning</u> to be in en- suring the success of your organization's CBMIS?										
	1	2	3	4	5	6	7			
	ot at all portant						very important			
35.	35. Prior to acquiring computer technology, how important a factor did you consider <u>a specially-designed building</u> to be in ensur- ing the success of your organization's CBMIS?									
	1	2	3	4	5	6	7			
	ot at all portant						very important			
36.	Prior to did you c of your o	acquiring onsider <u>re</u> rganizatic	eliable vo	ltage to b	r, how impo De in ensur	ortant a fa ring the su	actor uccess			
	1	2	3	4	5	6	7			
	ot at all portant						very important			
QUESTIC OF A CE	NS 37 THRO MIS.	UGH 51 ARI	E CONCERNE	D WITH FAC	TORS INVOI	VED IN THE	E DESIGN			
37.				on a techn suitability						
	1	2	3	4	5	б	7			
no	t at all						totally			

38.	In acquirir acquiring t emerge, or acquiring t the way in	the compute by <u>first</u> d the compute	r and then lefining a r to solve	applying particular it. Whic	it to need problem a h alterna	ds as t and the tive re	hey n flects
	1	2	3	4	5	6	7
acqu te	ired compu- r first					dı	efined prob- lem first
39.	To what deg operating c						
	1	2	3	4	5	6	7
no	t at all						totally
40.	How effecti	ve was the	manual sy	stem you e	mployed pi	rior to	automation?
	1	2	3	4	5	6	7
	effective at all						extremely effective
41. To what extent did you attempt to contact other organizations or computer experience centers to discuss their areas of success/ failure?							
	1	2	3	4	5	6	7
	available or not contact						ry extensive ontacts made

42.	42. CBMIS design may be accomplished either by individual data processing personnel or by a team of data processing personnel and others impacted by the CBMIS (task force). How was your design accomplished?								
	1	2	3	4	5	6	7		
ir	individuals combination task force of both								
43.	To what exi design and	tent have y acquisitio	ou attempt n of your	ted to empl CBMIS?	oy modular	ity in	the		
	1	2	3	4	5	6	7		
ma	no odularity						totally modular		
44.	To what ext formance cr your CBMIS	riteria (e.	u create 1 g., time,	functional cost, repo	specificat ort accurac	ions ar y, etc	nd per- ) in		
	1	2	3	4	5	6	7		
	not at all					C	strongly considered		
45.	To what ext sively docu		now consi	ider your C	BMIS to be	compre	ehen-		
	1	2	3	4	5	6	7		
	not at all					C	strongly considered		

46. In organizational decisionmaking, do you rely more heavily on internally- or externally-collected data for future use?									
	1	2	3	4	5	6	7		
	ternally bllected		equa	al mix			externally collected		
47.	In organiz use of <u>up-</u>	ational de to-date da							
	1	2	3	4	5	6	7		
i	not important						very important		
48.		ational de ata (disag							
	1	2	3	4	5	6	7		
	summary cotally		equ	al mix			detailed totally		
49.		ign phase elated dat				did yo	u choose		
	1	2	3	4	5	6	7		
	not at all						totally		
50.		tent do you g, regress					s linear a within the		
	1	2	3	4	5	6	7		
	not						totally		

not at all 174

51. To what extent have you considered varying the output formats and reporting types (e.g., graphical output, exceptional re- porting, etc) to make the information provided more useful and receptive to a wide range of users?								
	1	2	3	4	5	6	7	
	not at all						strongly	

QUESTIONS 52 THROUGH 54 ARE CONCERNED WITH FACTORS RELATED TO THE IMPLE-MENTATION OF A CBMIS.

52. To what extent did you apply <u>"project management principles</u>" (i.e., the dividing of all implementation activities into measurable tasks) when you implemented your CBMIS?

1	2	3	4	5	6	7
not at all						completely

53. To what extent did you rely on <u>project management tools</u> such as PERT (Program Evaluation Review Techniques), CPM (Critical Path Methods), to assist you in the implementation of your CBMIS?

1	2	3	4	5	6	7
not at all						extensively

54. To what extent did you conduct a <u>"post-implementation audit"</u> (a follow up phase) to assess whether or not predefined goals and objectives of the CBMIS were met?

1	2	3	4	5	6	7
not at all						extensively

QUESTIONS 55 THROUGH 66 ATTEMPT TO MEASURE THE OVERALL PERFORMANCE OF THE CBMIS.

55.	To what extent would you say that the efficiency and effectiveness of your operation have been enhanced by the acquisition of compu- ter technology?						
	1	2	3	4	5	6	7
	not at all					exte	ensively
56.	Expressed i to utilize	n percenta existing c	ge terms, omputers	to what ex to their ma	tent have aximum capa	you been a city?	able
	1	2	3	4	5	6	7
	№ 10%		~	50%		2 <del>,</del>	90%
57.	To what ext been a prob		elays in c	computer in	stallation	and utili	ization
	1	2	3	4	5	6	7
	not at all					consi	iderably
58.	To what ext cooperate w						
	1	2	3	4	5	6	7

no coordination/ total coordinacooperation tion/cooperation

176

59. To what extent have you been able to utilize daily decisionmaking data acquired from other organizations?								
	1	2	3	4	5	6	7	
	t at all or e offered						extensively used	
60. How reliable (i.e., empirically correct) is the information which you have received from your CBMIS?								
	1	2	3	4	5	6	7	
	t at all eliable						very reliable	
61.	61. How useful (i.e., helpful for decisionmaking) is the information which you have received from your CBMIS?							
	1	2	3	4	5	6	7	
	t at all useful						very useful	
62. How do you rate the responsiveness of your CBMIS (i.e., to what extent does it reflect your organization's views and needs)?								
	1	2	3	4	5	6	7	
	t at all sponsive						very responsive	
63.	63. To what extent has your organization actually used the information provided by your CBMIS?							
	1	2	3	4	5	6	7	
ha	ve never used						have consis- tently used	

64.	•	rate the a of growth					ng the
	ı	2	3	4	5	6	7
ad	t at all aptable or t an issue						highly adaptable
65. Overall, how severe were the economic difficulties encountered in renting or purchasing your computer?							
	1	2	3	4	5	6	7
	very easy						very difficult
66.	Generally,	how satisf	ied are yo	ou with the	e manufactu	rer(s)	you chose?
	1	2	3	4	5	6	7
	+ + + - 11.4						+ - + - ] ]

totally dissatisfied totally satisfied

## APPENDIX B

## PREDICTIVE/DESCRIPTIVE DATA MATRIX

			4 2 4 5 1 5 4 1 5 5 5 1 4 5 4 4 5 5 5 1 6
			2 2 3 4 1 1 2 1 4 4 4 5 2 3 5 3 5 4 4 2 5
			144411113555325445314
			1333:2214454224454325
			2 3 4 4 1 1 3 1 3 5 5 5 2 3 4 3 4 5 4 2 4
	3 3 1 1 1 2 3 3 1 1 1 1 5 6 6 5 2		
			1 3 4 4 1 2 4 2 4 3 4 3 2 3 5 5 5 4 3 2 4
			2 4 3 5 2 1 3 1 4 5 4 4 2 3 4 4 5 5 4 2 5
			3 2 2 4 1 1 2 1 3 4 4 5 2 3 4 4 4 4 3 3 4
334315777716547	77111355213165652	15564368625677	476663647562556555516
57=237787737869	57112472112167654	15566566654557	575644545872565565516
2 3 2 5 2 3 3 3 8 5 1 4 3 1 5	55111143121166553	1 4 3 4 2 3 4 3 4 1 2 2 2 3	3 5 3 4 2 2 4 1 4 4 5 4 2 5 5 5 4 5 4 2 5
34252343442442	5 3 1 1 1 1 5 3 2 1 1 1 3 5 6 4 2	1 4 3 4 2 2 4 2 3 1 2 2 3 4	2 5 4 4 1 2 3 1 3 5 4 3 3 5 4 4 5 4 5 2 5
			477535556561756556715
			575443756662656277516
			67556577777178777717
774435555525565	55111383114277775	1 2 5 5 4 5 7 5 5 5 4 4 5 5	465654545662576555612
			454432416452445555526
			3 5 5 7 4 3 6 5 5 5 6 2 5 6 5 6 5 6 5 1 5
			464422525452445555526
4343:2464547557	771:1456112157764	27776777646667	476744757571666567627
4 4 2 4 2 4 5 5 4 4 2 5 5 3 8	S S I I I 3 5 3 I I I I 5 5 5 5 3	1 5 5 5 5 4 E 3 5 3 3 4 5 E	3 5 4 5 2 2 5 2 5 5 5 2 4 4 5 5 5 5 5 2 5
2 3 2 4 1 3 2 4 5 7 4 7 5 5 7	77111457113287774	27777575555667	475743753671658667617
			3 6 3 6 2 5 5 2 4 5 6 2 4 5 4 5 5 5 5 2 5
13153234441321	55111144121165442	14443231412233	122511314443344445435
43521253652656	//11146511215//63	166/63/6243535	475743746651556867626
			67675665577167777517 223521415552444455435
			322412524562544445425
			133211113347113343234
			2 3 2 5 1 1 4 1 5 4 6 2 3 4 4 4 5 4 4 2 5
			67667676777187777516
- 2 / / . 4 / 2 / / / 4 / / / 4 / / / 4	//JJJ41.JJD/0/J AA1171A717115A457	1 4 4 4 3 7 1 7 4 1 7 7 1 4	2 3 3 5 1 1 1 1 4 4 4 5 2 3 4 4 4 4 3 2 4
			475665346632676666516
			121411214442434344425
			1 3 2 6 1 2 3 1 5 4 5 3 4 5 3 4 5 5 3 2 4
132424435543324	44221143111145472	14554241412234	1 4 3 4 1 1 5 1 4 4 4 3 3 4 4 4 5 5 3 2 5
77434543514471	5512125311154523	15565352527224	2 4 2 4 1 2 5 : 5 5 6 2 4 4 4 4 4 5 4 2 5
			1 3 2 5 1 1 5 1 5 4 5 2 3 4 5 4 4 5 4 2 5
			152612414552354445425

The numbers on this page and the following one constitute a matrix of 79 observations of 66 variables detailed in the questionnaire.

		5 5 2 5 2 6 3 2 3 2 5 2 5 3 6 1 2 5 1 5 5 6 2 4	
		534525223351424114154534	
		5 4 2 4 2 5 2 1 4 4 5 1 4 2 5 1 1 5 1 4 4 5 2 5	
		5 4 2 3 3 5 2 2 3 2 5 1 3 1 4 1 2 5 1 4 3 4 2 4	
		4 4 1 1 2 4 1 2 3 4 3 2 3 3 2 1 1 2 1 4 4 4 4 2	
		E 5 2 4 3 5 2 2 5 5 8 2 6 2 8 1 2 E 1 6 5 5 2 5	
		655745645674746336457525	
		4 3 2 3 1 4 2 1 1 1 4 1 2 1 4 1 1 4 1 4 2 4 3 2	
		565655546655747446466735	
		4 3 2 3 1 4 1 1 1 1 4 1 2 1 3 1 1 5 1 3 3 4 2 2	
		743535236464645226164525	
		5 3 2 4 2 4 1 2 1 2 4 1 3 1 4 1 1 4 1 4 4 5 3 3	
		642556346575746225165615	
		545945534563645335355325	
		5323:21111412:3114123432	
		<b>543424122241214115144523</b>	
		<b>5 4</b> 2 <b>5</b> 2 <b>4</b> 2 1 2 3 <b>4 4 5</b> 3 <b>4</b> 2 2 <b>4</b> 1 <b>4 5</b> 6 3 4	
		5 4 2 4 2 4 2 1 1 1 4 1 3 1 4 1 1 4 1 5 4 4 2 4	
		4 4 1 1 2 4 1 1 2 1 3 1 2 1 3 1 2 1 3 4 4 5 1	
		6 5 2 6 5 5 3 4 6 5 7 5 7 4 7 1 3 5 1 6 5 5 1 5	
		4 5 2 1 2 5 1 2 2 1 3 1 2 2 3 1 1 2 1 4 4 4 5 2	
		4 3 5 6 5 5 6 5 7 6 7 6 7 5 7 5 4 6 5 7 7 7 2 6	
		5 4 2 3 2 4 2 1 1 1 4 1 2 1 3 1 1 3 1 4 4 5 2 3	
		341125122231234112143442	
		5 3 1 4 2 4 2 1 2 1 4 2 2 1 5 2 2 4 1 4 4 4 2 4	
• • • • • • • • • • • • • • • •		E 4 5 2 S 5 3 4 S S 7 5 7 4 7 2 3 E 1 7 3 8 1 5	
	c [ ] ] Z 5 4 ] Z 1 [ 5 6 6 5 5 ] 3	5 4 2 4 5 5 2 3 5 4 8 3 8 3 3 1 2 5 1 3 5 5 2 4 8 4 2 4 5 5 1 2 4 4 8 4 8 2 3 1 2 5 1 5 5 5 2 4	55555525
		652564223453625:24154624	
		542465324553535125125615	
		455754543364657336356735	
		542455222351425135154424	
		553576346675747237275713	
		7 5 4 7 S 5 2 4 S 5 7 4 7 4 7 1 3 7 1 7 6 7 1 5 5 4 2 5 5 5 2 3 2 4 5 3 6 3 6 1 2 5 1 6 5 5 2 4	
		542565122343625126165624	
		451125112231222113134431	
		452235123451323113145532	
		5 5 2 5 3 5 1 2 2 4 5 1 4 2 5 1 1 5 1 5 4 5 2 4	