Portland State University

PDXScholar

Dissertations and Theses

Dissertations and Theses

6-11-1986

A Comparison of Behavioral Problems Between Speech and/or Language Impaired Children and Normal Children

Jeannie S. Botelho
Portland State University

Follow this and additional works at: https://pdxscholar.library.pdx.edu/open_access_etds

Part of the [Child Psychology Commons](#), and the [Speech Pathology and Audiology Commons](#)

Let us know how access to this document benefits you.

Recommended Citation

Botelho, Jeannie S., "A Comparison of Behavioral Problems Between Speech and/or Language Impaired Children and Normal Children" (1986). *Dissertations and Theses*. Paper 3519.
<https://doi.org/10.15760/etd.5403>

This Thesis is brought to you for free and open access. It has been accepted for inclusion in Dissertations and Theses by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: pdxscholar@pdx.edu.

AN ABSTRACT OF THE THESIS OF Jeannie S. Botelho for the Master of Science in Speech Communication: emphasis in Speech Pathology and Audiology presented June 11, 1986.

Title: A Comparison of Behavioral Problems between Speech and/or Language Impaired Children and Normal Children

APPROVED BY THE MEMBERS OF THE THESIS COMMITTEE:

Mary E. Gordon, Chairperson

Joan McMahon

Language is a complex communication system which distinguishes human beings from other species. It is the primary medium through which individuals function and interact in their environment. If a child has any difficulties developing an effective mode of communication, it would seem likely other areas of his or her development could be adversely affected. There is extensive research which shows speech and language disordered children are at risk for behavioral, social and emotional problems (Cantwell and Baker, 1977). It has been suggested at least 50 percent of speech and/or language impaired children may have behavioral problems severe enough as to warrant a definable psychiatric diagnosis (Cantwell et al., 1979). However, it is difficult to assess if this is an accurate prevalence figure

because of methodological problems. Their research included speech and/or language impaired children with other handicapping conditions (e.g., autism and mental retardation), so the difficulty then is deciding which handicap is associated with the behavioral problems, the autism/mental retardation or the speech and language impairment. Also, they drew their subjects from a community speech and hearing clinic, a setting which may not reflect a "typical" speech and language impaired population. This research was designed to obtain behavioral data on children, who were selected from a public school setting whose primary handicapping condition was speech and/or language impairment, and then compare them to their "normal" peers. This could provide further information to substantiate the claims that a speech and/or language impaired population do in fact have a higher prevalence of behavioral problems.

The questions posed in this study were: 1) Is there a significant difference in the prevalence of behavioral problems between speech and/or language impaired children and normal children as reported by parents and teachers? and 2) Is there a significant difference in the types of behavioral problems between speech and/or language impaired children and normal children, as reported by parents and teachers?

Thirty-eight children between the ages of 5 and 11 participated in this study. The subjects included 19 speech and/or language impaired children and 19 normal children. There were 14 boys and 5 girls in each group. Information regarding the 38 subjects' behavior was obtained by using the parent and teacher reported Child Behavior Checklists developed by Achenbach and Edelbrock (1983).

Results were analyzed by comparing the raw scores in each group on the behavior problem scales, the number of behavior problem items, total behavior problem score, the social competence scale and the adaptive functioning scale. The data for the boys and girls were analyzed separately, as the raw scores were computed on different Child Behavior Profiles. Further analyses were completed on the boys by dividing them into 3 groups: speech impaired only; a combined speech and language, and language impaired group; and the control group of normal boys. These analyses were not completed for the girls due to the small number of subjects. Analysis of variance (Anova) and a Tukey post hoc analysis were used to determine whether there were significant differences in the total raw scores between the clinic and control groups.

In addressing the results to the first question, there were no differences in the prevalence of behavioral problems between speech and/or language impaired children and normal children, as reported by parents and teachers. However, when the boys' data were further analyzed by dividing them into 3 groups, the teachers did report a significantly higher number of behavior problems for the speech and language, and language impaired boys, and parents reported this group to be less skilled in the area of social competence in comparison to the speech impaired boys. The results to the second question showed there were no significant differences in the types of behavior problems between the speech and/or language impaired girls and normal girls as reported by teachers, but parents described the clinic girls as being more hyperactive and having lower school performance. There

were no significant differences reported for the speech and/or language impaired boys and normal boys, although there was a trend toward significance for the hyperactive behavior problem scale with the clinic boys having the higher number of problems. However, when the boys' data were further analyzed by dividing them into 3 groups, significant differences emerged. The speech and language, and language impaired boys were reported to have significantly lower school performance levels by both the parents and teachers. In addition, the teachers stated they were inattentive, aggressive and had more problems with learning. On the adaptive functioning items of working hard and behaving appropriately, and on the teacher reported behavior problem scale of Externalizing, the speech and language, and language impaired group had significantly more problems than the speech impaired group.

A COMPARISON OF BEHAVIORAL PROBLEMS BETWEEN
SPEECH AND/OR LANGUAGE IMPAIRED CHILDREN
AND NORMAL CHILDREN

by

JEANNIE BOTELHO

A thesis submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN SPEECH COMMUNICATION:
with an emphasis in
SPEECH-LANGUAGE PATHOLOGY

Portland State University
1986

TO THE OFFICE OF GRADUATE STUDIES AND RESEARCH:

The members of the Committee approve the thesis of
Jeannie S. Botelho presented June 11, 1986.

Mary E. Gordon, Chairperson

Joan McMahon

APPROVED:

Theodore G. Grove, Chairman, Department of Speech

Bernard Ross, Dean of Graduate Studies and Research

ACKNOWLEDGEMENTS

This thesis turned out to be quite a group project, so I have many people to thank who made major contributions in helping me complete this seemingly unending endeavor.

A sincere thank you to:

- . The teachers, parents and children who participated in this study.
- . The members of my thesis committee: Mary Gordon, Joan McMahon and Maxine Thomas.
- . Karen Nelson
- . Patricia O'Meara
- . Connie Emerson
- . Gail Buchanan
- . Tom Moran
- . John Putnam
- . Susan Crowell
- . Tom, Priscilla, Megan & Lauren Andres
- . My Family
- . JSB

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
LIST OF TABLES	vi
LIST OF FIGURES	viii
CHAPTER	
I INTRODUCTION AND STATEMENT OF PURPOSE	1
Statement of Purpose	2
Definition of Terms	3
II REVIEW OF THE LITERATURE	4
Behavioral Problems in the General Population of Speech and Language Impaired Children	4
Comparisons of Behavioral Problems between "Pure" Speech, Speech and Language, and Language Disordered Children	11
Behavioral Problems in Speech Impaired Children	15
Behavioral Problems in Language Impaired Children	18
Parent and Teacher Child Behavior Checklists	21
Summary	24
III METHODS	26
Subjects	26
Description of Subjects	27
Instrumentation	27
Child Behavior Checklist - Parent Report Form	27
Child Behavior Profile	28
Reliability	28
Validity	28
Child Behavior Checklist - Teacher Report Form	29
Child Behavior Profile	29
Reliability	30
Procedures	30
Scoring	31
Data Analysis	31

	Page
IV RESULTS AND DISCUSSION	33
Results	33
Discussion	52
V SUMMARY AND IMPLICATIONS	61
Summary	61
Clinical Implications	64
Research Implications	65
SELECTED BIBLIOGRAPHY	67
APPENDICES	71

LIST OF TABLES

TABLE		Page
I	Raw scores for the speech and/or language impaired and normal girls on the Child Behavior Profiles: means and standard deviations	34
II	Raw scores for the speech and/or language impaired and normal boys on the Child Behavior Profiles: means and standard deviations	34
III	Raw scores for the speech impaired (group 1), the speech and language, and language impaired (group 2), and normal (group 3) boys on the Child Behavior Profiles: means and standard deviations	36
IV	Analysis of variance indicating differences between the speech impaired (group 1), the speech and language, and language impaired (group 2), and normal (group 3) boys .	38
V	Raw scores for the speech and/or language impaired and normal girls on the parent reported behavior problem and competence scales: means and standard deviations . . .	40
VI	Raw scores for the speech and/or language impaired and normal girls on the teacher reported behavior problem and adaptive functioning scales: means and standard deviations	41
VII	Raw scores for the speech and/or language impaired and normal boys on the parent reported behavior problem and social competence scales: means and standard deviations .	42
VIII	Raw scores for the speech and/or language impaired and normal boys on the teacher reported behavior problem and adaptive functioning scales: means and standard deviations	43
IX	Analysis of variance indicating differences between the clinic and control girls	44

X	Raw scores for the speech impaired (group 1), the speech and language, and language impaired (group 2), and normal (group 3) boys on the parent reported behavior problem and social competence scales: means and standard deviations	46
XI	Raw scores for the speech impaired (group 1), the speech and language, and language impaired (group 2), and normal (group 3) boys on the teacher reported behavior problem and adaptive functioning scales: means and standard deviations	47
XII	Analysis of variance indicating differences between the speech impaired (group 1), the speech and language, and language impaired (group 2), and normal (group 3) boys . . .	49

LIST OF FIGURES

FIGURE	Page
1. Mean Scores on the Child Behavior Profiles for the three groups of boys	37
2. Parent reported differences between the speech and/or language impaired girls and normal girls	44
3. Parent reported school performance levels for the 3 groups of boys	48
4. Mean scores on the teacher reported behavior problem scales for the 3 groups of boys	50
5. Mean scores for the adaptive functioning items for the 3 groups of boys	51

CHAPTER I

INTRODUCTION AND STATEMENT OF PURPOSE

Introduction

According to Holt (1969), children want to make sense of the world, themselves and other human beings. The primary medium which facilitates this process is the acquisition of a communication system. As Wood (1981) has stated, children need "communication power" in order to function in their family, social groups, classroom and community. Through the use of this communication power, children learn many strategies which help them make sense of their world. During the early developmental stages of speech and language acquisition, children frequently experience some frustration in their attempts to express verbally their needs, wants and ideas to others. For children who are communicatively disordered, these normal frustrations may be greatly intensified as they unsuccessfully attempt to interact with others and fail to form "normal" relationships (Peddicord, 1979). In effect, they are failing to make sense of their world. It is hardly surprising that negative consequences result when children fail to develop effective communication power.

It has been documented in the literature that speech and language disordered children are at risk for behavioral, social and emotional problems (Cantwell and Baker, 1977). In an epidemiological study of the prevalence and type of psychiatric disorders in 100 speech and language delayed children, 53 were diagnosed by psychiatrists as having a

definable psychiatric disorder (Cantwell, Baker, and Mattison, 1979). The authors concluded there is a need for speech-language pathologists to evaluate speech and language delayed children for behavioral problems, to enable a multimodal plan of intervention. They suggested parent and teacher behavior rating scales can provide a systematic assessment procedure.

In the study by Cantwell et al. (1979), the prevalence of psychiatric disorder among speech and language disordered children was found to be more than 50 percent. This is significantly higher than the incidence of 15 percent they used for comparison which was documented in the President's Commission on Mental Health (1978). However, in their research they did not use a control group of "normal" children for direct comparison of the prevalence and type of behavioral problems. If parent and teacher behavior rating scales are a valid procedure of assessing children's behavioral problems, and the prevalence figures are accurate, it is hypothesized that significantly different scores would be found between a control group of "normal" children and a group of speech and/or language impaired children.

Statement of Purpose

The purpose of this investigation was to compare the prevalence of behavioral problems between speech and/or language impaired children and "normal" children, between the ages of 5-11, as evaluated by parent and teacher behavior rating scales.

The questions this investigation sought to answer were:

1. Is there a significant difference in the prevalence of

behavioral problems between speech and/or language impaired children and "normal" children as reported by parents and teachers?

2. Is there a significant difference in the types of behavioral problems between speech and/or language impaired children and "normal" children as reported by parents and teachers?

Definition of Terms

The following operational definitions were used for the purpose of this study:

Speech and/or Language Impaired Subjects: subjects who are diagnosed by their speech-language clinicians as demonstrating any speech and/or language delay and/or disorder considered severe enough to warrant intervention and who are mainstreamed in regular education classrooms.

Behavioral Problem: a problem of behavior, emotions, or relationships sufficiently prolonged and/or severe to cause a disturbance in his/her environment, as perceived and reported by parents and teachers (adapted from Rutter, Tizard, and Whitmore 1970).

Normal Subjects: subjects who are mainstreamed in regular classrooms, with normal speech, language and hearing, as determined by the child's past school records.

CHAPTER II

REVIEW OF THE LITERATURE

Children with handicaps of all types are at risk for psychiatric disorders (Cantwell and Baker, 1977). Rutter, Tizard and Whitmore (1970) reported that intellectually retarded children have a prevalence rate for psychiatric problems six times that of the general population. Similarly, brain-damaged children have a prevalence rate five times higher, and physically handicapped children whose handicaps do not directly involve the central nervous system have a prevalence rate twice as high (Rutter, Graham and Yule, 1970). It has been suggested language is instrumental in the development of concepts, thought, play, socialization, self-image, humor, memory, reading and education (Baker and Cantwell, 1982b). Since communication plays such a central role in the way humans function within their environment, it seems logical that any impairment associated with the acquisition of speech and language would adversely affect other areas of development. The high prevalence of abnormalities in behavioral, social and emotional development in speech and language disordered children has been reported by many researchers. A selective review of these studies will be presented.

Behavioral Problems in the General Population of Speech and Language Impaired Children

From their extensive review of the literature, Cantwell and Baker

(1977) reached a tentative conclusion that when children with communication disorders are considered as a group, they probably do have an increased prevalence of psychiatric disorders. In addition, the types of psychiatric disorders were described as being similar to those of children of the same age in the general population. Thus the communicatively disordered population do not appear to exhibit unique behavioral problems. However, they maintained that these "conclusions" could not be stated with certainty, because of methodological problems. These were described as problems in diagnosing and defining psychiatric disorder, description of the type of speech and/or language retardation, reliability and validity of the instruments to assess both the speech and language and psychiatric disorders, sampling bias and inadequate sampling size, and finally, failure to consider other associated factors in the child, such as mental retardation and brain damage.

In an attempt to overcome some of these methodological problems, Cantwell et al. (1979) conducted a study which included a large number of children, with a variety of speech and language disorders believed to be representative of the general population of speech and language impaired. These children were evaluated systematically by a psychiatrist with regard to presence or absence of psychiatric disorders and a psycholinguist to determine the type of speech and/or language disturbance. In addition, two parent behavior rating scales and two teacher behavior rating scales were used to investigate further the presence of psychiatric disorder. These questionnaires were modified forms of the Conners Parent and Teacher Questionnaires (Conners, 1973) and the Rutter Parent and Teacher Questionnaires (Rutter et al., 1970). The

subjects were selected from 239 consecutive cases referred to a community speech and hearing clinic in Los Angeles.

They reported the data for the first 100 preschool through middle school aged subjects seen in the study. There were complicating factors reported for twelve of these children: 5 were mentally retarded, 4 suffered from some hearing impairment, 1 came from a bilingual background, and 2 were autistic. The psychiatric evaluations revealed that 53 of the 100 children received at least one psychiatric diagnosis, the most common one being Attentional Deficit Disorder, which occurred in 19 children. The central features of this disorder are developmentally inappropriate short attention span and poor concentration. The second most common diagnosis was Oppositional Disorder, which was present in 13 children. This disorder is described as being a pervasive opposition to all in authority, continuous argumentativeness and unwillingness to respond to reasonable persuasion. Twelve children were found to have various anxiety disorders: 7 with Shyness Disorder, 2 with Overanxious Disorder, and 3 with Separation Anxiety Disorder. Four children had conduct disorders characterized by repetitive and persistent patterns of antisocial behavior as it violates the rights of others, 1 had a chronic depressive disorder, and 1 had a stereotyped movement disorder. These researchers concluded that a significant number of the speech and language disordered children had specific types of psychiatric problems.

In a later publication, Mattison, Cantwell and Baker (1980) described the behavioral symptoms reported by the modified Connors (1969) and Rutter (1970a) parent and teacher questionnaires. The behaviors that were rated as occurring the most frequently (e.g., by

45 percent or more of the parents) were: Attentional-Motor Items - easily frustrated, excitable, impulsive, restlessness, short attention, easily distracted, and tantrums; Conduct Items - disobeys at home; Health Items - night-mares, problems getting to sleep and stomachaches; Developmental and Language Items - hard to understand; Mood Items - angry or irritable; Emotional Items - overly sensitive and blames others; Relationship Items - shy, fights with siblings, solitary and afraid of new people.

For the teacher questionnaire, the behaviors rated as occurring the most frequently (e.g., by 39 percent or more of the teachers) were: Attentional-Motor Items - poor attention, fidgety, restlessness and easily frustrated; Development and Language Items - hard to understand, limited language and uncoordinated; Relationship Items - shy, not a leader, disturbing, solitary, stubborn and submissive. It was found that parents and teachers rated the same items quite similarly, except parents rated excitability, temper tantrum, easily frustrated, complaints of aches and thumb sucking as occurring more often. The teachers reported tics, fighting and disobeying at school more frequently. The authors concluded the parents and teachers essentially agreed with an examining psychiatrist, particularly concerning the attentional-motor and relationship items, and that children with speech and language disorders often do have related behavioral problems. However, they did not compare their results with normative data. Since most children exhibit behavior "problems" to some extent, it cannot be determined if these data reflect significant behavioral differences between a speech-language impaired population and their normal peers.

In a further study Cantwell and Baker (1980) reported results of the prevalence and type of psychiatric and behavioral disorders seen in 196 preschool through middle school aged speech and language disordered children. Similar results were found in that 53 percent of these children received a psychiatric diagnosis. There were 51 diagnoses in the area of behavior disorders and 23 in the area of anxiety disorders. Seven children were mentally retarded, 2 were autistic, and 3 had a chronic depressive disorder. They did not use a control group of children from the "normal" population, but suggested the prevalence rate of 53 percent was significant in comparison to the percentages in the President's Commission of Mental Health (1978) which was reported to be 5 to 10 percent in rural populations and 10 to 15 percent in urban populations.

In taking a critical look at the studies designed by Cantwell et al. (1979), Mattison et al. (1980) and Cantwell and Baker (1980) with the purpose of evaluating any methodological problems, it seems that 3 areas could be explored further. First, with regard to sampling bias, they drew their subjects solely from referrals to one community speech and hearing clinic. There is a possibility that this setting reflects more severe problems than would otherwise be characteristic of a "general" speech and language impaired population. Secondly, their speech and language impaired population did include children with other handicapping conditions, such as mental retardation and autism. The difficulty then is deciding what is related to the behavioral problems, the mental retardation/autism or the speech and language impairment. It would be useful to collect data on

subjects whose primary handicapping condition was that of speech and/or language impairment and who were selected from a public school setting. Finally, inclusion of a control group of "normals" could provide further data to substantiate the claims that the speech and language disordered population do in fact have a higher prevalence of certain types of behavioral problems.

Other researchers have supported the association of behavioral problems with speech and language impaired children. In a study which described the prevalence of behavior problems found in a sample of 418 preschool children in North London, an association was found between delayed speech and language development and behavior problems (Jenkins, Bax, and Hart, 1980). Beckey (1942) examined factors related to delayed speech development. Through observation of the children and review of teachers' record, Beckey concluded children with delayed speech do not want attention. He reported these children tend to play alone and cry easily. Temper tantrum, thumb sucking and enuresis were found not to be significant factors. It is difficult to compare Beckey's (1942) results with Cantwell and Baker (1980) as delayed speech was not defined in Beckey's study. However, some of the results differed in that Cantwell and Baker reported temper tantrums and thumb sucking to be frequent behavioral symptoms.

Two studies have investigated the incidence of speech disorders in children referred to child guidance clinics. Wylie, Franchack, and McWilliams (1965) identified 45 (or 15 percent) out of a total 292 children who exhibited "defective speech." This included 27 percent with articulation problems, 24 percent with delayed speech, 20 percent were

stutterers, and 29 percent had combined disorders. There were 17 symptoms reported more frequently for children exhibiting defective speech than for children with normal speech. However, only five of these were statistically significant: soiling, thumbsucking, wetting, hyperactivity and involuntary movements. One symptom, fighting with parents, was significantly more frequent in the children without speech problems. The speech defective group was significantly younger than the remaining group of referred children. The speech defective group age range was from 2 to 16 years, the mean age was 8; the mode, 6. For the remaining children, the age range was 3 to 17 years, the mean was 10 and the mode, 9. It is interesting to note some of the behaviors which were significantly more frequent in the speech defective group, could be related to their younger age, rather than representing an association with their speech and/or language problems.

In the second study, Chess and Rosenberg (1974) found 139 (29 percent) of 563 school aged children referred to a private child guidance practice, had some kind of speech and/or language difficulty at the time of initial assessment. A similar finding was reported in that the speech and language disordered group were referred at an earlier age than the other children. Chess and Rosenberg postulated that speech disorders may provide the clinician with an early indication of psychiatric problems. The behavior problems described in this group included: tantrums, disruptive behavior, difficulties in relationships with peers, discipline problems, enuresis, separation anxiety, withdrawn behavior, hypochondriasis, and extreme sullenness.

Parents reported behavioral problems in 99 out of the 139 cases, so that 64 percent of the children had difficulty of sufficient degree as to be noticed by parents. In drawing conclusions from both of these studies, the populations that were investigated should be taken into account. Children referred to child guidance clinics may reflect more severe problems than the "general" population of speech and language impaired children.

Using Quay's Behavior Problem Checklist, Lindholm and Touliatos (1979) compared how teachers rated kindergarten through eighth grade children from regular classes with children receiving speech treatment. Overall, it was found that children in regular classes had fewer behavior problems than the children diagnosed as receiving speech treatment. The differences were significant for Personality Problems and Psychotic Signs ($p=.05$). They were trending towards significance for Inadequacy-Immaturity ($p=.10$), but were not for Conduct Problems and Socialized Delinquency. The group receiving speech treatment was more likely to have difficulties such as being anxious and withdrawn or being passive and having a short attention span. They added that the difference in Psychotic Signs was probably related to speech problems rather than to real signs of psychosis, as two items referred to speech (incoherent and repetitive). In this study, no information was given regarding the type of speech and language problems to describe the group of children who were receiving speech intervention.

Comparisons of Behavioral Problems between "Pure" Speech,
Speech and Language, and Language Disordered Children

Baker, Cantwell and Mattison (1980) compared children with "pure" speech disorders to children with disorders of both speech and language. Their purpose was to determine if the frequency, type and severity of behavioral problems differed between the two groups. To assess this, they used parent and teacher questionnaires as cited in a previous study (Cantwell et al., 1979). Subjects were 99 preschool through middle school aged children referred to a community speech and hearing clinic. Mean scores were computed for each behavioral symptom and group comparisons were made on individual symptoms and on combinations of some symptoms.

Results indicated that in some areas the speech and language disordered group had increased frequency and severity of behavior problems, and different types of behavioral abnormalities to the "pure" speech group. Teachers of the speech and language disordered group reported a mean number of 15 problems, whereas for the "pure" speech group, the mean number was 7. This result was statistically significant at the .003 level. This difference for mean number of problems was not reported by parents. However, there were some problems that were rated as being severe for the speech and language disordered group but not for the pure speech group. These were: immaturity, restlessness, short attention span, excitability, tantrums, constant climbing and solitary behavior. Problems that were more severe for the pure speech group were stomachaches, nightmares and fights with siblings. Problems that were common to both groups were generally reported to be more severe by the parents of the speech and language group. Teachers rated the speech and language group as

significantly more of an overall problem, and significantly more of a problem in academic achievement, overall behavior, and attitude to authority.

In comparing combinations of some symptoms, hyperactive behaviors (e.g., restlessness, short attention span, impulsiveness, fidgety behavior) and developmental phenomena (e.g., wetting pants or bed, clinging to parents and crying easily) were the areas that distinguished the 2 groups, with these problems being more common in the speech and language disordered group. Conduct disorders, relationship and emotional symptoms did not differentiate the two groups. The authors concluded speech-language pathologists need to be aware that behavioral problems are common among speech and/or language disordered children, in particular those children who have problems in both speech and language.

Baker and Cantwell (1982c) extended the analysis of their previous study to include 291 subjects of 3 groups: those with speech disorders, those with both speech and language disorders, and those with language disorders only. The purpose was to further investigate if children with certain types of speech and language disorders are more prone to psychiatric disturbance and to psychiatric disturbances of specific types. The purely speech disordered group had impairments of articulation, or a voice or rhythm disorder, but had language skills appropriate to their age levels. The speech and language disordered group had a speech disorder and a problem with language comprehension, expression or processing skills, functioning at least 6 months below chronological age. The purely language disordered group

had speech within normal limits, but either a language comprehension, expression or processing disorder as defined above.

Almost half of the 291 subjects had a definable psychiatric diagnosis, although the prevalence rate varied considerably among the 3 diagnostic groups; 29 percent of the speech group, 45 percent of the speech and language disordered group, and 95 percent of the language disordered children were psychiatrically ill. These clinical psychiatric diagnoses did not include developmental disorders (e.g., enuresis, encopresis, specific developmental reading disorder, coordination disorders, learning disabilities and mental retardation.) However, it was noted for the developmental disorders, the prevalence followed a similar pattern. In comparing the types of psychiatric disorders, it was found that the distribution of emotional disorders (separation-anxiety, avoidant, overanxious and adjustment disorders) and behavioral disorders (attention-deficit, conduct and oppositional disorders) were significantly different in the 3 groups of children. Emotional disorders affected 21 percent of the speech group, 30 percent of the speech and language group and 53 percent of the pure language group. Behavior problems were more common in the latter two groups. Their findings indicated their subjects did not form a homogeneous group with regard to the prevalence and type of psychiatric illness. Those children who were most seriously "at risk" were those with a disorder of language comprehension, expression or processing, but with speech being within normal limits. Thus the language disorder appeared to be the most significant variable determining the occurrence of a psychiatric problem. Other studies have supported this finding. Baker and Cantwell (1982a)

reported data on 76 children with a pure speech disorder and 104 language impaired children. A diagnosable psychiatric illness was more than twice as prevalent in the language disordered group than in the pure speech group. In the study which investigated depression in 600 children with speech, language and learning disorders, 4 percent had an affective disorder diagnosis (Cantwell and Baker, 1983). The depressed children tended to be older, were more likely to have a "pure" language disorder and were more frequently learning disabled.

Behavioral Problems in Speech Impaired Children

Weiss, Lillywhite and Gordon (1980) discussed the social-emotional, occupational and interpersonal effects of articulation disorders. They suggested articulation disorders could have serious repercussions on an individual's social-emotional well-being, occupation and interpersonal relations. An individual with an articulation disorder may potentially be exposed to unfavorable comments, teasing, ostracism, exclusion and labeling which could negatively affect the individual's sense of self-worth leading to feelings of inadequacy.

Behavioral problems in children with articulation disorders have been reported. Fitzsimons (1958) compared 70 first grade children with normal speech and 70 first grade children with nonorganic articulatory problems. She found the conduct and habit disorders of destructiveness, eating problems, fears, jealousy, nervousness, disobedience, showing off, shyness, temper tantrums and thumb sucking were significantly more common in the speech handicapped group. Solomon (1961) also investigated the possible relationship between functional

articulation disorders in children and personality and behavior patterns. He examined 9 selected behaviors in a group of children with functional articulation disorders and a group of normal speaking peers. The behaviors were: eating behavior, sleeping, toilet training, fears and anxieties, comfort patterns, tension, aggression, dependency and peer relations. Data were collected by using an open-ended questionnaire-type interview with the mothers. The protocols were then rated by 2 judges to obtain quantitative and qualitative information. Mothers reported significantly higher problems with sleeping behavior, fears and anxieties, tension and peer relationships in the children with articulation problems. The control group of normal speaking children did exhibit some behavior problems, but never to a significantly greater extent than the articulation group.

Trapp and Evan (1960) compared performances on the Wechsler digit-symbol subtest between children 8 to 10 years of age with "mild articulatory defects," children with "more severe defects" and a control group of normal children. This nonverbal test was selected because of its recognized sensitivity to anxiety level. Results show the children with mild articulation defects perform significantly higher on the digit-symbol subtest than the other two groups. Interestingly enough, there was not a significant difference between the control group and the children with severe articulation defects. The significant differences occurred between the mild and severe articulation groups, and the mild articulation and control groups, but when the two clinic groups were combined and then compared with the control group, results were not significant. This indicates a need to

compare problems according to severity levels, so as not to mask out any potential differences.

Wylie et al. (1965) found that of 292 children who were referred to a child guidance clinic, 45 or 15 percent exhibited "defective speech." Of this number 12 or 27 percent had articulation problems. Their symptoms included the following: poor school achievement (83%), poor attention (58%), fighting with parents (58%), sensitive to criticism (50%), tantrums (50%), fighting with peers (42%), feeling inferior (42%), friendless (42%) and shy (42%). The percentages in parentheses indicate the frequency for each symptom.

Goodstein's (1958) survey of the literature on personality and functional speech disorders, reported that in twelve studies investigating the association of personality maladjustment and functional articulatory disorders, only 5 found personality and adjustment problems. Spriestersbach (1956) reviewed some of these same studies and found that of nine studies there was a 5 to 4 count in favor of "maladjustment." He suggested the data were not conclusive enough on which to base any kind of generalization. Like Trapp and Evan (1960), he pointed out the need to focus on speakers with more severe articulatory problems, rather than the general population of individuals with articulatory problems, so as not to mask out any potential differences that may exist.

In looking at the association of personality problems with voice disorders or stuttering, Goodstein's (1958) survey of the literature did not find empirical evidence to support any association between voice disorders and personality type, and stuttering and personality type. Muma, Laeder and Webb's (1968) study reported similar results, in that

individuals with voice disorders did not differ significantly in their personality characteristics and peer evaluations in comparisons to a controlled group of normals. Sheehan's (1962) evaluation of studies which investigated differences between stutterers and nonstutterers revealed no significant differences in specific personality types or disorders. His findings concurred with those of Goodstein (1958).

Behavioral Problems in Language Impaired Children

Wiig and Semel (1976) described the implications of language disabilities in children and adolescents on academic achievement and interpersonal interaction. Many of the potential negative consequences included academic and social failure, social rejection and development of nonadaptive emotional reactions. Research has essentially reported an association between language delay/disorder with behavior problems.

In an epidemiological study of the language and behavior of a random sample of 705 3-year old children, 24 (3.1%) children with language delay were identified using a measure of the child's expressive vocabulary and expressive syntax and 101 (14.3%) were found with behavior problems as identified by the investigators' Behavior Screening Questionnaire (Stevenson and Richman, 1978). A follow-up evaluation of the 2 groups found in the children with expressive language delay (defined as a language age less than 30 months), 13 (59.1%) had behavioral problems. The difference between the prevalence of behavior problems in the language delayed population and the general population (14.3%) was highly significant ($p < .001$). Similarly, of the 101 children who were initially identified as having behav-

ior problems, 12.9 percent of them had expressive language delay, in comparison to 3.1 percent of the total population. This again was highly significant ($p < .001$). In comparing the types of problem behaviors between children with language delay and children with behavior problems, there were few differences, except one child with language delay was severely retarded with autistic characteristics. However, problems in social relationships (dependency, relationships with siblings, relationships with peers) were significantly more frequent in the language delay group than in the total population, as were problems with parental control, unhappy moods, poor appetite, overactivity and concentration. In addition, behavior problems were significantly more severe in the language delayed population.

Wyllie et al. (1965) found in a child guidance clinic population, 15 percent exhibited "defective speech." Of this group, 24 percent had delayed speech only, in that their articulation was within normal limits, but their language development was delayed. The patterns of behavior symptoms included: fighting with parents (82%), tantrums (73%), wetting (55%), hyperactivity (55%), poor attention (55%), and soiling (45%).

Both Ingram (1959) and Weiner (1968) reviewed groups of school aged children currently receiving language instruction from speech-language pathologists. Ingram found within his own caseload of 80 children with developmental language disorders, 10 were also undergoing psychiatric treatment. Weiner reported speech clinicians' caseloads typically had sizeable numbers of severely emotionally disturbed children. Many of these children presented with inadequate language development.

In Wing's (1969) study of children with various handicaps, she reported a number of social abnormalities in children with developmental language disorder. The main behavioral problems of these children were awkwardness in social situations, lack of normal play behavior, and socially embarrassing behaviors such as tantrums.

Baker and Cantwell (1982c) cited the research of Caceres (1971) who examined the case histories of 25 language retarded children between the ages of 3 to 13. From the parental reports and Caceres' own evaluations, it was found 84 percent of the children had some type of psychiatric problem. Fifty-six percent of the children were labeled as hyperactive, aggressive or destructive and 28 percent were labeled as being timid or inhibited.

Griffith (1969) conducted a follow-up study of 49 language disordered children. All of the children had attended a special education school designed specifically for language handicapped children. Each had attended a minimum of 2 semesters and had left the school 12 months or more before the study started. Social and emotional status was one area they investigated. Of the 49 subjects, 12 were rated as having poor or very poor social development, and 22 as having poor or very poor emotional adjustment. The highest percentage of problems were found in those children who had entered secondary school, with most of the problems being manifested in the home situation rather than at school. Similarly, Baker and Cantwell (1984) conducted a follow-up study of speech and/or language impaired children who were initially assessed as having concomitant behavioral problems. Evaluations 4 years later showed children with speech problems to have

fewer psychological problems, but children with language disorders presented with an increase of psychological problems; furthermore these problems were of a more severe nature even though their speech and language ability had improved. Language seemed to be a significant variable associated with behavioral problems.

Parent and Teacher Child Behavior Checklist

In reviewing these studies it can be seen that a variety of evaluation methods were used to investigate behavioral problems in speech and/or language impaired children. Interviewing a parent using a behavior checklist as part of the evaluation was commonly used although information was invariably lacking regarding selection of the questions, normative data, validity and reliability, except for the study by Lindholm and Touliatos (1979), who used Quay's Behavior Checklist, and the collective studies by Baker, Cantwell and Mattison.

The parent and teacher child behavior checklists (CBCLs) used in this study were developed by Achenbach and Edelbrock (1983). The child behavior checklists have extensive reliability, validity and normative data. They were designed to record in a standardized format the behavior problems and competencies of children aged 4 through 16. The behavior problems descriptions were compiled from a survey of existing clinical and research literature, and consultation with clinical and developmental psychologists, child psychiatrists, and psychiatric social workers (Achenbach and Edelbrock, 1983). Achenbach and Edelbrock chose to use parent reports as the focus of an assessment approach as parents are the most universally available informants with

the greatest knowledge of a child across time and situations. Furthermore, even though their perceptions of their child's behavior may be biased, they are central in determining what will be done about it, and they are usually involved in both the evaluation and treatment of their child. They also developed a teacher report form of the CBCL as teachers are usually an important influence in the child's life, and behavioral concerns not evident to parents may be of concern to teachers. Other supplementary assessments have been developed, including a Direct Observation Form of the child and a Youth Self Report Form for children aged 11 to 18, although neither of these were used in this study.

The parent report form of the CBCL contains 20 social competence items and 118 behavior problem items (Appendix A). These items are scored on a Child Behavior Profile. The social competence items are scored on 3 scales labeled Activities, Social and School, which were formed on the basis of their content. The behavior problem items are scored on scales which were developed by performing principal component analyses of the CBCLs filled out by the parents of children referred for outpatient mental health services (Achenbach and Edelbrock, 1983). Clinically-referred children were used so as to identify syndromes of behavior problems. The scales were developed for children of each sex at ages 4 to 5, 6 to 11, and 12 to 16, to allow for age and sex differences in the prevalence and patterning of behavior problems. Thus there are different syndromes or behavior problem scales for each sex at each age level. For example, see Child Behavior Profile for boys age 6 to 11 (Appendix B) and Child Behavior Profile for girls age 6 to 11 (Appendix

C). Labels were used to identify each scale to summarize the behavior problem items. In addition, second-order factor analyses of these behavior problem scales showed that there were 2 broad-band groups for both sexes in each of the age groups. One broad-band grouping comprised problems within the self (labeled Internalizing), and the second comprised problems of conflict with the outside world (labeled Externalizing). On each Child Behavior Profile the behavior problem scales are arranged according to their loadings on the Internalizing and Externalizing factors. The Internalizing behavior problem scales are arranged on the left side starting with the highest and progressing to the lowest loading. The Externalizing behavior problem scales are arranged on the right side starting in the middle with the lowest factor loadings progressing to the highest. When one scale had moderate loadings for both the Internalizing and Externalizing factors, it was not counted as part of either one. Once the factor based scales were constructed using a clinical population, normative data were compiled from parents of randomly selected children who had not received mental health services for at least the preceding year. Normalized T scores were then derived from the raw scores on each behavior problem and social competence scale.

The teacher report form of the CBCL (Appendix D) obtains ratings of academic performance, general adaptive characteristics, and behavior problems items pertinent to the school setting. These ratings are then scored on a Child Behavior Profile (Appendix E and F) which was constructed in a similar way to the parent form of the Child Behavior Profile.

Both the parent and teacher report forms of the CBCL developed by Achenbach and Edelbrock provide a standardized way to obtain extensive information regarding a child's behavior. Normative data are available and there are reliability and validity studies reported (Achenbach and Edelbrock, 1983). Furthermore, there is a definite similarity between these parent and teacher report forms and those used in the research by Baker, Cantwell and Mattison, as most of the behavior problem questions are identical. Thus, some comparisons could be drawn.

Summary

A communication system is central to the way in which human beings develop, learn and interact. If a child is unable to communicate effectively, then he or she will encounter many difficulties in his or her environment. From the selection of studies reviewed, it has been shown speech and/or language impaired children are at risk for behavioral problems. Many of the studies interviewed parents using a behavior checklist to obtain information regarding the children's behavior, although it was often unclear how the checklist was developed, and whether it is a reliable and valid method to use. Consequently, many of the behavior problems reported may be questionable. However, the collective studies done by Baker, Cantwell and Mattison used quite extensive and thorough procedures to obtain information regarding their subjects' behavior. They consistently reported a prevalence rate of at least 50 percent for psychiatric diagnoses for the speech and/or language impaired sample. However, they included children with other handicapping conditions, they did not use a control group of "normal" children for

comparison, and their subjects were drawn from a community speech and hearing clinic which may not be representative of a speech and/or language impaired population. It would be beneficial to obtain behavioral data about children whose primary handicapping condition is that of speech and/or language impairment, who are selected from a public school setting, and then compare them to their "normal" peers. This study attempted to do this using the standardized Parent and Teacher Report Forms of the Child Behavior Checklists designed by Achenbach and Edelbrock (1983).

CHAPTER III

METHODS AND PROCEDURES

Subjects

Thirty-eight children between the ages of 5 and 11 years were selected from two elementary schools within the Centennial School District, Portland, Oregon. The subjects included 19 speech and/or language impaired children and 19 normal children.

The two groups were selected using the following criteria:

- 1) Subjects in the speech and language impaired group were diagnosed by the school speech-language pathologist as having an impairment severe enough to warrant intervention. These subjects were selected from the speech-language pathologist's current caseload and they were all mainstreamed in regular education classrooms.
- 2) Subjects in the normal group were selected from regular education classrooms and had normal speech, hearing and language as verified by the child's school records, parent and teacher report.
- 3) All subjects had signed parent and teacher permission forms (Appendices G and H) to participate in the study. In addition, all subjects over the age of 7 had signed student permission forms giving their consent.

Description of Subjects

Chronological age and sex of the 38 subjects who participated in the study were as follows: the speech and/or language impaired subjects included 14 boys with a mean age of 7 years, 6 months, and 5 girls with a mean age of 9 years, 5 months. The control group of "normal" subjects included 14 boys with a mean age of 7 years, 5 months, and 5 girls with a mean age of 9 years, 5 months. The speech and/or language impairment of the experimental group of boys was as follows: 3 with a voice disorder, 3 with an articulation disorder, 3 with speech (articulation) and language impairment, and 5 with a language impairment only. Of the girls, 2 had an articulation disorder, 2 a speech (articulation) and language impairment, and 1 with a language impairment only.

Instrumentation

The parent and teacher behavior checklists used in this study were developed by Achenbach and Edelbrock (1983).

Child Behavior Checklist (CBCL) - Parent Report Form

The CBCL (Appendix A) contains 20 social competence and 118 behavior problem items. It can be self-administered or administered by an interviewer. The CBCL instructs the parent or parent-surrogate to base ratings on the previous six months of the child's behavior. For the social competence items, parents are requested to rate their child in comparison to other children of the same age. On the behavior problem items, the instructions are to circle the items that best describes their child, the choices being: 0 = not true, 1 = somewhat or sometimes true,

and 2 = very true or often true. The CBCL is scored on the social competence and behavior problem scales of the child behavior profile.

Child Behavior Profile

The child behavior profile (Appendices B and C) consists of scales constructed from analyses of parents' ratings of 2,300 clinically referred children and normed on 1,300 non-referred children. Normalized T scores are assigned to the 3 social competence scales, the behavior problem scales, Internalizing and Externalizing scales and the total behavior problem score. They are shown to the right of the profile and percentiles are shown to the left. Profiles are standardized for each sex in the age ranges of 4 to 5, 6 to 11, and 12 to 16 years. The child behavior profiles for boys age 6 to 11 and girls age 6 to 11 were used for the purpose of this study.

Reliability

Data have been reported in the manual showing good reliability of this instrument (Achenbach & Edelbrock, 1983). Test-retest reliability, inter-rater agreement and longer term stability were assessed (see Appendix I).

Validity

Content validity studies showed that clinically referred children received significantly higher scores ($p < .005$) than nonreferred children on 116 of the 118 behavior items; on all of the 20 social competence items, the clinically referred children received significantly lower scores ($p < .01$). Construct validity was assessed by comparing the CBCL with the Conners Parent Questionnaire (1973) and the Quay-Pearson (1983)

revised behavior checklist. See Appendix J for data.

Child Behavior Checklist - Teacher Report Form

The CBCL - Teacher Report Form (TRF) is a 4-page questionnaire to be completed by teachers or teacher aides (Appendix D). It was designed to obtain teachers' ratings on many of the same problems that parents rate, but omits the items that teachers would not be able to rate and includes additional items related to behavior in school. Current performances in academic subjects are rated on a 5-point scale ranging from 1 (far below grade level) to 5 (far above grade level). There are 4 questions regarding adaptive behavioral functioning, and space available for teachers to report achievement test scores, IQ, readiness or aptitude scores, as well as opportunity for them to make their own comments about the student's work, behavior and potential. The rating scale used for the behavior problem items is the same as the one used for the parent report form, except teachers are instructed to describe the child's behavior as it is now or has been during the past 2 months.

Child Behavior Profile

The Child Behavior Profiles for the TRFs (Appendices E and F) were constructed in a similar way as the profiles for the parent report forms. The profiles have been standardized for each sex ages 6 to 11 and 12 to 16 using teachers' ratings on 1,700 referred and 1,100 non-referred children. The profiles provide T scores for school performance, the general adaptive characteristics, the behavior problem scales, Internalizing, Externalizing, and total behavior problem score.

Reliability

One week test-retest reliability for school performance was .93; for total adaptive function score .86, and averaged .89 for the behavior problem scales for the boys in the 6 to 11 age group (Edelbrock and Achenbach, 1984).

Procedures

Letters were sent home to parents of children who were currently receiving speech-language services in the public schools and to parents of children in regular education classes grades K-5. Students with returned signed permission forms were then screened for inclusion in this study. In the final selection of the experimental and control group, the subjects were matched for age, sex and occupational status of a parent (U.S. Department of Labor, 1977).

This investigator then met with the mother or father of the students meeting criteria to explain the nature and the purpose of the questionnaire. It was described in terms of being a checklist to obtain information about a child's behavior as the parent sees it. In addition, the parents were informed it was designed for a wide variety of children with a range of behavior problems, so that many of the behavior items would not seem applicable to their child. The interviews were conducted at either the parent's home or the school where their child attended. Each parent was given the choice of filling out the behavior checklist themselves, or having this investigator read it to them. The interviews took 20 to 40 minutes depending on whether the parent filled out the checklist themselves. If this interviewer

read the questions to the parent, then the interview lasted longer.

The classroom teacher of each child was given the teacher report form of the CBCL to be filled out. Twelve teachers participated in this study. The checklists were given to each teacher to be completed on their own time. This investigator was not present but was available to answer any questions.

Scoring

The CBCL's were scored on the Child Behavior Profiles according to the manual instruction guidelines (Achenbach and Edelbrock, 1983). The appropriate profile for the age and sex of the child was used.

Data Analysis

On the Child Behavior Profile for the parent report form raw scores were computed for the social competence scales, the behavior problem scales, the Internalizing and Externalizing scales, number of items, and total behavior problem score. Similarly, for the TRFs, raw scores were computed for school performance, the adaptive functioning items, the behavior problem scales, the Internalizing and Externalizing scales, number of items and total behavior problem score. Raw scores were analyzed instead of the assigned T scores, to enable differentiation of low scores within the normal range. This allows for assessment of differences that fall within the normal range (Achenbach and Edelbrock, 1983). The data for the boys and girls were analyzed separately, as the raw scores were computed on different Child Behavior Profiles. Further analyses were completed on the boys only by dividing them into three groups: speech impaired only; a

combined speech and language, and language only impaired; and the control group. This comparison could not be completed for the girls due to the small number of subjects. Analysis of Variance (Anova) and a Tukey post hoc analysis were used to determine whether there were significant differences in the total raw scores between the experimental and control groups.

CHAPTER IV

RESULTS AND DISCUSSION

Results

The purpose of this study was to compare the prevalence and types of behavior problems between speech and/or language impaired children and normal children as reported by parents and teachers. Information regarding the 38 subjects' behavior was obtained by using the parent and teacher reported child behavior checklists developed by Achenbach and Edelbrock (1983).

The first question posed was: Is there a significant difference in the prevalence of behavioral problems between speech and/or language impaired children and normal children, as reported by their parents and teachers? To address this question, the raw scores for the total social competence score (parent reported), the total adaptive functioning score (teacher reported), and the total number of behavior problem items and total behavior problem scores for both the parent and teacher report forms were analyzed. Each group's raw score means and standard deviations were computed and are presented in Table I for the girls and Table II for the boys. Analysis of variance (Anova) was used to compare the speech and language impaired children with the normal children to determine if there were any significant differences.

TABLE I

RAW SCORES FOR THE SPEECH AND/OR LANGUAGE IMPAIRED AND NORMAL GIRLS ON
THE CHILD BEHAVIOR PROFILES: MEANS AND STANDARD DEVIATIONS

Variable	CBCL	Clinic Girls			Normal Girls		
		N	Mean	SD	N	Mean	SD
Social Competence	Parent	5	18.20	3.58	5	22.20	3.54
# Behavior Problem Items	Parent	5	25.20	14.56	5	18.40	9.01
Total Behavior Problem Score	Parent	5	32.60	21.82	5	20.00	8.63
Adaptive Functioning	Teacher	5	16.80	5.35	5	20.60	3.28
# Behavior Problem Items	Teacher	5	11.20	9.14	5	5.40	3.28
Total Behavior Problem Score	Teacher	5	14.40	13.12	5	5.40	3.28

TABLE II

RAW SCORES FOR THE SPEECH AND/OR LANGUAGE IMPAIRED AND NORMAL BOYS ON
THE CHILD BEHAVIOR PROFILES: MEANS AND STANDARD DEVIATIONS

Variable	CBCL	Clinic Boys			Normal Boys		
		N	Mean	SD	N	Mean	SD
Social Competence	Parent	12	17.91	3.30	12	18.54	2.52
# Behavior Problem Items	Parent	14	30.07	13.63	14	27.71	15.38
Total Behavior Problem Score	Parent	14	34.71	16.25	14	30.92	19.26
Adaptive Functioning	Teacher	14	15.42	7.12	14	17.71	3.68
# Behavior Problem Items	Teacher	14	16.35	16.43	14	13.21	9.09
Total Behavior Problem Score	Teacher	14	22.00	24.87	14	15.42	12.31

The analyses revealed there were no significant differences in the prevalence of behavior problems between the two groups as reported by parents and teachers. The speech and language impaired children as one group did not have an increased prevalence of behavioral problems in comparison to the control group of normal children. However, when the boys' data were further analyzed by dividing them into the 3 groups of speech impaired (Group 1); combining the speech and language impaired with language impaired (Group 2); and normal (Group 3), significant differences emerged. Each group's raw score means and standard deviations are presented in Table III, with the mean scores plotted in Figure 1. Anovas indicated a main effect in social competence ($F = 5.67, p < .01$), adaptive functioning ($F = 11.78, p < .001$), the number of teacher reported behavior problem items ($F = 7.91, p < .01$), and the teacher reported total behavior problem score ($F = 6.81, p < .01$). Tukey post hoc analyses revealed a significantly ($p < .05$) higher number of problems for the combined speech and language, and language impaired boys in comparison to the other two groups of boys for adaptive functioning, number of behavior problem items and total behavior problem score on the teacher report form of the Child Behavior Profile. For the parent reported social competence scale, there was a significant difference ($p < .05$) between the combined speech and language, and language impaired boys and the speech impaired boys, with the latter group showing more developed skills in this area. These results are displayed in Table IV.

To summarize the results to the first question, there were no significant differences in the prevalence of behavioral problems between speech and/or language impaired children and normal children,

TABLE III

RAW SCORES FOR THE SPEECH IMPAIRED (GROUP 1), THE SPEECH AND LANGUAGE,
AND LANGUAGE IMPAIRED (GROUP 2), AND NORMAL (GROUP 3) BOYS ON THE
CHILD BEHAVIOR PROFILES: MEANS AND STANDARD DEVIATIONS

Variable	CBCL	Group 1			Group 2			Group 3		
		N	Mean	SD	N	Mean	SD	N	Mean	SD
Social Competence	Parent	6	20.25	2.16	6	15.58	2.51	12	18.54	2.52
# Behavior Problem Items	Parent	6	31.16	15.36	8	29.25	13.22	14	27.71	15.38
Total Behavior Problem	Parent	6	36.00	18.34	8	33.75	15.73	14	30.92	14.26
Adaptive Functioning	Teacher	6	21.50	4.76	8	10.87	4.76	14	17.71	3.68
# Behavior Problem Items	Teacher	6	3.50	2.51	8	26.00	15.78	14	13.21	9.09
Total Behavior Problem	Teacher	6	4.16	2.13	8	35.37	25.86	14	15.42	12.31

Figure 1. Mean scores on the Child Behavior Profiles for the 3 groups of boys

*Higher score indicates higher competence level.

TABLE IV

ANALYSIS OF VARIANCE INDICATING DIFFERENCES BETWEEN THE SPEECH IMPAIRED (GROUP 1), THE SPEECH AND LANGUAGE, AND LANGUAGE IMPAIRED (GROUP 2), AND NORMAL (GROUP 3) BOYS

<u>Variable</u>	<u>df</u>	<u>F</u>	<u>P</u>	<u>Tukey Post Hoc</u> ($p < .05$)
Social Competence (Parent)	23	5.67	$< .01^*$	Group 2 scored lower than Group 1
Adaptive Functioning (Teacher)	27	11.78	$< .001^*$	Group 2 scored lower than Groups 1 and 3
# Behavior Problem Items (Teacher)	27	7.91	$< .01^*$	Group 2 had more problems than Groups 1 and 3
Total Behavior Problem Score (Teacher)	27	6.81	$< .01^*$	Group 2 had more problems than Groups 1 and 3
* Significant				

as reported by parents and teachers. However, when the boys' data were further analyzed by dividing them into 3 groups, the teachers did report a significantly higher number of behavior problems for the speech and language or language impaired boys, and parents reported this group to be less skilled in the area of social competence in comparison to the speech impaired boys.

The second question posed was: Is there a significant difference in types of behavioral problems between speech and/or language impaired children and normal children as reported by parents and teachers? To address this question, the raw scores for each social competence item (parent reported), adaptive functioning item (teacher reported), and the behavior problem scales for both the parent and teacher reported Child Behavior Profiles were analyzed. Each group's raw score means and standard deviations are presented in Tables V and VI for the girls, and Tables VII and VIII for the boys. Anovas for the girls revealed there were no significant differences between the clinic and control groups as reported by the teachers. However, the parents reported a significant difference for the hyperactive behavior problem scale ($F = 5.96, p < .05$) and the social competence item of school performance ($F = 8.6, p < .05$), with the clinic girls having more problems in these areas. Table IX displays these results, with the mean scores plotted in Figure 2.

TABLE V

RAW SCORES FOR THE SPEECH AND/OR LANGUAGE IMPAIRED AND NORMAL GIRLS ON
THE PARENT REPORTED BEHAVIOR PROBLEM AND SOCIAL COMPETENCE SCALES:
MEANS AND STANDARD DEVIATIONS

Scale	Clinic Girls			Normal Girls		
	N	Mean	SD	N	Mean	SD
Depressed	5	6.00	4.41	5	2.80	3.03
Social Withdrawal	5	3.40	2.79	5	1.60	2.60
Somatic Complaints	5	1.20	1.30	5	1.80	1.78
Schizoid-Obsessive	5	1.00	2.23	5	.20	.44
Hyperactive	5	8.20	5.16	5	2.00	2.34
Sex Problems	5	1.00	1.73	5	1.20	.83
Delinquent	5	1.00	2.23	5	0	0
Aggressive	5	16.40	21.99	5	8.40	4.66
Cruel	5	1.20	1.78	5	.20	.44
Externalizing	5	20.20	16.39	5	10.60	5.85
Internalizing	5	10.40	7.30	5	6.00	4.18
Activities	5	8.70	1.30	5	8.40	1.47
Social	5	6.70	1.68	5	8.90	2.40
School Performance	5	2.90	1.47	5	5.00	.61

TABLE VI

RAW SCORES FOR THE SPEECH AND/OR LANGUAGE IMPAIRED AND NORMAL GIRLS ON
THE TEACHER REPORTED BEHAVIOR PROBLEM AND ADAPTIVE FUNCTIONING SCALES:
MEANS AND STANDARD DEVIATIONS

Scale	Clinic Girls			Normal Girls		
	N	Mean	SD	N	Mean	SD
Anxious	5	3.40	2.07	5	2.60	2.79
Social Withdrawal	5	.80	.83	5	.60	1.34
Depressed	5	2.00	1.87	5	.60	.54
Unpopular	5	1.60	1.36	5	0	0
Self-Destructive	5	0	0	5	0	0
Inattentive	5	4.20	3.19	5	1.80	.83
Nervous-Overactive	5	.60	1.34	5	.60	.54
Aggressive	5	4.60	9.18	5	.60	.89
Externalizing	5	8.20	4.84	5	2.20	.37
Internalizing	5	3.60	2.30	5	3.00	3.31
School Performance	5	2.93	1.36	5	3.37	.63
Working Hard	5	4.40	1.51	5	5.00	.70
Behaving Appropriately	5	4.40	1.14	5	5.00	1.00
Learning	5	3.60	2.19	5	5.20	.83
Happy	5	4.40	.89	5	5.40	1.34

TABLE VII

RAW SCORES FOR THE SPEECH AND/OR LANGUAGE IMPAIRED AND NORMAL BOYS ON THE
PARENT REPORTED BEHAVIOR PROBLEM AND SOCIAL COMPETENCE SCALES:
MEANS AND STANDARD DEVIATIONS

Scale	Clinic Boys			Normal Boys		
	N	Mean	SD	N	Mean	SD
Schizoid-Anxious	14	2.28	1.68	14	2.21	2.00
Depressed	14	3.92	2.94	14	5.92	5.44
Uncommunicative	14	2.42	1.78	14	2.78	1.80
Obsessive-Compulsive	14	4.14	2.62	14	3.50	3.18
Somatic Complaints	14	.85	1.16	14	1.07	1.38
Withdrawn	14	1.92	1.49	14	2.64	2.30
Hyperactive	14	6.28	2.49	14	4.07	3.31
Aggressive	14	11.50	6.75	14	9.71	6.45
Delinquent	14	2.35	2.92	14	1.71	2.39
Externalizing	14	18.85	9.72	14	14.35	9.79
Internalizing	14	11.35	6.41	14	12.71	9.61
Activities	14	7.35	1.33	14	7.64	1.46
Social	14	6.96	2.06	14	6.14	1.81
School Performance	12	3.45	1.52	12	4.33	1.11

TABLE VIII

RAW SCORES FOR THE SPEECH AND/OR LANGUAGE IMPAIRED AND NORMAL BOYS ON THE
TEACHER REPORTED BEHAVIOR PROBLEM AND ADAPTIVE FUNCTIONING SCALES:
MEANS AND STANDARD DEVIATIONS

Scale	Clinic Boys			Normal Boys		
	N	Mean	SD	N	Mean	SD
Anxious	14	1.21	1.25	14	2.07	2.12
Social Withdrawal	14	1.07	1.77	14	1.00	1.30
Unpopular	14	2.07	3.73	14	1.35	2.17
Self-Destructive	14	.42	1.08	14	.64	1.59
Obsessive-Compulsive	14	.50	.85	14	.85	1.51
Inattentive	14	8.35	9.36	14	6.21	6.94
Nervous-Overactive	14	1.64	1.59	14	1.42	1.74
Aggressive	14	9.64	14.06	14	4.78	5.83
Externalizing	14	17.50	21.78	14	10.64	11.57
Internalizing	14	2.21	2.63	14	2.85	2.41
School Performance	11	2.79	1.31	12	2.94	.68
Working Hard	14	3.85	2.21	14	4.28	1.48
Behaving Appropriately	14	3.57	1.94	14	3.85	1.40
Learning	14	3.57	2.31	14	4.57	1.28
Happy	14	4.42	1.39	14	5.00	.96

TABLE IX

ANALYSIS OF VARIANCE INDICATING DIFFERENCES
BETWEEN THE CLINIC AND CONTROL GIRLS

<u>Scale</u>	<u>df</u>	<u>F</u>	<u>P</u>	<u>Remarks</u>
Hyperactive	9	5.96	<.05*	Clinic group had more problems.
School Performance	9	8.6	<.05*	Clinic group scored lower.

* Significant

Figure 2. Parent reported differences between the speech and/or language impaired girls and normal girls.

Anovas for the 2 groups of boys indicated there were no significant differences in types of behavior problems, as reported by parents and teachers. There was a trend toward a significant difference ($F = 3.98$, $p < .10$) reported by parents on the hyperactive behavior problem scale, with the clinic group having the higher number of problems. When the boys' data were further analyzed by dividing them into the 3 groups as previously described, significant differences emerged. Each group's raw score means and standard deviations are presented in Tables X and XI. Anovas indicated a main effect for the parent reported school performance level ($F = 10.61$, $p < .001$); the teacher reported behavior problem scales of inattentive ($F = 6.67$, $p < .01$); aggressive ($F = 5.83$, $p < .01$), and externalizing ($F = 5.6$, $p < .01$), and for the adaptive functioning items of school performance ($F = 10.54$, $p < .001$); working hard ($F = 5.76$, $p < .01$); behaving appropriately ($F = 7.0$, $p < .01$); and learning ($F = 14.82$, $p < .001$). A trend toward significance ($p < .10$) was found on the teacher reported behavior problem scales of social withdrawal, unpopular, and internalizing with the combined speech and language, and language impaired boys having the most problems. Tukey post hoc analyses revealed a significantly higher ($p < .05$) number of problems for the combined speech and language, and language impaired boys in comparison to the other 2 groups of boys for both the parent and teacher school performance levels, inattentiveness, aggressiveness and learning. On the teacher reported behavior problem scale of externalizing and on the adaptive functioning items of working hard and behaving appropriately, the combined speech and language, and language impaired group had significantly

TABLE X

RAW SCORES FOR THE SPEECH IMPAIRED (GROUP 1), THE SPEECH AND LANGUAGE,
AND LANGUAGE IMPAIRED (GROUP 2), AND NORMAL (GROUP 3) BOYS ON THE
PARENT REPORTED BEHAVIOR PROBLEM AND SOCIAL COMPETENCE SCALES:
MEANS AND STANDARDS DEVIATIONS

Scales	Group 1			Group 2			Group 3		
	N	Mean	SD	N	Mean	SD	N	Mean	SD
Schizoid-Anxious	6	1.83	1.72	8	2.62	1.68	14	2.21	2.00
Depressed	6	5.16	3.65	8	3.00	2.07	14	5.97	5.64
Uncommunicative	6	2.83	1.83	8	2.12	1.80	14	2.78	1.80
Obsessive-Compulsive	6	3.33	2.50	8	4.75	2.71	14	3.50	3.18
Somatic Complaints	6	.33	.81	8	1.25	1.28	14	1.07	1.38
Withdrawn	6	1.83	1.32	8	2.00	1.69	14	2.64	2.30
Hyperactive	6	5.66	2.50	8	6.75	2.54	14	4.07	3.31
Aggressive	6	14.00	5.96	8	9.62	7.06	14	9.71	6.45
Delinquent	6	2.50	3.01	8	2.25	3.05	14	1.71	2.39
Externalizing	6	20.83	9.53	8	17.37	10.23	14	14.35	9.79
Internalizing	6	11.16	7.33	8	11.50	6.16	14	12.71	9.61
Activities	6	7.58	1.77	8	7.18	.99	14	7.64	1.46
Social	6	8.00	1.51	8	6.18	2.15	14	6.14	1.81
School	6	4.66	.87	5	2.25	.93	11	4.33	1.11

TABLE XI

RAW SCORES FOR THE SPEECH IMPAIRED (GROUP 1), THE SPEECH AND LANGUAGE, AND LANGUAGE IMPAIRED (GROUP 2), AND NORMAL (GROUP 3) BOYS ON THE TEACHER REPORTED BEHAVIOR PROBLEM AND ADAPTIVE FUNCTIONING SCALES: MEANS AND STANDARD DEVIATIONS

Scale	Group 1			Group 2			Group 3		
	N	Mean	SD	N	Mean	SD	N	Mean	SD
Anxious	6	.50	.83	8	1.75	1.28	14	2.07	2.12
Social Withdrawal	6	0	0	8	1.87	2.03	14	1.00	1.30
Unpopular	6	.16	.40	8	3.50	4.50	14	1.35	2.17
Self-Destructive	6	0	0	8	.75	1.38	14	.64	1.59
Obsessive-Compulsive	6	0	0	8	.87	.99	14	.85	1.51
Inattentive	6	.83	1.16	8	14.00	8.78	14	6.21	6.94
Nervous-Overactive	6	.83	.75	8	2.25	1.83	14	1.42	1.74
Aggressive	6	.66	.81	8	16.37	15.68	14	4.78	5.83
Externalizing	6	1.83	1.47	8	29.25	22.61	14	13.42	13.36
Internalizing	6	.50	.83	8	3.50	2.82	14	2.85	2.41
School Performance	6	3.72	.84	5	1.68	.75	12	2.94	.68
Working Hard	6	5.50	1.37	8	2.62	1.92	14	6.28	1.48
Behaving Appropriately	6	5.16	1.32	8	2.37	1.40	14	3.85	1.40
Learning	6	5.66	1.50	8	2.00	1.30	14	4.57	1.28
Happy	6	5.16	1.32	8	3.87	1.24	14	5.00	.96

($p < .05$) more problems than the speech impaired group. These results are displayed in Table XII with the mean scores for the parent reported school performance levels plotted in Figure 3, the teacher reported behavior problem scales plotted in Figure 4, and the adaptive functioning items plotted in Figure 5.

Figure 3. Parent reported school performance levels in the 3 groups of boys.

TABLE XII

ANALYSIS OF VARIANCE INDICATING DIFFERENCES BETWEEN THE SPEECH IMPAIRED (GROUP 1), THE SPEECH AND LANGUAGE, AND LANGUAGE IMPAIRED (GROUP 2), AND NORMAL (GROUP 3) BOYS

<u>Scale</u>	<u>df</u>	<u>F</u>	<u>P</u>	<u>Tukey Post Hoc</u> (p .05)
School Performance (Parent)	23	10.61	<.001*	Group 2 scored lower than Groups 1 and 3
Inattentiveness (Teacher)	27	6.67	<.01*	Group 2 had more problems than Groups 1 and 3
Aggressiveness (Teacher)	27	5.83	<.01*	Group 2 had more problems than Groups 1 and 3
Externalizing (Teacher)	27	5.60	<.01*	Group 2 had more problems than Group 1
School Performance (Teacher)	22	10.54	<.001*	Group 2 scored lower than Groups 1 and 3
Working Hard	27	5.76	<.01*	Group 2 scored lower than Group 1
Behaving Appropriately	27	7.00	<.01*	Group 2 scored lower than Group 1
Learning	27	14.82	<.001*	Group 2 scored lower than Groups 1 and 3

* Significant

Figure 4. Teacher reported behavior problem scales for the 3 groups of boys.

Figure 5. Adaptive functioning items for the 3 groups of boys.

To summarize the results to the second question, there were no significant differences in the types of behavior problems between the speech and/or language impaired girls and normal girls as reported by teachers, but parents described the clinic girls as being more hyperactive and having lower school performance. There were no differences reported for the speech and/or language impaired boys and normal boys. However, when the boys were divided into 3 groups, significant differences were found.

Discussion

In addressing the first question the results of this investigation indicated there were no significant differences in the prevalence of behavioral problems between the speech and/or language impaired children and normal children. This finding is contrary to the research cited which found at least a 50 percent occurrence of psychiatric diagnoses in a speech and/or language impaired population (Cantwell et al., 1979; Cantwell and Baker, 1980; and Baker and Cantwell, 1980a). Similarly, other studies supported an association between speech and/or language impairment and behavioral problems, which was not found in this investigation (Jenkins et al., 1980; Fitzsimons, 1958; Solomon, 1961; and Stevenson and Richmond, 1978). A possible explanation for this nonsignificant finding is the speech and/or language impaired children may not have been representative of the more severe impairments, and the subjects in the other research cited may not have represented speech and/or language impairments of a less severe nature. To be able to compare findings directly, more information is needed regarding the severity of problems.

A further explanation may be that one criterion for selection of subjects was different for this study in comparison to the collective research conducted by Baker, Cantwell and Mattison. In this investigation, any speech and/or language impaired child who had an additional handicap (other than learning disability) was excluded, whereas in their research some of their subjects had other handicapping conditions, e.g., autism, mental retardation and hearing impairment. It is possible their finding of at least a 50 percent psychiatric diagnosis

rate for the speech and/or language impaired subjects is high because of the additional handicaps involved. In addition, all of their subjects had been selected from a community speech and hearing clinic, so they may represent a population with more severe problems. From the research reviewed, it is clear some children with speech and/or language impairments are at risk for behavior problems, however, the results of this study suggest not all speech and/or language impaired children have behavioral problems to a significantly higher degree than their normal peers.

In continuing to address the question of the prevalence of behavioral problems, the boys' data were further analyzed by dividing them into 3 groups. By dividing the clinic group into 2 categories, significant differences were found. The girls group was not divided in the same way due to the small number of subjects, so it cannot be speculated if similar differences would be found. Teachers reported the combined speech and language, and language impaired group as having significantly more problems than the other 2 groups of boys. However, parents did not differentiate the groups in this same way. On the social competence scale, parents reported the speech and language, and language impaired group to be less skilled in comparison to the speech impaired group, but they were not significantly different from the normal boys. Parents did not report any differences with regard to the number of behavior problem items and total behavior problem scores, as the teachers had done. These results are similar to the findings of Baker et al., (1980), in which they compared behavioral problems of children with pure speech disorders and children with disorders with both speech and language. They reported

teachers found significantly more problems in the speech and language group, but this difference was not reported by the parents. However, their parents did report more severe problems for the speech and language group, which was not found in this study.

An explanation of why teachers reported differences in the combined speech and language, and language impaired group, that were not reported by parents could be due to the educational demands that are being placed upon the child. Language is so central to all tasks involved in school that any deficits in this area for a child could have far reaching effects in how he or she progresses in school, and therefore, behaves in school. The finding that the speech impaired group did not differ significantly from the normal group of boys, suggests language may have been a determining variable associated with a significant increase in behavior problems in the speech and language, and language impaired group. On the contrary, a speech impairment was not a significant variable associated with an increase in behavioral problems. This finding supports the viewpoints of Goodstein (1958); Spriestersbach (1956); and Muma et al., (1968), who have suggested there are not conclusive data to base any kind of generalizations of personality and behavioral differences of individuals with articulation, voice disorders, or rhythm disorders.

A further inconsistency between the parent and teacher reports of behavior problems was found in the number of behavior problem items and total behavior problems score. Although parents did not report any significant differences among the 3 groups of boys for these variables, the speech impaired boys scored the highest for both, yet

the teachers reported them as having the least number of problems for these variables. A reason for such a quantitative difference in the number of behavior problem items and total behavior problems score, as reported by the parents and teachers, could be the make-up of the speech impaired group. Of the 6 speech impaired subjects, 2 had participated in a talented and gifted program, and none had an identified learning disability, thus, perhaps this group responded positively to the structure that school provides. Of the 8 speech and language, and language impaired subjects, 3 were learning disabled. It would therefore seem logical that they would have more difficulty in the school environment. Teachers did in fact report an increase in behavior problems for this group. Of the 14 normal subjects, 3 were learning disabled and 2 had participated in a talented and gifted program. Teachers did report fewer problems for this group, although these students still had more problems than the speech impaired group. This result would not support the claims of Beckey (1942), Lindholm and Touliatos (1979), Fitzsimons (1958), and Solomon (1961), that speech impaired children have more behavior problems in comparison to their "normal" peers.

In answering the second question, the results of this investigation indicated there were no differences in types of behavior problems between the clinic and control groups for both the boys and girls, as reported by teachers. However, parents described the clinic girls as being more hyperactive and achieving lower in school performance than the normal girls. Parents reported essentially no differences between the clinic and control boys, except there was a trend toward significance for the hyperactive behavior problem scale, with the clinic boys

having the higher number of problems. The girls' results revealed another inconsistency between teachers and parents, as the teachers did not report the clinic girls as achieving lower in school performance. In looking at the make-up of the 2 groups of girls, of the 5 clinic girls, 3 were learning disabled and 1 had participated in a talented and gifted program, and of the 5 normal girls, 2 had been involved in a talented and gifted program. With this difference of educational identification between the 2 groups, it is not surprising the parents reported the clinic girls as achieving lower in school performance. What is surprising is that teachers did not report this difference. Perhaps the parents and teachers were using different reference points for comparison. Parents were comparing their children to other children of the same age/grade level, while teachers may have been comparing the students to their own level of potential, so they may have had lower expectations for the learning disabled girls.

Essentially this study found few differences in behavioral problems between the clinic and control groups. This finding is again contrary to the research cited which reported a variety of behavioral problems for speech and/or language impaired children. The behavior checklists used in this study grouped behavior problem items into scales, so the results do not reflect answers to individual questions concerning behavior, but rather to groups of behaviors. This could be one explanation why so many other studies reported a variety of behavior problems for the speech and/or language impaired children, as they have analyzed answers to individual questions. For example, Beckey (1942) reported speech delayed children do not want attention, and they tend to play alone and cry easily. Fitzsimons (1958) reported

destructiveness, eating problems, fears, jealousy and nervousness as some of the characteristics of children with articulation problems. These studies and others have used specific clinical behavioral symptoms to describe their speech and/or language impaired population, however, the behavior checklists used in this study lends itself more to describing specific clinical syndromes. Therefore, the differences reported in the other studies may have been masked out in this study.

However, in the collective research done by Baker, Cantwell and Mattison, an examining psychiatrist made a final diagnosis pertaining to a specific clinical syndrome. Typically, they reported a high number of children with an attention deficit disorder (with a large percentage of them having associated hyperactivity), oppositional disorders and conduct disorders. The only difference in a behavior problem scale found in this study was with hyperactivity reported by parents, so again fewer behavior problems were found for the clinic population. The finding of hyperactivity characterizing the clinic group is in concurrence with other research (Baker et al., 1980; Cantwell and Baker, 1980; Wylie et al., 1965; Stevenson and Richman, 1978; and Caceras, 1971).

As stated, parents reported a higher frequency of hyperactive behaviors for the speech and/or language impaired group. On the teacher reported Child Behavior Profile there is not a corresponding behavior problem scale for hyperactivity, although the scales labeled inattentive and nervous-overactive share some of the same behavior problem items. However, the teachers did not report any significant differences on these behavior problem scales between the clinic and control groups. This could be explained by the fact teachers provide

a structured environment for learning, perhaps creating an opportunity for the hyperactive behaviors to be channeled.

When the boys' data were further analyzed by dividing them into the 3 groups, more significant differences were found. Teachers reported more problems for the combined speech and language, and language impaired boys on the behavior problem scales of social withdrawal, unpopular, inattentive, aggressive, externalizing and internalizing, and on all of the adaptive functioning items. Parents did not differentiate the groups in the same way, except for school performance level on which they agreed with the teachers that the combined speech and language, and language group performed lower than the other 2 groups. This research substantiates the findings of Baker et al., (1980), Baker and Cantwell, (1982a), and Baker and Cantwell (1982b), that speech and language, and language impaired children have more behavioral problems than speech impaired children. That speech and language, and language impaired children have significantly more problems in school in comparison to the other 2 groups of boys again can be explained by the educational demands which are being placed upon them. Language, an area in which they have deficits, is central to school instruction and learning, thus their school performance is affected and an increase in associated behavior problems is found.

In further evaluating the results of the 3 groups of boys, it was interesting to find on some scales the teachers reported the speech and language, and language impaired boys as being significantly different to the speech impaired boys, but not to the normal boys. On most of the scales, their mean scores were closer to the normal boys,

than the speech impaired boys. The speech impaired group characteristically had the fewest behavior problems, and were the most competent on the adaptive functioning items. This is contrary to the findings of Lindholm and Touliatos (1979), Fitzsimons (1958), and Solomon (1961), who reported speech impaired subjects had significantly more behavioral problems in comparison to a control group of normal children. Again, this research further supports the opinions of Goodstein (1958), Spriestersbach (1956), and Muma et al., (1968), who contend there is no conclusive data suggesting children with articulation or voice disorders are behaviorally different.

As has been stated, parents and teachers did not agree on the school performance levels for the clinic and control girls. Unlike the parents, teachers did not describe the clinic girls as achieving significantly lower in school. However, parents and teachers did agree on the school performance levels for the boys. They both reported the combined speech and language, and language impaired boys achieved significantly lower on school performance. The discrepancy of the teachers failing to report the clinic girls as achieving lower in school performance, suggests perhaps their expectations were lower for the clinic girls, although this was not the case for the boys.

Essentially this study found few differences in behavioral problems between the speech and/or language impaired children and the normal children. However, when the boys' data were further analyzed by dividing the speech and/or language impaired children into 2 categories, significant differences emerged. The speech impaired students did not differ from the normal students, but teachers reported more behavioral problems for the combined speech and language, and

language impaired group. These children exhibited more problems in the school environment suggesting a deficit in the area of language may have been a determining variable associated with this increase in behavioral problems.

CHAPTER V

SUMMARY AND IMPLICATIONS

Summary

Language is a complex communication system which distinguishes human beings from other species. It is the primary medium through which individuals function and interact in their environment. If a child has any difficulties developing an effective mode of communication, it would seem likely other areas of his or her development could be adversely affected. There is extensive research which shows speech and language disordered children are at risk for behavioral, social and emotional problems (Cantwell and Baker, 1977). It has been suggested at least 50 percent of speech and/or language impaired children may have behavioral problems severe enough as to warrant a definable psychiatric diagnosis (Cantwell et al., 1979). However, it is difficult to assess if this is an accurate prevalence figure because of methodological problems. Their research included speech and/or language impaired children with other handicapping conditions (e.g., autism and mental retardation), so the difficulty then is deciding which handicap is associated with the behavioral problems, the autism/mental retardation or the speech and language impairment. Also, they drew their subjects from a community speech and hearing clinic, a setting which may not reflect a "typical" speech and language impaired population. This research was designed to obtain behavioral data on children, who were selected from a public school

setting whose primary handicapping condition was speech and/or language impairment, and then compare them to their "normal" peers. This could provide further information to substantiate the claims that a speech and/or language impaired population do in fact have a higher prevalence of behavioral problems.

The questions posed in this study were: 1) Is there a significant difference in the prevalence of behavioral problems between speech and/or language impaired children and normal children as reported by parents and teachers? and 2) Is there a significant difference in the types of behavioral problems between speech and/or language impaired children and normal children, as reported by parents and teachers?

Thirty-eight children between the ages of 5 and 11 participated in this study. The subjects included 19 speech and/or language impaired children and 19 normal children. There were 14 boys and 5 girls in each group. Information regarding the 38 subjects' behavior was obtained by using the parent and teacher reported Child Behavior Checklists developed by Achenbach and Edelbrock (1983).

Results were analyzed by comparing the raw scores in each group on the behavior problem scales, the number of behavior problem items, total behavior problem score, the social competence scale and the adaptive functioning scale. The data for the boys and girls were analyzed separately, as the raw scores were computed on different Child Behavior Profiles. Further analyses were completed on the boys by dividing them into 3 groups: speech impaired only; a combined speech and language, and language impaired group; and the control group of normal boys. These analyses were not completed for the girls

due to the small number of subjects. Analysis of variance (Anova) and a Tukey post hoc analysis were used to determine whether there were significant differences in the total raw scores between the clinic and control groups.

In addressing the results to the first question, there were no differences in the prevalence of behavioral problems between speech and/or language impaired children and normal children, as reported by parents and teachers. However, when the boys' data were further analyzed by dividing them into 3 groups, the teachers did report a significantly higher number of behavior problems for the speech and language, and language impaired boys, and parents reported this group to be less skilled in the area of social competence in comparison to the speech impaired boys. The results to the second question showed there were no significant differences in the types of behavior problems between the speech and/or language impaired girls and normal girls as reported by teachers, but parents described the clinic girls as being more hyperactive and having lower school performance. There were no significant differences reported for the speech and/or language impaired boys and normal boys, although there was a trend toward significance for the hyperactive behavior problem scale with the clinic boys having the higher number of problems. However, when the boys' data were further analyzed by dividing them into 3 groups, significant differences emerged. The speech and language, and language impaired boys were reported to have significantly lower school performance levels by both the parents and teachers. In addition, the teachers stated they were inattentive, aggressive and had more problems with learning. On the adaptive functioning items of working hard and

behaving appropriately, and on the teacher reported behavior problem scale of Externalizing, the speech and language, and language impaired group had significantly more problems than the speech impaired group.

Clinical Implications

The results of this study support the existing research which has shown speech and language, and language impaired children are "at risk" for associated behavioral problems. This has important implications for a speech-language pathologist in both the assessment and remediation of the language impaired child. As many of these children's behavioral problems are manifested in the classroom, an evaluation of the child's language use in this environment seems warranted. This could provide valuable information in learning how the child is using language and in identifying the situations where his or her communication skills seem to break down. From this, an intervention program could be planned to provide the child with functional language skills which could facilitate his or her learning and interaction in the classroom environment. At the same time, an observation of the teacher's language could provide a speech-language pathologist with information to give the teachers feedback if they need to modify their language to more effectively communicate with these language impaired children. In this way, language goals can be planned to focus on building an effective communication system between the child and the teacher, and the child and his or her peers. Providing appropriate language intervention may help alleviate the behavioral problems, as improved language skills may give them coping strategies.

Equally important would be for the speech-language pathologists

to help identify and refer the language impaired children with behavioral problems to other professionals (e.g., school psychologist, school counselor). A team approach may be most effective in working with the child, as the speech-language pathologist can provide information to the school psychologist/counselor to help them understand the language component of the behavior problem, and they can provide the speech-language pathologist with appropriate techniques to deal with the behavioral problems to minimize interference with learning.

Research Implications

Further investigation of the association between behavior problems and speech and/or language impairment is indicated. It would be beneficial to replicate this study using a larger sample size, with a severity index for the speech and/or language impairments. Then a comparison could be made across types and severity levels for each speech and/or language impairment. Further definition of this population according to a severity level could help speech-language pathologists become more cognizant of which children are at risk. Using a larger sample size drawn from a public school setting may help in the selection of a more representative sample of a speech and/or language impaired population, and the groups could be divided into 4: speech impaired only; speech and language impaired; language impaired; and, normal children for both the girls and boys. Again, this would help to further define which speech and/or language impaired children are at risk.

In addition, it would be valuable to conduct a longitudinal study of the speech and/or language impaired children with behavioral

problems to investigate if speech and/or language intervention impacts behavioral changes.

SELECTED BIBLIOGRAPHY

- ACHENBACH, T. M., & EDELBROCK, C. (1983). Manual for the Child Behavior Checklist and Revised Child Behavior Profile. U.S.A.: Queen City Printers, Inc.
- BAKER, L., & CANTWELL, D. P. (1982a). Developmental, social and behavioral characteristics of speech and language disordered children. Child Psychiatry and Human Development, 12, 195-206.
- BAKER, L., & CANTWELL, D. P. (1982b). Language acquisition, cognitive development and emotional disorder in childhood. In K. E. Nelson (Ed.), Children's Language, Vol. 3. New Jersey: Lawrence Erlbaum Associates, Inc.
- BAKER, L., & CANTWELL, D. P. (1982c). Psychiatric disorder in children with different types of communication disorders. Journal of Communication Disorders, 15, 113-126.
- BAKER, L., & CANTWELL, D. P. (1984). Tangled tongues and troubled tots. Parents Magazine, September.
- BAKER, L., CANTWELL, D. P. & MATTISON, R. E. (1980). Behavior problems in children with pure speech disorders and in children with combined speech and language disorders. Journal of Abnormal Child Psychology, 8, 245-256.
- BECKEY, R. E. (1942). A study of certain factors related to retardation of speech. Journal of Speech Disorders, 7, 223-249.
- CACERAS, V. A. (1971). Retardo del lenguaje verbal. Revista Neuropsiquiatria, 34, 210-226.
- CANTWELL, D. P., & BAKER, L. (1983). Depression in children with speech, language, and learning disorders. Journal of Children in Contemporary Society, 51-9.
- CANTWELL, D. P., & BAKER, L. (1980). Psychiatric and behavioral characteristics of children with communication disorders. Journal of Pediatric Psychology, 2, 161-178.
- CANTWELL, D. P., & BAKER, L. (1977). Psychiatric disorder in children with speech and language retardation. A critical review. Archives of General Psychiatry, 34, 583-591.

- CANTWELL, D. P., BAKER, L., & MATTISON, R. E. (1979). The prevalence of psychiatric disorder in children with speech and language disorder: An epidemiological study. American Academy of Child Psychiatry Journal, 18, 450-461.
- CHESS, S., & ROSENBERG, M. (1974). Clinical differentiation among children with initial language complaints. Journal of Autism and Childhood Schizophrenia, 4, 99-109.
- CONNERS, C. K. (1969). A teacher rating scale for use in drug studies with children. American Journal of Psychiatry, 126, 884-888.
- CONNERS, C. K. (1973). Rating scales for use in drug studies with children. Psychopharmacology Bulletin, 24-59.
- EDELBROCK, C., & ACHENBACH, T. M. (1984). The teacher version of the child behavior profile: I. Boys aged 6-11. Journal of Consulting and Clinical Psychology, 52, 207-217.
- FITZSIMONS, R. (1958). Developmental, psychosocial and educational factors in children with nonorganic articulation problems. Child Development, 29, 481-489.
- GOODSTEIN, L. D. (1958). Functional speech disorders and personality: A survey of the research. Journal of Speech and Hearing Research, 1, 359-374.
- GRIFFITH, C. P. (1969). A follow-up study of children with disorders of speech. British Journal of Disorders of Communication, 4, 46-56.
- HOLT, J. (1969). The Underachieving Child. New York: Pitman Publishing Co.
- INGRAM, T. T. S. (1959). A description and classification of the common disorders of speech in children. Archives of Disorders in Children, 36, 444-467.
- JENKINS, S., BAX, M. & HART, H. (1980). Behavior problems in preschool children. Journal of Child Psychology and Psychiatry and Allied Disciplines, 21, 5-17.
- LINDHOLM, B. & TOULIATOS, J. (1979). Behavior problems of children in regular classes and those diagnosed as requiring speech therapy. Perceptual and Motor Skills, 49, 459-463.
- MATTISON, R., CANTWELL, D. P. & BAKER, L. (1980). Behavior problems in children with speech and language retardation. Child Psychiatry and Human Development, 10, 246-257.

- MUMA, J. R., LAEDER, R. L., & WEBB, C. E. (1968). Adolescent voice quality aberrations. Personality and social status. Journal of Speech and Hearing Research, 11, 576-582.
- PEDDICORD, R. S. (1979). Parent-child conflicts associated with communication disorders. Ear, Nose and Throat Journal, 58, 336-339.
- President's Commission on Mental Health. (1978). Report to the President. Washington, D.C.: U.S. Government Printing Office.
- RUTTER, M., GRAHAM, P., & YULE, W. (1970). A Neuropsychiatric Study in Children. Suffolk, England: Lavenham Press Ltd.
- RUTTER, M., TIZARD, J., & WHITMORE, K. (1970). Education, Health and Behavior. London: Longmans Green.
- SHEEHAN, J. (1962). Projective studies of stuttering. In E. Philip Trapp and Philip Himelstein (Eds.), Readings on the Exceptional Child. New York: Appleton-Century-Crofts, Inc.
- SOLOMON, A. (1961). Personality and behavior patterns of children with functional defects of articulation. Child Development, 32, 731-737.
- SPRIESTERSBACH, D. C. (1956). Report of research on articulatory disorders and personality. Journal of Speech and Hearing Disorders, 21, 329-335.
- STEVENSON, J., & RICHMAN, N. (1978). Behavior language and development in three-year-old children. Journal of Autism and Childhood Schizophrenia, 8, 299-313.
- TRAPP, P. E., & EVANS, J. (1960). Functional articulatory defect and performance on a nonverbal task. Journal of Speech & Hearing Disorders, 25, 176-180.
- U.S. Department of Labor. (1977). Dictionary of occupational titles.
- WEINER, P. S. (1968). The emotionally disturbed child in the speech clinic: some considerations. Journal of Speech and Hearing Disorders, 33, 158-167.
- WEISS, C. E., LILLYWHITE, H. S., & GORDON, M. E. (1980). Clinical Management of Articulation Disorders. Missouri: C. V. Mosby Company,
- WIIG, E. H., & SEMEL, E. M. (1976). Language Disabilities in Children and Adolescents. Ohio: Charles E. Merrill Publishing Co.

- WING, L. (1969). The handicaps of autistic children: a comparative study. Journal of Child Psychology and Psychiatry, 10, 1-40.
- WOOD, BARBARA S. (1981). Children and Communication: Verbal and Nonverbal Language Development. New Jersey: Prentice-Hall, Inc.
- WYLIE, H. L., FRANCHACK, P., & McWILLIAMS, B. J. (1965). Characteristics of children with speech disorders seen in a child guidance center. Perceptual Motor Skills, 20, 1101-1107.

APPENDIX A

CHILD BEHAVIOR CHECKLIST FOR AGES 4-16

For office use only
ID # _____

CHILD'S NAME _____			PARENT'S TYPE OF WORK (Please be specific—for example, auto mechanic, high school teacher, homemaker, laborer, lathe operator, shoe salesman, army sergeant, even if parent does not live with child) _____		
SEX ☐ Boy ☐ Girl	AGE _____	RACE _____	FATHER'S TYPE OF WORK _____		
TODAY'S DATE Mo. _____ Day _____ Yr. _____		CHILD'S BIRTHDATE Mo. _____ Day _____ Yr. _____	MOTHER'S TYPE OF WORK: _____		
GRADE IN SCHOOL _____			THIS FORM FILLED OUT BY: ☐ Mother ☐ Father ☐ Other (Specify) _____		

I. Please list the sports your child most likes to take part in. For example: swimming, baseball, skating, skate boarding, bike riding, fishing, etc. ☐ None	Compared to other children of the same age, about how much time does he/she spend in each?	Compared to other children of the same age, how well does he/she do each one?
	Don't Know Less Than Average Average More Than Average	Don't Know Below Average Average Above Average
a. _____	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
b. _____	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
c. _____	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐

II. Please list your child's favorite hobbies, activities, and games, other than sports. For example: stamps, dolls, books, piano, crafts, singing, etc. (Do not include T.V.) ☐ None	Compared to other children of the same age, about how much time does he/she spend in each?	Compared to other children of the same age, how well does he/she do each one?
	Don't Know Less Than Average Average More Than Average	Don't Know Below Average Average Above Average
a. _____	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
b. _____	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
c. _____	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐

III. Please list any organizations, clubs, teams, or groups your child belongs to. ☐ None	Compared to other children of the same age, how active is he/she in each?	
	Don't Know Less Active Average More Active	
a. _____	☐ ☐ ☐ ☐	
b. _____	☐ ☐ ☐ ☐	
c. _____	☐ ☐ ☐ ☐	

IV. Please list any jobs or chores your child has. For example: paper route, babysitting, making bed, etc. ☐ None	Compared to other children of the same age, how well does he/she carry them out?	
	Don't Know Below Average Average Above Average	
a. _____	☐ ☐ ☐ ☐	
b. _____	☐ ☐ ☐ ☐	
c. _____	☐ ☐ ☐ ☐	

V. 1. About how many close friends does your child have? ☐ None ☐ 1 ☐ 2 or 3 ☐ 4 or more

2. About how many times a week does your child do things with them? ☐ less than 1 ☐ 1 or 2 ☐ 3 or more

VI. Compared to other children of his/her age, how well does your child:

	Worse	About the same	Better
a. Get along with his/her brothers & sisters?	☐	☐	☐
b. Get along with other children?	☐	☐	☐
c. Behave with his/her parents?	☐	☐	☐
d. Play and work by himself/herself?	☐	☐	☐

VII. 1. Current school performance—for children aged 6 and older:

☐ Does not go to school

	Falling	Below average	Average	Above average
--	---------	---------------	---------	---------------

a. Reading or English	☐	☐	☐	☐
b. Writing	☐	☐	☐	☐
c. Arithmetic or Math	☐	☐	☐	☐
d. Spelling	☐	☐	☐	☐

Other academic subjects—for example: history, science, foreign language, geography.

e. _____	☐	☐	☐	☐
f. _____	☐	☐	☐	☐
g. _____	☐	☐	☐	☐

2. Is your child in a special class?

☐ No ☐ Yes—what kind?

3. Has your child ever repeated a grade?

☐ No ☐ Yes—grade and reason

4. Has your child had any academic or other problems in school?

☐ No ☐ Yes—please describe

When did these problems start?

Have these problems ended?

☐ No ☐ Yes—when?

VIII. Below is a list of items that describe children. For each item that describes your child now or within the past 6 months, please circle the 2 if the item is **very true** or **often true** of your child. Circle the 1 if the item is **somewhat** or **sometimes true** of your child. If the item is **not true** of your child, circle the 0. Please answer all items as well as you can, even if some do not seem to apply to your child.

0 = Not True (as far as you know)

1 = Somewhat or Sometimes True

2 = Very True or Often True

0	1	2	1.	Acts too young for his/her age	16	0	1	2	31.	Fears he/she might think or do something bad	
0	1	2	2.	Allergy (describe): _____		0	1	2	32.	Feels he/she has to be perfect	
						0	1	2	33.	Feels or complains that no one loves him/her	
0	1	2	3.	Argues a lot		0	1	2	34.	Feels others are out to get him/her	
0	1	2	4.	Asthma		0	1	2	35.	Feels worthless or inferior	50
0	1	2	5.	Behaves like opposite sex	20	0	1	2	36.	Gets hurt a lot, accident-prone	
0	1	2	6.	Bowel movements outside toilet		0	1	2	37.	Gets in many fights	
0	1	2	7.	Bragging, boasting		0	1	2	38.	Gets teased a lot	
0	1	2	8.	Can't concentrate, can't pay attention for long		0	1	2	39.	Hangs around with children who get in trouble	
0	1	2	9.	Can't get his/her mind off certain thoughts; obsessions (describe): _____		0	1	2	40.	Hears things that aren't there (describe): _____	
0	1	2	10.	Can't sit still, restless, or hyperactive	25						55
0	1	2	11.	Clings to adults or too dependent		0	1	2	41.	Impulsive or acts without thinking	
0	1	2	12.	Complains of loneliness		0	1	2	42.	Likes to be alone	
0	1	2	13.	Confused or seems to be in a fog		0	1	2	43.	Lying or cheating	
0	1	2	14.	Cries a lot		0	1	2	44.	Bites fingernails	
0	1	2	15.	Cruel to animals	30	0	1	2	45.	Nervous, highstrung, or tense	60
0	1	2	16.	Cruelty, bullying, or meanness to others		0	1	2	46.	Nervous movements or twitching (describe): _____	
0	1	2	17.	Day-dreams or gets lost in his/her thoughts							
0	1	2	18.	Deliberately harms self or attempts suicide		0	1	2	47.	Nightmares	
0	1	2	19.	Demands a lot of attention		0	1	2	48.	Not liked by other children	
0	1	2	20.	Destroys his/her own things	35	0	1	2	49.	Constipated, doesn't move bowels	
0	1	2	21.	Destroys things belonging to his/her family or other children		0	1	2	50.	Too fearful or anxious	65
0	1	2	22.	Disobedient at home		0	1	2	51.	Feels dizzy	
0	1	2	23.	Disobedient at school		0	1	2	52.	Feels too guilty	
0	1	2	24.	Doesn't eat well		0	1	2	53.	Overeating	
0	1	2	25.	Doesn't get along with other children	40	0	1	2	54.	Overtired	
0	1	2	26.	Doesn't seem to feel guilty after misbehaving		0	1	2	55.	Overweight	70
0	1	2	27.	Easily jealous					56.	Physical problems without known medical cause:	
0	1	2	28.	Eats or drinks things that are not food (describe): _____		0	1	2	a.	Aches or pains	
						0	1	2	b.	Headaches	
						0	1	2	c.	Nausea, feels sick	
						0	1	2	d.	Problems with eyes (describe): _____	
0	1	2	29.	Fears certain animals, situations, or places, other than school (describe): _____		0	1	2	e.	Rashes or other skin problems	75
						0	1	2	f.	Stomachaches or cramps	
0	1	2	30.	Fears going to school	45	0	1	2	g.	Vomiting, throwing up	
						0	1	2	h.	Other (describe): _____	

0 = Not True (as far as you know)			1 = Somewhat or Sometimes True			2 = Very True or Often True					
0	1	2	57.	Physically attacks people		0	1	2	84.	Strange behavior (describe):	
0	1	2	58.	Picks nose, skin, or other parts of body (describe):							
					80	0	1	2	85.	Strange ideas (describe):	
0	1	2	59.	Plays with own sex parts in public	16						
0	1	2	60.	Plays with own sex parts too much		0	1	2	86.	Stubborn, sullen, or irritable	
0	1	2	61.	Poor school work		0	1	2	87.	Sudden changes in mood or feelings	
0	1	2	62.	Poorly coordinated or clumsy		0	1	2	88.	Sulks a lot	45
0	1	2	63.	Prefers playing with older children	20	0	1	2	89.	Suspicious	
0	1	2	64.	Prefers playing with younger children		0	1	2	90.	Swearing or obscene language	
0	1	2	65.	Refuses to talk		0	1	2	91.	Talks about killing self	
0	1	2	66.	Repeats certain acts over and over; compulsions (describe):		0	1	2	92.	Talks or walks in sleep (describe):	
0	1	2	67.	Runs away from home		0	1	2	93.	Talks too much	50
0	1	2	68.	Screams a lot	25	0	1	2	94.	Teases a lot	
0	1	2	69.	Secretive, keeps things to self		0	1	2	95.	Temper tantrums or hot temper	
0	1	2	70.	Sees things that aren't there (describe):		0	1	2	96.	Thinks about sex too much	
						0	1	2	97.	Threatens people	
						0	1	2	98.	Thumb-sucking	55
0	1	2	71.	Self-conscious or easily embarrassed		0	1	2	99.	Too concerned with neatness or cleanliness	
0	1	2	72.	Sets fires		0	1	2	100.	Trouble sleeping (describe):	
0	1	2	73.	Sexual problems (describe):							
					30	0	1	2	101.	Truancy, skips school	
0	1	2	74.	Showing off or clowning		0	1	2	102.	Underactive, slow moving, or lacks energy	
0	1	2	75.	Shy or timid		0	1	2	103.	Unhappy, sad, or depressed	60
0	1	2	76.	Sleeps less than most children		0	1	2	104.	Unusually loud	
0	1	2	77.	Sleeps more than most children during day and/or night (describe):		0	1	2	105.	Uses alcohol or drugs (describe):	
						0	1	2	106.	Vandalism	
0	1	2	78.	Smears or plays with bowel movements	35	0	1	2	107.	Wets self during the day	
0	1	2	79.	Speech problem (describe):		0	1	2	108.	Wets the bed	65
						0	1	2	109.	Whining	
0	1	2	80.	Stares blankly		0	1	2	110.	Wishes to be of opposite sex	
0	1	2	81.	Steals at home		0	1	2	111.	Withdrawn, doesn't get involved with others	
0	1	2	82.	Steals outside the home		0	1	2	112.	Worrying	
0	1	2	83.	Stores up things he/she doesn't need (describe):	40				113.	Please write in any problems your child has that were not listed above:	
						0	1	2			70
						0	1	2			
						0	1	2			

PLEASE BE SURE YOU HAVE ANSWERED ALL ITEMS.

PAGE 4

UNDERLINE ANY YOU ARE CONCERNED ABOUT.

APPENDIX B

REVISED CHILD BEHAVIOR PROFILE Behavior Problems—Boys Aged 6-11

REVISED CHILD BEHAVIOR PROFILE Social Competence—Boys Aged 4-5, 6-11, 12-16

%ile	Age 4-5		Age 6-11		Age 12-16		T Score
	75-120	90-120	75-120	90-120	75-120	90-120	
≥69	70	85	85	85	85	85	55
50	65	80	80	80	80	80	50
31	60	75	75	75	75	75	45
Normal Range	55	70	70	70	70	70	40
16	50	65	65	65	65	65	35
7	45	60	60	60	60	60	30
2	40	55	55	55	55	55	25
	35	50	50	50	50	50	20
	30	45	45	45	45	45	15
	25	40	40	40	40	40	10
	20	35	35	35	35	35	
	15	30	30	30	30	30	
	10	25	25	25	25	25	
	5	20	20	20	20	20	
	0	15	15	15	15	15	
		10	10	10	10	10	
		5	5	5	5	5	
		0	0	0	0	0	

ACTIVITIES I. A. # of sports B. Mean of participation and skill in sports II. A. # of newspapers activities B. Mean of participation and skill in activities IV. A. # of jobs B. Mean job quality Total		SOCIAL III. A. # of organizations B. Mean of participation in organizations V. I. # of friends 2. Frequency of contacts with friends VI. A. Behavior with others B. Behavior alone Total		SCHOOL VII. 1. Mean performance 2. Social class 3. Repeated grade 4. School problems Total *Not scored for 4-5-year-olds	
---	--	--	--	---	--

Name _____
 Case # _____
 Age _____
 Date CBCL _____
 Filled out _____
 CBCL filled _____
 sent by _____
 Sum of social _____
 competencies scores _____
 Sum T _____

APPENDIX C

REVISED CHILD BEHAVIOR PROFILE Behavior Problems—Girls Aged 6-11

Internalizing										Externalizing										Total		T Score	
I	II	III	IV	V	VI	VII	VIII	IX	X	1	2	3	4	5	6	7	8	9	10	11	12	13	14
11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108
112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135
139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162
166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189
196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219
226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279
286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309
316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339
346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369
376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399
406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429
436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489
496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519
526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549
556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579
586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609
616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639
646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669
676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699
706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729
736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789
796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819
826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849
856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879
886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909
916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939
946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969
976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999
1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029
1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059
1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089
1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119
1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149
1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179
1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209
1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239
1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269
1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299
1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329
1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359
1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389
1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419
1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449
1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479
1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	1496	1497	1498	1499	1500	1501	1502	1503	1504	1505	1506	1507	1508	1509
1516	1517	1518	1519	1520	1521	1522	1523	1524	1525	1526	1527	1528	1529	1530	1531	1532	1533	1534	1535	1536	1537	1538	1539
1546	1547	1548	1549	1550	1551	1552	1553	1554	1555	1556	1557	1558	1559	1560	1561								

REVISED CHILD BEHAVIOR PROFILE

Social Competence—Girls Aged 4-5, 6-11, 12-16

%ile	Age 4-5		Age 6-11		Age 12-16		Age 6-11	Age 12-16	T Score
	4-5	6-11	4-5	6-11	4-5	6-11			
≥69	80-120	90-120	90-120	80-120	85-120	85-120	60	60	55
50	75	80	85	75	80	85	55	55	50
31	65	75	75	65	70	75	50	50	45
16	60	65	70	60	65	70	45	45	40
7	55	60	65	55	60	65	40	40	35
2	45	50	55	45	50	55	35	35	30
	40	45	50	40	45	50	30	30	25
	35	40	45	35	40	45	25	25	20
	30	35	40	30	35	40	20	20	15
	25	30	35	25	30	35	15	15	10
	20	25	30	20	25	30	10	10	5
	15	20	25	15	20	25	5	5	0
	10	15	20	10	15	20	0	0	0
	5	10	15	5	10	15	0	0	0
	0	5	10	0	5	10	0	0	0

ACTIVITIES I. A. # of sports B. Mean of participation and skill in sports II. A. # of nonsports activities B. Mean of participation and skill in activities IV. A. # of jobs B. Mean job quality Total	SOCIAL III. A. # of organizations B. Mean of participation in organizations V. 1. # of friends 2. Frequency of contacts with friends VI. A. Behavior with others B. Behavior alone Total	SCHOOL VII. 1. Mean performance 2. Special class 3. Repeated grade 4. School problems Total *Not scored for 4-5-year-olds
--	--	--

Name _____
 Case # _____
 Age _____
 Date CBCL filled out _____
 CBCL filled _____
 and by _____
 Sum of social competence scores _____
 Sum T _____

APPENDIX D

— for office use only —
IDENTIFICATION # _____

CHILD BEHAVIOR CHECKLIST - TEACHER'S REPORT FORM

CHILD'S AGE	CHILD'S SEX ☐ Boy ☐ Girl	RACE	CHILD'S NAME
GRADE	THIS FORM FILLED OUT BY ☐ Teacher		SCHOOL
DATE	☐ Counselor ☐ Other (specify) _____		

PARENTS' TYPE OF WORK (Please be specific — for example, auto mechanic, high school teacher, homemaker, laborer, lathe operator, shoe salesman, army sergeant.)

FATHER'S TYPE OF WORK _____ MOTHER'S TYPE OF WORK _____

I. How long have you known this pupil?

II. How well do you know him/her? ☐ Very Well ☐ Moderately Well ☐ Not Well

III. How much time does he/she spend in your class per week?

IV. What kind of class is it (Please be specific, e.g., regular 5th grade, 7th grade math, etc.)

V. Has he/she ever been referred for special class placement, services, or tutoring?

☐ No ☐ Don't Know ☐ Yes — what kind and when?

VI. Has he/she ever repeated a grade?

☐ No ☐ Don't Know ☐ Yes — grade and reason

VII. Current school performance — list academic subjects and check appropriate column:

Academic subject	Far below grade	Somewhat below grade	At grade level	Somewhat above grade	Far above grade
1. _____	☐	☐	☐	☐	☐
2. _____	☐	☐	☐	☐	☐
3. _____	☐	☐	☐	☐	☐
4. _____	☐	☐	☐	☐	☐
5. _____	☐	☐	☐	☐	☐
6. _____	☐	☐	☐	☐	☐

Below is a list of items that describe pupils. For each item that describes the pupil now or within the past 2 months, please circle the 2 if the item is very true or often true of the pupil. Circle the 1 if the item is somewhat or sometimes true of the pupil. If the item is not true of the pupil, circle the 0.

0 = Not True (as far as you know)			1 = Somewhat or Sometimes True			2 = Very True or Often True		
0	1	2	1. Acts too young for his/her age	0	1	2	31. Fears he/she might think or do something bad	
0	1	2	2. Hums or makes other odd noises in class	0	1	2	32. Feels he/she has to be perfect	
0	1	2	3. Argues a lot	0	1	2	33. Feels or complains that no one loves him/her	
0	1	2	4. Fails to finish things he/she starts	0	1	2	34. Feels others are out to get him/her	
0	1	2	5. Behaves like opposite sex	0	1	2	35. Feels worthless or inferior	
0	1	2	6. Defiant, talks back to staff	0	1	2	36. Gets hurt a lot, accident-prone	
0	1	2	7. Bragging, boasting	0	1	2	37. Gets in many fights	
0	1	2	8. Can't concentrate, can't pay attention for long	0	1	2	38. Gets teased a lot	
0	1	2	9. Can't get his/her mind off certain thoughts; obsessions (describe): _____	0	1	2	39. Hangs around with others who get in trouble	
				0	1	2	40. Hears things that aren't there (describe): _____	
0	1	2	10. Can't sit still, restless, or hyperactive	0	1	2	41. Impulsive or acts without thinking	
0	1	2	11. Clings to adults or too dependent	0	1	2	42. Likes to be alone	
0	1	2	12. Complains of loneliness	0	1	2	43. Lying or cheating	
0	1	2	13. Confused or seems to be in a fog	0	1	2	44. Bites fingernails	
0	1	2	14. Cries a lot	0	1	2	45. Nervous, highstrung, or tense	
0	1	2	15. Fidgets	0	1	2	46. Nervous movements or twitching (describe): _____	
0	1	2	16. Cruelty, bullying, or meanness to others					
0	1	2	17. Day-dreams or gets lost in his/her thoughts	0	1	2	47. Overconforms to rules	
0	1	2	18. Deliberately harms self or attempts suicide	0	1	2	48. Not liked by other pupils	
0	1	2	19. Demands a lot of attention	0	1	2	49. Has difficulty learning	
0	1	2	20. Destroys his/her own things	0	1	2	50. Too fearful or anxious	
0	1	2	21. Destroys property belonging to others	0	1	2	51. Feels dizzy	
0	1	2	22. Difficulty following directions	0	1	2	52. Feels too guilty	
0	1	2	23. Disobedient at school	0	1	2	53. Talks out of turn	
0	1	2	24. Disturbs other pupils	0	1	2	54. Overtired	
0	1	2	25. Doesn't get along with other pupils	0	1	2	55. Overweight	
0	1	2	26. Doesn't seem to feel guilty after misbehaving	0	1	2	56. Physical problems without known medical cause:	
0	1	2	27. Easily jealous	0	1	2	a. Aches or pains	
0	1	2	28. Eats or drinks things that are not food (describe): _____	0	1	2	b. Headaches	
				0	1	2	c. Nausea, feels sick	
				0	1	2	d. Problems with eyes (describe): _____	
0	1	2	29. Fears certain animals, situations, or places other than school (describe): _____	0	1	2	e. Rashes or other skin problems	
				0	1	2	f. Stomachaches or cramps	
				0	1	2	g. Vomiting, throwing up	
				0	1	2	h. Other (describe): _____	
0	1	2	30. Fears going to school					

0 = Not True			1 = Somewhat or Sometimes True			2 = Very True or Often True		
0	1	2	57. Physically attacks people	0	1	2	84. Strange behavior (describe): _____	
0	1	2	58. Picks nose, skin, or other parts of body (describe): _____	0	1	2	85. Strange ideas (describe): _____	
0	1	2	59. Sleeps in class	0	1	2	86. Stubborn, sullen, or irritable	
0	1	2	60. Apathetic or unmotivated	0	1	2	87. Sudden changes in mood or feelings	
0	1	2	61. Poor school work	0	1	2	88. Sulks a lot	
0	1	2	62. Poorly coordinated or clumsy	0	1	2	89. Suspicious	
0	1	2	63. Prefers being with older children	0	1	2	90. Swearing or obscene language	
0	1	2	64. Prefers being with younger children	0	1	2	91. Talks about killing self	
0	1	2	65. Refuses to talk	0	1	2	92. Underachieving, not working up to potential	
0	1	2	66. Repeats certain acts over and over; compulsions (describe): _____	0	1	2	93. Talks too much	
0	1	2	67. Disrupts class discipline	0	1	2	94. Teases a lot	
0	1	2	68. Screams a lot	0	1	2	95. Temper tantrums or hot temper	
0	1	2	69. Secretive, keeps things to self	0	1	2	96. Seems preoccupied with sex	
0	1	2	70. Sees things that aren't there (describe): _____	0	1	2	97. Threatens people	
0	1	2	71. Self-conscious or easily embarrassed	0	1	2	98. Tardy to school or class	
0	1	2	72. Messy work	0	1	2	99. Too concerned with neatness or cleanliness	
0	1	2	73. Behaves irresponsibly (describe): _____	0	1	2	100. Fails to carry out assigned tasks	
0	1	2	74. Showing off or clowning	0	1	2	101. Truancy or unexplained absence	
0	1	2	75. Shy or timid	0	1	2	102. Underactive, slow moving, or lacks energy	
0	1	2	76. Explosive and unpredictable behavior	0	1	2	103. Unhappy, sad, or depressed	
0	1	2	77. Demands must be met immediately, easily frustrated	0	1	2	104. Unusually loud	
0	1	2	78. Inattentive, easily distracted	0	1	2	105. Uses alcohol or drugs (describe): _____	
0	1	2	79. Speech problem (describe): _____	0	1	2	106. Overly anxious to please	
0	1	2	80. Stares blankly	0	1	2	107. Dislikes school	
0	1	2	81. Feels hurt when criticized	0	1	2	108. Is afraid of making mistakes	
0	1	2	82. Steals	0	1	2	109. Whining	
0	1	2	83. Stores up things he/she doesn't need (describe): _____	0	1	2	110. Unclean personal appearance	
				0	1	2	111. Withdrawn, doesn't get involved with others	
				0	1	2	112. Worrying	
							113. Please write in any problems the pupil has that were not listed above:	
				0	1	2	_____	
				0	1	2	_____	
				0	1	2	_____	

Teacher Reported Behavior Problems – Boys Aged 6-11

© Copyright 1982 Craig S. Edelbrock and Thomas M. Achenbach
Craig S. Edelbrock, Ph.D. W.P.I.C. Pittsburgh, PA 15213
Thomas M. Achenbach, Ph.D. Dept. Psychiatry, University of Vermont, Burlington, VT 05401

The Child Behavior Profile — Teacher's Report Version Teacher-Reported Adaptive Functioning — Boys Aged 6-11

%ile	SCHOOL PERFORMANCE ____ VII. Mean Performance	WORKING HARD ____ VIII. 1.	BEHAVING APPROPRIATELY ____ VIII. 2.	LEARNING ____ VIII. 3.	HAPPY ____ VIII. 4.	SUM OF ITEMS 1, 2, 3, 4	T-Score
99	6.0	7	7	7	7	28	75
98	4.33-4.83					27	70
93	4.0-4.75	6	6	6	6	26	65
84	3.6-3.83	5	5	5	5	25	60
69	3.33-3.4	4	4	4	4	24	55
50	3.17-3.25	4	4	4	4	23	50
31	2.8-2.83	3	3	3	3	22	45
16	2.6-2.75	2	2	2	2	21	40
7	2.4-2.5	2	2	2	2	20	35
2	2.0-2.33	1	1	1	1	19	30
< 1	1.0-1.83	1	1	1	1	18	25

Name _____
 Case No. _____
 Age _____
 Date TR Filled Out _____
 TR Filled Out By _____

_____ VIII. 1
 _____ VIII. 2
 _____ VIII. 3
 _____ VIII. 4
 _____ SUM

APPENDIX F

Teacher Reported Behavior Problems—Girls Aged 6-11

Internalizing										Externalizing										T Score																																																											
Internalizing										Externalizing										T Score																																																											
<p>34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0</p>										<p>14 13 12 11 10 9 8 7 6 5 4 3 2 1 0</p>										<p>100 95 90 85 80 75 70 65 60 55</p>																																																											
<p>11. Clings to adults 12. Clings to peers 13. Clings to objects 14. Clings to things 15. Clings to people 16. Clings to things 17. Clings to people 18. Clings to things 19. Clings to people 20. Clings to things 21. Clings to people 22. Clings to things 23. Clings to people 24. Clings to things 25. Clings to people 26. Clings to things 27. Clings to people 28. Clings to things 29. Clings to people 30. Clings to things 31. Clings to people 32. Clings to things 33. Clings to people 34. Clings to things 35. Clings to people 36. Clings to things 37. Clings to people 38. Clings to things 39. Clings to people 40. Clings to things 41. Clings to people 42. Clings to things 43. Clings to people 44. Clings to things 45. Clings to people 46. Clings to things 47. Clings to people 48. Clings to things 49. Clings to people 50. Clings to things 51. Clings to people 52. Clings to things 53. Clings to people 54. Clings to things 55. Clings to people 56. Clings to things 57. Clings to people 58. Clings to things 59. Clings to people 60. Clings to things 61. Clings to people 62. Clings to things 63. Clings to people 64. Clings to things 65. Clings to people 66. Clings to things 67. Clings to people 68. Clings to things 69. Clings to people 70. Clings to things 71. Clings to people 72. Clings to things 73. Clings to people 74. Clings to things 75. Clings to people 76. Clings to things 77. Clings to people 78. Clings to things 79. Clings to people 80. Clings to things 81. Clings to people 82. Clings to things 83. Clings to people 84. Clings to things 85. Clings to people 86. Clings to things 87. Clings to people 88. Clings to things 89. Clings to people 90. Clings to things 91. Clings to people 92. Clings to things 93. Clings to people 94. Clings to things 95. Clings to people 96. Clings to things 97. Clings to people 98. Clings to things 99. Clings to people 100. Clings to things</p>										<p>1. Acts too young 2. Acts too old 3. Acts too fast 4. Acts too slow 5. Acts too much 6. Acts too little 7. Acts too much 8. Acts too little 9. Acts too much 10. Acts too little 11. Acts too much 12. Acts too little 13. Acts too much 14. Acts too little 15. Acts too much 16. Acts too little 17. Acts too much 18. Acts too little 19. Acts too much 20. Acts too little 21. Acts too much 22. Acts too little 23. Acts too much 24. Acts too little 25. Acts too much 26. Acts too little 27. Acts too much 28. Acts too little 29. Acts too much 30. Acts too little 31. Acts too much 32. Acts too little 33. Acts too much 34. Acts too little 35. Acts too much 36. Acts too little 37. Acts too much 38. Acts too little 39. Acts too much 40. Acts too little 41. Acts too much 42. Acts too little 43. Acts too much 44. Acts too little 45. Acts too much 46. Acts too little 47. Acts too much 48. Acts too little 49. Acts too much 50. Acts too little 51. Acts too much 52. Acts too little 53. Acts too much 54. Acts too little 55. Acts too much 56. Acts too little 57. Acts too much 58. Acts too little 59. Acts too much 60. Acts too little 61. Acts too much 62. Acts too little 63. Acts too much 64. Acts too little 65. Acts too much 66. Acts too little 67. Acts too much 68. Acts too little 69. Acts too much 70. Acts too little 71. Acts too much 72. Acts too little 73. Acts too much 74. Acts too little 75. Acts too much 76. Acts too little 77. Acts too much 78. Acts too little 79. Acts too much 80. Acts too little 81. Acts too much 82. Acts too little 83. Acts too much 84. Acts too little 85. Acts too much 86. Acts too little 87. Acts too much 88. Acts too little 89. Acts too much 90. Acts too little 91. Acts too much 92. Acts too little 93. Acts too much 94. Acts too little 95. Acts too much 96. Acts too little 97. Acts too much 98. Acts too little 99. Acts too much 100. Acts too little</p>										<p>Sum I</p>		<p>Sum II</p>		<p>Sum III</p>		<p>Sum IV</p>		<p>Sum V</p>		<p>Sum VI</p>		<p>Sum VII</p>		<p>Sum VIII</p>		<p>Sum IX</p>		<p>Sum X</p>		<p>Sum XI</p>		<p>Sum XII</p>		<p>Sum XIII</p>		<p>Sum XIV</p>		<p>Sum XV</p>		<p>Sum XVI</p>		<p>Sum XVII</p>		<p>Sum XVIII</p>		<p>Sum XIX</p>		<p>Sum XX</p>		<p>Sum XXI</p>		<p>Sum XXII</p>		<p>Sum XXIII</p>		<p>Sum XXIV</p>		<p>Sum XXV</p>		<p>Sum XXVI</p>		<p>Sum XXVII</p>		<p>Sum XXVIII</p>		<p>Sum XXIX</p>		<p>Sum XXX</p>	

The Child Behavior Profile—Teacher's Report Version Teacher-Reported Adaptive Functioning—Girls Aged 6-11

%ile	SCHOOL PERFORMANCE ____VII. Mean Performance	WORKING HARD ____VIII. 1.	BEHAVING APPROPRIATELY ____VIII. 2.	LEARNING ____VIII. 3.	HAPPY ____VIII. 4.	SUM OF ITEMS 1, 2, 3, 4	T-Score
99	5.00	7	7	7	7	28	75
98	4.84 4.67-4.80 4.43-4.60					27	70
93	4.46 4.33-3.44 4.17-4.20	6		6	6	26	65
84	4.00 3.80-3.84 3.67-3.75 3.50-3.60		6			24	60
69	3.33-3.34 3.25 3.17-3.20	5	5	5	5	22	55
50	3.00	4	4	4	4	20	50
31	2.84 2.75 2.68-2.80 2.50-2.60 2.43 2.33 2.17-2.20	3		3		18	45
16	2.00	2	3	2	3	15	40
7	1.83 1.65-1.80 1.50 1.33 1.17-1.20	1	2	1	2	14	35
2	1.00		1		1	10	30
< 1						6-9	25

____VIII.1
____VIII.2
____VIII.3
____VIII.4
____SUM

Name _____
Case No. _____
Age _____
Date TR Filled Out _____
TR Filled Out By _____

APPENDIX G

PARENT PERMISSION SLIP

Dear Parent or Guardian:

I am a Speech-Language Pathologist with Centennial School District completing a Master's degree in Speech Pathology at Portland State University. I would like your assistance to help me complete a research project. The purpose of this project is to obtain information about behavior characteristics in school aged children. This information could help in identifying children who are at risk for developing behavior problems which may require professional intervention.

Participation in this project would require an interview with you lasting approximately 15 to 20 minutes. The interview would consist of questions taken from a child behavior checklist designed to obtain information regarding your child's social activities, current school performance, interactions with other children, and behavior characteristics. In addition, I would interview your child's classroom teacher to gather information about your child's behavior at school. Neither your name or your child's name will be used in reporting the results. Complete anonymity is assured. You are free to withdraw from the study at any time without jeopardizing your relationship with Centennial School District or Portland State University.

If you would like to participate in the study please return the following slip tomorrow, or as soon as possible, to your child's teacher. If you have any questions, please feel free to contact me at Lynch Meadows (760-4070).

I would very much appreciate your participation in my study. Thank you for your cooperation.

Sincerely,

Jeannie Botelho
Speech-Language Pathologist
Centennial School District

Please sign below to indicate your permission to participate in this study.

Parent's signature _____ Date _____

Child's signature _____ Date _____
(if 7 years or older)

Is your child presently receiving services from the school speech-language pathologist? Yes ___ No ___

I, _____ (name), hereby give you permission to interview my child's classroom teacher to obtain information regarding his/her behavior at school.

APPENDIX H

TEACHER PERMISSION SLIP

Dear Teacher:

I am a Speech-Language Pathologist with Centennial School District completing a Master's Degree in Speech Pathology at Portland State University. I would like your assistance to help me complete a research project. The purpose of this project is to obtain information about behavior characteristics in school aged children. This information could help in identifying children who are at risk for developing behavior problems which may require professional intervention.

Participation in this project would involve you completing a behavior checklist on a few of your students. The checklist is designed to obtain information regarding a child's current school performance and behavior characteristics. In addition, I will be interviewing the child's parents to obtain further information about the child's behavior at home. In reporting the results of my study, your name, the child's or parent's name will not be used, so complete anonymity is assured. I have already obtained parental consent to gather information from you regarding their child's behavior at school. You are free to withdraw from the study at any time without jeopardizing your relationship with Centennial School District or Portland State University.

If you would like to participate in this study, please sign the slip below. I would very much appreciate your participation in my study. Thank you for your cooperation.

Sincerely,

Jeannie Botelho
Speech-Language Pathologist
Centennial School District

Please sign below to indicate your permission to participate in this study.

Teacher's signature _____ Date _____

APPENDIX I

One-Week Test-Retest Reliabilities							
Behavior Problem Scales	Boys			Girls			Combined ^a Samples
	4-5 N = 11	6-11 N = 13	12-16 N = 15	4-5 N = 13	6-11 N = 16	12-16 N = 12	
Aggressive	.91	.95	.87	.92	.95	.93	.92
Anxious-Obsessive						.74	
Cruel					.94	.93	.92
Delinquent	.85	.95	.97		.94	.97	.92
Depressed	.62	.91		.84	.90 ^a		.78
Depressed Withdrawal						.85	
Hostile Withdrawal			.88 ^{ac}				
Hyperactive		.92 ^{ac}	.90 ^a		.98		.96 ^{ac}
Immature	.87		.70				.81
Immature-Hyperactive						.82	
Obese				(.42)			
Obsessive-Compulsive		.82	(-.12)				.61
Schizoid (or Anxious)	.81	.84	.82	.65		.69	.86 ^{ac}
Schizoid-Obsessive					.79 ^a		
Sex Problems	(.48)			(.52)	(.22)		.68
Social Withdrawal	.74	.90		.96	.87		.91
Somatic Complaints	.96	.88	.93	.61	.96	.79	.87
Uncommunicative		.69	.82 ^{ac}				.70
Internalizing	.83	.93 ^{ac}	.83	.93	.93 ^a	.81	.82 ^a
Externalizing	.93	.95 ^{ac}	.90	.94 ^{ac}	.97	.96	.91 ^a
Total Score	.89	.97 ^a	.89	.95	.97 ^a	.87	.91 ^a
<i>Social Competence Scales</i>							
Activities	.83	.65	.80	.95	.68	.81	.83 ^b
Social	.91	.84	.89 ^{bc}	.93	.92	.98	.86
School		.96	.95		.89	.91	.89
Total Score	.92	.76	.93 ^{bc}	.93	.80	.91 ^{bc}	.89

Median *r* for entire Table = .89

Mean difference between Time 1 and Time 2 scores = .7

Note: Figures in the body of the Table are Pearson correlations of Time 1 vs. Time 2 scores for a sample of nonreferred children. Within each sex/age group, correlations are for raw scores. Correlations in the right hand column are for *T* scores of combined sex/age groups on scales that are similar in two or more groups. All correlations are significant at $p = .05$ or better, except those in parentheses.

^aTime 1 > Time 2, $p < .05$ by *t* test

^bTime 2 > Time 1, $p < .05$ by *t* test

^cWhen corrected for the number of comparisons, Time 1 - Time 2 difference is not significant

^d*N* for combined samples = sum of the *N*s for samples having reliabilities indicated in same row as the combined sample.

Interparent Agreement							
Behavior Problem Scales	Boys			Girls			Combined ^d Samples
	4-5 N=33	6-11 N=78	12-16 N=40	4-5 N=11	6-11 N=21	12-16 N=24	
Aggressive	.72	.80 ^{ac}	.74	.68	.33	.53	.72 ^a
Anxious-Obsessive						(.34)	
Cruel					.65	.82	.69
Delinquent	.61 ^{ac}	.83	.83		.87	.80	.78 ^{ac}
Depressed	.68	.59		(.51)	(.09)		.54
Depressed Withdrawal						(.16)	
Hostile Withdrawal			.55				
Hyperactive		.61	.62	.74	.81		.65
Immature	.79 ^a		.71				.69
Immature-Hyperactive						.66	
Obese				.71			
Obsessive-Compulsive		.62	.63				.57
Schizoid (or Anxious)	.79	.54	.64	.88		(.06)	.53
Schizoid-Obsessive					.47		
Sex Problems	(.32)			(.50)	(.07)		.26
Social Withdrawal	.69	.62 ^{ac}		.83	.51		.58
Somatic Complaints	.84	.47	.70	.73	.73	(.19)	.63 ^{ac}
Uncommunicative		.58	.69				.63
Internalizing	.77	.61	.71	.74	(.35)	(.19)	.59 ^a
Externalizing	.74	.77 ^{ac}	.72	.70	.55	.68	.75 ^{ac}
Total Score	.75	.65	.69	.64	(.40)	(.40)	.64 ^a
Social Competence Scales							
Activities	.47 ^{ac}	.54	.60	(.08)	.54	.64 ^{ac}	.44 ^a
Social	.68	.66	.72	(.41)	.74 ^{bc}	.71	.66
School		.79 ^{bc}	.84		.91	.83	.81
Total Score	.52	.67	.77	(.23)	.73	.82	.59

Median r for entire Table = .66

Mean difference between mothers' and fathers' scores = 1.2

Note: Figures in the body of the Table are Pearson correlations of scores from CBCLs filled out by mothers and fathers of clinically-referred children. Within each sex/age group, correlations are for raw scores. Correlations in the right hand column are for T scores of combined sex/age groups on scales that are similar in two or more groups. All correlations are significant at $p = .05$ or better, except those in parentheses.

^aMothers' scores > fathers' scores, $p < .05$

^bFathers' scores > mothers' scores, $p < .05$

^cWhen corrected for the number of comparisons, Mother-Father difference is not significant.

^d N for combined samples = sum of the N s for samples having reliabilities indicated in the same row as the combined sample.

**Stability and Change for Outpatients
over 6 and 18 Months**

		6 Months				18 Months			
		Boys		Girls		Boys		Girls	
		6-11	12-16	6-11	12-16	6-11	12-16	6-11	12-16
<i>Behavior</i>	<i>N =</i>	135	66	57	37	41	20	17	27
<i>Problem Scales</i>									
Aggressive		.69 ^a	.76	.70 ^a	.79 ^{ac}	.76 ^a	.73 ^a	.76 ^{ac}	.46
Anxious-Obsessive					.72 ^a				(.32)
Cruel				.66 ^a	.76 ^a			.81	.72
Delinquent		.71 ^{ac}	.71 ^a	.65 ^a	.69	.80 ^a	.61	.83	.70
Depressed		.67 ^a		.67 ^a		.66 ^a		.63	
Depressed Withdrawal					.73 ^a				.62 ^a
Hostile Withdrawal			.72 ^a				.58 ^a		
Hyperactive		.73 ^a	.76 ^a	.71 ^a		.72 ^a	.57 ^a	.55 ^{ac}	
Immature			.68 ^a				(.41 ^{ac})		
Immature-Hyperactive					.62				.70 ^a
Obsessive-Compulsive		.68 ^a	.64 ^a			.67 ^a	.46		
Schizoid (or Anxious)		.66 ^a	.44 ^{ac}			.71 ^a	.49 ^a		
Schizoid-Obsessive				.50 ^a	.54			.50 ^{ac}	(.36 ^{ac})
Sex Problems				.56 ^a				.80 ^a	
Social Withdrawal		.65 ^a		.66 ^a		.69 ^a		.73 ^a	
Somatic Complaints		.57	.62	.53 ^{ac}	.57 ^{ac}	.69 ^a	.53 ^a	(.35)	.40
Uncommunicative		.70 ^a	.53 ^a			.66 ^a	(.36 ^a)		
Internalizing		.72 ^a	.59 ^a	.62 ^a	.68 ^a	.75 ^a	(.34 ^a)	.59 ^{ac}	.39 ^a
Externalizing		.73 ^a	.74 ^a	.72 ^a	.75 ^a	.81 ^a	.67 ^a	.77 ^a	.59
Total Score		.74 ^a	.71 ^a	.71 ^{ac}	.73 ^a	.77 ^a	(.44 ^a)	.89 ^a	.51 ^a
Mean <i>r</i> (computed by <i>z</i> transformation)		.69	.67	.65	.69	.74	.53	.71	.53
<i>Social Competence Scales</i>									
Activities		.60 ^b	.62	.65	.70	.55 ^b	(.14)	(.49)	.70
Social		.59 ^b	.61	.47 ^b	.54	.56 ^{bc}	.51	.51 ^b	.85
School		.56	.70	.68	.70	.63	.87	(.56)	(.46)
Total Score		.71 ^b	.58	.70 ^b	.58	.70 ^b	.59	(.28)	.87
Mean <i>r</i> (computed by <i>z</i> transformation)		.62	.63	.64	.63	.62	.59	.47	.76

Note—Not enough 4–5-year-olds were available for analysis; all correlations are significant at $p = .05$ or better except those in parentheses; *N*s vary within groups because of missing data for some scales.

^aTime 1 > Time 2 or Time 3 significant by *t* test at $p < .05$.

^bTime 2 or Time 3 > Time 1 significant by *t* test at $p < .05$.

^cWhen corrected for the number of comparisons, difference in means is not significant.

APPENDIX J

VALIDITY

Pearson Correlations Between Child Behavior Profile and Conners Parent Questionnaire

Child Behavior Profile	Conners Parents Questionnaire Scale						
	Learning Problem	Anxiety	Perfect- ionism	Psycho- somatic	Impulsive- Hyperactive	Conduct Problem	Anti- social Total
<i>Boys 6-11 (N=35)</i>							
School	-.48*						
Schizoid or Anxious		.58					
Depressed		.73					
Obsessive- Compulsive			.58				
Somatic				.85			
Hyperactive					.46		
Aggressive						.84	
Delinquent							.77
Internalizing		.58	.52	.62			
Externalizing					.45	.77	.65
Total Problems							.77
<i>Girls 6-11 (N=16)</i>							
School	-.45*						
Depressed		.70					
Somatic Complaints				.44			
Hyperactive					.85		
Delinquent							.75
Aggressive						.88	
Cruel						.76	
Internalizing		.59	.55	(.42)			
Externalizing					.91	.85	(.33)
Total Problems							.91

Note—Correlations are between Child Behavior Profile and Conners scales that are most similar in content. All correlations are significant at $p = .05$ or better, except those in parentheses.

*Negative correlation because Profile scale and Conners scale are scored in opposite directions.

VALIDITY

Pearson Correlations Between Child Behavior Profile and Quay-Peterson Revised Behavior Problem Checklist

Child Behavior Profile	Quay-Peterson Revised Behavior Problem Checklist						
	Psychotic	Anxiety- Withdrawal	Attention Problems- Immaturity	Motor Excess	Conduct Disorder	Socialized Aggression	Total
<i>Boys 6-11</i> (<i>N</i> = 35)							
Schizoid	.40	.44					
or Anxious							
Depressed		.78					
Uncommunicative		.62					
Obsessive-	.61						
Compulsive							
Social Withdrawal		.34					
Hyperactive			.65	.42			
Aggressive					.88		
Delinquent					.77	.52	
Internalizing	.51	.65					
Externalizing			.43	(.13)	.84	.43	
Total Problems							.71
<i>Girls 6-11</i> (<i>N</i> = 16)							
Depressed		.89					
Social Withdrawal		.78					
Schizoid-	(.26)						
Obsessive							
Hyperactive			.88	.88			
Delinquent						.80	
Aggressive					.82		
Cruel					.68	.72	
Internalizing	.45	.84					
Externalizing			.88	.92	.77	.75	
Total Problems							.92

Note—Correlations are between Child Behavior Profile and Quay-Peterson scales that are most similar in content. All correlations are significant at $p = .05$ or better, except those in parentheses.