Portland State University

PDXScholar

Dissertations and Theses

Dissertations and Theses

7-13-2020

Evaluating R&D Projects in Regulated Utilities: the Case of Power Transmission Utilities

Edwin Garces

Portland State University

Follow this and additional works at: https://pdxscholar.library.pdx.edu/open_access_etds

Part of the [Power and Energy Commons](#)

Let us know how access to this document benefits you.

Recommended Citation

Garces, Edwin, "Evaluating R&D Projects in Regulated Utilities: the Case of Power Transmission Utilities" (2020). *Dissertations and Theses*. Paper 5513.

<https://doi.org/10.15760/etd.7387>

This Dissertation is brought to you for free and open access. It has been accepted for inclusion in Dissertations and Theses by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: pdxscholar@pdx.edu.

Evaluating R&D Projects in Regulated Utilities: The Case of
Power Transmission Utilities

by
Edwin Garces

A dissertation submitted in partial fulfillment of the
requirements for the degree of

Doctor of Philosophy
in
Technology Management

Dissertation Committee:
Tugrul U. Daim, Chair
Marina Dabic
Judith Estep
Loren Lutzenhiser

Portland State University
2020

© 2020 Edwin Garces

ABSTRACT

R&D project selection is essential for many organizations; however, it is a complex decision since it is affected by many factors. These factors vary among organizations because of their different objectives and conditions. There are limited budgets for the investments, and the current R&D project selection methods are focused on financial analysis or complex mathematical probabilistic calculations. Therefore, the main motivation of this research is to create a method to help improve the ex-ante selection of R&D projects in regulated organizations. More importantly, the case application is the electric transmission utilities sector, which plays one of the most critical roles in the entire electric power system.

The main objective of this research is to develop a model to select R&D projects based on a holistic approach aligned to strategies, utility objectives, and market conditions in the electric transmission sector. At the same time, it identifies, categorizes, and quantifies the factors associated with R&D projects in the power sector. The analysis is framed into a multi-criteria model (Hierarchical Decision Model - HDM [1]), which considers all the aspects associated with R&D projects. The model and the application are potentially applicable to non-profit and regulated organizations around the world. Moreover, the flexibility of the model allows it to be adopted by electric transmission utilities with similar characteristics to utilities in the United States. This study provides an extensive literature review about regulated organizations, and more specifically about electric transmission utilities. Additionally, a complete analysis of criteria and sub-criteria

has been done. There are gaps in the literature that have been identified and that support the idea of using a multi-criteria analysis to evaluate R&D projects. The methodology is described, and the application of the model is provided.

DEDICATION

This dissertation is dedicated to the memory of my father Huberto and sister Roxana. I also dedicate it to my family for their unconditional support.

ACKNOWLEDGEMENTS

To develop and complete this thesis would not be possible without the contribution and support of the people around me. I consider myself fortunate for having these wonderful people that always will own my eternal gratitude.

I wish to acknowledge the support and love of my family, my mother Irma, my sister Lizzia and my late sister Roxana who lives forever in my heart.

I would like to express my deepest gratitude to my advisor Dr. Tugrul Daim, who has supported me throughout my studies and this thesis research. I am grateful for his advice and how he shares his academic knowledge, his pragmatic advice, for teaching us and driving us to be part of the academic world. Thank you to Dr. Daim for his encouragement and advice in completing this thesis.

I would like to thank and recognize the invaluable assistance of my committee members, Dr. Judith Estep, Dr. Marina Dabic, and Dr. Loren Lutzenhiser. Thank you for providing guidance and feedback throughout this project, without their inputs, comments, and always willing to meet would do possible to complete my research objective.

I would like to express my deepest thank and sincere appreciation to all subject matter experts whose assistance was a milestone in the completion of this project. All the experts, who are very busy because they are recognized professionals; however, they gave me their time and opinions for building, formulating, and validate the model of the thesis. This thesis would not have been possible without their immense valuable input.

I wish to thank all my friends, faculty and doctoral colleagues at my department, Engineering and Technology Management (ETM). All efforts I made were always with the support of them, sharing wonderful times, advice, and our pleasing chats about our research. I appreciate their encouragement to always go ahead and see forward to complete this research and objectives.

TABLE OF CONTENTS

ABSTRACT.....	i
DEDICATION.....	iii
ACKNOWLEDGEMENTS.....	iv
LIST OF TABLES.....	ix
LIST OF FIGURES.....	xiii
LIST OF ABBREVIATIONS.....	xvii
CHAPTER 1: INTRODUCTION.....	1
1.1 Research Motivation.....	1
1.2 Research Background.....	4
1.2.1 Problem Statement.....	5
1.2.2 R&D Levels of Investment in the Electrical Power Sector.....	12
1.3 Research Overview.....	13
1.3.1 Research Objectives and Contributions.....	14
CHAPTER 2: LITERATURE REVIEW.....	16
2.1 Market Structure of Power Systems.....	17
2.1.1 Definition of Utility.....	19
2.1.2 Types of Utilities.....	20
2.1.3 Characteristics of Public Utilities.....	21
2.1.4 Transmission Utility Regulation.....	22
2.1.5 Governance/Regulation of Wholesale Power Market.....	23
2.2 Business Models - Structure Power Markets.....	24
2.2.1 Investor-Owned Utilities (for Profit Ownership).....	25
2.2.2 Non-profit Ownership Models.....	29
2.2.3 Electric Markets and Utilities' Ownership Structure.....	31
2.3 R&D investment by Electric Utility Model.....	35
2.4 Factors Influencing R&D Project Selection.....	38
2.5 R&D Project Selection Methods.....	46
CHAPTER 3: RESEARCH GAPS and GOALS.....	49

3.1 Literature Review and Gaps	49
3.1.1 Gaps by Related by Topic.....	53
3.2 Research Questions.....	63
3.3 Research Gaps, Objectives & Questions	63
CHAPTER 4: RESEARCH APPROACH AND METHODOLOGY	65
4.1 Research Methodology	65
4.2 Research Approach.....	66
4.3 Justification of the Method	68
4.3.1 Financial Analyses for Transmission Technology R&D Project Decision Making in the Context of Transmission Utility	70
4.4 Hierarchical Model Development.....	71
4.5 Validation of the HDM Model.....	71
4.6 Judgment Quantification.....	72
4.7 Content and Construct Validity	75
4.8 Selecting Experts	75
CHAPTER 5: DATA COLLECTION	79
5.1 Expert Panel Defined.....	79
5.2 Forming Experts	80
5.3 Data Analysis.....	81
5.3.1 Inconsistency Analysis and Group Disagreements.....	81
5.3.2 Sensitivity Analysis	86
CHAPTER 6: DEVELOPMENT OF THE RESEARCH MODEL.....	89
6.1 Expert Panel Formation	89
6.2 Results and Data Analysis - Research Application	92
6.3 Step 1: Hierarchical Model Development	92
6.4 Step 2: Model Development Update based on Identification of Supporting Theories	96
CHAPTER 7: RESULTS OF MODEL QUANTIFICATION.....	103
7.1 Content Validation.....	103
7.1.1 Criteria Validation	104
7.1.2 Sub-criteria Validation.....	105
7.2 Quantification of the Model.....	113

7.2.1 Criteria Quantification Results	114
7.2.2 Sub-criteria Quantification Results.....	115
7.2.3 Quantification: Analysis of the Differences Between Criteria	122
CHAPTER 8: CASE STUDY.....	127
8.1 Overview of Case Application Organization.....	127
8.1.1 Power Marketing Agencies (PMAs).....	130
8.1.2 Regional Transmission Organizations and Independent System Operators	131
8.2 R&D Project Alternatives	132
8.2.1 Identification of R&D Projects to be Evaluated	132
8.3 Alternatives Quantification Results	141
8.3.1 Final Model Weights / Importance of Alternatives with respect to Mission	181
8.4 Sensitivity Analysis	186
8.5 Post Hoc Model Results Evaluation	195
CHAPTER 9: RESEARCH CONCLUSIONS	196
9.1 Conclusions and Contribution	196
9.2 Limitations of the Research	198
9.3 Future Work.....	199
REFERENCES	201
APPENDIX A: Research Instrument RI1: Criteria Decision Model Validation.....	222
APPENDIX B: Research Instrument RI2: Sub-Criteria Decision Model Validation.....	224
APPENDIX C: Research Instrument RI3: Criteria Decision Model Quantification.....	230
APPENDIX D: Research Instrument RI4: Sub-criteria Decision Model Quantification	234
APPENDIX E: Research Instrument RI4: Alternatives Decision Model Quantification	236
APPENDIX F: Analysis of the Differences Between Criteria Normality Test of Criteria Weights	238
APPENDIX G: Q-Q plots for Normality Tests in Logarithms Values.....	239
APPENDIX H: Equal Variance Tests.....	240
APPENDIX I: Criteria F-test.....	242

LIST OF TABLES

Table 1: Regulation of Industry by Restrictions Top 10 – 2014.....	3
Table 2: R&D Levels of Investment in the Electrical Power Sector	13
Table 3: POU and IOU Differences.....	21
Table 4: Electric Market System Regulators	24
Table 5: Structure of the Electric Market in the United States	33
Table 6: Number of electric utilities in 2017	34
Table 7: Electric Market Conditions and Effects on R&D investments.....	36
Table 8: R&D Project Selection – Criteria	39
Table 9: (Tables A, B, ... L) - R&D Project Selection - Sub-criteria.....	41
Table 10: R&D Project Selection Methods	47
Table 11: Strengths and Weaknesses of Other Methods	48
Table 12: Identification of Gaps	50
Table 13: Studies about Project and Portfolio Selection and Prioritization.....	54
Table 14: R&D Project Selection Methods and Gaps	61
Table 15: Criteria and Sub-criteria According to Type of Organization	62
Table 16: Expert Panel Design	77
Table 17: Calculation of inconsistency by Abbas [245]	83
Table 18: Interclass Correlation Coefficient (ICC)	84
Table 19: Range of ICC Values	85
Table 20: Expert Panel Design	89
Table 21: Distribution of Experts for Validation and Quantification of the HDM	90
Table 22: Experts by Type of Organization.....	91
Table 23: Experts by Country	91
Table 24: Description of Criteria - Level 2.....	94
Table 25: Description of Sub-Criteria - Level 3	94
Table 26: Criteria Validation – Experts’ Responses.....	104
Table 27: Technical Criterion - Sub-Criteria Validation – Experts’ Responses.....	105
Table 28: Market Criterion - Sub-Criteria Validation – Experts’ Responses.....	106

Table 29: Organizational Criterion - Sub-Criteria Validation – Experts’ Responses.....	107
Table 30: Economic Criterion - Sub-Criteria Validation – Experts’ Responses	108
Table 31: External/ Regulation/ Environmental Criterion - Sub-Criteria Validation – Experts’ Responses	109
Table 32: Relative Importance of Criteria	114
Table 33: Relative Importance of Technical Sub-criteria.....	116
Table 34: Relative Importance of Market Sub-criterion.....	117
Table 35: Relative Importance of Organizational Sub-criteria.....	118
Table 36: Relative Importance of Economic Sub-criterion	119
Table 37: Relative Importance of External/Regulation/Environmental Sub-criteria	121
Table 38: Shapiro –Wilk and Shapiro –Francia Tests for Normality	123
Table 39: Kruskal-Wallis rank test Anova.....	125
Table 40: Post-Hoc Pairwise Comparisons.....	126
Table 41: BPA’s Customers and Organization Type.....	128
Table 42: Business Information of the Power Marketing Agencies (PMAs)	129
Table 43: R&D Projects Selected Cluster - Results of Cluster Analysis.....	136
Table 44: Information about the R&D Project Alternatives to be Evaluated	137
Table 45: Relative Importance of Alternatives Respect to Technical Success Sub-criterion	141
Table 46: Relative Importance of Alternatives Respect to Existence of Required Competence Sub-criterion	143
Table 47: Relative Importance of Alternatives Respect to Availability of Resources Sub- criterion	145
Table 48: Relative Importance of Alternatives Respect to Applicability to Other Products and Processes Sub-criterion	146
Table 49: Relative Importance of Alternatives Respect to Technology Readiness Sub- criterion	147
Table 50: Relative Importance of Alternatives Respect to Potential Size of Market Sub- criterion	149

Table 51: Relative Importance of Alternatives Respect to Time to Market Sub-criterion	151
Table 52: Relative Importance of Alternatives Respect to Additional (variety) applications opened Sub-criterion	152
Table 53: Relative Importance of Alternatives Respect to Market Risk Sub-criterion ..	154
Table 54: Relative Importance of Alternatives Respect to System planning Sub-criterion	156
Table 55: Relative Importance of Alternatives Respect to Research Staff Availability Sub-criterion	157
Table 56: Relative Importance of Alternatives Respect to Knowledge/skill Availability Sub-criterion	159
Table 57: Relative Importance of Alternatives Respect to Competence and Experience on Similar Projects Sub-criterion.....	160
Table 58: Relative Importance of Alternatives Respect to Strategic Fit Sub-criterion ..	162
Table 59: Relative Importance of Alternatives Respect to Available Facilities Sub-criterion	163
Table 60: Relative Importance of Alternatives Respect to Net Present Value (NPV) Sub-criterion	165
Table 61: Relative Importance of Alternatives Respect to Value-added of Target Products Sub-criterion	166
Table 62: Relative Importance of Alternatives Respect to Project Cost Sub-criterion ..	168
Table 63: Relative Importance of Alternatives Respect to Economic Risk Sub-criterion	169
Table 64: Relative Importance of Alternatives Respect to Economic Regulations Sub-criterion.....	171
Table 65: Relative Importance of Alternatives Respect to Environmental Policy Sub-criterion.....	172
Table 66: Relative Importance of Alternatives Respect to Reliability, Resilience, State Awareness Technical Standards Sub-criterion	174

Table 67: Relative Importance of Alternatives Respect to Acceptance of Stakeholders Sub-criterion	175
Table 68: Relative Importance of Alternatives Respect to Power Quality Standards Sub-criterion	177
Table 69: Summary of Weights / Importance of Alternatives with Respect to Each Criterion	178
Table 70: Final Model Weights / Importance of Alternatives with respect to Mission..	182
Table 71: Synthesis of Priorities	183
Table 72: Overall Importance of Alternatives with Respect to the Mission.....	186
Table 73: Sensitivity Analysis with Technical dominant Criterion.....	187
Table 74: Overall Importance of Alternatives with Respect to the Mission.....	187
Table 75: Sensitivity Analysis with Market dominant Criterion	187
Table 76: Overall Importance of Alternatives with Respect to the Mission.....	188
Table 77: Sensitivity Analysis with Organizational dominant Criterion.....	188
Table 78: Overall Importance of Alternatives with Respect to the Mission.....	188
Table 79: Sensitivity Analysis with Economic dominant Criterion	188
Table 80: Overall Importance of Alternatives with Respect to the Mission.....	189
Table 81: Sensitivity Analysis with External/ Regulation/ Environmental Dominant Criterion	189
Table 82: Overall Importance of Alternatives with Respect to the Mission.....	189
Table 83: Summary of Case sensitive Analysis.....	190
Table 84: Summary of Case sensitive Analysis - Weights	192
Table 85: Summary of Case sensitive Analysis - Ranks	192
Table 86: Post Hoc Model Validation	195

LIST OF FIGURES

Figure 1: Regulation of Industries by Restrictions (top 10) – 2014	3
Figure 2: Characteristics of Transmission Power Sector	7
Figure 3: R&D Project Selection- Evaluation Methods	9
Figure 4: R&D Projects Decision	11
Figure 5: The IOU Business Model [64]	25
Figure 6: Traditional Vertically Integrated Utility.....	26
Figure 7: Traditional Vertically Integrated Utility with Wholesale Single Buyer.....	27
Figure 8: Wholesale Competition	28
Figure 9: Wholesale & Retail Competition	29
Figure 10: The Public Power Business Model [64].....	30
Figure 11: Traditional Vertically Integrated Municipal Utility	30
Figure 12: Generation & Transmission + Distribution & Retailer	31
Figure 13: Literature Search Criteria	53
Figure 14: Studies about Project and Portfolio Selection and Prioritization	56
Figure 15: R&D Project Portfolio Selection Framework	66
Figure 16: Research Approach - Phases	66
Figure 17: Model Development Phase – Literature Review - Research Application.....	68
Figure 18: Hierarchical Model Development	93
Figure 19: Integrating elements from Theoretical Models - Supporting Theories - Step 1	100
Figure 20: HDM Based on Literature Review and Theories	102
Figure 21: Criteria Validation – Experts’ Responses	104
Figure 22: Technical Criterion - Sub-Criteria Validation – Experts’ Responses	105
Figure 23: Market Criterion - Sub-Criteria Validation – Experts’ Responses.....	106
Figure 24: Organizational Criterion - Sub-Criteria Validation – Experts’ Responses ...	107
Figure 25: Economic Criterion - Sub-Criteria Validation – Experts’ Responses	108
Figure 26: External/ Regulation/ Environmental Criterion - Sub-Criteria Validation – Experts’ Responses	109

Figure 27: Pre-Validated HDM Model	110
Figure 28: Validated HDM by Experts – Levels 1, 2, 3	112
Figure 29: Relative Importance of Criteria.....	115
Figure 30: Relative Importance of Technical Sub-criterion	116
Figure 31: Relative Importance of Market Sub-criterion	117
Figure 32: Relative Importance of Organizational Sub-criterion	118
Figure 33: Relative Importance of Economic Sub-criterion.....	120
Figure 34: Relative Importance of External/Regulation/Environmental Sub-criterion..	121
Figure 35: Graphical (histogram) Test for Normality.....	122
Figure 36” Graphical (Box Plot) - Test for Normality	123
Figure 37: Federal Power Marketing Administration Territories and Facilities.....	130
Figure 38: R&D Project Clusters - Results.....	135
Figure 39: Final Validated HDM Model	140
Figure 40: Relative Importance of Alternatives Respect to Technical Success Sub-criterion	142
Figure 41: Relative Importance of Alternatives Respect to Existence of Required Competence Sub-criterion	144
Figure 42: Relative Importance of Alternatives Respect to Availability of Resources Sub- criterion	145
Figure 43: Relative Importance of Alternatives Respect to Applicability to Other Products and Processes Sub-criterion	147
Figure 44: Relative Importance of Alternatives Respect to Technology Readiness Sub- criterion	148
Figure 45: Relative Importance of Alternatives Respect to Applicability to Potential Size of Market.....	150
Figure 46: Relative Importance of Alternatives Respect to Time to Market Sub-criterion	151
Figure 47: Relative Importance of Alternatives Respect to Additional (variety) Applications Opened Sub-criterion.....	153
Figure 48: Relative Importance of Alternatives Respect to Market Risk Sub-criterion.	155

Figure 49: Relative Importance of Alternatives Respect to System Planning Sub-criterion	156
Figure 50: Relative Importance of Alternatives Respect to Research Staff Availability Sub-criterion	158
Figure 51: Relative Importance of Alternatives Respect to Knowledge/Skill Availability Sub-criterion	159
Figure 52: Relative Importance of Alternatives Respect to Competence and Experience on Similar Projects Sub-criterion.....	161
Figure 53: Relative Importance of Alternatives Respect to Strategic Fit Sub-criterion.	162
Figure 54: Relative Importance of Alternatives Respect to Available Facilities Sub-criterion	164
Figure 55: Relative Importance of Alternatives Respect to Net Present Value (NPV) Sub-criterion	165
Figure 56: Relative Importance of Alternatives Respect to Value-added of Target Products Sub-criterion	167
Figure 57: Relative Importance of Alternatives Respect to Project Cost Sub-criterion.	168
Figure 58: Relative Importance of Alternatives Respect to Economic Risk Sub-criterion	170
Figure 59: Relative Importance of Alternatives Respect to Economic regulations Sub-criterion	171
Figure 60: Relative Importance of Alternatives Respect to Environmental Policy Sub-criterion	173
Figure 61: Relative Importance of Alternatives Respect to Reliability, Resilience, State Awareness Technical Standards Sub-criterion	174
Figure 62: Relative Importance of Alternatives with Respect to Acceptance of Stakeholders Sub-criterion	176
Figure 63: Relative Importance of Alternatives with Respect to Power Quality Standards Sub-criterion	177
Figure 64: Summary of Weights / Importance of Alternatives with Respect to Each Criterion	180

Figure 65: Summary of Case sensitive Analysis	191
Figure 66: Alternative Elasticity of Criteria	194
Figure 67: Q-Q Plots – Criteria Weights	238
Figure 68: Q-Q Plots – Criteria Weights	239

LIST OF ABBREVIATIONS

AHP	Analytic Hierarchy Process
ANP	Analytic Network Process
BPA	Bonneville Power Administration
Co-Ops	Cooperatives
DEA	Data Envelopment Analysis
DLP	Dynamic Programming
DSPs	Distribution Service Providers
DSS	Decision Support Systems
EP01	Expert Panel 01
EP02	Expert Panel 02
EP1	Expert Panel 1
EP2	Expert Panel 2
ERCOT	Electric Reliability Council of Texas
FERC	Federal Energy Regulatory Commission
GP	Goal Programming
HDM	Hierarchical Decision Model
ICC	Interstate Commerce Commission
ICC	Interclass Correlation Coefficient
IOUs	Investor-owned Utilities
Ip	Integer Programming
IRP	Integrated Resource Planning
IRR	Internal Rate Return
ISOs	Independent System Operators
LP	Linear Programming
MAUT	Multi-attribute Utility Theory
NERC	The North American Electric Reliability Corporation
NLP	Non-linear Programming

NPV	Net present value
POUs	Publicly-owned Utilities
PURPA	Public Utility Regulatory Policy Act
QBA	Q-Sort, behavioral decision aids
R&D	Research and Development
RI1	Research Instrument 1
RI2	Research Instrument 2
RI3	Research Instrument 3
RI4	Research Instrument 4
ROI	Return on Investment
RTOS	Regional Transmission Organizations
SNA	Social Network Analysis
SWARA	Weight Assessment Ratio Analysis
TIP	Technology Innovation Project
TSPs	Transmission Service Providers

CHAPTER 1: INTRODUCTION

1.1 Research Motivation

Research and Development (R&D) is relevant for economic growth and for being a factor determining the competitiveness and success of companies in the long run. Additionally, R&D is decisive for improving existing technologies and promoting innovation. The demand for technology improvements creates a demand for R&D, which generates better profits for organizations, and also lower costs, lower prices, and better-quality products and services for consumers. These benefits for organizations and customers align with long-term policies [2].

Investment in the transmission power sector is related to the complexity of decisions, especially investing in R&D projects. The decision to invest in R&D projects is affected by many factors, including regulations and scarce resources. Furthermore, investments for generating and transmitting electricity by utilities are associated with market needs, government policies and regulations, technical capabilities, and economic optimality. In this context, R&D is recognized as an important part of an organization's market strategy [3], [4]; however, R&D project selection is a complex decision [5], [6], [7], [8], [9], [10], [11], [12], [13] as it often can be inconsistent [14].

Even though investments in R&D are low in regulated non-profit organizations, due to associated risks [15] and not realizing full-benefits [1], the importance of selecting and evaluating R&D investment projects is related to the acquisition of internal and external technologies. Accordingly, organizations need to evaluate and select the most

relevant projects at a starting point as a part of their strategies to accomplish their organizational objectives, because it is challenging to evaluate projects once they have begun. Furthermore, investments in R&D are not only important for companies or organizations but the entire region[16], and more so in the specific case of electric utilities since energy and electricity directly affect the economic progress. For these reasons, the keys of reviewing and prioritizing projects are based on prioritizing resource allocations aligned with the strategies of the organization [17].

Power transmission utilities interact with both power generators and distributors, playing the role of transmitting electricity to the load centers and determining the structure of electric power markets. In this context, electrical business structures and business models are influenced by the role of transmission utilities. These characteristics, along with public, non-profit, and regulated conditions, define the business environment. Therefore, it is crucial to analyze these characteristics because they are primarily related to R&D project selection.

R&D project selection in organizations that are under regulations needs to be analyzed because of the high impact of regulations on decision making. High levels of regulation are related to changes in the entire economy, such as inducing low entrepreneurship, impacting changes in the allocation of investments, and affecting diminishing labor productivity growth [18]. Consequently, there is a need to identify and consider the factors associated with regulated organizations in order to evaluate R&D projects to select the projects that will optimize the received benefits of all sectors and stakeholders. Selecting the right projects will reduce the risk of negatively affecting the

sectors involved in the industry. McLaughlin & Sherouse [18] explain the importance of the electric sector in the context of regulation. This study used the number of restrictions linked to each industry, showing that the electric power industry, including transmission, is highly regulated (see Table 1 and Figure 1):

Table 1: Regulation of Industry by Restrictions Top 10 – 2014

Industry	Number of Restrictions
Petroleum and Coal Products Manufacturing	25482
<i>Electric power Generation, Transmission, and Distribution</i>	<i>20959</i>
Motor Vehicle Manufacturing	16757
No Depository Credit Intermediation	16579
Depository Credit Intermediation	16033
Scheduled Air transportation	13307
Fishing	13218
Oil and Gas Extraction	11955
Pharmaceutical and Medicine Manufacturing	11505
Deep-Sea, Coastal, and Great Lakes Water Transportation	11279

Source: [18]

Figure 1: Regulation of Industries by Restrictions (top 10) – 2014

Source: [18]

There is a lack of studies focusing on the ex-ante evaluation of R&D projects in organizations that are considered as public, non-profit, and regulated by the government, especially in the case of power transmission utilities (see the literature review section). It is needed to formulate an integrated multi-criteria evaluation, because regulated systems and R&D projects are associated with public interest and multiple factors (in addition to financial aspects).

This research is focused on Research and Development (R&D) project selection and the identification of criteria and sub-criteria to select the best set of projects for investment in a regulated transmission electric utility [3]. The methodology considered in this research is framed into a Hierarchical Decision Model (HDM) since it allows for the holistic consideration of all factors. Therefore, the main contribution of this research is the identification of criteria and sub-criteria in a holistic view. In addition to the methodological aspects to validate the information, the HDM allows researchers to identify and quantify the critical aspects to be considered.

1.2 Research Background

This study provides a pre-screening framework (ex-ante) regarding two aspects: It provides information about the most relevant criteria and sub-criteria associated with R&D projects before investing in it. It also provides an evaluation process for R&D projects in the power sector. Particularly, the research is focused on public, non-profit, and regulated organizations.

There is a lack of studies framing their analysis around electrical utilities that holistically consider all of the factors. Together, the lack of studies and the fact that experts may not fully consider all of the factors, represent an opportunity for the present research to have a detailed analysis of all the factors linked to R&D investments in the power transmission sector. Accordingly, the framework of the research is focused on evaluating new R&D projects, the identification of criteria and sub-criteria affecting the evaluation objectives, and finding the ranking of the projects.

1.2.1 Problem Statement

Decisions for selecting R&D projects are complex since there are many associated factors, including uncertainties, the interdependence between the projects, budgets constraints, and characteristics of the life cycle of projects and technologies [19], [20], [21]. R&D decisions are made under high uncertainties since investments in the electrical sector are associated with regulations, environmental concerns, and external factors [22], [23], [19], [9]. Government policies affect the energy market of technologies [15] because adapting to new regulatory conditions influences the R&D investment levels inducing organizations to decrease their investment portfolios. Moreover, changes in the U.S. power market and the different regulatory policies followed in each state increase the business uncertainties, which negatively influence utilities to adapt to new conditions [16]. Because of the limited funding and resources and all factors associated with R&D projects, the selection needs to be done efficiently at a starting point [3], [24], [20].

The identification of all factors associated with R&D projects requires comprehensive knowledge and understanding of technical aspects, organizational strategies, market conditions, and regulations. Nevertheless, identifying these factors is subject to difficulties and challenges, such as the dual role of experts in developing and implementing technologies, a variety of market conditions, and lacking adjustability to changes [25]. The use of experts, who do not fully understand these important factors, can cause a misidentification in the decision-making process.

The characteristics of R&D project investments in public and private organizations are different. Electric transmission utilities are different because they are driven by their natural monopoly characteristics, by regulations, by their public and non-profit nature, by different technical and business operation environments, and by different market conditions. In this context, R&D project selection in regulated organizations needs to accomplish market, contractual, or regulatory needs [26], [24]. Specifically, Transmission electric utilities are considered non-profit organizations that are regulated by governments, implying that investments are associated with many factors and interested stakeholders' influences. Because of this public nature of electric transmission utilities, the government funds R&D by using pure government funds or collaborating with private organizations [15]. Moreover, governments often planned R&D investments for long-term goals making R&D selections difficult because of the ambiguity of innovative technologies and lack of experts. Consequently, solely using financial evaluation methods can be considered inadequate [27] and evidencing the need to have a different portfolio management technique [26], [24].

From an organizational perspective, the principles for the R&D regulation entail selecting projects linked to uncertainties, multiple objectives, and organizational strategies. However, selected R&D projects can be associated with technologies that do not align with the objectives of the organizations, and are suitable for projects considered a public interest. Consequently, the effects of regulating R&D investments by utilities are associated with allowed levels of investments, speed of innovations, nature of the innovations, and management of projects [28].

The complex structure of the transmission utilities is shown in Figure 2. It is observed that the natural conditions of electric transmission utilities are associated with regulation and are considered as non-profit and public organizations. At the same time, the most important congruent factors affecting these types of organizations are technical characteristics, business operations, and market conditions. The nature of the large investments and the limited budget to be invested affect the entire operation of these organizations.

Figure 2: Characteristics of Transmission Power Sector

The long-term investments are characteristics of complex systems that require simultaneous analysis of sub-systems, implying optimal selections of portfolios [26]. As a result, organizations need to select projects that contribute to long-term competitiveness [29]. A deficient selection of projects can cause an ineffective portfolio since the methods used are based on a systematic selection of individual projects and not for the entire portfolio. Thus, the R&D project selection process needs to consider the selection of R&D projects and portfolios under organization strategies, stakeholders' perspectives, and the qualitative benefits and risks of the projects [12]. Strategic objectives are also needed in project selection since any decision implies future financial aspects and the ability to compete with different technologies [30], [7]. This process involves many steps, stakeholders (multiple decision-makers), multiple criteria, multiple choices with different objectives, and uncertainties [10], [31].

Project selection and portfolio analysis depend not only on a particular project characteristic, but on a broader context considering profitability, strategy, uncertainty, and social aspects [29]. However, managers see projects as a unique opportunity to invest and often are not willing to consider the whole portfolio because of the complexity of R&D projects. Furthermore, organizations can lack experts who have sufficient knowledge to analyze specific R&D projects [32]. Since each R&D project is new and not identical, project evaluations that depend on experts' opinions can be influenced by their experience and knowledge about the technology.

Tools and methodologies used by organizations are limited because they do not fully capture the particular characteristics of R&D projects focused on electric power

systems. Evaluation methods for R&D projects treat the interrelations between projects inadequately and do not consider the interrelation of multiple criteria and sub-criteria [33], [34]. Additionally, the complexity of the existing methodologies makes it difficult to incorporate them into the process of technology selection and to help decision-makers [9]. The R&D investment decision methods are complex and cannot be easily developed by managers [35] since some methods use complex mathematical models that cannot be applicable in real situations [19]. Therefore, companies need practical tools that help optimize R&D project selection [10]. The figure below summarizes the inadequacy of evaluating methods:

Figure 3: R&D Project Selection- Evaluation Methods

Another inherent problem in evaluating R&D projects is the availability of information for making decisions at specific points of the project development [36]. Data emerges gradually during that time and as a consequence, the initial estimations of cash

flow for a study period frequently show unreliable evaluation results [13]. This disadvantage of the models by evaluating R&D projects by discount cash flow has been criticized by many scholars, such as Hassanzadeh et al., Nagm and Kautz, Liberatore and Titus, Amaro et al., and Cooper and Edgett [22], [37], [38], [39], [34]. These authors indicate that financial methods use quantitative financial analysis, failing to value the qualitative aspects since financial analysis is effective when data is estimated with some certainty. The sophistication and complexity of financial models involve a large amount of data; however, reliable data is usually available when projects are already in the commercialization stage. By solely using financial methods, the experts' judgments are ignored during the evaluation process [40]; even these judgments are important for objectively evaluating the projects.

Figure 4: R&D Projects Decision

The following figure shows the complexity of interacting factors on deciding on R&D investments in electric transmission utilities. As can be seen below, the uncertainties involving the R&D investment in electric transmission utilities are present in the entire evaluation of the R&D projects. On the one hand, there are many factors (criteria) and stakeholders affecting the decision; on the other hand, the presented difficulty of identifying the factors determines the importance of integrating all of the criteria for evaluating R&D projects (see figure below).

1.2.2 R&D Levels of Investment in the Electrical Power Sector

The R&D investment in the United States has decreased in general, even with numerous concerns about the environment, geopolitical, or economic situations. In the specific case of energy, R&D investments declined 6% while the R&D investment in general in the United States grew by 10% to 15% per year during the last twenty years. The lower levels of R&D investments are attributed to the lower funding to fossil fuel, as well as the deregulations of markets that reduce the incentives for collaboration and uncertainties in regulatory policies. Changes in the policies and the corresponding uncertainties affect the investments and discourage investment [41], [42]. Furthermore, not all electrical utilities have the same pattern. Newly privatized utilities tended to decrease their R&D investments, which is contrary to utilities that remained under government control. Consequently, regulation and deregulation of markets affect the levels of R&D investments [42].

In deregulated markets, the competition generates cost reductions, affecting R&D investments. At the same time, R&D projects related to general-purpose technologies are not considered since they related to long-term periods [42]. However, in other countries different from the United States, R&D investments have increased; electrical utilities in Europe have increased their R&D investments by promoting incubators, accelerators, and innovative start-ups [43]. Therefore, regulated organizations find R&D activities positive.

According to the U.S. Department of Energy (EIA Table 2) there has been an increase of the levels of R&D investments by the U.S. government from 2010 to 2013 [44].

These investments have focused on the transmission system and its improvements in reliability.

Table 2: R&D Levels of Investment in the Electrical Power Sector

Fuel/End Use, Department, and Program - CFDA Number (million \$)	FY 2010	FY 2013
Electricity - Smart Grid and Transmission	534	831
Department of Energy	530	827
Advanced Research Projects Agency - Energy Financial Assistance Program - 81.135	1	10
Electricity Delivery and Energy Reliability , Research, Development, and Analysis - 81.122	497	791
Renewable Energy Research and Development - 81.087	33	27
National Science Foundation	4	4
Engineering Grants - 47.041	4	4
Conservation Advanced Research Projects, Conservation, Renewable Energy, Engineering Grants	610	501
Other (End-Use) Advanced Research Projects, Geologic Sequestration, Renewable Energy, Surveys, Studies, Research, Investigations, Demonstrations, and Special Purpose Activities Relating to the Clean Air Act - 66.034, Engineering Grants	427	466
Total	3,473	3,491

Source: [44]

1.3 Research Overview

The research method is framed in the context of the R&D project investment evaluation. In order to accomplish the objectives and answer the research questions, a multi-criteria analysis, Hierarchical Decision Model (HDM) - Analytic Hierarchy Process (AHP) is applied. The model is built under technology adoption concepts and then applied

to the power sector. This research analyzes the factors, including risk presented in new technologies in power utility.

The analysis is divided into three categories: 1) Criteria identification, 2) Sub-criteria identification, 3) Alternatives identification, and case application. In order to identify the criteria and sub-criteria, theoretically based models in a firm-level context have been identified and analyzed as they are presented in the following items. The criteria correspond directly and strictly to theoretical fundamentals, while sub-criteria are based on theoretical and practical studies. Risk sub-criteria are intrinsically incorporated, adapted, and based on the theoretical foundations of Fonslow et al. [45] by including risk sub-criteria explicitly in each criterion.

1.3.1 Research Objectives and Contributions

This research provides an R&D project selection analysis based on an R&D project assessment model that can support strategic decision-making for regulated electrical transmission utilities. The applied methodology is based on HDM (AHP) that allows a breakdown of large unstructured decision problems into a more flexible structure to measure their components. Additionally, the methodology and results of this study create a better and clear idea of the factors associated with the analysis of R&D projects, clarifying and correcting the contradictory and heterogeneous results when different other methodologies are applied. An HDM-R&D project portfolio selection is used to evaluate the R&D projects' opportunities, accomplishing the following objectives:

Main objective:

To develop a model to select R&D projects based on a holistic approach aligned to strategies, utility objectives, and market conditions in the regulated electric transmission sector.

Specific objectives:

- To identify the factors (criteria and sub-criteria) associated with R&D projects in the transmission power sector.
- To quantify and weight the levels of factors (criteria and sub-criteria) for investing in R&D projects in the power transmission sector, and to decide the best option for each project.
- To categorize factors for adopting the R&D project selection in the power transmission sector.

CHAPTER 2: LITERATURE REVIEW

The literature review is focused on characterizing public and regulated organizations in the context of selecting R&D projects in electric transmission utilities. Three important aspects frame this literature review. First, to understand the importance of the transmission sector, an overview of the power market is provided, including the description of the evolution of power markets. It shows the importance of power transmission utilities in business models, including regulated and deregulated systems. Second, it is necessary to define the concepts of utility and public and private organizations. These concepts are discussed, followed by the identifications of the types of utilities. Theoretical business models in the power market and the importance of the transmission sector are described to identify the types of utilities and business models. After identifying the types of utilities and the business models, complete and detailed information and structure of the power market are provided and summarized. This part includes the transmission sector (the description of the transmission sector was prioritized) and also provides information about the whole electric market due to the importance of the transmission utilities in the market and the interaction with other utilities. This information is important to analyze the generalization of the HDM model and the adaptation to different types of organizations. Third, the study discusses the effects of different regulation systems on R&D investment. Specifically, the study analyzed the case of regulated and deregulated sectors of the electric power market. Finally, project selection methods and the factors associated with R&D project selection are described.

2.1 Market Structure of Power Systems

The electricity market has changed during the last decades, especially since 1990. The restructuration and changes in the power industry were in the U.S around the world were to move from vertically integrated systems to competition systems [46], [47]. Electric utilities that generate, transmit, and distribute energy have been considered natural monopolies, regulated under the public authority, and planned and operated by the integrated resource planning (IRP) [48], [49], [50]. In 1978, the Public Utility Regulatory Policies Act (PURPA - 1978) stopped the monopoly in that generation and allowed them to be independently-owned investors that could purchase electricity from qualifying facilities (Q.F.'s) [49]. The transition to the deregulated industry has changed the market model, where generation and transmission are planned and operated by different companies. The changes started in the 1990s by allowing competition in the generation sector and by using wholesale markets. Since many states legislated the competition in the electricity markets, there has been an increasing number of independent, non-utility power producers and the imperative interaction with the wholesale markets by using the interstate transmission lines (operated by transmission organizations or independent system operators). Additionally, many states have separated the generation, transmission, and distribution systems [47].

Separation of the three sectors (generation, transmission, and distribution) for restructuring the power market has been complicated. In the specific case of the transmission sector, it was necessary to separate the ownership and control to have fair and non-discriminatory access to the transmission services [46].

The U.S. electricity sector and principally, the transmission sector, which is associated with a variety of factors, determines the management and operation of the power system. These factors include the changes in the type of generation sources and technologies, changes in the load growth, and regulations by federal, state, and local governments [51]. Therefore, under the current order and regulatory conditions, the electricity market is determining changes in the traditional business models since utilities need to align to the new conditions and keep or increase sale levels in a field of competitive conditions and increasing costs [52].

The transition from regulated systems to deregulated systems has been done in many states in the United States with different results. Wholesale electricity markets are still regulated by the Federal Energy Regulatory Commission (FERC) under the authority granted by the 1938 Federal Power Act. The restructuring of the transmission area has played an important role in moving to deregulation systems because transmission is the link between generators and distributors, granting access to competitive sellers [53].

According to Borenstein and Bushnell [53], the transmission restructuring had two paths:

- Regulatory path: Related to rules upon vertically-integrated utilities allowing third-party companies access to the network.
- Institutional path: Creation of Independent System Operators (ISOs) and Regional Transmission Organizations (RTOs).

2.1.1 Definition of Utility

A general definition of utility is that utilities are entities that provide commodities or services which are necessary. Due to the vital need, utilities and related services are regulated by federal, state, and local authorities to avoid over pricing, granting accessibility. At the same time, utilities have some monopolistic rights. Federal regulations point to the interstate wholesale transactions, while state regulation points to the level of consumers or distribution [54], [55].

A more specific definition of utilities is regarding electric public utilities. A public utility is referred to as an organization that operates facilities at the level of interstate commerce. At the same time, interstate commerce is referred to as wholesale. In this case, the Federal Energy Regulatory Commission (FERC) has regulated the interstate wholesale of electricity [56].

As indicated above, the electric utility is divided into three main functions: generation, transmission, and distribution. Although a small number of electric utilities in the United States performed all three functions together, most of the utilities are considered investor-owned utilities (IOUs), which own generation, transmission, and distribution facilities. There are few publicly-owned utilities (POUs) that own a transmission or generation installation [54].

To understand the functions and differences between these two types of organizations, publicly-owned utilities (POUs) and publicly-owned utilities (POUs), a description of the private sector and public sector are provided below.

2.1.2 Types of Utilities

Utilities are different in each state and federal legislation. In general terms, there are two types of utilities: Private (investor-owned utilities – IOUs) and public (public-owned utilities - POUs) [55]. Below are described these two types of electric utilities focusing on “public utilities” since wholesale marketers are in this group. However, a detailed description of IOUs is provided because organizations such as RTOs and ISOs transmit high voltage power energy and have similar objectives as Bonneville Power Administration (BPA).

The main characteristic of the private sector is that the organizations are privately owned and are not part of, or operated by, the government. The organizations are mostly corporations that can have a profit or non-profit objective, which is contrary to the public sector formed by organizations owned and operated by the federal, state, or municipal governments [57], [55]. In the 1990s, private companies were considered investor-owned vertically-integrated monopoly utilities (IOU) that provided generation, transmission, and distribution. These IOUs were regulated at a state level [53].

The electric utilities can be considered private or public organizations. The public utilities are non-profit organizations that own and operate their installations to benefit consumers. These types of utilities are different from private utilities (investor-owned utilities, or IOUs) which are for-profit organizations and look for financial benefits [58].

The POUs are subject to control by local, state, or federal authorities. As it is detailed in Table 3, POUs include municipal districts or rural cooperatives, among others.

The main differences between the publicly-owned and investor-owned utilities are summarized by [59] in the following table:

Table 3: POU and IOU Differences

POU
<ul style="list-style-type: none"> • Their mission is focused to “optimize benefits for local customer-owners,” for example, through lower energy rates. • The ownership is generally limited to the service area and integrated by the government and customers. • Structurally, POUs are considered as non-profit public managed by locally elected officials and public employees. • The rates are determined by bodyboard or city council in each utility and public forum. • The profits are obtained from rates levels that consider costs and additional returns. The returns are for keeping ratings of bonds and build new facilities.
IOU
<ul style="list-style-type: none"> • Their mission is focused on “to optimize return on investment” of investors. • Ownership is not limited to the service area and integrated by shareholders or investors. • Structurally, IOUs are private companies and managed by shareholders (elected board). IOUs are regulated by the Public Utilities Commission (PUC). • Rates are determined and regulated by the Public Utilities Commission (PUC), with are public and with customer participation. • Profits cover costs and returns, which include investment risks.

Source: [59]

2.1.3 Characteristics of Public Utilities

Public utilities serve consumers providing the service at acceptable rates, establishing reasonable prices, and considering the levels of demand and levels of returns. The type of utilities are monopolies in an area and are regulated (under federal or state legislation), receiving the rights to maintain the service level. The demand for the service will always exist; therefore, there is no risk for competing due to the monopoly conditions. Because

the nature of natural monopolies corresponds to high capital investments, the participation of small investors is limited. These investments are considered more in fixed assets [60].

R&D in the utility industry is considered as public interest since the benefits are received by residents, and are not possible to be addressed by a competitive market [61]. Power transmission can be considered as public good since who receive the benefits are widespread in long time periods, relating to large infrastructure investments that correspond to regional planning, and implies the recovery of costs [62].

2.1.4 Transmission Utility Regulation

An important topic to be described is the reason for regulating the electric transmission utilities. Warwick and Stinson [55] and [56] define regulation in utilities as the act of controlling utility operations and finances, and can be seen as a substitute for weak competition. To protect the “public interest,” [63] and to minimize or eliminate the risks of having a single monopoly and overcharge consumers, states regulate the PUCs retail sales, while FERC regulates the wholesale market [54], [63].

In the case of power wholesale, historically, the price is considered to be cost-based (not market-based). Therefore, the FERC adopted a cost-based regulatory approach to stimulate the exchange in the economy and protect buyers (small utilities) [55].

2.1.5 Governance/Regulation of Wholesale Power Market

Investor-owned utilities make decisions about long-term investments while considering the interest of all customers. These entities are regulated by state public service or utility commissions and administrated by a board of directors [64].

The power system regulation is linked to main legislative pieces: the 1978 Public Utility Regulatory Policy Act (PURPA), the 1992 Energy Policy Act (EPACT), the Electricity Modernization Act of 2005, and the Federal Energy Regulatory Commission Orders 888, 889, 2000, and 2003-A. The PURPA mandates utilities to buy power from non-utility power producers. In this case, non-utilities generators could access the transmission networks. The EPACT required giving access to the transmission grid to generators or any utility on rates, and terms equivalent to transmission by itself. The EPAC was the basis for the formation of Independent System Operators (ISO). Later, more detailed norms of how to access the transmission grid and the operational systems were given by FERC by the orders 888 and 889. Order 888 established the terms regarding how to charge the use of the transmission lines, and established that transmission and generation businesses be separated. Order 889 created an on-line system to post the available capacity by the transmission owners, and a list of companies that wanted to use the system. The Regional Transmission Organizations (RTOs) were encouraged (not required) be form after the order No 2000 “Transmission-own.” The order 2003-A required the different levels of power generators to have access to the grid by establishing 20 megawatts for new generators to have access to the grid, and by defining who pays for the upgrading of the transmission line capacity [65], [56], [66], [47], [55], [46]. The Electricity Modernization

Act of 2005 (EPACT 2005) enforced reliability standards to have reliable operations of the Bulk-Power System certified by the North American Electric Reliability Council (NERC) [67]. Currently, FERC regulates the pricing of wholesale transmission transactions, including utilities and industrial consumers [63].

The principal regulations and their functions are summarized in the following table:

Table 4: Electric Market System Regulators	
Federal Regulatory Agencies	
<u>Federal Energy Regulatory Commission (FERC)</u>	
FERC regulates the rates and terms for most all the power transmission system, determining the structures of rates and who pays for upgrades. FERC does not regulate POU; however, FERC determines the economic value of transmission installations and benefits of these utilities [65].	
<u>The North American Electric Reliability Corporation (NERC)</u>	
NERC is a non-profit regulatory authority that was created by FERC to ensure the reliability of the bulk power, oversee, and regulate the electrical market based on reliability standards [51].	
State Regulatory Agencies	
<u>Public Utility Commission (PUC) / Public Service Commission / Commerce Commission</u>	
The regulatory functions of States consider rates, some utility operations, and plan of utilities. These commissions oversee the costumers' requests and maintenance of distribution systems. Interstate utilities that are not under state regulators' jurisdictions are under the Interstate Commerce Commission (ICC) [55], [51].	
<u>State Department of Environmental Protection</u>	
These organizations regulate the air, land, and water resources. The state is regulated by providing construction permits, ensuring public safety from contaminants and emissions [51].	

Source: [65], [55], [51]

2.2 Business Models - Structure Power Markets

In general, organizations structure their strategies and operations based on principles and structures of business models. In the case of private organizations, these are the strategies and operations focused on obtaining profits, while in non-profit and

government organizations, the objective is to satisfy the needs of customers [64]. The current U.S. electric market is based on a mix of IOUs, government-owned utilities (municipal states, and federal), and non-profit cooperatives [68]. In this section, below, it is followed the description given by Tarbert and Tuttle et al. [64] and [69], since the author clearly synthesized the main business models in the electric power industry.

2.2.1 Investor-Owned Utilities (for Profit Ownership)

Transmission and distribution organizations, as stated above, are considered natural monopolies, even in competitive market systems. The reason they are considered natural monopolies is based on the central dispatch requirements and the limitations to building infrastructures by more than one utility. Therefore, the grid of transmission has remained designated as a regulated natural monopoly after adopting deregulation systems. The Independent System Operators (ISOs) or the Regional Transmission Organizations (RTOs) manage the grid reliability by interacting with regulators and stakeholders [69].

In the United States, around 70% of the electric market is served by IOUs. Since these organizations are focused on obtaining profits, they pay dividends or share price appreciation. The business model and value proposition look for providing a return on investments to all the stakeholders. (see diagram below) [64].

Figure 5: The IOU Business Model [64]

These years, the vertically-integrated model still exists in some south, central, and northwestern U.S. areas. Twenty-three states and the District of Columbia have adopted some level of competition in the generation and retail levels [70].

There are four main structures of the electric utility considering the side of investor-owned utilities (IOUs) [69].

Vertically Integrated (monopoly at all levels)

Vertically integrated utilities belong to systems with no competition among the three activities (generation, transmission, and distribution); therefore, utilities are considered monopolies. A single monopoly utility can possess the generation, transmission, and distribution of electricity. Since there is no competition in the generation, consumers cannot choose the supplier. Commonly, states or consumers own electric companies around the world, and many traditional IOUs fit this model. Even the electric market tends to go in the direction of deregulation. There are some examples of currently existing natural monopoly structures, such as a municipally-owned utility [69].

Figure 6: Traditional Vertically Integrated Utility
Source: [69]

Single Buyer (limited competitive generation):

The single-buyer model is based on facilitating wholesale competition. In this case, a single buyer who keeps the monopoly on transmission and customers can purchase from different generators. This model is associated with state-owned, vertically integrated utilities [69].

Figure 7: Traditional Vertically Integrated Utility with Wholesale Single Buyer
Source: [69]

Wholesale Competition of Generation

In many cases, the wholesale competition model is preferable to the single buyer model. Instead of having a single buyer model, the wholesale model allows companies to own the distribution and retail networks and to buy wholesale electricity directly from competing producers on the transmission network, then delivering the electricity to customers (their access to transmission lines is granted). In this case, the dispatch in the generation and transmission is operated by a system operator, which is independent of other market participants [69].

Figure 8: Wholesale Competition
Source: [69]

Retail and Wholesale Competition

Electricity consumers can choose their electricity suppliers, but to make it possible, transmission and distribution need to have open access. The transmission and distribution companies are regulated and correspond to the retail activities as “Transmission Service Providers (TSPs) and Distribution Service Providers (DSPs), or an integrated Wires and Poles” Transmission and Distribution Service Providers (TDSP).” Some U.S. states have systems that are close to this model, such as the retail choice program in the Electric Reliability Council of Texas (ERCOT) [69].

Figure 9: Wholesale & Retail Competition
Source: [69]

2.2.2 Non-profit Ownership Models

The value proposition on these models is based on providing services to customers accomplishing lower rates and keeping a high quality of the product, such as good reliability and optimal customer service. If there is any extra revenue, it is integrated back to the system by returning lower rates in the future or increasing the investments to improve the quality of service; this also implies emergency funds are protected [64].

On a local level, these models can be described by five components: public ownership, local control, low-cost structure, non-profit operations, and customer-focused design— dedicated to the singular mission of delivering the highest level of service and value to customers/owners for the long term.

Figure 10: The Public Power Business Model [64]

In these models, grids are set up with a similar structure to for-profits models. With this design, there is a mix of for-profit and non-profit utilities, but they are integrated into the system.

Vertically Integrated Municipally Owned Utilities

The particularity of this model is that some cities own their electric utility, performing their activities in a similar setup as in the fully-integrated vertical model 1. Therefore, residential, commercial, or industrial consumers are not able to elect their suppliers. The utility income and property taxes can be excluded or included in the cost of IOU-provided electricity service. [69].

Figure 11: Traditional Vertically Integrated Municipal Utility
Source: [69]

Administrations, Authorities, and Cooperatives (Co-Ops):

Due to the lack of investments by investors or municipally-owned utilities, this model fit when utilities were located in low population density areas. Federal Power Marketing Administrations such as the Bonneville Power Administration can provide transmission and generation services.

Figure 12: Generation & Transmission + Distribution & Retailer
Source: [69]

2.2.3 Electric Markets and Utilities' Ownership Structure

As described above, there are different utility business models, which depend on the way of doing business (shareholders versus owners) and market situations (restructured versus vertically integrated and regulated). There are approximately 3,000 regulated private or public utilities in the different U.S. states. There are two types of utilities serving the system, the IOUs (investor-owned utilities) and POUs (consumer-owned utilities). The transmission of energy is served by RTOs and ISOs, using marginally lower cost methodologies. [71], [54].

Currently, transmission and distribution are considered natural monopolies on federal and state levels. Therefore, these two areas are regulated under the criteria of minimum costs that the market model can achieve [72]. Based on these five types of models and types of organizations, the structure of the electric market in the United States is summarized in the following table:

Table 5: Structure of the Electric Market in the United States

Market System	Ownership		Generation and distribution arrangements		Business Model	Organizations
			Competitive generation markets	Retail competition (retail choice)		
Vertical-Integrated Utilities	Private sector: investors own vertically-integrated monopoly utilities (IOU)	Investor-Owned Utilities (IOUs)	Competitive generation markets	Retail competition (retail choice)	Model 2	Investor-owned utilities: Generation, transmission, distribution (i.e. PGE, Pacific Power / PacifiCorp) *Most of the cases owned generation and/or distribution and use PMAs
				No retail competition	Model 3	
			Vertically-integrated and traditional generation arrangements		Model 4	
					Model 1	
Deregulated Electric Utilities	Public sector: non-profit organizations: Publicly-owned Utilities (POUs) (Municipal and Cooperative)	Publicly-Owned Utilities (POUs) (Municipal and Cooperative)	Competitive generation markets		Model 5	Power marketing agencies, (PMAs) Regional Transmission Organization (RTO) Independent System Operator (ISO) Cooperatives / Tribal utilities Municipalities Public utility districts
					Model 6	
			Vertically-integrated and traditional generation arrangements		Model 5	
					Model 6	

The number of electric utilities in 2017 is distributed as follow [73]:

Table 6: Number of electric utilities in 2017

Type of Utility	Number of Utilities
Federal Utilities	9
State Projects	31
Public Power Districts	133
Energy Service Providers	143
Shareholder-Owned electric companies	203
Cooperatives	870
Non-utility Generators	1688
Municipal Systems (Government-owned)	1874

Source: [73]

Notice that the Edison Electric Institute [73] considers the units of “non-utility generators”; therefore, the number of utilities is 3263. Additionally, “shareholder-owned electric companies” can be considered as investor-owned utilities, which are described above.

An important aspect to emphasize is that the two primary structures of the electric utilities are based on the type of ownership (IOUs or PUOs). Utilities, including cooperatives, municipals, public power districts, state projects, and federal utilities are owned by the governments, local communities, states, or by the private sector. This point will be described and explained later.

By narrowing the analysis and focusing on the electric transmission utilities considered as public non-profit utilities, Bonneville Power Administrations is taken as a reference point for the analysis. The context of how transmission utilities are organized and how organizations interact with each other can be seen directly in the type of customers

of BPA. The organizations are described and categorized according to their characteristics and electric utility models.

2.3 R&D investment by Electric Utility Model

The electric utility market has moved from regulated systems to deregulated systems. These changes are still in progress in the United States. The effects of changes, and the electric utility system itself, have created a complex order considering the type of organizations and stakeholders that interact in each state and among states and regions.

According to the different electric utility models and the organizations, the main patterns of R&D investments can be differentiated in the following models and characteristics: private, non-profit, regulated, and deregulated models. Therefore, the analysis is focused on regulated models (IOUs and vertically integrated models) considering, at the same time, the type of ownership (private or publicly). As it was stated above, transmission utilities are still considered as natural monopolies and regulated by the federal and state governments; this reflects the importance of analyzing regulated utilities on evaluating R&D projects.

As Daim et al. [74] stated, the levels of spending by electric utilities in research and development are low, especially during the last years. There is no consensus about the effects of business models or utility ownership on the levels of R&D investment. The literature findings are diverse because of the changes in the electric utility industry and transitions of regulations and deregulations systems. It was explained above about the electric power market organization in the United States. The electric market and type of

utility ownership in the United States are complex, and it has been influenced by regulatory, political (federal and state policies), and already natural monopoly conditions of the electric systems. In the area of transmission, it has been seen that high voltage power transmission utilities can be organized according to the ownership type and the area of influence of the utility, especially in the case of power marketing agencies (PMA), RTOs, and ISOs.

Therefore, the analysis of the effects of the type of utilities (focusing on the transmission sector) on the R&D investment is focused on the type of ownership and market conditions (including regulatory aspects).

It has been observed that the R&D investment fluctuations depend on the type of causes that change the electric market. Jamasb and Pollitt [75] made an in-depth analysis of how these effects from changing the organization's characteristics or market conditions can affect the R&D investment. Below is presented a summary of these effects on the electric utilities:

Table 7: Electric Market Conditions and Effects on R&D investments

Characteristics / Changes		Effect	R&D Spending
Restructuring aspects	Reduced Firm Size		(-)
	Increased competition and uncertainty		(+/-)
Ownership aspects	Increased privatization and private ownership		(+/-)
	Increased mergers and acquisitions		(-)
	Increased leverage, investment, dividends, etc.		(+/-)
regulatory aspects	Regulation as a policy tool		(+)
	Incentive regulation		(-)

Source: Adapted from [75] (information extracted focusing on electric utilities).

(-), (+), (+/-) are the negative, positive, or mixed results, respectively.

Overall, the effects of different utility ownership conditions on R&D investments are mixed. There is a tendency of negative consequences from restructuring actions that influence the ownership and regulatory conditions [76]. Therefore, it can be inferred that variations on the R&D investment levels are according to the time of restructuring the markets. The electric power market deregulations policies during the 1990s coincided with reductions in R&D investments. The negative effects of restructuring policies persisted in the long run [75]. The negatives effects of type of ownership (private or publicly owned) on the R&D investment levels have been corroborated by Schmitt and Denes [76]. These authors [76] explains that the introduction of competition tends to influence negatively in the beginning, but once the market and the regulatory policies are clear and steady, the levels of R&D investment start increasing. Therefore, from the table above and the appreciations of different authors, it can be inferred that public or private ownership reacts negatively to changes in rules and market conditions in the short run.

Public ownership gives the authority to the government to influence the electric utilities while at the same time directly affecting the decision of R&D investments [76]. However, as it is shown in the work of Jamasb and Pollitt, and Schmitt and Denes [75] and [76], the variations of publicly-owned utilities do not have a clear pattern; it is slightly negative, but fluctuations have changed year by year.

The utilities' objectives of private utilities, many of which were formed after deregulation policies, were affected by the process of privatizations, explained by the related incentives and behaviors. It was found that regulation negatively affected R&D

investments, but once the market adjusted to the new circumstances (after regulations), the private companies tended to increase their R&D investments [76].

The effects of vertically integrated utilities on the R&D investments are linked to the ownership and regulation conditions. However, the levels of this type of investment are associated with the transitional period from vertically integrated systems to separated activities of ownership and more competitive markets. It was found that there are low levels of R&D investments in systems in short transitions periods; however, these effects are associated with the size of the organization [76].

2.4 Factors Influencing R&D Project Selection

The R&D process involves multiple interrelated criteria, resources, and factors that are not easily measured and evaluated, implying a challenge for decision-makers for investing in R&D projects [3]. Chen and Hung [35] indicate that these factors include new technologies, shorter technologies cycles, globalization, changes in the market, and demand. Moreover, due to the complexity of selecting R&D projects and the number of factors influencing them, there are risks and uncertainties associated with investments and the returns of these types of projects [5]. Therefore, the R&D project selection can be viewed as a multiple criteria decision-making problem [30]. Table 8 and Table 9 show the criteria and sub-criteria considered in the literature. These aspects are highly linked to R&D project selection.

Table 8: R&D Project Selection – Criteria

References					
[77]	[78]	[5]		[79]	
Criteria	Criteria	Phases of the project	Criteria	Phases of the project	Criteria
<ul style="list-style-type: none"> - Market Competitiveness - Technical factors - Capability - Environmental Factor 	<ul style="list-style-type: none"> - Economic Impact - Commercial potential - Inner capacity - Technical spin-off. 	<ul style="list-style-type: none"> - Basic Research - Applied Research - Development. 	<ul style="list-style-type: none"> - Innovation Technological - Project Attributes - Organizational - Market - Environmental. - Risk 	<ul style="list-style-type: none"> - Basic Research - Applied Research - Development. 	<ul style="list-style-type: none"> - Technical - Market - Organizational.

References				
[35]	[80]	[81]	[82]	
Criteria	Criteria	Criteria	Aspects	Objectives
<ul style="list-style-type: none"> - Company's technical ability and patentability resource - Potential customer and stability of the market - Company's financial ability 	<ul style="list-style-type: none"> - Energy-environmental - Economical spin-off - Technical Spin-off - Marketability - KIER mission 	<ul style="list-style-type: none"> - Manufacturing - Technical - Marketing/ Distribution. - FROV 	<ul style="list-style-type: none"> - Benefits - Technology - Execution 	<ul style="list-style-type: none"> - Economic benefits - Social benefits - Competitiveness - Relevance - Feasibility - Success rate

Table 9 shows the different criteria that have been used in the literature. There are different criteria in each study addressing the objective of R&D project selection depending on the used method and the specific type of organization or application of the study. The criteria selection depends on the objectives of the organization. The importance of selecting the adequate criteria is emphasized by Hudymáčová et al. [83] since the adequacy of the criteria allows achieving the objectives.

For selecting R&D projects, one of the main criteria is the market. The Market criterion is extensively used especially for products that will be commercialized in the future. The Market criterion is also used to measure the size of the application of new technology. Technology is another criterion that is used to measure the compatibility of the technology with technical aspects of the systems and the capability to develop them. Organizational factors are also considered for the strategic objective and the alignment of the technology with specific and general objectives of organizations. Organizational aspects also allow for measuring the staff competence of the organization. The Economic criterion is an aspect that focuses more on financial capabilities. Some authors consider the economic aspect together with the market aspect; however, due to the measure of the economic benefits by applying specific ratios or evaluation tools, the market is frequently treated separately to measure the external market or specific aspects of the market characteristics. Finally, external factors are characterized by the Environmental criteria that are associated with forces that affect the R&D projects out of the decisions of the organizations. In some studies, the criteria are evaluated by the phase that the projects are facing [5], [79]. However, these criteria are used for Analytical Network Process (ANP).

Table 9: (Tables A, B, ... L) - R&D Project Selection - Sub-criteria

[77]	
Criteria	Sub-criteria
Market	<ul style="list-style-type: none"> - Span of applications opened by technology - Potential for commercialization - Supporting national related strategies
Competitiveness	<ul style="list-style-type: none"> - Key of technology - Competitive situation in market - Added value
Technical factors	<ul style="list-style-type: none"> - Position of the technology in its own life-cycle - Threat of substitution technologies - Ability to result in technical Know-How - Ability to use international cooperation potentials
Capability	<ul style="list-style-type: none"> - Alignment with organization - objective and capability - Value of laboratories - Successful Experience accumulated in the field - Registered patents - Value of equipment
Environmental Factors	<ul style="list-style-type: none"> - Impact on environmental factors and energy consumption improvement

(B)

[78]
Criteria
<ul style="list-style-type: none"> - Economic Impact - Commercial potential - Inner capacity - Technical spin-off

(C)

[5]		
Phases of project	Criteria	Sub-criteria
Basic Research Applied Research Development	Innovation	<ul style="list-style-type: none"> - Incremental Innovation - Radical Innovation
	Technological	<ul style="list-style-type: none"> - High Technology - Low Technology
	Project Attributes	<ul style="list-style-type: none"> - Potential Market Interaction with the previous product - Potential technical interaction with existing product - Strategic need - Expected benefit - Product life
	Organizational	<ul style="list-style-type: none"> - Competence and experience on similar projects - Raw material/component availability - Knowledge/skill availability

[5]		
Phases of project	Criteria	Sub-criteria
		<ul style="list-style-type: none"> - Research staff availability - Facilities available
	Market	<ul style="list-style-type: none"> - Competitors effort in similar areas - Relationship with user - Expected market share - Potential market size
	Environmental	<ul style="list-style-type: none"> - Economic regulations - Environmental policy - Safety considerations - Government policy - Social atmosphere
	Risk	<ul style="list-style-type: none"> - Technical risk - Commercial risk - Economic risk

(D) [79]		
Phases of project	Criteria	Sub-criteria
Basic Research Applied Research Development	Technical	<ul style="list-style-type: none"> - Probability of technical success - Existence of project champion - Existence of required competence - Availability of available resources - Applicability to other products and processes - Time to market
	Market	<ul style="list-style-type: none"> - Probability of market success of product - Potential size of market - Product life cycle - Number and strength of competitors - Net present value (NPV).
	Organizational	<ul style="list-style-type: none"> - Strategic fit - External regulations - Workplace safety - Environmental considerations

(E) [80]	
Criteria	Sub-criteria
Energy environmental	<ul style="list-style-type: none"> - High oil prices - UNFCCC - Hydrogen economy
Economical spin-off	
Technical spin-off	<ul style="list-style-type: none"> - Energy savings - CO2 reduction
Marketability	<ul style="list-style-type: none"> - Technology development urgency - Technology level/Target level - Possibility of commercialization
KIER mission	<ul style="list-style-type: none"> - Domestic/foreign market size - Market size for exportation - Job creation effects
	<ul style="list-style-type: none"> - National policy connection - Public sector - Internal capacity

(F) [35]	
Criteria	
	<ul style="list-style-type: none"> - Company's technical ability and patentability resource - Potential customer and stability of the market - Company's financial ability

(G) [81]	
Criteria	Sub-criteria
Manufacturing	<ul style="list-style-type: none"> - Capability - Facilities / Equipment - Workplace safety - Environmental Considerations
Technical	<ul style="list-style-type: none"> - Success Probability - Contribution - Time - Resources
Marketing / Distribution	<ul style="list-style-type: none"> - Potential - Capability - Trends
FROV	

(H) [82]	
-------------	--

Aspects	Objectives	Criteria
Benefits	Economic benefits	<ul style="list-style-type: none"> - Market scope of application - Growth potential of product - Value-added of target products - Relatedness of industry
	Social benefits	<ul style="list-style-type: none"> - Improvements on QESIS - Concatenation with S&T policy - Benefits for human life
Technology	Competitiveness	<ul style="list-style-type: none"> - Innovativeness - Advancement of technology - Proprietary technology
	Relevance	<ul style="list-style-type: none"> - Generics or specific - Technological connections - Extendibility
Execution	Feasibility	<ul style="list-style-type: none"> - Soundness of scientific principles - Quality of proposal - Capability of research team - Safety and pollution concerns
	Success rate	<ul style="list-style-type: none"> - Intensity of competition - Favorable environments - Availability of complementary - Assets - Timing

(I)

[12]

<ul style="list-style-type: none"> - Impact on enhancing Firm Productivity - Profitability - Quality Improvement - Appropriateness - For research project timing - Synergy with other projects - Impact on enhancing Innovation - Advancement of related Technology - Extensibility of results and Span of application

(J)

[10]

[10]	
Criteria	Sub-criteria
Technological merit	<ul style="list-style-type: none"> - Competitiveness of technology - Social ambience - Potential technical interaction with existing technology
Technical	<ul style="list-style-type: none"> - Technical resource availability - Anticipated Completion time - Attractiveness of technological route - Probability of technical success
Risk	<ul style="list-style-type: none"> - Technical risk - Commercial risk - Economic risk - Development risk - Risk in obtaining regulatory clearance
Market	<ul style="list-style-type: none"> - The potential size of market - Expected market share - Financial feasibility - Number and strength of competitor
Regulation	<ul style="list-style-type: none"> - Government policy - Economic regulation - Environmental policy - Ability to meet likely future regulation

(K)

[77]

[77]	
Criteria	Sub-criteria
Project attributes	<ul style="list-style-type: none"> - Expected utility - Strategic need - Product life - Potential technical interaction with existing products - Potential market - interactions with the previous product
Organizational attributes	<ul style="list-style-type: none"> - Competence and experience on similar project - Knowledge/ skills availability - Research staff availability - Raw material/ component available - Facilities available
Market attributes	<ul style="list-style-type: none"> - Potential market size - Expected market share - Degree of competence - Competitors effort in similar areas
Environmental attributes	<ul style="list-style-type: none"> - Government policy - Economic regulations - Social ambience - Safety considerations - Environmental policy
Risk	<ul style="list-style-type: none"> - Technical risk - Commercial risk - Economic risk
Category	<ul style="list-style-type: none"> - Fundamental research - Advanced research - Engineering research - Management and support related research

(L)

[84]	
Criteria	Sub-criteria
Benefits	<ul style="list-style-type: none"> - Benefits to public knowledge base - Benefits to market - Benefits to network innovation - Quality
Risks	<ul style="list-style-type: none"> - Quality of project - Capabilities of firm and partners Quality of research team
Costs	<ul style="list-style-type: none"> - Estimated costs - Project efficiency - Funding efficiency

As it is observed in Table 9, the sub-criteria for each criterion have similarities, which vary in some cases by their purposes within the general objective of the evaluation.

2.5 R&D Project Selection Methods

The evolution of project selection has corresponded to changing needs. The first methods focused on financial analysis and the assessment of the projects was based on financial data [40]. At the same time, early selection models were made based on linear programming, scoring models, and checklists. These methods monetize the attributes [12].

Ashrafi et al., Changsheng Yi, Hashemkhani Zolfani et al., and Changsheng Yi [12], [19], [10], [19] identified three classes of approaches: quantitative methods, qualitative methods, and hybrid methods. Many techniques and methods are used for portfolio selection [85].

R&D project selection can be viewed as a multiple criteria decision-making problem [30]. There are many criteria and sub-criteria considered in the literature affecting the decision of selecting R&D projects. As Guo et al. [85] explain, there are relatively many techniques and approaches that are used for project portfolio selection. Ashrafi et al.,

Changsheng Yi, Hashemkhani Zolfani et al., and Changsheng Yi [12], [19], [10], [19] categorized three classes of approaches: quantitative methods, qualitative methods, and hybrid methods. These methods are summarized in the following table.

Table 10: R&D Project Selection Methods

Mathematical programming and portfolio optimization	Decision Analysis	Economic Models = Financial Methods	Interactive Method = Judgmental Methods = consensus models	Hybrid methods
[86], [35], [27], [87], [12], [3]	[86], [35], [3]	[86], [35], [27], [12], [3]	[86], [35], [27], [3]	[12]
<ul style="list-style-type: none"> - Integer Programming (I.P.) - Linear Programming (L.P.) - Non-linear Programming (NLP) - Goal programming (G.P.) - Dynamic Programming (DLP) - Portfolio Optimization 	<ul style="list-style-type: none"> - Multi-attribute Utility Theory (MAUT) - Decision Trees, Risk Analysis - Analytic Hierarchy Process (AHP) - Hierarchical Decision Model (HDM) 	<ul style="list-style-type: none"> - Internal Rate Return (IRR) - Net Present Value (NPV) - Return on Investment (ROI) - Cost-Benefit Analysis - Option Pricing Theory - Merit-cost Value Index 	<ul style="list-style-type: none"> - Q-Sort, behavioral decision aids (BDA) - Decentralized Hierarchical Modeling (DHM) - Decision Support Systems (DSS) - AHP - HDM - Spreadsheet Model for Rating Projects - Cost-Benefit Analysis with ILP for resource allocation 	<ul style="list-style-type: none"> - Mix of two or more methods

The analysis of the strengths and weaknesses of other methods are summarized below:

Table 11: Strengths and Weaknesses of Other Methods

Analysis Method	Strengths	Weaknesses
Economic Models (Financial Methods)	<p>By using financial methods (i.e., NPV), they can provide specific information such as future monetary amounts [88].</p> <p>Time is taken into account. Timing cash flows are considered [88].</p> <p>They can provide very quick information, such as which project has the greatest potential cash flow [88].</p> <p>They are very useful for small companies with very limited capital and need to recuperate the investment in a very short time [88].</p> <p>These methods allow quick evaluation of the projects with a small investment. These methods do not require the involvement of many types of SMEs [88].</p>	<p>[22], [37], [38], [39], [34] indicate that financial methods point to quantitative financial analysis, failing to value the qualitative aspects since financial analysis is effective when data is estimated with some certainty. Data is usually available when projects are in the commercialization stage; however, linking to the sophistication and complexity of financial models to larger amounts of data are required.</p> <p>By solely using financial methods, the experts' judgments are ignored during the evaluation process [40], and these judgments are important for objectively evaluating the projects.</p> <p>These methods require making projections about cost and income [88].</p> <p>As in the case of NPV, calculations are not accurate. Unexpected costs can decrease the profitability of the project. At the same time, income projections are difficult to produce accurately [88].</p> <p>These methods do not consider the size of the project when compared with other projects. By using cash flows, this method only compares the amount of capital that generates cash flow [88].</p>
Decision Analysis	<p>The minimax method is helpful in cases with a range of potential outcomes and uncertainties about the future.</p> <p>The maximax method is useful when there is a single decision variable [89].</p> <p>These methods are easy to understand and useful in cases of limited available data.</p> <p>Calculations are simple, and they can easily be combined with other methods [89].</p> <p>In the case of MAUT, utility functions are used and help to define desirability values corresponding to the performance level of the decision alternative. [89].</p> <p>AHP and other multi-criteria decision-making methods can use qualitative and quantitative variables [89].</p>	<p>The number of decision variables increases the complexity of the model [89].</p> <p>These methods are not suitable for multiple decision criteria [89].</p> <p>These methods do not help decision-makers about the better perception of risk preferences and time.</p> <p>The AHP method is considered as time-consuming when there is a large number of decision alternatives and/or criteria [89].</p>
Mathematical Programming and Portfolio Optimization	<p>System optimization methods are useful when there is available quantitative data.</p> <p>These methods are useful in operational level decision problems requiring optimized solutions.</p> <p>System optimization methods use different types of quantitative data [89].</p>	<p>The R&D investment decision methods are complex and not easy to develop by managers in real situations [35] since some methods are elaborated under a complex mathematical basis that cannot be applicable in real situations [19].</p> <p>Therefore companies need practical tools that help optimize R&D project selection [10].</p> <p>When defining social attributes in quantitative data form, these methods have difficulty in handling strategic-level decision-analysis problems [89].</p>

CHAPTER 3: RESEARCH GAPS and GOALS

3.1 Literature Review and Gaps

There are many studies analyzing R&D investment and portfolio selection using diverse methodologies; however, most of them are focused on organizations with profit objectives. Few studies are focusing on non-profit or regulated organizations. Moreover, some of the studies analyze R&D project selection by public or government organizations; however, there are no studies about regulated non-profit electric utilities. In the area of public, government, and regulated sectors, there are few studies focused on R&D project selection [90].

The studies about R&D portfolio selection are concentrated mostly on analyzing private companies and not on public or government organizations. Furthermore, few studies are focusing on non-profit, regulated, and electric utilities, especially in the transmission sector [27]. There are many models and methods to evaluate R&D projects; however, very little of the research is done on projects sponsored by governments. Moreover, there is no research about regulated transmission utilities.

R&D project selection in a portfolio context has received insufficient attention, as most of the studies are focused on individual project analysis [29]. A majority of organizations use standard methods based on monetary aspects, failing to include in their R&D project selection the type of organizations, multiple perspectives, and strategy aspects [30]. Below is presented an analysis of studies and methods that are related to the identified problems.

Table 12: Identification of Gaps

Topic	Studies Considering the topic	Used Methods	Gaps
Multi-factor Analysis / Qualitative Factors	[12], [10], [27], [6], [91], [92], [81]	<ul style="list-style-type: none"> - Mathematic programming - Decision Support System DDS - Weight Assessment Ratio Analysis SWARA - Fuzzy analytic hierarchy process - Analytic Hierarchy Process - Fuzzy ANP - Real options valuation - Fuzzy multi-criteria - Fuzzy TOPSIS 	The evaluation methods tend to focus on individual factors. Few studies consider the multi-criteria analysis and incorporate interested stakeholders' perspectives. The R&D investment decision methods are complex and not easy to develop by managers in real situations.
Long Run Strategy Analysis	[93], [27], [26], [86]	<ul style="list-style-type: none"> - Optimal sequencing - Fuzzy analytic hierarchy process - Optimal analysis - mathematical models with knowledge rules 	Few studies consider the organization's long-run competitiveness.
Organization Strategy	[91]	<ul style="list-style-type: none"> - Fuzzy ANP 	There is a lack of studies about organization strategies, the stakeholders' perspectives, and the qualitative benefits.
Economic Analysis	[13], [19], [93], [94], [85], [11], [22], [23], [26], [14], [30], [6], [95], [90], [8], [96], [87]	<ul style="list-style-type: none"> - Real options - Net present value (NPV) - Linear programming - Optimal sequencing - Mathematical Programing - Decision Theory Model and scoring model. - Nonlinear mathematic programming - Fuzzy - Real options - Integer programming - Quantum genetic algorithm - Optimal analysis - Cost/Benefit analysis - Analytic Hierarchy Process (AHP) - Data Envelopment Analysis (DEA) - Nonlinear discontinuous bi-criterion optimization - Fuzzy zero-one integer programming model 	The evaluation methods focus on monetarizing the analysis is complex and do not fully consider qualitative factors.

Many authors have considered a multi-criteria analysis of R&D projects. In general, the studies focus on specific criteria and are more oriented to methodological aspects. The studies focus on linear programming and multi-criteria analysis, as is showed in Table 4. For example, Ashrafi et al., and Oral et al. [12] and [92] use mathematical programming methods addressing project selection with interdependencies. Ashrafi et al. [12] consider a portfolio selection under risk and project interdependency. Even by focusing on portfolio selection, few aspects or criteria are taken into account. The method that is used is based on algorithms and seems too complicated and not holistic. Oral et al. [92] use only expected contributions in many aspects such as technical, economic, scientific, and social contributions; however, the analysis is complex, and the criteria are too general.

The Analytical Hierarchical Process (AHP) is used by Liberatore [6]; however, the analysis is limited by the use of a certain number of criteria and factors, mainly focusing on cost aspects. The project's selection is weighted individually and not as a portfolio in a simplistic model and application. The AHP is also applied under fuzzy conditions by Mohanty et al., and Tolga [91] and [81]. Mohanty et al. [91] incorporate basic, applied, and development research, including risk and organizational aspects; however, the analysis is theoretical and has no application case. In the case of Tolga [81], the fuzzy multi-criteria analysis is generated by the fuzzy TOPSIS method mixed with real option valuation. The analysis is based on options, and incorporates time and multiple criteria analysis; however, this is a mathematical analysis and lacks application. There are other methods applied by Ashrafi et al., and Hashemkhani Zolfani et al. [12] and [10] such as Decision Support System (DSS) and Weight Assessment Ratio Analysis (SWARA); however, similar to the

other cases, the methods are too complex and do not consider a holistic analysis. Moreover, in the case of Hashemkhani Zolfani et al. [10], the criteria are not used for ranking and do not have hierarchies, showing a very simple weighting method.

Few studies incorporate into their analysis the long-term strategy elements and characteristics of R&D projects. Optimal sequence and optimal analysis are used by Chun and Lauritzen [93] and [26]. In these studies, the selection of projects is related to time, and are based on NPV and probability estimations. However, the analysis is done in a mathematical context, focusing on cash flows and costs. Another group of studies, including Huang et al. [27], uses the fuzzy analytic hierarchy process method AHP for government-sponsored projects. However, the organizational strategy is not included explicitly, and the projects are focused on technologies that will compete in the market. Additionally, the model only considers criteria and sub-criteria but no alternatives.

Organizational strategy is a factor that is not explicitly considered in the models. Ringuest et al. [8] use a probabilistic financial portfolio optimization, but only monetary aspects are taken into account. Most of the studies are focused on economic analysis. These studies focus on the monetary analysis of the variables using many types of methods. Lauritzen and Lawson et al. [26] and [14] analyze the portfolio as a multi-criteria model. The optimal analysis is based on probabilities, and only focuses on costs or has limited use of criteria and factors. Moreover, project selection is weighted individually and not as a portfolio in a simplistic version. Other studies incorporate uncertainties in the portfolio selection and the flexibility of decision making by using an options approach. Additionally, their analysis incorporates the interdependency among the projects and the sequential time

approach. The monetary valuation is done using real valuation, NPV, linear optimization, or hybrid methods that incorporate uncertainties and fuzzy analysis [13], [19], [93], [94], [85], [11], [22], [23], [30], [6], [95], [90], [8], [96], [87].

3.1.1 Gaps by Related by Topic

The literature search is based on four important points: studies about R&D project selection or portfolio selection, those in power transmission utilities, studies regarding non-profits, and studies on regulated organization characteristics.

Figure 13: Literature Search Criteria

As it is shown in Table 13, a complete analysis of studies about R&D project or portfolio selection has been made. The search has been performed by using Scopus as a database focused on project and portfolio selection and prioritization topics. The findings show that topics related to R&D project selection are the most common topics (199 documents); however, topics related to R&D project selection and non-profit organizations, regulated organizations, power transmission utilities are much less. The most important gaps are related to studies that examine combined or topics relating to two or more organizational characteristics. The most relevant finding is that there is no study about power transmission that considers non-profit and regulated utilities.

Table 13: Studies about Project and Portfolio Selection and Prioritization

Project and Portfolio Selection and Prioritization											
		Research and Development – R&D		Non-profit		Regulated Organization		Power transmission Utility			
				References							
Research and Development – R&D		Number of Publication	199		[97]–[100]		[97], [98], [100], [101]		[102], [103], [112]–[116], [104]–[111]		
Non-profit			4		16	[97], [98], [123]–[128], [100], [101], [117]–[122]		[97], [98], [100], [101]		NONE	
Regulated Organization			4		4		15	[97], [98], [136]–[140], [100], [129]–[135]		[141]–[145]	
Power transmission Utility			14		0		5		44	[142], [146], [155]–[164], [147], [165]–[174], [148], [175]–[184], [149], [185]–[188], [150]–[154]	

It is possible to observe the differences in the amount of research that has been made in each area and in joint topics. There is a significant difference between a large number of publications about R&D project selection in general and the few studies addressing the same topic for public and non-profit power utilities. Moreover, the studies focusing on power transmission utilities are nonexistent. The most significant publications in the field of energy and power utilities are focused on ex-ante and ex-post evaluating projects and existing technologies, and they do not consider important aspects of the characteristics of the organization.

As was explained, the necessity of select R&D projects to invest under budget restrictions was addressed extensively in the literature. As it is shown in Table 14: R&D Project Selection Methods and Gaps, the most relevant methodologies are focused on economic models (financial methods), mathematical programming, and portfolio optimization. The financial analysis is used based on monetary variables and mostly uses costs and revenues as the main variables.

Figure 14: Studies about Project and Portfolio Selection and Prioritization

There are no studies that relate to the focus of selecting R&D projects by non-profit, regulated power transmission utilities. As it is observed, the intersection of these conditions is null. Some studies have focused only on two conditions (non-profit and regulated, regulation and power transmission utilities).

In general, in the transmission sector, most of the studies focus on analyzing the selection and evaluation of projects for existing technologies. The necessity of expanding and maintaining power grids requires that there are permanent updates of the power

transmission lines. These need to be considered for planning and operations. The evaluation of projects has been done by using different methodologies, mainly based on probabilistic and probabilistic analysis, to optimize the system where the evaluations tend to consider technical, financial, and social aspects. One of the most important factors considered is the reliability of systems, incorporated into the models through probabilistic risk indexes such as in the studies of Lu and Nagle et al. [163], [164], and [167]. The evaluation of power transmission projects uses probabilistic analysis by incorporating into the model fuzzy elements such as noted in the study of Li et al., Liang et al., and Zhang et al. [189], [159], and [184]. The most important aspects to be highlighted from these studies are that evaluation of the transmission projects consider the risk, costs, and reliability, and are framed into probabilistic and mathematical methodologies.

As it was described above, the concepts of non-profit, regulated, and public organization are interrelated. In the area of transmission power utilities, the system is regulated since it corresponds to the formation of natural monopolies, high capital, and no physical feasibility of competition. The most important aspects that are considered in the regulations are the cost optimality and the reliability of a system capable of supplying the required levels of demand. However, there are no studies that explicitly integrate the regulatory, non-profit, and public characteristics of the organizations. Fernandez et al. [97] use a mathematical and computational approach to select R&D projects in public organizations. The aspects evaluated are economic, social, scientific, and human resources, and they are integrated with organizational aspects such as leadership, infrastructure, and the environment. Litvinchev et al. [98] focuses on large-scale public (non-profit)

organizations and uses a non-linear optimization model to the available funds (based on cost information) to optimize the R&D project selection. From more specific government non-profit organizations, Pereira and Veloso [100] uses Markowitz's portfolio optimization, pointing to budget allocation and estimations of risks. The only identified study focusing on regulated electric utilities is made by Morton et al. [190]; however, this study only describes the most used methods to analyze R&D portfolio optimization remarking the multi-criteria methods as the most important.

Linton et al. [191] presents a list of methodologies that are used to evaluate R&D projects and portfolios. The most known methods are call options, effectiveness index, NPV, IRR, and DCF. The financial analysis considers monetary variables, and mostly uses costs and revenues as the main variables. A common method that has been used in R&D project evaluation is based on economic or financial analysis. The economic/financial analysis is framed in capital budgeting methods such as Net Present Value (NPV), payback period, and rate of returns on investments. However, these methods have been associated with evaluating R&D project problems, such as the difficulty in measuring the contribution of projects and estimation for long periods of monetary variables [192].

Since R&D projects are focused on creating new technologies, the lack of historical information on financial variables is treated with uncertainty. The inclusion of uncertainties and risk evaluation is a characteristic related to R&D project selection and evaluation. Gottardi et al. [193] framed the evaluation based on a computerized method that ranks R&D projects from multiple perspectives and takes into consideration NPV, IRR, and payback. In this case, the financial or economic evaluation methods have been

considered inappropriate for the specific evaluation of R&D investments. Carlsson et al. [194] remarks on this inappropriateness of financial methods, and indicates that R&D investments can be treated as the price of an option, proposing a fuzzy real options approach to evaluate R&D projects. Many other studies use the same idea, such as [195]–[204], differing among them by the inclusion of fuzzy analysis, but all of them remark on the existence of uncertainties about investment costs and cash flows as characteristics of new technologies. Additionally, to price or cost uncertainties, other studies consider the market uncertainty, such as [197], [199], [205], [206]. Even more, technical uncertainties have been incorporated into the model's evaluations, such as [206] evaluated together with market or financial uncertainties. The real option has been performed as an option of evaluating projects; however, the use of probabilistic techniques is often used, especially for integrating technical uncertainties.

From a multi-criteria point of view, studies have focused on different variables or criteria, depending on the specific objectives of the analysis. As it is described before, modeling by using MCDM differs among them depending on the criteria or sub-criteria that were taken into account, and the method that was used like AHP, ANP, HDM, TOPSIS and more. The AHP and HDM share the same logic structure differentiated by the weighing scale. The AHP is the most common method used in R&D project selection, and which was extensively used by authors such as [100], [129], [213]–[216], [191], [192], [207]–[212]. The HDM uses a scale of 1-100, and it has been used for evaluating R&D projects in a few studies, such as [128], [192], [215]. The AHP method was developed by

Saaty (1980), and like HDM, it is a method that structures complex problems into a hierarchy structure [192].

Analyzing R&D projects by internal or external conditions, and the specific type of investment by non-public and regulated organizations has not been done extensively. Mostly, the evaluation methods are framed into mathematical modeling. Fernandez et al [97] uses a linear integer-mixed approach for evaluating R&D projects in public organizations. Other studies such as [98], [99], [100], [129], [100] use the same approach, linear optimization, but they vary in the use of different objective functions or constraints. When integrating different conditions of organizations, the methods become complicated, as is the case with the [207] analysis of public organizations.

The tables show a complete absence of literature to address the topic of evaluating R&D projects in non-profits and regulated organizations. More specifically, in the context of electric transmission utilities, the topic has not been studied yet. It is important to remark that non-profit and regulated terminologies have been used interchangeably sometimes. In reality, even non-profit organizations can focus on public goods or services; the regulation aspects are differentiated by the external conditions that organizations need to accomplish. In the case of electric transmission utilities, regulation plays an important role since it is associated with market failure, and, as it is shown in the business models, it plays a crucial role in integrating the entire electric business system. Electric transmission utilities have been regulated in order to minimize costs (economic optimization of the systems) while maintaining the quality of the product and service, including the reliability of systems, and capability of transmission of the required power.

Table 14: R&D Project Selection Methods and Gaps

	Mathematical programming and portfolio optimization	Decision Analysis	Economic Models = Financial Methods	Interactive Method = Judgmental Methods = consensus models	Hybrid methods
Methods and Tools	[86], [35], [27], [87], [12], [3]	[86], [35], [3]	[86], [35], [27], [12], [3]	[86], [35], [27], [3]	[12]
	- Integer Programming (I.P.)	- Multi-attribute Utility Theory (MAUT)	- Internal Rate Return (IRR)	- Q-Sort, behavioral decision aids (BDA)	- Mix of two or more methods
	- Linear Programming (L.P.)	- Decision Trees, Risk Analysis	- Net Present Value (NPV)	- Decentralized Hierarchical Modeling (DHM)	
	- Non-linear Programming (NLP)	- Analytic Hierarchy Process (AHP)	- Return on Investment (ROI)	- Decision Support Systems (DSS)	
	- Goal programming (G.P.)	- Hierarchical Decision Model (HDM)	- Cost-Benefit Analysis	- AHP	
	- Dynamic Programming (DLP)		- Option Pricing Theory	- HDM	
	- Portfolio Optimization		- Merit-cost Value Index	- Spreadsheet Model for Rating Projects	
				- Cost-Benefit Analysis with ILP for resource allocation	
				- TRM	
Research and Development R&D	[217]		[100], [191], [215], [218]-[225], [193], [194], [200], [203], [205], [208], [211], [214]	[209]	[220]
Research and Development (R&D)	[97], [98], [99], [100], [129], [100]	[226]			[207]
	Regulated Organization	[190], [227], [114]		[228]	
	Power transmission Utility				[112]
Power Utility			[163]		[184], [179], [169], [167], [164], [159], [189]

Table 15: Criteria and Sub-criteria According to Type of Organization

R&D in general	Non-profit	Regulated	Power Transmission Utility
[212], [215], [214], [211]	[97], [128], [226], [126]	[227], [114]	[227], [114], [169], [179], [189]
<ul style="list-style-type: none"> - Scientific & Technological merit (technological factors) - Potential benefits Economic (economic return) - Project execution - Project risk - Market potential - Strategic factors - Organizational factors - Actors 	<ul style="list-style-type: none"> - Economic - Social - Scientific - Human resources - Leader quality - Infrastructure quality - Environment - Strategic planning 	<ul style="list-style-type: none"> - Technical - Corporate and strategic - Regulatory - Market - Financial - Economic - Acceptance of stakeholders 	<ul style="list-style-type: none"> - Technical - Regulatory - Market - Financial - Economic - Regulation - Acceptance of stakeholders - Financial risk [179] - Reliability - Environment - Power grid property - Regional economic - Social Benefits

Based on Table 15, it can be observed that non-profit organizations emphasize social aspects while regulated organizations distinguish economic and financial aspects. Differentiating financial and economic aspects shows the intrinsic definition of economic aspects that not only consider financial aspects but social costs and benefits. In power transmission utilities, the economic and financial aspects are included in the list of criteria that consider regulatory and technical factors, as well as the reliability and the properties of the power grid.

3.2 Research Questions

R&D project selection model is investigated and an HDM model is elaborated supporting strategic decision making for electrical utilities.

The main question is:

What criteria and sub-criteria affect R&D project selection based on a holistic approach to align with strategies and market structure in the regulated transmission power sector?

The specific questions are:

- What are the criteria and sub-criteria associated with R&D project investment decisions in power transmission projects?
- What are the levels and weights of criteria and sub-criteria associated with R&D project selection in power transmission projects?
- How do changes of criteria impact on R&D project selection?

3.3 Research Gaps, Objectives & Questions

Based on the research gaps, research objectives, and research questions, the figure below shows these three aspects in summary:

CHAPTER 4: RESEARCH APPROACH AND METHODOLOGY

Hierarchical Decision Model (HDM) [1] is an approach developed by Kocaoglu [1] for multicriteria decisions. As its similar approach to Analytical Hierarchy Process (AHP) [229], HDM is based on hierarchical structure and pairwise comparisons. HDM was selected as the method to evaluate R&D projects, describing the methodology and strategy below.

4.1 Research Methodology

To have an effective R&D project selection analysis, a holistic analysis that considers all factors associated with projects in the transmission power sector is necessary. There are no studies about holistic assessment focusing on power transmission project selection. Applying a Hierarchical Decision Model (HDM) is an effective tool for the assessment of R&D projects. The methodology and results of this study analyzes the factors associated with electric power technologies and complements the evaluation of other methodologies.

The research fits into the evaluation, selection, and prioritization of R&D projects process. The model is a complement to other methods to improve the R&D project selection in the transmission power sector. The figure below represents the research focus in the entire R&D portfolio selection cycle.

Figure 15: R&D Project Portfolio Selection Framework

4.2 Research Approach

The following steps is applied to develop the research; these steps include the development of a hierarchical decision model:

Figure 16: Research Approach - Phases

Phase 1: A literature review on R&D projects. The project selection focused on the power

sector has been done.

Phase 2: Development of a hierarchical model structure to illustrate the multilevel structure based on the variables identified from the literature. This includes a hierarchical model structure, including layers, criteria, sub-criteria, and alternatives. Factors are defined and classified, ensuring to be differentiators to the alternatives.

Phase 3: Variables, factors, and structure of the model are evaluated by experts from an electrical utility and experts associated with the field. The expert panels are from a different range of utility operations expertise.

Phase 4: Pairwise comparison research instruments are employed to quantify the relative weights of the variables in each level of the hierarchical structure.

Phase 5: The results of experts' judgments are discussed and validated.

Figure 17: Model Development Phase – Literature Review - Research Application

Based on the revised preliminary assessment model, content validity instruments are designed and sent to experts. The expert panels are used to demonstrate the development, quantification, and implementation of the HDM model.

4.3 Justification of the Method

Evaluating R&D projects is complex and requires a holistic analysis of criteria and factors. Moreover, the multiple types of variables and factors affecting the decision in the energy sector cannot be analyzed partially and are made under monetary considerations. Criteria and sub-criteria can be qualitative and quantitative, and decision-makers act

according to subjective perspectives [230]; therefore, a multi-criteria decision analysis allows an integrated and comprehensive decision and analysis.

The current models evaluating the R&D investment decisions are complex, and most of them are not easy to be developed by managers in real situations [35], [19]. One of the main concerns is to deal with the imprecision of statistical calculations and assumptions, especially in the aspect of future cash flow. Therefore, HDM appears to be a method that eliminates this problem [13].

There is evidence that organizations that incorporate scoring methods, generally outperformed companies using only financial evaluation [14]. The evaluation and strategic aspects require a methodology that is structured as a hierarchy [6]. The HDM can be used at any stage of evaluating the R&D portfolio, and most importantly, it can be used in the initial stage, before investing in the project. Since HDM is a quantitative method, it prevents internal disagreement among decision-makers and performs an unbiased process [231].

The main reason that HDM is used is that it considers all the main factors associated with the type of organizations in the electric transmission sector (natural monopolies characteristics and those considered public, non-profit organizations). Applying the Hierarchical Decision Model (HDM) is an effective way of evaluating R&D projects because it considers all criteria and sub-criteria and organizes them into a hierarchy. The methodology and results of this study analyzes the technologies associated with the electric power sector and complement the evaluation of other methodologies.

4.3.1 Financial Analyses for Transmission Technology R&D Project Decision Making in the Context of Transmission Utility

The analysis of R&D projects requires qualitative and quantitative variables. Moreover, the characteristics of public and regulated electric utilities influence the decisions of R&D investments. Financial methods do not consider all the aspects and only focus on specific estimated data (financial aspects). As it was analyzed to evaluate R&D projects in the electric transmission sector, it needed to also consider technical and economic factors; moreover, since the organizations are public and non-profit, social and regulatory factors influence the success of the projects. Since there are many types of variables affecting the decision of investing in R&D projects in organizations such as BPA, the type of information or needed data and the quantitative and qualitative characteristics of holistic analysis is not performed using financial methods.

Even the HDM can be considered as a subjective method; the financial methods have their weaknesses for analyzing R&D projects. In electric transmission technologies, the adaptability of the optimal costs is adjusted periodically because of the market dynamics and variability of costs. For that, financial analysis adjusts and assumes future costs under high risk (because of changes in data or patterns). Since the evaluation of R&D projects corresponds to an organization considered as public and non-profit, the economic, social, and political aspects need to be taken into account for evaluating R&D projects. Therefore, the objectives and strategies of this type of organization are different from other private sectors. Financial methods ignore these aspects, especially considering the objectives and strategies of the organizations.

Financial methods are used on individual project evaluations. This aspect, combined with focusing only on monetary aspects (not holistic), cannot provide an accurate ranking of projects. This can be seen in the case of the size of organizations and the size of projects. The Power Market Administrators (PMA) such as BPA is considered a large organization.

4.4 Hierarchical Model Development

The model development was conducted based on the literature review. Based on this literature review, a preliminary assessment model was created. The comprehensive literature review was done in the area of power transmission R&D projects. The variables were categorized according to the criteria and sub-criteria (technical, market, economic, organizational, and environmental/regulation). To quantify the HDM, experts were identified and asked to weight the criteria and alternatives of the model.

4.5 Validation of the HDM Model

The preliminary model was sent to experts EP01 and EP02 for validation using research instruments 1 (RI1 and RI2 for criteria and sub-criteria validation, respectively).

Experts determined which criteria should and should not be included. A two-thirds (67%) consensus process was used to include the criterion in the model.

Experts could also add a new factor(s) using research instruments. Again, if two-thirds (67%) of experts agreed to the new factor(s), it was included in the current model.

The preliminary model was sent to EP01 and EP02 for validation using Research Instrument 1 (RI1 and RI2 for criteria and sub-criteria validation, respectively).

RI1 and RI2 were used for criteria and sub-criteria validation by expert panels. EP01 determined which criteria should and should not be included. EP02 determined which criteria should and should not be included. The validation process took several iterations. RI1 and RI2 were conducted using web-based survey tool Qualtrics. A two-thirds (67%) consensus process was used to include the criterion in the model. A form of the instrument template is provided in Appendix A. Descriptions of all criteria and sub-criteria are also provided in Appendix A.

EP01 and EP02 could also add a new factor(s) using RI1 and RI2. Again, if two-thirds (67%) of experts agreed to the new factor(s), it was included in the current model.

A total of 9 experts were contacted and provided information for the model validation and quantification parts. Criteria were validated by expert panel EP1 (9 people), and sub-criteria were validated by expert panel EP2 (6 people).

4.6 Judgment Quantification

Experts provide pairwise comparisons among the different elements of the model. In this case, the HDM has four levels (mission, criteria, sub-criteria, and alternatives); therefore, experts provide pairwise comparisons among criteria with respect to the mission, pairwise comparisons among sub-criteria with respect to each criterion, and finally pairwise comparisons among the alternatives with respect to each sub-criterion. The following is a summary of nomenclature and functions of how the weights are calculated:

Mission: To evaluate a multi-perspective R&D for project selection in the transmission power sector.

Criteria: Criteria k under the mission: C_k , with $k = 1, \dots, K$.

Sub-criteria: Sub-criteria l under the Criteria k : S_{lk} , with $l = 1, \dots, L$.

Step 1: Quantification of the relative importance of criteria.

Quantify expert judgment to obtain the relative importance of C_k concerning its contribution to the mission.

Step 2: Quantification of relative importance of sub-criteria.

Quantify expert judgment to obtain the relative importance of S_{lk} ($l = 1, \dots, L$) with respect to its contribution to C_k .

Step 3: Quantification of relative importance of transmission R&D project alternatives.

Quantify expert judgment to obtain the relative importance of A_m ($m = 1, \dots, M$) with respect to its contribution to S_{lk} .

Step 1: Quantification of relative importance of criteria.

Step 2: Quantification of relative importance of Sub-criteria.

Step 3: Quantification of relative importance of transmission R&D project alternatives

Step 4: Calculation of the overall relative value of R&D project alternatives.

The calculation of the relative values are based on:

$$VA_m = \sum_{k=1}^K \sum_{L=1}^L V(C_k) \cdot V(S_{Lk}) \cdot VA_{mLk}$$

Where: $V(A_m)$ = Overall relative R&D project value

4.7 Content and Construct Validity

Identifying experts and forming panels is very important for the judgment of the model in its different levels. In general, there are five steps for panel formation to minimize any potential bias [232], [233].

There are two concepts to be defined: What is an expert and what is an expert panel [234]. An expert is a person who has the relevant knowledge and experience, and whose opinions are esteemed by peers in his or her field [235], [236]. An expert panel is analyzed by Estep [237], who mentioned that an expert panel is a group of individuals with access to current, high-quality information on a related topic [238].

However, identifying experts and forming panels is challenging. The decision-making process needs to have the right experts to ensure reliability when thoughts and opinions are used [235].

Both the concepts and the experts, along with the expert panel, are linked by a common characteristic of having specific knowledge [234] and have access to information or experience. Therefore, the issues of forming panels are highly related to issues of identifying experts. Below, the identification of the issues is focused on two groups—one about issues associated with forming experts, and the other one with the issues associated with identifying experts.

4.8 Selecting Experts

It is essential to know who the experts are because there are many problems that can arise from using non-competent experts. The main issues associated with identifying

experts are regarding the qualifications of the experts and related to the knowledge that these people have about a certain topic. Therefore, as Abotah and Estep [235] and [237] stated, these are the main criteria to take into account when selecting experts:

The experts need to have experience and need to be contributing to the study field. As stated above, it is crucial that they have access to the information. According to Estep [237], this includes individuals' scientific or technical education. Stitt-Gohdes et al. [239] mentioned this aspect as expert qualifications.

Experts and the panel need to be unbiased. For this issue, the experts cannot have any conflicts among the panelists and must be selected from multidisciplinary fields.

The experts need to be willing to participate, their participation should be voluntary, and their judgment needs to be free of any external influence. At the same time, the expert needs to have relevant publications and patents [239] and an advanced degree in the relevant field or relevant awards. Additionally, Estep [237] mentions about additional conditions that expert panels need in order to have the skills to communicate the entire context and purpose of the study and the information.

The panel size should be determined to have reliable information [237], [239]. For example, very large panels could have coordination problems, or very small panels could not be beneficial since experts could think that it is not an obligation to participate [240].

Following the theoretical criteria to select experts and the analysis strategy by Estep; Gibson; Phan [232], [237], [241], the model was validated by experts EP01 and EP02. These two expert panels validated the criteria and sub-criteria respectively in

iteration until consensus was reached. For the validation, the research instruments RI1 and RI2 were used based on surveys for data collection built-in Qualtrics [242].

Research instrument 3 (RI3) was used by expert panel 1 (EP1) to evaluate the relative importance of the criteria with respect to the mission. Research instrument 4 (RI4) was used by EP2 to evaluate the relative importance of sub-criteria with respect to the criteria. Table 16 below summarizes the expert panels and research instruments' information.

Table 16: Expert Panel Design

Panel #	Research Instrument	Step 1	Step 2	Size
EP01	RI1	Criteria validation		6 to 18 participants
EP02	RI2	Sub-criteria validation		6 to 18 participants
EP1	RI3	Quantify the contribution of each criterion to the mission.		6 to 11 participants
EP2	RI4	Quantify the contribution of technical sub-criteria.	Evaluate the relative contribution of alternatives with respect to the technical sub-criteria	6 to 11 participants
EP2	RI4	Quantify the contribution of market sub-criteria.	Evaluate the relative contribution of alternatives with respect to the market sub-criteria.	6 to 11 participants
EP2	RI4	Quantify the contribution of organizational sub-criteria.	Evaluate the relative contribution of alternatives with respect to the organizational sub-criteria.	6 to 11 participants
EP2	RI4	Quantify the contribution of economic sub-criteria.	Evaluate the relative contribution of alternatives with respect to the economic sub-criteria.	6 to 11 participants
EP2	RI4	Quantify the contribution of environmental/ regulation sub-criteria.	Evaluate the relative contribution of alternatives with respect to the environmental/ regulation sub-criteria.	6 to 11 participants

Research Instruments 1 & 2 (RI1 & RI2)

These research instruments are used to validate and the content of the model. The surveys ask experts for their agreement or disagreement to include or drop criteria and sub-criteria. The experts had the opportunity to suggest the inclusion of new items, which were validated at 66.67% of the positive agreement for the inclusion. Additionally, the experts were asked to provide their comments, which are used to improve the concepts and clarify the contents.

Research Instrument 3 (RI3)

This research instrument is used to evaluate the relative priorities of the five criteria in fulfilling the mission of R&D project selection in the electric transmission sector. Expert panel EP1 is responsible for fulfilling RI3. Based on judgments quantification from expert panel EP1, the arithmetic mean of the relative priority of the criteria to the mission and the levels of inconsistency and disagreement for the experts were obtained. The arithmetic mean of the panel's evaluation is used to represent the relative ranking of the criteria.

Research instrument 4 (RI4)

Research instrument 4 is used to evaluate the relative priorities of sub-criteria with respect to the five criteria. EP2 is responsible for fulfilling RI4. Based on judgments quantification from the expert panel, the arithmetic mean of the relative priority of the sub-criteria to the criteria and the levels of inconsistency and disagreement for the experts is obtained. The arithmetic mean of the panel's evaluation is used to represent the relative ranking of the sub-criteria.

CHAPTER 5: DATA COLLECTION

For the validation of the model, more than six experts were used in each panel. In the case of the quantification process, six to twelve experts are required per expert panel. Some experts belong to more than one panel. The identification of experts by expertise areas was conducted by using the Snowball Sampling Method (SSM) [243]. The general criteria for expert selection include the relevant expertise within the research area, availability and willingness to participate, and balanced perspectives and minimizing biases.

Additionally, experts are identified by using the Social Network Analysis (SNA) [244]. The criteria of this analysis are based on co-authoring SNA using basic research database information focused on papers about technology adoption and directly related to technologies and electrical utilities. The most important sub-networks were considered since this implies that the connection of authors and importance between them are highly related to the size of the network.

5.1 Expert Panel Defined

Identifying experts and forming panels is very important for the judgment of the model in its different levels. In general, there are five steps for panel formation to minimize any potential bias [232], [233].

There are two concepts to be defined: What is an expert, and what is an expert panel [234]. An expert is a person who has the relevant knowledge and experience and whose

opinions are esteemed by peers in his or her field [235], [236]. An expert panel is analyzed by Estep [237], who mentioned that an expert panel is a group of individuals with access to current, high-quality information on a related topic [238].

However, identifying experts and forming panels is challenging. The decision-making process needs to have the right experts to ensure reliability when thoughts and opinions are used [235].

Both concepts, experts and expert panel, are linked by a common characteristic of having specific knowledge [234], and having access to information or experience. Therefore, the issues with forming panels are highly related to issues of identifying experts. Below, the identification of the issues is focused on two groups—one about issues associated with forming experts, and the other one with the issues associated with identifying experts.

5.2 Forming Experts

There are two important aspects to be considered when forming an expert panel:

First, a panel must be balanced with experts who have diverse areas of knowledge or expertise [235], and second, experts need to be knowledgeable about the domain and have a reputation for high-quality expertise [232].

The panel needs to be unbiased so as not to adversely affect the decision [235] [237].

5.3 Data Analysis

5.3.1 Inconsistency Analysis and Group Disagreements

Inconsistency

Inconsistency can be defined as the measure of disagreement within an individuals' opinions [237], [235]. The judgments are not perfect and consistent all the time; therefore, there is a level of inconsistency that can be tolerated. The acceptable level of tolerance of inconsistency is considered lower than 0.1. *If the inconsistency is greater than 0.1, it is necessary that the individual revise their judgment values* [235].

The measure of inconsistency has been discussed in many studies such as Abotah, Estep, Gibson, Iskin, and Phan [235], [237], [232], [89], [241]. The inconsistency measure is explained below:

For n elements, the constant sum calculations result in a vector of relative values $r_1, r_2, \dots, r_n$ for each of the $n!$ orientations of the elements. For example, if three elements are evaluated:

$n=3$,

Number of orientations= $n! = 6$

The six orientations are: ABC, ACB, BAC, BCA, CAB, and CBA.

The relative values (6 orientations) are consistent if the pairwise comparisons given by the expert are consistent. In the case that the values and orientations are inconsistent, the relative values are different for each unique orientation.

In the inconsistency measured by the variance among the relative values of the elements calculated in the $n!$ orientations,

Let:

r_{ij} = relative value of the i^{th} element in the j^{th} orientation for an expert

$\bar{r}_i$ = mean relative value of the i^{th} element for that expert

$$\bar{r}_i = \left(\frac{1}{n!}\right) \sum_{j=1}^{n!} r_{ij}$$

The inconsistency of the i^{th} element is:

$$Inconsistency = \frac{1}{n!} \sum_{j=1}^{n!} (\bar{r}_i - r_{ij})^2$$

For:

$$i = 1, 2, \dots, n$$

n = number of elements compared

$$Inconsistency = \frac{1}{n} \sum_{i=1}^n \sqrt{\frac{1}{n!} \sum_{j=1}^{n!} (\bar{r}_i - r_{ij})^2}$$

There are other measures to use for analyzing inconsistency, which are not used in this research, such as the Abbas [245] new calculation using the root-sum of the variances (RSV) instead of the sum of the standard deviations [232]. To obtain a consensus of the experts' judgments, the reduction in disagreements needs to be done by a repetitive and dynamic process [230]. The inconsistency is evaluated by using the Root of the Sum of

Variances (RSV) presented by Abbas [245]. Below is a summary of the calculation process of the inconsistency provided by Abbas [245]:

Table 17: Calculation of inconsistency by Abbas [245]

$RSV = \sqrt{\sum_{i=1}^n \sigma_i^2}$	HDM inconsistency = Root of the Sum of Variances (RSV)	σ_i^2 = variance of the mean of the ith decision element
$\sigma_i = \sqrt{\frac{1}{n!} \sum_{j=1}^{n!} (x_{ij} - \bar{x}_{ij})^2}$	Standard Deviation	x_{ij} = normalized relative value of the variable i for the jth orientation in n factorial orientations $\bar{x}_{ij}$ = mean of the normalized relative value of the variable i for the jth orientation
$\bar{x}_{ij} = \frac{1}{n!} \sum_{j=1}^{n!} x_{ij}$	$\bar{x}_{ij}$ = mean of the normalized relative value of the variable i for the jth orientation	x_{ij} = normalized relative value of the variable i for the jth orientation in n factorial orientations

Disagreements

Disagreements among experts or groups of experts can be measured, and disagreement between experts is used to identify experts who have a significantly different opinion than the rest of the experts. Therefore, the disagreement of an expert is the deviation of the judgments of the experts with respect to the judgments of other experts [235]. Two measures can test disagreement of experts [235], the interclass correlation coefficient and the F-test. The F-test statistic can measure the disagreement.

Judgment quantifications are done by using the constant sum method. Using of HDM Software [246] can verify the disagreement level. As Abotah, Estep, Gibson, Iskin, Phan [235], [237], [232], [89], [241] explain, the disagreement level calculation (interclass correlation coefficient) is shown below:

The interclass correlation coefficient (ICC) is a statistical measure that allows for knowing the degree of agreement between experts with respect to each other on the relative contribution of n elements in the comparison. The ICC describes the average correlation across all possible orderings of the judgments' matrices.

Table 18: Interclass Correlation Coefficient (ICC)

Interclass Correlation Coefficient (ICC) Calculation	Nomenclature
$ICC = \frac{MSBS - MSR}{MSBS + (k - 1) + \frac{k(MSB) - MSR}{n}}$	ICC: Interclass correlation coefficient
$MSBJ = \frac{SSBJ}{df_{BJ}}$	MSBJ: Mean square between judges
$SSBJ = \sum_{j=1}^k \left[\frac{(\sum X_j)^2}{n} \right] - \frac{(\sum X_T)^2}{nk}$	SSBJ: Sum of square between judges
$MSBS = \frac{SSBS}{df_{BS}}$	dfBJ: Degree of freedom between judges
$SSBS = \sum_{i=1}^n \left[\frac{(\sum S_i)^2}{k} \right] - \frac{(\sum X_T)^2}{nk}$	MSBS: Mean square between judges
$Df_{BS} = n - 1$	SSBS: Sum of square between judges
$MSR = \frac{SSR}{df_{res}}$	dfBS: Degree of freedom between judges
$SSR = SST - SSBJ - SSBS$	MSR: Mean square residual SSR: Sum of square residual
$df_{res} = \sum X_T^2 - \frac{(\sum X_T)^2}{nk}$	dfres: Degree of freedom residual
	SST: Total of sum of square between judges
	Si: Relative values of expert i
	Xj: Relative values for subject j
	X.T.: Grand total of relative values for subject j
	k: Number of judges
	n: Number of subjects

The different range of ICC values and the interpretation are summarized below:

Table 19: Range of ICC Values

ICC Value	Interpretation
$-1 < ICC < 1$	ICC Range
$ICC = 1$	Absolute agreement between judges
$ICC = -1$	Absolute disagreement but is treated in the same ways as $ICC = 0$
$ICC = 0$	Substantial difference between judgments on value of subjects
$0 < ICC < 1$	indicates a degree of agreement between judges and the higher the value, the greater the level of agreement
$-1 < ICC < 0$	This range makes ICC open for different interpretation of the results and not a very reliable coefficient for judgment

Additionally, the statistical F-test is used to measure ICC. Therefore, the F-test tests the null hypothesis at a certain level of confidence:

$$H_0: ICC=0$$

If the ICC is not rejected, this means that there was absolute disagreement between experts. Therefore, there is no correlation. The F-value in an F-test can be calculated as the ratio of two sums of squares. In the case of HDM, the F-value can be estimated by:

$$F = \frac{MSBS}{MSR}$$

The levels of confidence (α) are usually with the values of 0.01, 0.05, 0.025, or more. Based on these α levels, the critical F values are found in tables.

If $F_{\text{calculated}} > F_{\text{critical}}$, then H_0 is rejected; therefore, there is no disagreement among the experts' judgments. The calculated F is the value provided by the HDM software.

As Estep [237] explained, Iskin [89] used hierarchical clustering to examine disagreements between experts. By using the clustering, disagreements between experts or a group of experts can be identified. Acceptable disagreement is a value of 0.1 or less.

5.3.2 Sensitivity Analysis

The initial condition that established the model can change due to many reasons. Therefore, it is important to measure the effects of these changes. Multi-criteria models, and more specifically, HDM, incorporate this analysis of the impact of potential changes. As Gibson [232] established, there are many methods to analyze potential changes known as a sensitivity analysis. HDM sensitive analysis is a method developed by Chen and Kocaoglu [247]. This method uses a mathematical deduction approach to analyze the changes, the effects, and the flexibility and robustness of the results. A sensitivity analysis could be done at any level or for any element [232]. Additionally, this method has been used as scenario analysis, such as Estep [237], who measured the impact on the rank due to changes in top-level perspectives in the model.

Sensitivity analysis can be used to consider changes in any level or any element of the HDM decision model. Due to possible changes and the respective analysis, it is possible to know and understand the effects of the decisions on the rank or order of the elements [232].

Sensitivity analysis can be used to establish how much the decision variables can change before changing the order of alternatives [235]. Abotah [235] summarized the explanation by Chen and Kocaoglu [247] in an HDM four-level model:

$$C_i^{A-M} = \sum_{l=1}^L \sum_{k=1}^k C_i^{C-M} \cdot C_{kl}^{G-S} \cdot C_{ik}^{A-S}$$

Where:

A_i : Alternatives

M : Mission

C_i^{C-M} : Local contribution of the L^{th} criterion to the mission

C_{kl}^{S-C} : Local contribution of the k^{th} sub-criterion to the L^{th} objective

C_i^{A-M} : Overall contribution of i^{th} alternative to the mission

C_{ik}^{A-S} : Local contribution of i^{th} alternative to the K^{th} sub-criterion

C_{il}^{A-C} : Global contribution of i^{th} alternative to the L^{th} criteria

The calculation of the parameters allows for knowing the effects on the alternatives. At the same time, it is possible to establish the tolerance, which is defined as “the allowable range in which a contribution value can vary without changing the rank order of decision alternatives” [235].

If there is perturbation P_{l*}^o in the criteria level (top level C_i^C), where,

$$-C_{l*}^C \leq P_{l*}^C \leq 1 - C_{l*}^C$$

The original ranking of the alternatives A_i and A_{r+n} will not change if:

$$\lambda \geq P_i^C \cdot \lambda^C$$

Where:

$$\lambda = C_r^A - C_{r+n}^A$$

The feasibility condition is:

$$-C_{l*}^C \leq P_{l*}^C \leq 1 - C_{l*}^C$$

The ranking of alternatives will keep the same in the below equation if n=1 and r=1,2,...,I-1.

$$\lambda^C = C_{r+n,l*}^{A-C} - C_{rl*}^A - \sum_{l=1, l \neq l*}^L C_{r+n,l*}^{A-C} \cdot \frac{C_l^C}{\sum_{l=1, l \neq l*}^L C_l^O} + \sum_{l=1, l \neq l*}^L \frac{C_{rl}^{A-O}}{\sum_{l=1, l \neq l*}^L C_l^O}$$

If only the first alternative is important to keep unchangeable, the r=1 and n=1,2,...,I-1

Allowance range of perturbations C_i^C to keep the current ranking is:

$$[\delta_{i-}^C, \delta_{i+}^C]$$

The sensitivity coefficient is calculated by:

$$1/|\delta_{i+}^C, \delta_{i-}^C|$$

CHAPTER 6: DEVELOPMENT OF THE RESEARCH MODEL

6.1 Expert Panel Formation

The final number of experts, their characteristics, and the distribution through the stages of the research are shown below.

Table 20: Expert Panel Design

Panel #	Research Instrument	Step 1	Step 2	Size
EP01	RI1	Criteria validation		18 participants
EP02	RI2	Sub-criteria validation		30 participants
EP1	RI3	Quantify the contribution of each criterion to the mission.		9 participants
EP2	RI4	Quantify the contribution of technical sub-criteria.	Evaluate the relative contribution of alternatives with respect to the technical sub-criteria	7 participants
EP2	RI4	Quantify the contribution of market sub-criteria.	Evaluate the relative contribution of alternatives with respect to the market sub-criteria.	7 participants
EP2	RI4	Quantify the contribution of organizational sub-criteria.	Evaluate the relative contribution of alternatives with respect to the organizational sub-criteria.	8 participants
EP2	RI4	Quantify the contribution of economic sub-criteria.	Evaluate the relative contribution of alternatives with respect to the economic sub-criteria.	7 participants
EP2	RI4	Quantify the contribution of External/Regulation/Environmental.	Evaluate the relative contribution of alternatives with respect to the External/Regulation/Environmental.	8 participants

Table 21: Distribution of Experts for Validation and Quantification of the HDM

Expert ID	Model Validation						Model Quantification					
	Criteria	Sub-criteria					Criteria	Sub-criteria				
		Technical	Market	Organizational	Economic	External/ Regulation/ Environmental		Technical	Market	Organizational	Economic	External/ Regulation/ Environmental
Expert 1		X		X	X				X	X		
Expert 2		X	X	X					X		X	
Expert 3	X	X		X		X						
Expert 4	X	X	X		X		X	X				
Expert 5	X	X				X		X				
Expert 6	X		X	X	X							
Expert 7	X						X				X	
Expert 8									X		X	
Expert 9									X		X	
Expert 10	X		X		X	X	X					X
Expert 11		X	X		X	X			X			X
Expert 12	X	X		X			X					
Expert 13	X	X	X			X	X					X
Expert 14									X			X
Expert 15		X		X	X	X		X			X	
Expert 16		X		X				X		X		
Expert 17	X	X	X		X	X						
Expert 18									X			
Expert 19	X		X	X	X	X	X					X
Expert 20		X		X	X	X						
Expert 21	X									X	X	
Expert 22	X	X	X		X	X						
Expert 23	X		X	X	X	X	X			X		
Expert 24			X	X	X	X						
Expert 25	X	X	X		X	X	X	X		X		X
Expert 26							X				X	
Expert 27	X	X		X		X		X		X		
Expert 28		X	X			X		X		X		
Expert 29	X											
Expert 30		X	X			X						
Expert 31	X											
Expert 32	X		X		X	X						
Total Number of Experts	18	17	15	12	14	17	9	7	7	7	7	6

Experts were selected according to the type of organization to eliminate any bias and capture the information from perspectives. These organizations are from academia and form the industrial field. At the same time, experts from private establishments, RTOs, regional organizations, and National Labs in the United States were selected.

Table 22: Experts by Type of Organization

	Type of Organization
Academia	12
BPA	9
Regulated Utility	4
Lab	3
Private Transmission Analyst	2
Regional Organization	1
RTO	1
Total	32

The present model, as shown above, is based on theoretical aspects and represents an opportunity to be generalized for its use in different regions around the world. Therefore, the experts were selected from different parts of the world, such as Spain, the Netherland, and Sweden. These countries were selected since they have similar energy and regulation markets.

Table 23: Experts by Country

	Country
USA	27
Spain	3
Netherland	1
Sweden	1
Grand Total	32

6.2 Results and Data Analysis - Research Application

6.3 Step 1: Hierarchical Model Development

The model development was conducted based on the literature review. Based on this literature review, a preliminary assessment model was created. The comprehensive literature review was done in the area of power transmission R&D projects. The variables were categorized according to the criteria and sub-criteria (technical, market, economic, organizational, and environmental/regulation).

The established objective is to evaluate multi-perspective R&D for project selection in the power sector. Five different criteria and 18 sub-criteria have been identified and shown in the HDM model.

Conceptual HDM

The objective is to evaluate multi-perspective R&D for project selection in the power sector. The HDM is:

Figure 18: Hierarchical Model Development

Table 24: Description of Criteria - Level 2

Criteria	Description of Criteria - Level 2	Reference
Technical	This criterion is related to the technological context, which relates to how technology characteristics themselves can influence the R&D projects.	[77], [78], [5], [79], [35], [80], [81], [212], [214], [227], [114], [169], [179], [189]
Market	These attributes scrutinize the various market limits associated with the development of new technologies through R&D projects. It is directly associated with the side of the size of demand.	[77], [78], [5], [79], [35], [80], [81], [214], [227], [114], [169], [179], [189]
Organizational	The organizational context is related to the characteristics of the organization. It looks at the structure and processes of an organization that constrains or facilitates the R&D projects.	[78], [5], [79], [214], [212], [215], [214], [211]
Economic	Financial characteristics of the R&D projects.	[78], [35], [80], [82], [97], [227], [114], [169], [179], [189], [97], [128], [226], [126]
Environmental	These attributes consider external factors that influence R&D projects, considering mainly environmental and governmental factors. Additionally, technical standards and stakeholders' voices are considered.	[77], [5], [80], [227], [114], [169], [179], [189], [97], [128], [226], [126]

Table 25: Description of Sub-Criteria - Level 3

Criteria	Sub-Criteria	Description of Sub-Criteria - Level 3	References
Technical	Technical success	Opportunity (probability, prospect) of success for the technology. This sub-criterion considers implicitly technical risk.	[79], [81], [82], [10], [212], [211], [214]
	Existence of required competence	The ability, knowledge, and skills to perform and develop the R&D project consistently over time.	[77], [79], [81], [214], [209]
	Availability of resources	Availability of technical resources, technical support, and equipment support.	[77], [81], [82], [10], [212], [211]
	Applicability to other products and processes	Opportunity to apply the new technology to other products or processes different from the original objectives.	[77], [97]
	Technology readiness	Technology Readiness Levels (TRL) are a method of estimating technology maturity of Critical Technology Elements (CTE) of a program during the acquisition process.	[77], [5], [79], [35], [81], [212], [209]

Criteria	Sub-Criteria	Description of Sub-Criteria - Level 3	References
Market	Potential size of market	The market size is typically defined by the number of units sold (energy level) in the market in a given year. This is used as an input to determine the baseline energy consumption (using the average unit energy consumption; it is the actual market energy consumption - BPA Firm energy).	[77], [5], [79], [35], [81], [10], [84], [212], [214], [213], [126], [212], [215], [214], [211]
	Time to market	It is the length of time that development takes a product being conceived until its being available for sale or its use.	[79], [81], [82], [10], [211], [214]
	Additional (variety) applications opened	Additional technologies and applications that can be derived from the results of the R&D project	[5], [79], [82]
	Market risk	Stability of the market, specifically referred to the variations of the size of the market as defined above.	[5], [79], [35], [77]
	Load and Power System Planning	How the power system will grow over a period of time. The load forecasting is based on facts, assumptions, and logic judgments.	Added by SME – RI02
Organizational	Research staff availability	Available technical staff for research and development of a specific project.	[212], [211], [214], [97], [126]
	Knowledge/skill availability	The capability of the research team such as the competence (progressive and diversified training and experience) of the project leader and technical staff.	[77], [97], [126]
	Competence and experience on similar projects	Ability to perform the new project based on the experience in similar or previous projects.	[77], [248]
	Strategic fit	Appropriateness of the project concerning an organization's overall objectives.	[77], [79], [214], [126], [209], [227], [114], [97], [128], [226], [126], [212], [215], [214], [211]
	Available facilities	Buildings or equipment for developing the project.	[211]
Economic	Net present value (NPV).	The present amount invested and future cash amount discounted by a specified rate of return.	[79], [12], [214]
	Value-added of target products	Economic benefits of developing the product.	[78], [82], [97], [128], [226], [126]
	Project cost	Total expending in the project, including capital and operation costs.	[10], [84], [211], [213], [126]
	Economic risk	The associated risk with financial and economic factors on the project, such as costs or economic benefits.	Added by SME – RI02

Criteria	Sub-Criteria	Description of Sub-Criteria - Level 3	References
Level 3 (Sub-Criteria) External/ Regulation/ Environmental	Economic regulations	Legislative measures and government regulations to affect economic outcomes.	[5], [79], [10], [214], [213], [227], [114][209], [169], [179], [189],
	Environmental policy	The relationship between the R&D project and the commitment of an organization to the laws, regulations, and other policy mechanisms regarding technical, economic, and environmental issues.	[77], [5], [79], [82], [10], [214], [169], [179], [189]
	Reliability, resilience, state Awareness technical standards	It is an established norm or requirement regarding technical systems to ensure the reliability of the bulk power system.	[5], [82], [213], [97], [209]
	Power Quality standards	Standards related to reducing the disturbances of covering areas of voltage, harmonic distortion, flicker, disturbances, frequency.	Added by SME – RI02
	Acceptance of stakeholders	Stakeholders' perception of the project and/or new technology.	Added by SME – RI02

6.4 Step 2: Model Development Update based on Identification of Supporting Theories

Organizations that present characteristics of a natural monopoly are often regulated. A natural monopoly appears when only one firm can produce at a lower cost than many companies. In this case, the production can be done by only one firm, because competition is not socially desirable [249]. However, a natural monopoly is regulated in order to increase the social welfare. Regulated organizations invest to maximize their profits; these organizations will produce lower quantities at high prices; therefore, not socially desirable. In the electrical utility market, regulations are focused on three main aspects: energy price, quality of the product, and the quantity to be generated, transmitted, and distributed.

Consequently, the selection of R&D projects will be both defined by the strategy of the organization and affected by regulations.

Theories about investment in R&D in regulated organizations are different from organizations operating in competitive markets. The first theory is associated with “natural monopoly,” which requires government intervention. The regulated aspects are price, quantity, and quality of the product. Two theories explain the regulation due to the “market failure.” These are Public Interest Theory and Interest Group Theory [249]. The four main aspects regulated are price, quantity, quality, and environment.

R&D projects are associated with economic regulation, such as price and financial aspects. At the same time, technical aspects determine what to invest and how much. Moreover, risks are associated with the financial and technical aspects. The quality of the product can be explained by the increasing cost of high quality required and the “natural behavior” of organizations selecting the lower costs regarding quality, and more so if this connected with monopoly or natural monopoly markets. Therefore, these are the main aspects to be taken into account: quantity, price (financial) quality, regulation, environment, and risk.

The decision to select R&D projects is directly related to investment, innovation, market models, and market conditions. In the case of utilities, the environment is related to natural monopoly conditions and the “necessity” of the government intervention to protect the customers since the products are considered essential services and are provided only for one firm that has power over its customers. In natural monopolies, the regulation allows incentive organizations to produce the levels of outputs and prices that are socially

optimum. The possible alternatives to regulate are price discrimination, Peak-Load Pricing, Price-Cap Regulation, Public Ownership, and others. Therefore, the criteria for evaluating R&D projects for regulated organizations include the criteria for non-profit organizations; however, the non-profit criteria exclude market and risk criteria.

The criteria need to incorporate these aspects and certain or specific conditions of regulations. This condition cannot be treated the same as in perfect market competition, in which the decision of the price, quantity, and innovation is socially efficient. The government intervention will modify the strategy of the organizations and decide the R&D investments and will choose the R&D projects according to all the criteria associated with the innovation, price, quantity, market, and government requirements.

Environmental regulation is based on negative externalities. Additionally, the Economics of Quality can explain that there is a minimum level of quality at the lowest cost. The quality and continuity of the service need to be guaranteed; however, the quality of service needs to be high, which is related to a high cost.

Innovation can be based on Schumpeterian principles. The continuous innovation makes that Long Average Cost have a structural change; however, the changes in prices or rates are not as fast as the differences in costs and demand. Therefore, this will depend on legal and regulatory and political dimensions. The adjustments of the decisions of the organizations (strategy) depend on the criteria listed, as well as the dynamic of the market conditions [250].

- The main theories that explain R&D investments are the following:

- Market Structure (Natural monopoly theory and Economics of quality)
- Regulation (Public Interest Theory and Interest Group Theory)
- Innovation (Schumpeterian innovation and Dynamic Natural Monopolist)
- Environment (Pigovian tax)

Four main aspects are regulated: price, quantity, quality, and environment. R&D projects are associated with economic regulation, such as price and financial aspects. At the same time, technical aspects determine what to invest and how much. Moreover, risks are associated with the financial and technical aspects.

Figure 19: Integrating elements from Theoretical Models - Supporting Theories - Step 1

Based on the identified theories, the criteria and sub-criteria identified in stage 2 were evaluated. Therefore, the criteria identified in the literature review were confirmed (criteria are directly associated with theoretical aspects), while the number of sub-criteria increases from 18 to 22. See the figure below.

All the criteria have been taken into account. Since regulated monopolies and projects, in general, are differentiated in the regulatory factors, the Technical, Market, Organizational, and Economic criteria correspond to both cases. The Environmental /Regulation contains all the factors associated with regulated organizations. Risk has been incorporated in the three main areas: Technical risk, market risk, and economic risk. Technical risk is intrinsically defined in the technical success sub-criterion.

Market risk is associated with changes in the levels of demand, these days a very sensitive issue, due to solar power or distributed generation. Economic risk is associated with monetary losses or changes in the economy.

Figure 20: HDM Based on Literature Review and Theories

CHAPTER 7: RESULTS OF MODEL QUANTIFICATION

7.1 Content Validation

Expert panels EP01 and EP02 consisted of 18 and 30 participants, respectively. Expert panels were formed based on their knowledge of energy, technology management, and previous experience working on R&D project planning in the electrical sector to get more consistent and logical results.

The panels were asked to comment on the model structure and content. The assessment tool was intended to capture their judgment about the criteria and sub-criteria and identify those that might have gone undetected during the literature review. A 2/3 majority criterion was necessary to keep the element. They were asked if the proposed criteria and sub-criteria were appropriate for evaluating R&D projects in a transmission power utility.

In addition to asking expert panels EP01 and EP02 to identify criteria and sub-criteria, the experts were asked to comment on the model content. There were 18 participants in expert panel EP01 and 30 experts in panel EP02. Criteria and sub-criteria identified from literature research were presented to the experts. Experts were asked if the proposed criteria and sub-criteria were appropriate for R&D project selection in the electric transmission sector and if there were other elements that should be excluded or added. The experts had the option to comment on other attributes that were not presented.

The diagram below represents the proposed initial HDM model. This model was provided to expert panels EP01 and EP02 to evaluate using the research instruments RI1 and RI2.

7.1.1 Criteria Validation

Expert panel EP1 focused on validating the criteria. Content validity instrument RI01 was sent to Experts. A total of 18 experts provided input. As a result, all criteria were accepted and included in the final model. The table below shows a summary of the experts' responses.

Table 26: Criteria Validation – Experts' Responses

	Sub-criteria	Yes		No		Total	Ratio (Yes/Total)	Decision
1	Technical	18	100.00%	0	0.00%	18	100.00%	Included
2	Market	15	83.33%	3	16.67%	18	83.33%	Included
3	Organizational	15	83.33%	3	16.67%	18	83.33%	Included
4	Economic	17	94.44%	1	5.56%	18	94.44%	Included
5	External/ Regulation/ Environmental	16	88.89%	2	11.11%	18	88.89%	Included

Figure 21: Criteria Validation – Experts' Responses

7.1.2 Sub-criteria Validation

Technical Criterion – Sub-criteria Validation

Expert panel EP02 focused on validating the Technical sub-criteria in satisfying the Technical criterion. This panel EP02, conformed by 17 experts, validated the content of Technical criteria using the research instrument RI2. As a result, all Technical sub-criteria were accepted and included in the final model.

Table 27: Technical Criterion - Sub-Criteria Validation – Experts’ Responses

Technical Criterion								
	Sub-criteria	Yes		No		Total	Ratio (Yes/Total)	Decision
1	Technical success	16	94.12%	1	5.88%	17	94.12%	Included
2	Existence of required competence	14	82.35%	3	17.65%	17	82.35%	Included
3	Availability of resources	17	100.00%	0	0.00%	17	100.00%	Included
4	Applicability to other products and processes	12	70.59%	5	29.41%	17	70.59%	Included
5	Technology readiness	15	88.24%	2	11.76%	17	88.24%	Included

Figure 22: Technical Criterion - Sub-Criteria Validation – Experts’ Responses

Market Criterion – Sub-criteria Validation

Expert panel EP02 focused on validating the Market sub-criteria in satisfying the Market criterion. Content validity instrument RI02 was sent to the expert panel EP02. A total of 15 experts provided input. As a result, all Market sub-criteria were accepted and included in the final model.

Table 28: Market Criterion - Sub-Criteria Validation – Experts’ Responses

Market Criterion								
	Sub-criteria	Yes		No		Total	Ratio (Yes/Total)	Decision
1	Potential size of market	12	80.00%	3	20.00%	15	80.00%	Included
2	Time to market	15	100.00%	0	0.00%	15	100.00%	Included
3	Additional (variety) applications opened	12	80.00%	3	20.00%	15	80.00%	Included
4	Market risk	13	86.67%	2	13.33%	15	86.67%	Included
5	Load and Power System Planning	13	86.67%	2	13.33%	15	86.67%	Included

Figure 23: Market Criterion - Sub-Criteria Validation – Experts’ Responses

Organizational Criterion – Sub-criteria Validation

Expert panel EP02 focused on validating the Organizational sub-criteria in satisfying the Organizational criterion. Content validity instrument RI2 was sent to the expert panel EP02. A total of 12 experts provided input. As a result, all Organizational sub-criteria were accepted and included in the final model.

Table 29: Organizational Criterion - Sub-Criteria Validation – Experts’ Responses

Organizational Criterion								
	Sub-criteria	Yes		No		Total	Ratio (Yes/Total)	Decision
1	Research staff availability	11	91.67%	1	8.33%	12	91.67%	Included
2	Knowledge/skill availability	11	91.67%	1	8.33%	12	91.67%	Included
3	Competence and experience on similar projects	11	91.67%	1	8.33%	12	91.67%	Included
4	Strategic fit	11	91.67%	1	8.33%	12	91.67%	Included
5	Available facilities	9	75.00%	3	25.00%	12	75.00%	Included

Figure 24: Organizational Criterion - Sub-Criteria Validation – Experts’ Responses

Economic Criterion – Sub-criteria Validation

Expert panel EP02 focused on validating the Economic sub-criteria in satisfying the Economic criterion. A total of 14 experts provided input in expert panel EP02 using research instrument RI2. All Economic sub-criteria were accepted and included in the final model.

Table 30: Economic Criterion - Sub-Criteria Validation – Experts’ Responses

Economic Criterion								
	Sub-criteria	Yes		No		Total	Ratio (Yes/Total)	Decision
1	Net present value (NPV)	13	92.86%	1	7.14%	14	92.86%	Included
2	Value-added of target products	11	78.57%	3	21.43%	14	78.57%	Included
3	Project cost	14	100.00%	0	0.00%	14	100.00%	Included
4	Economic risk	13	92.86%	1	7.14%	14	92.86%	Included
5	Cost-Time Process improvement	7	50.00%	7	50.00%	14	50.00%	Excluded

Figure 25: Economic Criterion - Sub-Criteria Validation – Experts’ Responses

External/Regulation/Environmental Validation Criterion – Sub-criteria Validation

Expert panel EP02 focused on validating the Environmental/Regulation sub-criteria in satisfying the Environmental/Regulation criterion. Content validity instrument RI2 was sent to the expert panel EP02. A total of 17 experts provided input and agreed to include in the model all Environmental/ Regulation sub-criteria.

Table 31: External/ Regulation/ Environmental Criterion - Sub-Criteria Validation – Experts’ Responses

External/ Regulation/ Environmental Criterion

	Sub-criteria	Yes		No		Total	Ratio (Yes/Total)	Decision
1	Economic regulations	16	94.12%	1	5.88%	17	94.12%	Included
2	Environmental policy	17	100.00%	0	0.00%	17	100.00%	Included
3	Reliability, resilience, state Awareness technical standards	15	88.24%	2	11.76%	17	88.24%	Included
4	Power Quality standards	13	76.47%	4	23.53%	17	76.47%	Included
5	Acceptance of stakeholders	15	88.24%	2	11.76%	17	88.24%	Included

Figure 26: External/ Regulation/ Environmental Criterion - Sub-Criteria Validation – Experts’ Responses

Figure 27: Pre-Validated HDM Model

There were 32 experts identified who were grouped in 6 different panels. The experts were identified using Social Network Analysis and Snowballing methods. These experts were balanced according to their experience, affiliations, and locations. There were 10 to 20 experts in each panel (experts participated in 2 or more panels according to their expertise). It is important to mention that in the quantification part (not an objective of this paper), the same experts were used; however, the size of the panel varies from 6 to 11 experts.

The model validation had three principal results. First, all the criteria were validated with agreements higher than 67%. Second, experts who validated the criteria suggested adding two sub-criteria. This model, including the additional sub-criteria suggested by experts, was validated by other experts who validate 23 out of 24 sub-criteria. The final model is shown below.

Figure 28: Validated HDM by Experts – Levels 1, 2, 3

7.2 Quantification of the Model

The judgment quantification, experts' inconsistencies, and group disagreements for each expert panel are discussed below.

This section presents pairwise comparisons to determine the weights of the decision model. The expert panels EP1 and EP2, described above, received invitation letters and accepted to participate in the model quantification phase. Then, the experts received a link to a survey assessment tool to produce pairwise comparisons (research instruments RI3 and RI4). The panels were asked to distribute 100 points between two criteria or sub-criteria, depending on the panel. This data was analyzed by using the Hierarchical Decision Model Software® to calculate the weights for each alternative, the inconsistency, and the disagreement.

The expert's inconsistency or group disagreement below the value of 0.1 was accepted. If there were groups with any disagreements, then the option of dividing the panel into subgroups would be considered (as shown below, it was not necessary).

It is important to mention that, in this part, the inconsistencies below 0.1 are used to have acceptable results, and it is not necessarily additional verification through the F-test, which is frequently used to test inconsistency. This is a statistical test that is mostly used to decide if a statistical model is the best fit for a set of data using the least squares. However, it was found that the F-test is not reliable because it fails to explain identical or close judgments with no variance. Additionally, the F-test assumes a normal distribution, while the data might not be normally distributed [235].

7.2.1 Criteria Quantification Results

Expert Panel EP1 evaluated the relative importance of five criteria regarding their relative importance to the mission (R&D project selection in the electric transmission sector). There were 9 experts in Expert Panel EP1. The arithmetic means of the experts' judgments for the relative importance of considered criteria are shown in Table 32 below.

The initial results, as shown in Table 32, indicated that all the criteria were relatively important from an overall assessment point of view. The relative importance of the criteria to the mission is ranging from the relative value of 0.15 to 0.27.

Table 32: Relative Importance of Criteria

R&D project selection in electric transmission sector	Technical	Market	Organizational	Economic	External/ Regulation/ Environmental	Inconsistency
Expert 26	0.18	0.21	0.14	0.27	0.2	0.02
Expert 19	0.23	0.06	0.17	0.21	0.34	0.03
Expert 7	0.14	0.17	0.15	0.2	0.34	0.09
Expert 25	0.11	0.06	0.08	0.37	0.37	0.04
Expert 10	0.13	0.23	0.18	0.2	0.26	0.04
Expert 13	0.34	0.13	0.16	0.16	0.21	0.05
Expert 4	0.2	0.2	0.2	0.2	0.2	0
Expert 12	0.11	0.26	0.12	0.26	0.24	0.01
Expert 23	0.31	0	0.23	0.14	0.31	0.05
Mean	0.19	0.15	0.16	0.22	0.27	
Minimum	0.11	0	0.08	0.14	0.2	
Maximum	0.34	0.26	0.23	0.37	0.37	
Std. Deviation	0.08	0.08	0.04	0.06	0.06	
Disagreement						0.065

Figure 29: Relative Importance of Criteria

The inconsistency within each expert is acceptable (all < 0.10). This expert panel considered the External/Regulation/Environmental criterion as the most important (0.27).

7.2.2 Sub-criteria Quantification Results

Technical Sub-Criterion Results

Expert panel EP2 (7 participants) assessed the relative contribution of the five sub-criteria to the technical criteria. The relative values are shown in Table 33.

Table 33: Relative Importance of Technical Sub-criteria

Technical	Technical success	Existence of required competence	Availability of resources	Applicability to other products and processes	Technology readiness	Inconsistency
Expert 16	0.25	0.09	0.22	0.16	0.28	0.04
Expert 25	0.31	0.12	0.13	0.08	0.37	0.04
Expert 28	0.14	0.23	0.27	0.21	0.15	0.01
Expert 27	0.3	0.29	0.17	0.16	0.08	0.09
Expert 5	0.36	0.29	0.19	0.08	0.08	0.07
Expert 4	0.2	0.2	0.2	0.2	0.2	0
Expert 15	0.35	0.17	0.26	0.07	0.15	0.08
Mean	0.27	0.2	0.21	0.14	0.19	
Minimum	0.14	0.09	0.13	0.07	0.08	
Maximum	0.36	0.29	0.27	0.21	0.37	
Std. Deviation	0.07	0.07	0.05	0.06	0.1	
Disagreement						0.07

Figure 30: Relative Importance of Technical Sub-criterion

The inconsistency level within each expert is acceptable (all < 0.10). Since the values are acceptable, it is considered not necessary to use the F-test data. There is also no significant level of disagreement among experts (0.07). This expert panel considered the External/Regulation/Environmental sub-criterion as most important (0.27).

Market Sub-criteria Results

Expert panel EP2 (7 participants) assessed the relative contribution of the five sub-criteria to the Market criterion. The relative values are shown in Table 34.

Table 34: Relative Importance of Market Sub-criterion

Market	Potential size of market	Time to market	Additional (variety) applications opened	Market risk	System Planning	Inconsistency
Expert 8	0.2	0.27	0.12	0.32	0.09	0.06
Expert 1	0.23	0.23	0.2	0.14	0.2	0.03
Expert 18	0.11	0.2	0.23	0.13	0.32	0.01
Expert 11	0.18	0.08	0.28	0.27	0.2	0.03
Expert 9	0.27	0.33	0.05	0.17	0.18	0.08
Expert 14	0.28	0.24	0.18	0.15	0.16	0.02
Expert 2	0.13	0.22	0.07	0.19	0.38	0.02
Mean	0.2	0.22	0.16	0.2	0.22	
Minimum	0.11	0.08	0.05	0.13	0.09	
Maximum	0.28	0.33	0.28	0.32	0.38	
Std. Deviation	0.06	0.07	0.08	0.07	0.09	
Disagreement						0.072

Figure 31: Relative Importance of Market Sub-criterion

The inconsistency level within each expert is acceptable (all < 0.10). Since the values are acceptable, there is also no significant level of disagreement among experts (0.069). This expert panel considered the Potential Size of Market sub-criteria as most important (0.58).

Organizational Sub-criterion Results

Expert panel EP2 (8 participants) assessed the relative contribution of the five sub-criteria to the Strategic Fit criterion. The corresponding values are shown in Table 35.

Table 35: Relative Importance of Organizational Sub-criteria

Organizational	Research staff availability	Knowledge/skill availability	Competence and experience on similar projects	Strategic fit	Available facilities	Inconsistency
Expert 1	0.09	0.16	0.28	0.26	0.21	0.02
Expert 16	0.22	0.19	0.11	0.33	0.15	0.04
Expert 21	0.12	0.24	0.1	0.47	0.07	0.07
Expert 25	0.09	0.33	0.26	0.17	0.14	0.02
Expert 3	0.11	0.18	0.21	0.41	0.08	0.05
Expert 28	0.15	0.25	0.27	0.19	0.14	0.02
Expert 12	0.23	0.23	0.2	0.17	0.17	0
Expert 23	0.24	0.2	0.2	0.17	0.2	0.01
Mean	0.16	0.22	0.2	0.27	0.15	
Minimum	0.09	0.16	0.1	0.17	0.07	
Maximum	0.24	0.33	0.28	0.47	0.21	
Std. Deviation	0.06	0.05	0.06	0.11	0.05	
Disagreement						0.069

Figure 32: Relative Importance of Organizational Sub-criterion

The inconsistency level within each expert is acceptable (all < 0.10). Since the values are acceptable, it is considered not necessary to use the F-test data (see the note above about using the F-test). There is also no significant level of disagreement among experts (0.069). This expert panel considered the Strategic Fit sub-criteria as most important (0.27).

Economic Sub-criteria Results

Expert panel EP2 (8 participants) assessed the relative contribution of the three sub-criteria to the Economic criterion. The corresponding values are shown in Table 36.

Table 36: Relative Importance of Economic Sub-criterion

Economic	Net present value (NPV)	Value-added of target products	Project cost	Economic risk	Inconsistency
Expert 26	0.23	0.4	0.21	0.15	0.01
Expert 8	0.14	0.29	0.24	0.32	0.02
Expert 18	0.17	0.13	0.31	0.39	0.01
Expert 7	0.18	0.34	0.29	0.18	0.06
Expert 21	0.25	0.23	0.26	0.26	0.09
Expert 9	0.33	0.32	0.14	0.2	0.01
Expert 2	0.17	0.37	0.17	0.29	0.08
Expert 15	0.33	0.18	0.23	0.26	0.01
Mean	0.23	0.28	0.23	0.26	
Minimum	0.14	0.13	0.14	0.15	
Maximum	0.33	0.4	0.31	0.39	
Std. Deviation	0.07	0.09	0.05	0.07	
Disagreement					0.069

Figure 33: Relative Importance of Economic Sub-criterion

The inconsistency level within each expert is acceptable (all < 0.10). Since the values are acceptable, it is considered not necessary to use the F-test data (see the note above about using the F-test). There is also no significant level of disagreement among experts (0.069). This expert panel considered the Value-added of Target Products sub-criteria as most important (0.28).

External/Regulation/ Environmental Sub-criterion Results

Expert panel EP2 (6 participants) assessed the relative contribution of the five sub-criteria to the Environmental/Regulation criterion. The relative values are shown in Table 37. There is also no significant level of disagreement among experts (0.073). The inconsistency within each expert is acceptable (all < 0.10). This expert panel considered the Reliability, Resilience, State Awareness Technical Standards sub-criterion as the most important (0.23).

Table 37: Relative Importance of External/Regulation/Environmental Sub-criteria

External/ Regulation/ Environmental	Economic regulations	Environmental policy	Reliability, resilience, state Awareness technical standards	Acceptance of stakeholders	Power Quality standards	Inconsistency
Expert 19	0.15	0.34	0.15	0.22	0.15	0
Expert 11	0.25	0.15	0.25	0.19	0.15	0.03
Expert 25	0.08	0.13	0.33	0.02	0.43	0.09
Expert 10	0.24	0.21	0.18	0.17	0.2	0.02
Expert 14	0.22	0.17	0.15	0.27	0.19	0.01
Expert 13	0.13	0.23	0.34	0.1	0.2	0.05
Mean	0.18	0.21	0.23	0.16	0.22	
Minimum	0.08	0.13	0.15	0.02	0.15	
Maximum	0.25	0.34	0.34	0.27	0.43	
Std. Deviation	0.06	0.07	0.08	0.08	0.1	
Disagreement						0.073

Figure 34: Relative Importance of External/Regulation/Environmental Sub-criterion

7.2.3 Quantification: Analysis of the Differences Between Criteria

The relative values of criteria with respect to the mission are very close; therefore, a statistical analysis was performed to see if there is any statistical difference among the relative value.

As the first step, it is assumed that the data is normally distributed. Under the assumptions that the data is independent and identically distributed, the data are Normal, and for two independent sample (unpaired) t-tests, it is assumed that variance of the two groups is equal which typically holds unless there is an internal structure. As a second step, normality and equal variance are tested.

Figure 35: Graphical (histogram) Test for Normality

Figure 36” Graphical (Box Plot) - Test for Normality

Table 38: Shapiro –Wilk and Shapiro –Francia Tests for Normality

. swilk technical market organizational economic external					
Shapiro-Wilk W test for normal data					
Variable	Obs	W	V	z	Prob>z
technical	9	0.88530	1.685	0.921	0.17840
market	9	0.94769	0.769	-0.425	0.66470
organizational	9	0.99385	0.090	-3.208	0.99933
economic	9	0.91252	1.285	0.429	0.33392
external	9	0.87529	1.832	1.080	0.14000

A Numerical Method (Shapiro–Wilk and Shapiro–Francia tests for normality) was performed; the results do not reject the null hypothesis that the data is not normally distributed (Prob. > 0.05). All variables appear normally distributed $P < 0.05$). However, a graphical method, visualizing the Box Plots and histograms, shows non normal distributions in most of the criteria. By visualizing the histograms, it appears that the variables are not normally distributed, contradicting the “Shapiro-Wilk W test.”

The normality test results are not consistent (Q-Q plots). Since the Q-Q plots show that criteria are not normally distributed, a log transformation of data was performed (Appendix B). The Q-Q plots do show no clear normality of the distribution of the data, even using logarithms, therefore “t statistic” test cannot be performed because the sample size in each group is not ≥ 30 (Rule of Thumb).

Equal Variance Tests were performed for all the criteria pairs (Appendix B). All pairs of variable variances were found to be equal in an F-test, except for “market and economic.” Consequently, equal variances can be used except in the case of “market-economic.”

The ‘no consistency’ and ‘not clear’ results from numerical and graphic methods testing for normality are due to the amount of data (<30). Since we cannot rely on the specific assumptions, “nonparametric” tests are performed. The Kruskal-Wallis rank test Anova in non-normal heteroskedastic cases was tested, showing that there is at least one variable different.

Table 39: Kruskal-Wallis rank test Anova

. kwallis score, by(score)				
Kruskal-Wallis equality-of-populations rank test				
score	Obs	Rank Sum		
0	1	1.00	Category number	Criterion
.06	2	5.00		
.08	1	4.00		
.11	2	11.00		
.12	1	7.00	1	Technological
.13	2	17.00	2	Market
.14	3	33.00		
.15	1	13.00		
.16	2	29.00	3	Organizational
.17	2	33.00		
.18	2	37.00	4	Economic
.2	8	188.00		
.21	3	87.00		
.23	3	96.00		
.24	1	34.00	5	External
.26	3	108.00		
.27	1	38.00		
.31	2	79.00		
.34	3	126.00		
.37	2	89.00		
chi-squared = 43.675 with 19 d.f.				
probability = 0.0010				
chi-squared with ties = 44.000 with 19 d.f.				
probability = 0.0009				

In order to identify what variable is different, Sidak, Bonferroni, Scheffe Tests were performed. All the results show that there are no significant differences among the mean between variables, except for the pairs 2-5 (market – external/environmental/regulation) and 3-5 (organizational – external/environmental/regulation).

. oneway score icriteria, bonferroni scheffe sidak tabulate						
i»Criteria		Summary of Score				
		Mean	Std. Dev.	Freq.		
1		.19444445	.08472177	9		
2		.14666667	.08944272	9		
3		.15888889	.04400126	9		
4		.22333333	.06873864	9		
5		.27444444	.06672914	9		
Total		.19955556	.08341996	45		
Analysis of Variance						
Source		SS	df	MS	F	Prob > F
Between groups		.095857778	4	.023964445	4.56	0.0040
Within groups		.21033334	40	.005258334		
Total		.306191119	44	.006958889		
Bartlett's test for equal variances: chi2(4) = 4.1262 Prob>chi2 = 0.389						
Comparison of Score by i»Criteria (Bonferroni)						
Row Mean- Col Mean		1	2	3	4	
2		-.047778 1.000				
3		-.035556 1.000	.012222 1.000			
4		.028889 1.000	.076667 0.305	.064444 0.667		
5		.08 0.243	.127778 0.006	.115556 0.016	.051111 1.000	
Comparison of Score by i»Criteria (Scheffe)						
Row Mean- Col Mean		1	2	3	4	
2		-.047778 0.744				
3		-.035556 0.895	.012222 0.998			
4		.028889 0.948	.076667 0.303	.064444 0.480		
5		.08 0.262	.127778 0.015	.115556 0.036	.051111 0.694	
Comparison of Score by i»Criteria (Sidak)						
Row Mean- Col Mean		1	2	3	4	
2		-.047778 0.845				
3		-.035556 0.974	.012222 1.000			
4		.028889 0.994	.076667 0.267	.064444 0.498		
5		.08 0.218	.127778 0.006	.115556 0.016	.051111 0.786	

Table 40: Post-Hoc Pairwise Comparisons

CHAPTER 8: CASE STUDY

8.1 Overview of Case Application Organization

The application of the model is focused on the U.S. Northwest, specifically on the utilities that transport electrical energy. The model is built considering an electrical utility as the decision-maker. The projects to be analyzed are at Bonneville Power Administration (BPA). BPA is a Federal Electric Utility (FEU) in the Pacific Northwest. As one of the main electrical utilities in the Northwest, experts who quantify the criteria, sub-criteria, and alternatives (providing the weights), and validate the model are selected from BPA. The application of the research is focused on power transmission technology projects.

Based on an initial interview at BPA, the contact-point expert's areas were:

- BPA - Project Managers
- BPA - Technology Planning
- BPA – Technology Innovation

The Northwest power pool is integrated by many states; which are Washington, Oregon, Idaho, Wyoming, Montana, Nevada, and Utah, a small part of Northern California, and the Canadian provinces of British Columbia and Alberta [251].

As transmission utility, BPA is considered important in the Northwest of the U.S., as was mentioned by Energy Secretary Ernest Moniz, 2014: “The Bonneville Power Administration is vitally important to serving the energy needs of the Pacific Northwest and contributes greatly to the Energy Department’s mission [252].” BPA markets the electricity generated by that plant and also acts as the balancing authority for the region,

which means it ensures that electricity supply matches electricity demand at all times [253].

BPA provides about 28 percent of the electric power used in the Northwest, mainly based on hydroelectric generation. BPA also operates and maintains about three-fourths of the high-voltage transmission in its service territory [254].

Table 41: BPA's Customers and Organization Type

BPA's Customers		Type of Organization	Organizations
Cooperatives	54	Publicly Owned Utilities	West Oregon Electric Coop., Central Electric Coop, Blachly- Lane Co. Coop, Midstate Electric Coop.
Municipalities	42	Publicly Owned Utilities	Seattle City Light (Washington) Tacoma Power in Washington Eugene Water (Oregon) Electric Board in Oregon
Public utility districts	28	Publicly Owned Utilities	Snohomish County Public Utility District in Everett Washington, Tillamook PUD Central Lincoln PUD Emerald PUD
Federal agencies	7	Direct Service Industries ("DSIs")	U.S. Bureau of Reclamation U.S. Bureau of Mines Fairchild Air Force Base U.S. Navy bases (Puget Sound Naval Yard, Jim Creek, Bangor) Department of Energy, Richland- Midway
Investor-owned utilities	6	Investor-owned Utilities (IOUs)	Avista Idaho Power Co. NorthWestern Energy PacifiCorp Portland General Electric Puget Sound Energy
Direct-service industries (DSIs)	2	Direct Service Industries ("DSIs") two aluminum smelters	One aluminum plant owned by Alcoa in Washington. The other DSI in the region is a small pulp and paper mill in Port Townsend, Washington.
Port districts	1	Direct Service Industries ("DSIs") Local electric cooperatives provide power (Umatilla Electric Cooperative, Columbia Basin Electric)	Port of Morrow (POM)

BPA's Customers		Type of Organization	Organizations
Tribal utilities	2	Publicly Owned Utilities (These utilities are same as cooperatives)	Umpqua Indian Utility Coop. Yakama Power
Total	142		

Focusing on the organizations that are related to BPA, Table 42 shows specific information about missions as presented by each organization:

Table 42: Business Information of the Power Marketing Agencies (PMAs)

Bonneville Power Administration (BPA)	
Mission Statement	“The Bonneville Power Administration’s (BPA) mission as a public service organization is to create and deliver the best value for our customers and constituents as we act in concert with others to provide the Pacific Northwest: • An adequate, efficient, economical, and reliable power supply; • A transmission system that is adequate to the task of integrating and transmitting power from Federal and non-Federal generating units; providing service to BPA’s customers; providing interregional interconnections; and maintaining electrical reliability and stability; and • Mitigation of the Federal Columbia River Power System’s impacts on fish and wildlife.”
Southeastern Power Administration (Southeastern or SEPA)	
Mission Statement	“SEPA will market and deliver federal hydroelectric power, at the lowest possible cost, to public bodies and cooperatives in the Southeastern United States.”
Southwestern Power Administration (SWPA)	
Mission Statement	“SWPA markets and reliably deliver Federal hydroelectric power with preference to public bodies and cooperatives. This is accomplished by maximizing the use of Federal assets to repay the Federal investment and participating with other water resource users in an effort to balance their diverse interests with power needs within broad parameters set by the U.S. Army Corps of Engineers (Corps), and implementing public policy.”
Western Area Power Administration (WAPA)	
Mission Statement	“WAPA’s mission is to market and deliver reliable, clean, renewal, reliable, cost-based federal hydroelectric power and related services within a 15-state region of the central and western states, delivering electricity generated from 14 multi-use water projects”.

Source:[253]

Below are described the main characteristics of power transmission utilities in the United States.

8.1.1 Power Marketing Agencies (PMAs)

These organizations market wholesale power having a role in the transmission and electric power system [255], they are essential for the U.S. electricity infrastructure. There are four PMAs in the United States: Bonneville Power Administration (BPA), the Western Area Power Administration (WAPA), the Southeastern Power Administration (SEPA), and the Southwestern Power Administration (SWPA) [256]. FERC is the authority that regulates the electric transmission market, except when the seller is a public agency. Therefore, PMAs and local municipal utilities are exempt from general regulation by FERC [63].

Figure 37: Federal Power Marketing Administration Territories and Facilities

Source: [255]

In the particular case of the Northwest, BPA markets the electricity generated by that plant. Additionally, BPA balances the power system, ensuring that electricity supply matches electricity demand at all times [255]. As a part of BPA, the U.S. Army Corps of

Engineers (USACE) owns and operates hydroelectric power plants in the PMAs' regions. These PMAs do not own power plants [51]. BPA is the only PMA that is self-financing and does not receive tax revenues [58].

8.1.2 Regional Transmission Organizations and Independent System Operators

As part of the wholesale power market, the Regional Transmission Organizations (RTOs) and Independent System Operators (ISOs) are part of the wholesale power market, with similar functions as BPA. Both type of organizations has similar roles and were created by recommendations of FERC. ISOs operate and administrate the wholesale electric market, considering reliability standards in the planification of the system. RTOs have the same function as ISOs plus greater responsibilities for the transmission networks. Therefore, RTOs coordinate, control, and monitor electric power system operations. Both of them, RTOs and ISOs, are part of the regional planning to ensure to meet the appropriate infrastructure for reliability aspects [51].

There are currently seven ISOs in the United States [51]:

- CAISO (California ISO),
- NYISO (New York ISO),
- ERCOT (Electric Reliability Council of Texas, also a Regional Reliability Council),
- MISO (Midcontinent Independent System Operator),
- ISO-NE (ISO New England),
- AESO (Alberta Electric System Operator),

- IESO (Independent Electricity System Operator)

There are currently 4 RTOs in the U.S. [51]:

- PJM (PJM Interconnection)
- MISO (Midcontinent Independent System Operator); also, an RTO
- SPP (Southwest Power Pool); also, a Regional Reliability Council

ISONE (ISO New England); also, an RTO

8.2 R&D Project Alternatives

8.2.1 Identification of R&D Projects to be Evaluated

The R&D projects to be evaluated at BPA for this application case have the common objective to focus on increasing the reliability and stability of the high voltage power transmission system. The projects emphasize the monitoring systems and prevention of the effects of natural disasters or malfunction of the stability of the system.

The R&D projects at BPA are categorized in the following “asset categories”:

1- Transmission Services

2 - Federal Hydro

3 - Facilities

4 - IT

5 - Corporate Sponsored

6 - Other

As stated above, for this specific application case, the selected projects follow in the category of Transmission Service. Therefore, the characteristics of the R&D selected projects are:

- Focused on increasing the reliability and stability of the high-power transmission system.
- The projects emphasize the monitoring systems and prevention of the effects of natural disasters or malfunction of the stability of the system.
- The duration of the projects is more than 12 months.
- Projects focusing on Transmission – transformers and lines.

Since the number of projects to be evaluated is high and the variety of characteristics of the projects, even in the same transmission service category, a more effective analysis can be done clustering the projects.

Homogeneity of the elements needs to be compared. Using the AHP or HDM, the experts can provide judgments when they are comparable [257]. Therefore, Saaty considers clustering and homogeneity conditions to compare the elements. Below is presented the development of clustering the R&D projects to be used in the application case.

Clustering the R&D Projects

The variables considered for clustering are the following:

- **Derivable of the project**
 - Documents

- Software/Design/Data
- Hardware/Software/Document
- **Impact on System component**
 - Generation
 - TX Line
 - Transformer
 - Load
 - All
- **Impact on System Function**
 - Power system modeling
 - Improve the economic efficiency - modeling
 - Increase the Reliability of the system
 - Increase the capacity with less cost (efficiency) with hardware
 - Power system performance (TECHNICAL) (the system will work smoothly
– a mix of technical and economic)
 - Improve the Environmental conditions
 - All
- **Collaborative**
 - - No
 - - Yes

The results of clustering the R&D project alternatives are shown below. The selected cluster has 4 R&D projects (TIP-Technology Innovation Projects at BPA).

Figure 38: R&D Project Clusters - Results
*TIP: R&D Project at BPA – Technology Innovation Office

Table 43: R&D Projects Selected Cluster - Results of Cluster Analysis

TIP*	Project Title	Description
TIP 316	Combined Horizontal-Vertical Seismic Isolation System for HighVoltage Power Transformer	This project researches to develop and demonstrate the effectiveness of a practical 3- dimensional seismic isolation system for use with high-voltage power transformers.
TIP 367	EPRI P37: Power Transformer Through-fault Risk Assessment	The project approaches the power transformer as a system of major subcomponents, including the main body, load tap changer, dielectric fluid, bushings, cooling, and other auxiliaries. Transformers are designed to withstand certain levels of stress such as number of through-faults, fault magnitude, and duration. Over time, as the transformer experiences through-faults, the resulting stress impacts the transformer's future survivability
TIP 278	Transformer Bushing Performance	This research project employs alternative testing methods to investigate failure modes of older transformer bushings as well as develop a transformer bushing retaining ring seismic mitigation option. The research will use a shaker table and static pull tests on selected surplus bushings to investigate failure modes and to determine the effectiveness of retainerring designs. The final retainer-ring designs will then be tested in a simulated earthquake using a three dimensional shake table test. The resulting product will be a retainer ring that can be installed on exiting transformer bushings.
TIP 383	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	<p>This project will be performed in three stages. First, the research team will determine the optimal flight mission plans and platforms for inspecting and monitoring transmission lines, conductors, towers, and substations. Second, using visible and near-infrared (VNIR) multispectral imagery and thermal infrared (TIR) imagery, the team will develop a workflow for identifying encroaching vegetation hazards based on estimates of the proximity and potential for vegetation growth in critical areas.</p> <p>Third, the team will develop tools for assessing thermal conditions of power system equipment such as circuit breakers and transformers within a substation using the TIR imagery collected from a UAS. Temperature monitoring by infrared inspection using both rotary and fixed-wing UAS platforms may provide an efficient and inexpensive assessment of the condition of the connectors and isolators.</p>

Source: Bonneville Power Administration Website. Technology Innovation Office [254]

After identifying the clusters and the R&D projects (TIPs) , the final model is described in Figure 39. The model described has 4 levels, including the R&D project alternatives.

Table 44: Information about the R&D Project Alternatives to be Evaluated

	TIP 316	TIP 367	TIP 278	TIP 383
	ALTERNATIVE 1	ALTERNATIVE 2	ALTERNATIVE 3	ALTERNATIVE 4
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools
Description	<p>Description: High-Voltage Power Transformers are seismically vulnerable. Seismic base isolation systems only provide protection against the horizontal components of earthquake motion. This project conducts research to develop and demonstrate the effectiveness of a practical 3-dimensional seismic isolation system. Analytical models of the tested system will be developed to compare results to the experimental data, thus validating the models.</p> <p>Objectives: To develop a combined</p>	<p>Description: Over time as the transformer experiences multiple through-fault events, the resulting stress impacts the transformer's survivability. The project approaches the power transformer as a system subcomponents: main body, load tap changer, dielectric fluid, bushings, cooling, and other auxiliaries. The project will generate data, a methodology, algorithms related to transformers' applications and operations. Considerations and apply algorithms with utility data and review results.</p> <p>Objectives To develop a new methodology to</p>	<p>Description: Porcelain bushings, on top of the transformer, are susceptible to failure during earthquakes. This research project employs alternative testing methods to investigate failure modes of older transformer bushings as well as develop a transformer bushing retaining ring seismic mitigation option. The research will use a shaker table and static pull tests to investigate failure modes and to determine the effectiveness of retainerring designs. The final retainerring designs will then be tested in a simulated earthquake using a three dimensional shake table test.</p>	<p>Description: Unmanned aircraft systems (UAS) for inspecting and monitoring substations, towers, and transmission lines can provide high-quality remote sensing data quickly, safely, and economically. This project will be performed in determining the optimal flight mission plans and platforms for inspecting and monitoring transmission lines, conductors, towers, and substations. Using visible and near-infrared (VNIR) multispectral imagery and thermal infrared (TIR) imagery, it will be developed a workflow for identifying encroaching vegetation hazards. It will develop tools for assessing the thermal</p>

	TIP 316	TIP 367	TIP 278	TIP 383
	ALTERNATIVE 1	ALTERNATIVE 2	ALTERNATIVE 3	ALTERNATIVE 4
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools
	<p>horizontal and vertical acceleration isolation system that provides a significant reduction in the earthquake input motions (horizontal and vertical) to the high-voltage transformer for both retrofit and new installations</p> <p>Derivable: Documents: Reports of mitigation options, analysis and preliminary and final testing of selected options.</p> <p>Investment level (US \$) = 948,000 Time span (months) = 59</p>	<p>assess the susceptibility of a power transformer to a through-fault failure. The goal is to understand the impact as function of number of through faults, fault magnitude and duration using readily available data and use results in utility transformer replacement strategy.</p> <p>Derivable: Software / Design / Data: A report documenting the underlying methodology, data, algorithm, approaches.</p> <p>Investment level (US \$) = 22,500 Time span (months) = 38</p>	<p>Objectives To develop a seismic mitigation option for high-voltage power transformer bushings as well as improve testing methods and qualification procedures.</p> <p>Derivable: Documents: Reports about the retainer ring that can be installed on exiting transformer bushings, performed tests, data of testing, and internal core vibration effects.</p> <p>Investment level (US \$) = 200,147 Time span (months) = 25</p>	<p>conditions of power system equipment.</p> <p>Objectives To determine optimal flight mission plans and sensor configurations, and to develop automated workflows that will advance the Technology Readiness Level (TRL) of UAS inspection, monitoring, and mapping of transmission towers, lines, and substations.</p> <p>Derivable: Software / Design / Data: Reports about literature review, results of the test flights, algorithms/procedures for vegetation encroachment, flight planning and processing for wildlife management.</p> <p>Investment level (US \$) = 1,125,000 Time span (months) = 35</p>
Derivable of the project	<p>Derivable: Documents: Reports of mitigation options, analysis and preliminary and final testing of selected options.</p>	<p>Derivable: Software / Design / Data: A report documenting the underlying methodology, data, algorithm, approaches.</p>	<p>Derivable: Documents: Reports about the retainer ring that can be installed on exiting transformer bushings, performed tests, data of testing,</p>	<p>Derivable: Software / Design / Data: Reports about literature review, results of the test flights, algorithms/procedures for vegetation encroachment, flight</p>

	TIP 316	TIP 367	TIP 278	TIP 383
	ALTERNATIVE 1	ALTERNATIVE 2	ALTERNATIVE 3	ALTERNATIVE 4
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools
			and internal core vibration effects.	planning and processing for wildlife management.
Investment level (US \$)	Investment level (US \$) = 948,000	Investment level (US \$) = 22,500	Investment level (US \$) = 200,147	Investment level (US \$) = 1,125,000
Time span (months)	Time span (months) = 59	Time span (months) = 38	Time span (months) = 25	Time span (months) = 35
Impact on System component	Transformer	Transformer	Transformer	Transmission Line, tower, transformer
Impact on System Function	Increase the Reliability of the system	Increase the Reliability of the system	Increase the Reliability of the system	Increase the Reliability of the system
Collaborative	No	Yes	No	No
Asset Category	Transmission	Transmission	Transmission	Transmission

Source: [254]

Figure 39: Final Validated HDM Model

8.3 Alternatives Quantification Results

Expert Panel EP2 evaluated the relative importance of alternatives with respect to each of the twenty-four sub-criteria. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown below.

Results of Alternatives with Respect to Technical Success Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Technical Success sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 45 and Figure 40 below.

Table 45: Relative Importance of Alternatives Respect to Technical Success Sub-criterion

Technical Success	Alternative 1 Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Alternative 2 Power Transformer Through-fault Risk Assessment	Alternative 3 Transformer Bushing Performance	Alternative 4 Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	Inconsistency
Expert 16	0.32	0.38	0.1	0.2	0.02
Expert 25	0.34	0.45	0.07	0.15	0.08
Expert 28	0.22	0.33	0.2	0.25	0
Expert 27	0.36	0.14	0.37	0.13	0.07
Expert 5	0.15	0.31	0.12	0.43	0.06
Expert 4	0.25	0.25	0.25	0.25	0
Expert 15	0.47	0.32	0.14	0.07	0.06
Mean	0.3	0.31	0.18	0.21	
Minimum	0.15	0.14	0.07	0.07	
Maximum	0.47	0.45	0.37	0.43	
Std. Deviation	0.1	0.09	0.1	0.11	
Disagreement					0.091

Figure 40: Relative Importance of Alternatives Respect to Technical Success Sub-criterion

According to the results, Alternative 2 scored the most important (23%) with respect to the Technical Success sub-criterion. Alternative 1, Alternative 4, and Alternative 3 followed in importance (30%, 21%, and 18%, respectively).

The inconsistency level within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.091).

Results of Alternatives with Respect to the Existence of Required Competence Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Existence of Required Competence sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 46.

Table 46: Relative Importance of Alternatives Respect to Existence of Required Competence Sub-criterion

Existence of Required Competence	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 16	0.33	0.43	0.11	0.14	0.01
Expert 25	0.67	0.16	0.12	0.05	0.05
Expert 28	0.24	0.31	0.23	0.22	0.00
Expert 27	0.35	0.25	0.24	0.16	0.03
Expert 5	0.08	0.24	0.30	0.38	0.02
Expert 4	0.25	0.25	0.25	0.25	0.00
Expert 15	0.25	0.24	0.41	0.10	0.04
Mean	0.31	0.27	0.24	0.19	
Minimum	0.08	0.16	0.11	0.05	
Maximum	0.67	0.43	0.41	0.38	
Std. Deviation	0.17	0.08	0.10	0.10	
Disagreement					0.098

According to the results, Alternative 1 scored the most important (31%) with respect to the Existence of Required Competence sub-criterion. Alternative 2, Alternative 3, and Alternative 4 followed in importance (27%, 24%, and 19%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.098).

Figure 41: Relative Importance of Alternatives Respect to Existence of Required Competence Sub-criterion

Results of Alternatives with Respect to Availability of Resources Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Availability of Resources sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 47 and Figure 42 below.

Table 47: Relative Importance of Alternatives Respect to Availability of Resources Sub-criterion

Availability of Resources	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 16	0.36	0.42	0.11	0.12	0.02
Expert 25	0.22	0.50	0.15	0.12	0.07
Expert 28	0.20	0.27	0.25	0.27	0.03
Expert 27	0.25	0.33	0.27	0.16	0.02
Expert 5	0.15	0.19	0.26	0.40	0.00
Expert 4	0.25	0.25	0.25	0.25	0.00
Expert 15	0.13	0.40	0.40	0.07	0.03
Mean	0.22	0.34	0.24	0.20	
Minimum	0.13	0.19	0.11	0.07	
Maximum	0.36	0.50	0.40	0.40	
Std. Deviation	0.07	0.10	0.09	0.11	
Disagreement					0.084

Figure 42: Relative Importance of Alternatives Respect to Availability of Resources Sub-criterion

According to the results, Alternative 2 scored the most important (34%) with respect to the Availability of Resources sub-criterion. Alternative 3, Alternative 1, and Alternative 4 followed in importance (24%, 22%, and 20%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.084).

Results of Alternatives with Respect to Applicability to Other Products and Processes Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Applicability to Other Products and Processes sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 48 and Figure 43 below.

Table 48: Relative Importance of Alternatives Respect to Applicability to Other Products and Processes Sub-criterion

Applicability to other Products and Processes	Alternative 1 Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Alternative 2 Power Transformer Through-fault Risk Assessment	Alternative 3 Transformer Bushing Performance	Alternative 4 Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	Inconsistency
Expert 16	0.53	0.31	0.10	0.06	0.04
Expert 25	0.43	0.24	0.16	0.17	0.01
Expert 28	0.21	0.33	0.19	0.27	0.01
Expert 27	0.34	0.19	0.32	0.15	0.01
Expert 5	0.13	0.20	0.20	0.48	0.00
Expert 4	0.25	0.25	0.25	0.25	0.00
Expert 15	0.25	0.33	0.37	0.05	0.01
Mean	0.31	0.26	0.23	0.20	
Minimum	0.13	0.19	0.10	0.05	
Maximum	0.53	0.33	0.37	0.48	
Std. Deviation	0.13	0.05	0.09	0.14	
Disagreement					0.097

Figure 43: Relative Importance of Alternatives Respect to Applicability to Other Products and Processes Sub-criterion

According to the results, Alternative 1 scored the most important (31%) with respect to Applicability to Other Products and Processes. Alternative 2, Alternative 3, and Alternative 4 followed in importance (26%, 23%, and 20%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.097).

Results of Alternatives with Respect to Technology Readiness Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Technology Readiness sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 49 and Figure 44 below.

Table 49: Relative Importance of Alternatives Respect to Technology Readiness Sub-criterion

Technology Readiness	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 16	0.41	0.36	0.13	0.09	0.01
Expert 25	0.41	0.39	0.17	0.03	0.05
Expert 28	0.22	0.33	0.18	0.27	0.01
Expert 27	0.17	0.29	0.38	0.16	0.01
Expert 5	0.50	0.14	0.26	0.10	0.09
Expert 4	0.25	0.25	0.25	0.25	0.00
Expert 15	0.31	0.31	0.32	0.05	0.00
Mean	0.32	0.30	0.24	0.14	
Minimum	0.17	0.14	0.13	0.03	
Maximum	0.50	0.39	0.38	0.27	
Std. Deviation	0.11	0.08	0.08	0.09	
Disagreement					0.088

Figure 44: Relative Importance of Alternatives Respect to Technology Readiness Sub-criterion

According to the results, Alternative 1 scored the most important (32%) with respect to Technology Readiness. Alternative 2, Alternative 3, and Alternative 4 followed in importance (30%, 24%, and 14%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.088).

Results of Alternatives with Respect to Potential Size of Market Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Potential Size of Market sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 50 and Figure 45 below.

Table 50: Relative Importance of Alternatives Respect to Potential Size of Market Sub-criterion

Potential Size of Market	Alternative 1 Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Alternative 2 Power Transformer Through-fault Risk Assessment	Alternative 3 Transformer Bushing Performance	Alternative 4 Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	Inconsistency
Expert 8	0.36	0.21	0.14	0.29	0.05
Expert 1	0.23	0.32	0.31	0.14	0.04
Expert 18	0.38	0.11	0.34	0.16	0.07
Expert 11	0.48	0.09	0.21	0.21	0.08
Expert 9	0.16	0.29	0.42	0.13	0.07
Expert 14	0.27	0.26	0.19	0.27	0.00
Expert 2	0.13	0.23	0.38	0.26	0.03
Mean	0.29	0.22	0.28	0.21	
Minimum	0.13	0.09	0.14	0.13	
Maximum	0.48	0.32	0.42	0.29	
Std. Deviation	0.12	0.08	0.10	0.06	
Disagreement					0.089

Figure 45: Relative Importance of Alternatives Respect to Applicability to Potential Size of Market

According to the results, Alternative 1 scored the most important (29%) with respect to Potential Size of Market. Alternative 3, Alternative 2, and Alternative 4 followed in importance (28%, 22%, and 21%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.089).

Results of Alternatives with Respect to Time to Market Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Time to Market sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 51 and Figure 46 below.

Table 51: Relative Importance of Alternatives Respect to Time to Market Sub-criterion

Time to Market	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 8	0.37	0.20	0.27	0.17	0.06
Expert 1	0.15	0.25	0.39	0.21	0.06
Expert 18	0.36	0.20	0.36	0.09	0.01
Expert 11	0.59	0.27	0.12	0.03	0.09
Expert 9	0.22	0.18	0.18	0.42	0.01
Expert 14	0.32	0.29	0.18	0.21	0.01
Expert 2	0.22	0.30	0.30	0.18	0.04
Mean	0.32	0.24	0.26	0.19	
Minimum	0.15	0.18	0.12	0.03	
Maximum	0.59	0.30	0.39	0.42	
Std. Deviation	0.13	0.04	0.09	0.11	
Disagreement					0.091

Figure 46: Relative Importance of Alternatives Respect to Time to Market Sub-criterion

According to the results, Alternative 1 scored the most important (32%) with respect to Time to Market. Alternative 3, Alternative 2, and Alternative 4 followed in importance (26%, 24%, and 19%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.091).

Results of Alternatives with Respect to Potential Size of Market Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Potential Size of Market sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 52 and Figure 47 below.

Table 52: Relative Importance of Alternatives Respect to Additional (variety) applications opened Sub-criterion

Additional (variety) Applications Opened	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal- Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through- fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 8	0.30	0.25	0.26	0.18	0.09
Expert 1	0.26	0.38	0.26	0.10	0.03
Expert 18	0.41	0.17	0.35	0.07	0.04
Expert 11	0.50	0.28	0.08	0.14	0.07
Expert 9	0.24	0.19	0.19	0.38	0.02
Expert 14	0.28	0.22	0.16	0.34	0.00
Expert 2	0.11	0.23	0.19	0.47	0.01
Mean	0.30	0.25	0.21	0.24	
Minimum	0.11	0.17	0.08	0.07	
Maximum	0.50	0.38	0.35	0.47	
Std. Deviation	0.12	0.06	0.08	0.14	
Disagreement					0.099

Figure 47: Relative Importance of Alternatives Respect to Additional (variety) Applications Opened Sub-criterion

According to the results, Alternative 1 scored the most important (30%) with respect to Additional (variety) Applications Opened sub-criterion. Alternative 2, Alternative 4, and Alternative 3 followed in importance (25%, and 24%, and 21%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.099).

Results of Alternatives with Respect to Market Risk Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Market Risk sub-criterion using the research instrument RI4. The arithmetic means of

experts' judgments for the relative importance of considered alternatives are shown in Table 53 and Figure 48 below.

According to the results, Alternative 4 scored the most important (30%) with respect to Market Risk sub-criterion. Alternative 2, Alternative 1, and Alternative 3 followed in importance (27%, and 23%, and 22%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.088).

Table 53: Relative Importance of Alternatives Respect to Market Risk Sub-criterion

Market Risk	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 8	0.26	0.42	0.17	0.15	0.05
Expert 1	0.18	0.27	0.27	0.27	0.02
Expert 18	0.29	0.26	0.34	0.11	0.01
Expert 11	0.19	0.19	0.19	0.44	0.00
Expert 9	0.17	0.18	0.12	0.53	0.03
Expert 14	0.34	0.25	0.14	0.26	0.02
Expert 2	0.17	0.31	0.30	0.22	0.00
Mean	0.23	0.27	0.22	0.28	
Minimum	0.17	0.18	0.12	0.11	
Maximum	0.34	0.42	0.34	0.53	
Std. Deviation	0.06	0.07	0.08	0.14	
Disagreement					0.088

Figure 48: Relative Importance of Alternatives Respect to Market Risk Sub-criterion

Results of Alternatives with Respect to System Planning Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the System Planning sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 54 and Figure 49 below.

According to the results, Alternative 1 scored the most important (30%) with respect to System Planning sub-criterion. Alternative 2, Alternative 4, and Alternative 3 followed in importance (26%, and 22%, and 21%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.092).

Table 54: Relative Importance of Alternatives Respect to System planning Sub-criterion

System Planning	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 8	0.33	0.25	0.31	0.11	0.07
Expert 1	0.22	0.33	0.27	0.18	0.01
Expert 18	0.25	0.25	0.25	0.25	0.00
Expert 11	0.63	0.21	0.09	0.07	0.01
Expert 9	0.21	0.19	0.14	0.46	0.01
Expert 14	0.21	0.32	0.14	0.32	0.01
Expert 2	0.25	0.30	0.30	0.16	0.02
Mean	0.30	0.26	0.21	0.22	
Minimum	0.21	0.19	0.09	0.07	
Maximum	0.63	0.33	0.31	0.46	
Std. Deviation	0.14	0.05	0.08	0.12	
Disagreement					0.092

Figure 49: Relative Importance of Alternatives Respect to System Planning Sub-criterion

Results of Alternatives with Respect to Research Staff Availability Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Research Staff Availability sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 55 and Figure 50 below.

Table 55: Relative Importance of Alternatives Respect to Research Staff Availability Sub-criterion

Research Staff Availability	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 1	0.28	0.30	0.25	0.18	0.02
Expert 16	0.28	0.50	0.13	0.09	0.07
Expert 21	0.36	0.17	0.17	0.31	0.02
Expert 25	0.37	0.41	0.18	0.03	0.06
Expert 28	0.27	0.27	0.18	0.27	0.02
Expert 27	0.36	0.27	0.23	0.14	0.00
Expert 23	0.25	0.25	0.25	0.25	0.00
Mean	0.31	0.31	0.20	0.18	
Minimum	0.25	0.17	0.13	0.03	
Maximum	0.37	0.50	0.25	0.31	
Std. Deviation	0.05	0.10	0.04	0.09	
Disagreement					0.07

Figure 50: Relative Importance of Alternatives Respect to Research Staff Availability Sub-criterion

According to the results, Alternative 1 and Alternative 2 scored the most important (31% each) with respect to Research Staff Availability. Alternative 3 and Alternative 4 followed in importance (20%, 18%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.07).

Results of Alternatives with Respect to Knowledge/Skill Availability Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Knowledge/Skill Availability sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 56 and Figure 51 below.

Table 56: Relative Importance of Alternatives Respect to Knowledge/skill Availability Sub-criterion

Knowledge/Skill Availability	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 1	0.18	0.25	0.27	0.30	0.02
Expert 16	0.35	0.51	0.07	0.07	0.02
Expert 21	0.36	0.17	0.14	0.34	0.00
Expert 25	0.50	0.21	0.26	0.03	0.06
Expert 28	0.22	0.33	0.18	0.27	0.01
Expert 27	0.37	0.30	0.15	0.18	0.05
Expert 12	0.16	0.22	0.14	0.48	0.01
Expert 23	0.25	0.25	0.25	0.25	0.00
Mean	0.30	0.28	0.18	0.24	
Minimum	0.16	0.17	0.07	0.03	
Maximum	0.50	0.51	0.27	0.48	
Std. Deviation	0.11	0.10	0.07	0.14	
Disagreement					0.095

Figure 51: Relative Importance of Alternatives Respect to Knowledge/Skill Availability Sub-criterion

According to the results, Alternative 1 scored the most important (30%) with respect to Knowledge/Skill Availability sub-criterion. Alternative 2, Alternative 4, and Alternative 3 followed in importance (28%, 24%, and 18%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.095).

Results of Alternatives with Respect to Competence and Experience on Similar Projects Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Competence and experience on similar projects sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 57 and Figure 52 below.

Table 57: Relative Importance of Alternatives Respect to Competence and Experience on Similar Projects Sub-criterion

Competence and Experience on Similar Projects	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 1	0.26	0.32	0.23	0.19	0.03
Expert 16	0.29	0.54	0.10	0.07	0.01
Expert 21	0.33	0.12	0.14	0.41	0.04
Expert 28	0.27	0.32	0.19	0.22	0.01
Expert 27	0.27	0.12	0.14	0.47	0.01
Expert 12	0.16	0.19	0.14	0.52	0.01
Expert 23	0.25	0.25	0.25	0.25	0.00
Mean	0.26	0.27	0.17	0.30	
Minimum	0.16	0.12	0.10	0.07	
Maximum	0.33	0.54	0.25	0.52	
Std. Deviation	0.05	0.14	0.05	0.15	
Disagreement					0.099

Figure 52: Relative Importance of Alternatives Respect to Competence and Experience on Similar Projects Sub-criterion

According to the results, Alternative 4 scored the most important (30%) with respect to Competence and Experience on similar projects. Alternative 2, Alternative 1, and Alternative 3 followed in importance (27%, 26%, and 17%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.099).

Results of Alternatives with Respect to Strategic Fit Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Strategic Fit sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 56 and Figure 53 below.

Table 58: Relative Importance of Alternatives Respect to Strategic Fit Sub-criterion

Strategic Fit	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 1	0.21	0.37	0.27	0.16	0.01
Expert 16	0.32	0.47	0.14	0.07	0.06
Expert 21	0.43	0.13	0.11	0.33	0.01
Expert 25	0.30	0.22	0.42	0.05	0.08
Expert 28	0.28	0.32	0.19	0.22	0.01
Expert 27	0.32	0.16	0.10	0.42	0.00
Expert 12	0.17	0.26	0.15	0.42	0.01
Expert 23	0.25	0.25	0.25	0.25	0.00
Mean	0.29	0.27	0.20	0.24	
Minimum	0.17	0.13	0.10	0.05	
Maximum	0.43	0.47	0.42	0.42	
Std. Deviation	0.07	0.10	0.10	0.13	
Disagreement					0.096

Figure 53: Relative Importance of Alternatives Respect to Strategic Fit Sub-criterion

According to the results, Alternative 1 scored the most important (29%) with respect to Strategic Fit. Alternative 2, Alternative 4, and Alternative 3 followed in importance (27%, 24%, and 20%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.096).

Results of Alternatives with Respect to Available facilities Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Available Facilities sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 59 and Figure 54 below.

Table 59: Relative Importance of Alternatives Respect to Available Facilities Sub-criterion

Available Facilities	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 1	0.24	0.28	0.34	0.15	0.02
Expert 16	0.36	0.46	0.12	0.06	0.05
Expert 21	0.14	0.21	0.16	0.50	0.03
Expert 25	0.16	0.54	0.23	0.06	0.04
Expert 28	0.27	0.30	0.20	0.23	0.01
Expert 27	0.34	0.30	0.18	0.18	0.01
Expert 12	0.17	0.23	0.17	0.43	0.01
Expert 23	0.25	0.25	0.25	0.25	0.00
Mean	0.24	0.32	0.21	0.23	
Minimum	0.14	0.21	0.12	0.06	
Maximum	0.36	0.54	0.34	0.50	
Std. Deviation	0.08	0.11	0.06	0.15	
Disagreement					0.094

Figure 54: Relative Importance of Alternatives Respect to Available Facilities Sub-criterion

According to the results, Alternative 2 scored the most important (32%) with respect to Available Facilities. Alternative 1, Alternative 4, and Alternative 3 followed in importance (24%, 23%, and 21%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.094).

Results of Alternatives with Respect to Net Present Value (NPV) Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Net present value (NPV) sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 60 and Figure 55 below.

Table 60: Relative Importance of Alternatives Respect to Net Present Value (NPV) Sub-criterion

Net Present Value (NPV)	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 26	0.14	0.36	0.29	0.21	0.00
Expert 8	0.42	0.30	0.20	0.09	0.03
Expert 18	0.33	0.27	0.30	0.10	0.00
Expert 7	0.20	0.26	0.15	0.39	0.09
Expert 21	0.44	0.13	0.14	0.30	0.02
Expert 9	0.23	0.20	0.17	0.40	0.00
Expert 2	0.25	0.25	0.25	0.25	0.00
Expert 15	0.31	0.31	0.31	0.06	0.00
Mean	0.29	0.26	0.23	0.23	
Minimum	0.14	0.13	0.14	0.06	
Maximum	0.44	0.36	0.31	0.40	
Std. Deviation	0.10	0.07	0.07	0.13	
Disagreement					0.089

Figure 55: Relative Importance of Alternatives Respect to Net Present Value (NPV) Sub-criterion

According to the results, Alternative 1 scored the most important (29%) with respect to Net Present Value (NPV). Alternative 2, alternative 3, and alternative 4 followed in importance (26%, 23%, and 23%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.089).

Results of Alternatives with Respect to Value-added of Target Products Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Value-added of Target Products sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 61 and Figure 56 below.

Table 61: Relative Importance of Alternatives Respect to Value-added of Target Products Sub-criterion

Value-added of Target Products	Alternative 1 Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Alternative 2 Power Transformer Through-fault Risk Assessment	Alternative 3 Transformer Bushing Performance	Alternative 4 Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	Inconsistency
Expert 26	0.12	0.35	0.26	0.26	0.00
Expert 8	0.37	0.36	0.16	0.11	0.03
Expert 18	0.38	0.21	0.34	0.08	0.01
Expert 7	0.12	0.25	0.16	0.46	0.05
Expert 21	0.41	0.17	0.16	0.26	0.03
Expert 9	0.18	0.23	0.30	0.29	0.06
Expert 2	0.38	0.21	0.23	0.18	0.01
Expert 15	0.31	0.32	0.32	0.05	0.00
Mean	0.28	0.26	0.24	0.21	
Minimum	0.12	0.17	0.16	0.05	
Maximum	0.41	0.36	0.34	0.46	
Std. Deviation	0.12	0.07	0.07	0.13	
Disagreement					0.095

Figure 56: Relative Importance of Alternatives Respect to Value-added of Target Products Sub-criterion

According to the results, Alternative 1 scored the most important (28%) with respect to the Value-added of Target Products. Alternative 2, Alternative 3, and Alternative 4 followed in importance (26%, 24%, and 21%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.095).

Results of Alternatives with Respect to Project Cost Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Project cost sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 62 and Figure 57 below.

Table 62: Relative Importance of Alternatives Respect to Project Cost Sub-criterion

Project Cost	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 26	0.19	0.23	0.26	0.32	0.01
Expert 18	0.33	0.24	0.33	0.10	0.00
Expert 7	0.14	0.40	0.15	0.30	0.07
Expert 21	0.34	0.14	0.14	0.38	0.00
Expert 9	0.22	0.18	0.14	0.46	0.00
Expert 2	0.25	0.25	0.25	0.25	0.00
Expert 15	0.31	0.32	0.31	0.05	0.00
Mean	0.25	0.25	0.23	0.27	
Minimum	0.14	0.14	0.14	0.05	
Maximum	0.34	0.40	0.33	0.46	
Std. Deviation	0.07	0.08	0.08	0.14	
Disagreement					0.087

Figure 57: Relative Importance of Alternatives Respect to Project Cost Sub-criterion

According to the results, Alternative 4 scored the most important (27%) with respect to Project Cost. Alternative 1, Alternative 2, and Alternative 3 followed in importance (25%, 25%, and 23%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.087).

Results of Alternatives with Respect to Economic Risk Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Economic Risk sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 63 and Figure 58 below.

Table 63: Relative Importance of Alternatives Respect to Economic Risk Sub-criterion

Economic Risk	Alternative 1 Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Alternative 2 Power Transformer Through-fault Risk Assessment	Alternative 3 Transformer Bushing Performance	Alternative 4 Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	Inconsistency
Expert 26	0.49	0.16	0.20	0.15	0.02
Expert 8	0.29	0.18	0.44	0.09	0.04
Expert 18	0.35	0.24	0.34	0.08	0.01
Expert 7	0.19	0.35	0.37	0.09	0.05
Expert 21	0.48	0.12	0.15	0.25	0.07
Expert 9	0.24	0.24	0.16	0.36	0.02
Expert 2	0.25	0.25	0.25	0.25	0.00
Expert 15	0.31	0.32	0.32	0.05	0.00
Mean	0.33	0.23	0.28	0.17	
Minimum	0.19	0.12	0.15	0.05	
Maximum	0.49	0.35	0.44	0.36	
Std. Deviation	0.10	0.07	0.10	0.10	
Disagreement					0.092

Figure 58: Relative Importance of Alternatives Respect to Economic Risk Sub-criterion

According to the results, Alternative 1 scored the most important (33%) with respect to Economic Risk. Alternative 3, Alternative 2, and Alternative 4 followed in importance (28%, 23%, and 17%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.092).

Results of Alternatives with Respect to Economic Regulations Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Economic Regulations sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 64 and Figure 59 below.

Table 64: Relative Importance of Alternatives Respect to Economic Regulations Sub-criterion

Economic Regulations	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 19	0.17	0.26	0.17	0.40	0.00
Expert 11	0.25	0.22	0.20	0.33	0.00
Expert 25	0.45	0.23	0.24	0.09	0.07
Expert 10	0.28	0.22	0.22	0.28	0.03
Expert 14	0.27	0.27	0.15	0.31	0.01
Expert 13	0.20	0.22	0.25	0.34	0.01
Mean	0.27	0.24	0.21	0.29	
Minimum	0.17	0.22	0.15	0.09	
Maximum	0.45	0.27	0.25	0.40	
Std. Deviation	0.09	0.02	0.04	0.10	
Disagreement					0.055

Figure 59: Relative Importance of Alternatives Respect to Economic regulations Sub-criterion

According to the results, Alternative 4 scored the most important (29%) with respect to Economic Regulations sub-criterion. Alternative 1, Alternative 2, and Alternative 3 followed in importance (27%, 24%, and 21%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.055).

Results of Alternatives with Respect to Environmental policy Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Environmental Policy sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 65 and Figure 60 below.

Table 65: Relative Importance of Alternatives Respect to Environmental Policy Sub-criterion

Environmental policy	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 19	0.00	0.33	0.00	0.67	0.05
Expert 11	0.36	0.26	0.16	0.22	0.04
Expert 25	0.35	0.26	0.28	0.11	0.08
Expert 10	0.28	0.22	0.22	0.28	0.03
Expert 14	0.31	0.25	0.13	0.31	0.01
Expert 13	0.22	0.22	0.22	0.33	0.00
Mean	0.25	0.26	0.17	0.32	
Minimum	0.22	0.22	0.13	0.11	
Maximum	0.36	0.33	0.28	0.67	
Std. Deviation	0.12	0.04	0.09	0.17	
Disagreement					0.091

Figure 60: Relative Importance of Alternatives Respect to Environmental Policy Sub-criterion

According to the results, Alternative 4 scored the most important (32%) with respect to the Environmental policy sub-criterion. Alternative 2, Alternative 1, and Alternative 3 followed in importance (26%, 25%, and 17%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.091).

Results of Alternatives with Respect to Technical standard policy Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Technical standard policy sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 66 and Figure 61 below.

Table 66: Relative Importance of Alternatives Respect to Reliability, Resilience, State Awareness
Technical Standards Sub-criterion

Reliability, Resilience, State Awareness Technical Standards	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal- Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through- fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 19	0.07	0.41	0.07	0.44	0.07
Expert 11	0.45	0.32	0.10	0.12	0.01
Expert 25	0.30	0.30	0.34	0.06	0.02
Expert 10	0.24	0.28	0.26	0.22	0.03
Expert 14	0.30	0.26	0.17	0.27	0.00
Expert 13	0.22	0.22	0.21	0.35	0.00
Mean	0.26	0.30	0.19	0.24	
Minimum	0.07	0.22	0.07	0.06	
Maximum	0.45	0.41	0.34	0.44	
Std. Deviation	0.11	0.06	0.09	0.13	
Disagreement					0.09

Figure 61: Relative Importance of Alternatives Respect to Reliability, Resilience, State Awareness
Technical Standards Sub-criterion

According to the results, Alternative 2 scored the most important (30%) with respect to Reliability, Resilience, State Awareness Technical Standards sub-criterion.

Alternative 1, Alternative 4, and Alternative 3 followed in importance (26%, 24%, and 19%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.09).

Results of Alternatives with Respect to Acceptance of Stakeholders Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Acceptance of Stakeholders sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 67 and Figure 62 below.

Table 67: Relative Importance of Alternatives Respect to Acceptance of Stakeholders Sub-criterion

Acceptance of Stakeholders	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 19	0.14	0.14	0.14	0.57	0.00
Expert 11	0.48	0.26	0.22	0.03	0.07
Expert 25	0.32	0.31	0.26	0.11	0.01
Expert 10	0.37	0.25	0.22	0.15	0.01
Expert 14	0.23	0.27	0.15	0.36	0.00
Expert 13	0.25	0.22	0.22	0.30	0.00
Mean	0.30	0.24	0.20	0.25	
Minimum	0.14	0.14	0.14	0.03	
Maximum	0.48	0.31	0.26	0.57	
Std. Deviation	0.11	0.05	0.04	0.18	
Disagreement					0.098

According to the results, Alternative 1 scored the most important (30%) with respect to Reliability, Resilience, State Awareness Technical Standards sub-criterion. Alternative 4, Alternative 2, and Alternative 3 followed in importance (25%, 24%, and 20%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.098).

Figure 62: Relative Importance of Alternatives with Respect to Acceptance of Stakeholders Sub-criterion

Results of Alternatives with Respect to Power Quality Standards Sub-criterion

Expert panel EP2 evaluated the relative importance of alternatives with respect to the Power Quality standards sub-criterion using the research instrument RI4. The arithmetic means of experts' judgments for the relative importance of considered alternatives are shown in Table 68 and Figure 63 below.

Table 68: Relative Importance of Alternatives Respect to Power Quality Standards Sub-criterion

Power Quality Standards	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Expert 19	0.05	0.50	0.05	0.40	0.00
Expert 11	0.26	0.32	0.31	0.11	0.01
Expert 25	0.33	0.38	0.19	0.10	0.06
Expert 10	0.37	0.27	0.21	0.15	0.00
Expert 14	0.27	0.25	0.15	0.33	0.00
Expert 13	0.22	0.22	0.22	0.33	0.00
Mean	0.25	0.32	0.19	0.24	
Minimum	0.05	0.22	0.05	0.10	
Maximum	0.37	0.50	0.31	0.40	
Std. Deviation	0.10	0.09	0.08	0.12	
Disagreement					0.093

Figure 63: Relative Importance of Alternatives with Respect to Power Quality Standards Sub-criterion

According to the results, Alternative 2 scored the most important (32%) with respect to the Power Quality Standards sub-criterion. Alternative 1, Alternative 4, and Alternative 3 followed in importance (25%, 24%, and 19%, respectively).

The inconsistency within each expert is acceptable (all < 0.10). There is also no significant level of disagreement among experts (0.093).

Table 69: Summary of Weights / Importance of Alternatives with Respect to Each Criterion

Criteria	Sub-criteria	Alternative 1	Alternative 2	Alternative 3	Alternative 4
		Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools
Technical	Technical success	0.30	0.31	0.18	0.21
	Existence of required competence	0.31	0.27	0.24	0.19
	Availability of resources	0.22	0.34	0.24	0.20
	Applicability to other products and processes	0.31	0.26	0.23	0.20
	Technology readiness	0.32	0.30	0.24	0.14
Market	Potential size of market	0.29	0.22	0.28	0.21
	Time to market	0.32	0.24	0.26	0.19
	Additional (variety) applications opened	0.30	0.25	0.21	0.24
	Market risk	0.23	0.27	0.22	0.28
	System Planning	0.30	0.26	0.21	0.22
Organizational	Research staff availability	0.31	0.31	0.20	0.18

Criteria	Sub-criteria	Alternative 1	Alternative 2	Alternative 3	Alternative 4
		Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools
	Knowledge/skill availability	0.30	0.28	0.18	0.24
	Competence and experience on similar projects	0.26	0.27	0.17	0.30
	Strategic fit	0.29	0.27	0.20	0.24
	Available facilities	0.24	0.32	0.21	0.23
Economic	Net present value (NPV)	0.29	0.26	0.23	0.23
	Value-added of target products	0.28	0.26	0.24	0.21
	Project cost	0.25	0.25	0.23	0.27
	Economic risk	0.33	0.23	0.28	0.17
External/ Regulation/ Environmental	Economic regulations	0.27	0.24	0.21	0.29
	Environmental policy	0.25	0.26	0.17	0.32
	Reliability, resilience, state Awareness technical standards	0.26	0.30	0.19	0.24
	Acceptance of stakeholders	0.30	0.24	0.20	0.25
	Power Quality standards	0.25	0.32	0.19	0.24

Figure 64: Summary of Weights / Importance of Alternatives with Respect to Each Criterion

The relative importance of alternatives' respects to each sub-criterion shows that the significance of each alternative follows logical order with respect to criteria and sub-criteria. Alternative 1 has the highest weight in most of the sub-criteria. Alternative 1 ranks second in the cases compared with Alternative 2 in those instances of comparing relatively to the sub-criteria Availability of Resources (Technical), Available Facilities (Organizational), Resilience, State Awareness Technical Standards (External / Regulation / Environmental), and Power Quality Standards (External / Regulation/ Environmental). This shows that Alternative 2, which focused on a general risk assessment of transformers, provides a higher impact for protecting the stability of the system compared with Alternative 1, which is focused on protecting transformers from seismic events. On the other hand, Alternatives 3 and 4 are ranked with very close weights in each sub-criterion.

8.3.1 Final Model Weights / Importance of Alternatives with respect to Mission

Here is presented the final result of the importance of alternatives with respect to the mission. Overall, there is not a remarkable difference among the alternatives; however, the importance values of Alternative 1 (Combined Horizontal- Vertical Seismic Isolation System for High Voltage Power Transformer) is the most important (28%). It was found that Alternative 3 (Transformer Bushing Performance) has the lowest value (21%). Additionally, the values of disagreement (0.00) and the inconsistency (0.09) are acceptable.

Table 70: Final Model Weights / Importance of Alternatives with respect to Mission

R&D Project Selection in Electric Transmission Sector	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Inconsistency
	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	Power Transformer Through-fault Risk Assessment	Transformer Bushing Performance	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	
Composite	0.28	0.27	0.21	0.23	0.09
Mean	0.28	0.27	0.21	0.23	
Minimum	0.28	0.27	0.21	0.23	
Maximum	0.28	0.27	0.21	0.23	
Std. Deviation	0	0	0	0	
Disagreement					0

Figure 44: Final Model Weights / Importance of Alternatives with respect to Mission

2.2.3 Synthesis of Priorities

Based on the panel results, synthesis of priorities is calculated for different levels of the decision hierarchy: the relative priority of criteria with respect to the mission, the relative priorities of sub-criteria, and the relative importance of alternatives. At the end, it provided a matrix that shows a summary of the relative values in each level and the respective importance of alternatives with respect to the mission (Table 71).

Table 71: Synthesis of Priorities

Criteria		Sub-criteria		Alternatives		
	Value		Value		Relative Value	Relative Value respect to Mission
Technical	0.19	Technical success	0.27	Alternative 1	0.3	0.0154
				Alternative 2	0.31	0.0159
				Alternative 3	0.18	0.0092
				Alternative 4	0.21	0.0108
		Existence of required competence	0.2	Alternative 1	0.31	0.0118
				Alternative 2	0.27	0.0103
				Alternative 3	0.24	0.0091
				Alternative 4	0.19	0.0072
		Availability of resources	0.22	Alternative 1	0.22	0.0092
				Alternative 2	0.34	0.0142
				Alternative 3	0.24	0.0100
				Alternative 4	0.2	0.0084
		Applicability to other products and processes	0.14	Alternative 1	0.31	0.0082
				Alternative 2	0.26	0.0069
				Alternative 3	0.23	0.0061
				Alternative 4	0.2	0.0053
		Technology readiness	0.19	Alternative 1	0.32	0.0116
				Alternative 2	0.3	0.0108
				Alternative 3	0.24	0.0087
				Alternative 4	0.14	0.0051

Criteria		Sub-criteria		Alternatives		
	Value		Value		Relative Value	Relative Value respect to Mission
Market	0.15	Potential size of market	0.2	Alternative 1	0.29	0.0087
				Alternative 2	0.22	0.0066
				Alternative 3	0.28	0.0084
				Alternative 4	0.21	0.0063
		Time to market	0.22	Alternative 1	0.32	0.0106
				Alternative 2	0.24	0.0079
				Alternative 3	0.26	0.0086
				Alternative 4	0.19	0.0063
		Additional (variety) applications opened	0.16	Alternative 1	0.3	0.0072
				Alternative 2	0.25	0.0060
				Alternative 3	0.21	0.0050
				Alternative 4	0.24	0.0058
		Market risk	0.2	Alternative 1	0.23	0.0069
				Alternative 2	0.27	0.0081
				Alternative 3	0.22	0.0066
				Alternative 4	0.28	0.0084
		System Planning	0.22	Alternative 1	0.3	0.0099
				Alternative 2	0.26	0.0086
				Alternative 3	0.21	0.0069
				Alternative 4	0.22	0.0073
Organizational	0.16	Research staff availability	0.16	Alternative 1	0.31	0.0079
				Alternative 2	0.31	0.0079
				Alternative 3	0.2	0.0051
				Alternative 4	0.18	0.0046
		Knowledge/skill availability	0.22	Alternative 1	0.3	0.0106
				Alternative 2	0.28	0.0099
				Alternative 3	0.18	0.0063
				Alternative 4	0.24	0.0084
		Competence and experience on similar projects	0.2	Alternative 1	0.26	0.0083
				Alternative 2	0.27	0.0086
				Alternative 3	0.17	0.0054
				Alternative 4	0.3	0.0096
		Strategic fit	0.27	Alternative 1	0.29	0.0125
				Alternative 2	0.27	0.0117
				Alternative 3	0.2	0.0086
				Alternative 4	0.24	0.0104
		Available facilities	0.15	Alternative 1	0.24	0.0058
				Alternative 2	0.32	0.0077
				Alternative 3	0.21	0.0050
				Alternative 4	0.23	0.0055

Criteria		Sub-criteria		Alternatives		
	Value		Value		Relative Value	Relative Value respect to Mission
Economic	0.22	Net present value (NPV).	0.23	Alternative 1	0.29	0.0147
				Alternative 2	0.26	0.0132
				Alternative 3	0.23	0.0116
				Alternative 4	0.23	0.0116
		Value-added of target products	0.28	Alternative 1	0.28	0.0172
				Alternative 2	0.26	0.0160
				Alternative 3	0.24	0.0148
				Alternative 4	0.21	0.0129
		Project cost	0.23	Alternative 1	0.25	0.0127
				Alternative 2	0.25	0.0127
				Alternative 3	0.23	0.0116
				Alternative 4	0.27	0.0137
		Economic risk	0.26	Alternative 1	0.33	0.0189
				Alternative 2	0.23	0.0132
				Alternative 3	0.28	0.0160
				Alternative 4	0.17	0.0097
External/ Regulation/ Environmental	0.27	Economic regulations	0.18	Alternative 1	0.27	0.0131
				Alternative 2	0.24	0.0117
				Alternative 3	0.21	0.0102
				Alternative 4	0.29	0.0141
		Environment al policy	0.21	Alternative 1	0.25	0.0142
				Alternative 2	0.26	0.0147
				Alternative 3	0.17	0.0096
				Alternative 4	0.32	0.0181
		Reliability, resilience, state Awareness technical standards	0.23	Alternative 1	0.26	0.0161
				Alternative 2	0.3	0.0186
				Alternative 3	0.19	0.0118
				Alternative 4	0.24	0.0149
		Acceptance of stakeholders	0.16	Alternative 1	0.3	0.0130
				Alternative 2	0.24	0.0104
				Alternative 3	0.2	0.0086
				Alternative 4	0.25	0.0108
		Power Quality standards	0.22	Alternative 1	0.25	0.0149
				Alternative 2	0.32	0.0190
				Alternative 3	0.19	0.0113
				Alternative 4	0.24	0.0143

The results of ranking the alternatives are presented in Table 72 which shows that, from higher to lower rank, the alternatives' order is Alternative 1, Alternative 2, Alternative 4, and Alternative 3.

Table 72: Overall Importance of Alternatives with Respect to the Mission

Alternative	Alternative Project Title	Base Values	Rank	Sensitivity Value
Alternative 1	Combined Horizontal- Vertical Seismic Isolation System for High Voltage Power Transformer	0.28	1	0.28
Alternative 2	Power Transformer Through-fault Risk Assessment	0.27	2	0.27
Alternative 3	Transformer Bushing Performance	0.21	4	0.21
Alternative 4	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	0.23	3	0.23

8.4 Sensitivity Analysis

A sensitivity analysis was performed to test the sensitivity of the five criteria. Sensitivity analysis determines the allowable range of each output indicator in order to maintain the priority of sub-factors [235]. As Estep and Abotah[237], [235] use sensitivity analysis; the following results are obtained (Table 73).

The initial importance and order of the values of alternatives with respect to the mission are given by the experts as it was presented above. However, “what if another perspective was evaluated as more important?” [237]. Therefore, four “what if” different scenarios were analyzed. The different scenarios are considered by assigning the value of “0.96” to the criterion that dominates, keeping constant the rest of the values of each criterion [237].

Table 73 to 83 show the final results and orders of the weights of alternatives based on changes in the values of criteria with dominant values. As it is shown, the changes are not substantial in values (weights); however, the orders have changed, especially for the alternatives considered lower in importance.

Table 73: Sensitivity Analysis with Technical dominant Criterion

Criteria	Technical	Market	Organizational	Economic	External / Regulation / Environmental
Value	0.96	0.01	0.01	0.01	0.01

Table 74: Overall Importance of Alternatives with Respect to the Mission

Alternative	Alternative Project Title	Base Values	Rank	Sensitivity Value	New Rank
Alternative 1	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	0.28	1	0.30	1-2
Alternative 2	Power Transformer Through-fault Risk Assessment	0.27	2	0.30	1-2
Alternative 3	Transformer Bushing Performance	0.21	4	0.23	3
Alternative 4	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	0.23	3	0.20	4

Table 75: Sensitivity Analysis with Market dominant Criterion

Criteria	Technical	Market	Organizational	Economic	External/Regulation/Environmental
Value	0.01	0.96	0.01	0.01	0.01

Table 76: Overall Importance of Alternatives with Respect to the Mission

Alternative	Alternative Project Title	Base Values	Rank	Sensitivity Value	New Rank
Alternative 1	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	0.28	1	0.29	1
Alternative 2	Power Transformer Through-fault Risk Assessment	0.27	2	0.25	2
Alternative 3	Transformer Bushing Performance	0.21	4	0.24	3
Alternative 4	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	0.23	3	0.23	4

Table 77: Sensitivity Analysis with Organizational dominant Criterion

Criteria	Technical	Market	Organizational	Economic	External/ Regulation/ Environmental
Value	0.01	0.01	0.96	0.01	0.01

Table 78: Overall Importance of Alternatives with Respect to the Mission

Alternative	Alternative Project Title	Base Values	Rank	Sensitivity Value	New Rank
Alternative 1	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	0.28	1	0.28	2
Alternative 2	Power Transformer Through-fault Risk Assessment	0.27	2	0.29	1
Alternative 3	Transformer Bushing Performance	0.21	4	0.19	4
Alternative 4	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	0.23	3	0.24	3

Table 79: Sensitivity Analysis with Economic dominant Criterion

Criteria	Technical	Market	Organizational	Economic	External/ Regulation/ Environmental
Value	0.01	0.01	0.01	0.96	0.01

Table 80: Overall Importance of Alternatives with Respect to the Mission

Alternative	Alternative Project Title	Base Values	Rank	Sensitivity Value	New Rank
Alternative 1	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	0.28	1	0.29	1
Alternative 2	Power Transformer Through-fault Risk Assessment	0.27	2	0.25	2
Alternative 3	Transformer Bushing Performance	0.21	4	0.24	3
Alternative 4	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	0.23	3	0.22	4

Table 81: Sensitivity Analysis with External/ Regulation/ Environmental Dominant Criterion

Criteria	Technical	Market	Organizational	Economic	External/ Regulation/ Environmental
Value	0.01	0.01	0.01	0.01	0.96

Table 82: Overall Importance of Alternatives with Respect to the Mission

Alternative	Alternative Project Title	Base Values	Rank	Sensitivity Value	New Rank
Alternative 1	Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer	0.28	1	0.26	1
Alternative 2	Power Transformer Through-fault Risk Assessment	0.27	2	0.28	1
Alternative 3	Transformer Bushing Performance	0.21	4	0.19	3
Alternative 4	Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	0.23	3	0.27	4

Table 83: Summary of Case sensitive Analysis

Alternatives	Base Case		Case 1:		Case 2:		Case 3:		Case 4:		Case 5:	
			Technical = 0.96 Market = 0.01 Organizational = 0.01 Economic = 0.01 Environmental/ Regulation = 0.01		Technical = 0.01 Market = 0.96 Organizational = 0.01 Economic = 0.01 Environmental/ Regulation = 0.01		Technical = 0.01 Market = 0.01 Organizational = 0.96 Economic = 0.01 Environmental/ Regulation = 0.01		Technical = 0.01 Market = 0.01 Organizational = 0.01 Economic = 0.96 Environmental/ Regulation = 0.01		Technical = 0.01 Market = 0.01 Organizational = 0.01 Economic = 0.01 Environmental/ Regulation = 0.96	
	Base Values	Base Rank	New Value	New Rank	New Value	New Rank	New Value	New Rank	New Value	New Rank	New Value	New Rank
Alternative 1	0.28	1	0.30	1-2	0.29	1	0.28	2	0.29	1	0.26	1-2
Alternative 2	0.27	2	0.30	1-2	0.25	2	0.29	1	0.25	2	0.28	1-2
Alternative 3	0.21	4	0.23	3	0.24	3	0.19	4	0.24	3	0.19	3
Alternative 4	0.23	3	0.20	4	0.23	4	0.24	3	0.22	4	0.27	4

Figure 65: Summary of Case sensitive Analysis

Table 84: Summary of Case sensitive Analysis - Weights

Alternatives	Base Values	Case 1	Case 2	Case 3	Case 4	Case 5
Alternative 1	0.28	0.30	0.29	0.28	0.29	0.26
Alternative 2	0.27	0.30	0.25	0.29	0.25	0.28
Alternative 3	0.21	0.23	0.24	0.19	0.24	0.19
Alternative 4	0.23	0.20	0.23	0.24	0.22	0.27

Table 85: Summary of Case sensitive Analysis - Ranks

Alternatives	Base Values	Case 1	Case 2	Case 3	Case 4	Case 5
Alternative 1	1	1-2	1	2	1	1-2
Alternative 2	2	1-2	2	1	2	1-2
Alternative 3	4	3	3	4	3	3
Alternative 4	3	4	4	3	4	4

It can be observed in Table 85 that significant changes in each criterion do not affect the order of the top-ranked alternatives. In the case of the lower-ranked alternatives, the order changed, except for the case of a dominant organizational criterion. Organizational aspects originally have a low weight related to other criteria; therefore, the low weight makes that any changes in the criteria values do not cause effects in the order of the alternatives. In the case of market criterion, which has the lowest weight compared to the other criteria, the changes to a dominant value only affect the lower alternatives' orders. The reasons for this can be attributed to the nature of technology of Alternatives 3 and 4, which are addressed to operational aspects.

Due to the changes in the criteria to dominant values, the “alternative elasticity of criteria” can be obtained to see the percentual effect of changing the values of criteria on the relative values of each alternative.

The analysis is focused on criteria 1 and alternative 1. The changes in values are related to based values “0” and the new values of criteria, sub-criteria, and alternatives.

A1: Relative value of Alternative 1 with respect to the mission

C: Relative value of criterion

S: Relative value of sub-criteria with respect to criteria

a: Relative value of alternatives with respect to sub-criteria

The relative value of A with respect to the mission is obtained from:

$$A1 = C_1 (S_1 a_1 + S_2 a_4 + S_3 a_7) + C_2 (S_4 a_{10} + S_5 a_{13}) + C_3 (S_6 a_{16} + S_7 a_{19})$$

$$A1 = c_1 (S_1 a_1 + S_2 a_4 + S_3 a_7) + c_2 (S_4 a_{10} + S_5 a_{13}) + c_3 (S_6 a_{16} + S_7 a_{19})$$

The alternative elasticity of criteria can be defined as:

$$\frac{\delta A_1 C_1}{\delta C_1 A_1} = \frac{C_1 (S_1 a_1 + S_2 a_4 + S_3 a_7)}{A_1} = \frac{C_1 (S_1 a_1 + S_2 a_4 + S_3 a_7)}{C_1 (S_1 a_1 + S_2 a_4 + S_3 a_7) + C_2 (S_4 a_{10} + S_5 a_{13}) + C_3 (S_6 a_{16} + S_7 a_{19})}$$

$$\text{If: } \alpha_1 = C_1 (S_1 a_1 + S_2 a_4 + S_3 a_7), \alpha_2 = C_2 (S_4 a_{10} + S_5 a_{13}), \alpha_3 = C_3 (S_6 a_{16} + S_7 a_{19})$$

$$\text{Then: } \frac{\delta A_1 C_1}{\delta C_1 A_1} = \frac{1}{1 + \frac{\alpha_2}{\alpha_1} + \frac{\alpha_3}{\alpha_1}}$$

$$\text{If } C_2 \text{ and } C_3 = 0, \text{ then } C_1=1: \frac{\delta A_1 C_1}{\delta C_1 A_1} = 1$$

If $C_2 \sim 1$, then $C_3=0, C_1=0$: $\frac{\delta A_1 C_1}{\delta C_1 A_1} = 0$

The analysis can be replicated in Figure 66:

Figure 66: Alternative Elasticity of Criteria

In Figure 66, the line shows a low slope since changes in the values of alternative weights are not significant when the criteria weights changed, even to dominant values. In this case, the elasticity of the alternatives based on changes in criteria depends on the specific ratio of relative values of the Alternative 1 to the other relative values. Additionally, a perfect elastic effects exist when C1 is maximized and other criteria minimized are close to zero. A perfect inelastic effect exists when the Criteria 1 or relative values of alternative 1 are close to zero. In the specific case of the BPA model, the effects are close to a perfect inelastic effect. Therefore, changes in C will not have significant effects on A. In order to have a significant impact from changes in C, the level of Alternative A needs to be high.

8.5 Post Hoc Model Results Evaluation

After validating and quantifying the HDM model, a post hoc evaluation was done asking experts if the model and the final results (weights and values) were logical. Table 86 shows the positive results and comments from experts regarding to the model. For the 12 experts, the model elements and weights are logical and are in their expectations.

Table 86: Post Hoc Model Validation

	Expert	Yes	No
1	Expert 10	X	
2	Expert 24	X	
3	Expert 16	X	
4	Expert 2	X	
5	Expert 27	X	
6	Expert 5	X	
7	Expert 3	X	
8	Expert 11	X	
9	Expert 25	X	
10	Expert 19	X	
11	Expert 7	X	
12	Expert 1	X	

CHAPTER 9: RESEARCH CONCLUSIONS

9.1 Conclusions and Contribution

This research is focused on R&D project selection and evaluation in power transmission utilities that are under regulation. High levels of regulation affect the economy, entrepreneurship, and allocation of investments. In this context, the specific characteristics of regulated organizations influence the evaluation of R&D investment projects. Consequently, R&D project evaluations in regulated organizations imply different criteria and sub-criteria to align with the utility objectives and market conditions.

A holistic assessment of the criteria and sub-criteria regarding R&D project selection in regulated organizations was developed. The assessment becomes one of the contributions of this research for identifying the main criteria and sub-criteria linked to the R&D project selection in the electric transmission sector. The holistic approach the risk of investments in R&D projects.

This research also developed a model for evaluating R&D projects in the electric transmission sector based on the multi-criteria analysis. Accordingly, this research followed a systematic approach for formulating and developing a multi-criteria model that allows identifying all the factors related to R&D projects and their respective evaluation. The systematic approach helped formulate the model, allowed to eliminate biases, and increased the effectiveness of evaluating the projects. The Hierarchical Decision Model (HDM) has been used to evaluate R&D projects from a multi-criteria analysis. The

categories and factors associated with R&D projects in regulated organizations were divided into four levels: 1) Mission, 2) Criteria, 3) Sub-criteria, 4) Alternatives. Consequently, the HDM model of this thesis can be adopted not only in the power transmission utility sector, but in any organizations with similar characteristics by adjusting to particular characteristics and conditions.

The HDM model for selecting R&D projects in the specific context of a regulated organization is a significant contribution. Based on the literature, the model incorporates all the elements and factors that affect R&D projects aligning with the strategies of organizations. The HDM model incorporates all the theoretical elements related to R&D project analysis, regulatory models, risk analysis, market analysis, and economic theories. The integration of factors from literature and theoretical aspects make the model robust and reliable. The theoretical aspect contributes to the generalization of the model in the context of geographical utilization across the states and/or nations, as well as different types of regulated organizations. Finally, the generalization and robustness of the model is a fruit of participation of unbiased panel experts who were selected based on their background, experience, types of organization, and location (the US. or overseas) with similar political and economic conditions.

Based on systematic steps, five criteria and 24 sub-criteria were identified and validated. For the practical application of the model, cases from BPA, a US electrical transmission utility, was used. BPA had 28 projects that were clustered in groups of four. The presented cases used one of these clusters, with four projects focused on the same objectives and characteristics. The results indicated that regulatory aspects play a crucial

role in the R&D project selection; the economic aspect is important for assessing how the R&D project can contribute to value-added; and the changes in criteria weights levels do not affect the changes in the alternatives. These results suggest that in order to have considerable effects on the arrangement of alternatives by changing the weights of criteria, these weights of alternatives need to be significantly different. As well as the Technical Success, time to the market, and strategic fit as the sub-criteria with the highest weights, the regulations on maintaining high levels of reliability are important.

9.2 Limitations of the Research

The research is focused on the important aspect of selecting and evaluating R&D projects in the power transmission utilities. However, there are some limitations to the model that need to be mentioned. First, the model provides the rank of projects according to the importance and weights obtained from experts. This model will not provide or determine if the project is feasible considering all the aspects. However, the model can be considered a complement of other evaluation tools such as NPV or C/B ratio.

The HDM is based on Subject-Matter Experts (SMEs) judgments. Therefore, the judgments are subjective and depend on experts' knowledge. There might be some limited knowledge and biases from experts that affect the validation and results of the model; however, following the adequate methodologies for selecting and forming panels can minimize this problem.

The priorities and relative weights of the criteria and sub-criteria may not be the same for other organizations similar to BPA. The results or outputs of the HDM model can be the

same for many of these organizations, but can be changed for others, depending on the specific objective of the organizations and the use of different SMEs.

Additionally, the relative values are taken during a specific point of time. The values of quantification of the model may vary according to the circumstances, the new drivers, and the objective of the power transmission organizations in a certain time.

From the interviews to SMEs, the validation of the model depends on subjective perspectives. It is important to identify the experts who are highly related and knowledgeable about the high-level strategies of the organization.

The model is built during a specific point in time. Since R&D projects in the area of power transmission are considered long term projects, the structure of the model is susceptible to change. These changes are already mentioned as the main factors affecting these types of investments such as political, technical, economic, organizational, etc. These types of organizations are sensitive to changes in political, market, and social aspects.

9.3 Future Work

This research has provided an assessment of the criteria and sub-criteria that influence the decisions of evaluating R&D projects in utilities under regulation. The model was built based on a systematic analysis of the literature, which includes journal papers, papers analyzing projects, as well as the important inclusion of theoretical aspects. Since the model is focused on transmission utilities, the adjustment of the model to different characteristics is a potential research area to be done. The model provides a quantitative analysis for alternatives based on a specific utility; therefore, adapting the model to other

scenarios and conditions is important and will represent an important step to generalize the model.

Another future research opportunity is to analyze the model and contrast the results at different periods of time. The dynamic changes in the conditions and characteristics will provide valuable information about the adjustment of R&D projects to a different circumstance. As part of this analysis, the stability of the results will be evaluated and provide projects and strategies of utilities are in the same direction.

REFERENCES

- [1] D. F. Kocaoglu, "A participative approach to program evaluation," *IEEE Transactions on Engineering Management*, vol. EM-30, no. 3, pp. 112–118, 1983.
- [2] K. Costello, "Research and development by public utilities: Should be done?," National Regulatory Research Institute, Seattle, WA, USA, 2015.
- [3] C. Yi, Y. Ning, and Q. Jin, "A fuzzy multi-criteria evaluation approach for R&D project selection," in *4th International Conference on Wireless Communications, Networking and Mobile Computing. IEEE*, 2008, pp. 1–4.
- [4] J. Lee and S. Lee, "R&D project selection: Behavior and practice in a newly industrializing country," *IEEE Transactions on Engineering Management*, vol. EM-33, no. 3, pp. 141–147, Aug. 1986.
- [5] M. Habib, R. Khan, and J. L. Piracha, "Analytic Network Process applied to R&D project selection," in *2009 International Conference on Information and Communication Technologies*, vol. 0786, pp. 1–19, 2009.
- [6] M. J. Liberatore, "An expert support system for R&D project selection," *Mathematical and Computer Modelling*, vol. 11, pp. 260–265, 1988.
- [7] Q. Tian, J. Ma, J. Liang, R. C. W. Kwok, and O. Liu, "An organizational decision support system for effective R&D project selection," *Decision Support Systems*, vol. 39, no. 3, pp. 403–413, May 2005.
- [8] J. L. Ringuest, S. B. Graves, and R. H. Case, "Mean–Gini analysis in R&D portfolio selection," *European Journal of Operational Research*, vol. 154, no. 1, pp. 157–169, Apr. 2004.
- [9] A. Bin, A. Azevedo, L. Duarte, S. Salles-Filho, and P. Massaguer, "R&D and innovation project selection: Can optimization methods be adequate?," *Procedia Computer Science*, vol. 55, pp. 613–621, 2015.
- [10] S. Hashemkhani Zolfani, J. Salimi, R. Maknoon, and S. Kildienė, "Technology Foresight about R&D projects selection: Application of SWARA method at the policy making level," *Engineering Economics*, vol. 26, no. 5, Dec. 2015.
- [11] F. Hassanzadeh, M. Collan, and M. Modarres, "A technical note on 'A fuzzy set approach for R&D portfolio selection using a real options valuation model' by Wang and Hwang (2007)," *Omega*, vol. 39, no. 4, pp. 464–465, Aug. 2011.
- [12] M. Ashrafi, H. Davoudpour, and M. Abbassi, "Developing a decision support system for R&D project portfolio selection with interdependencies," *AIP Conference Proceedings*, vol. 1499, no. 1, pp. 370–378, Nov. 2012.
- [13] C. Carlsson, R. Fullér, M. Heikkilä, and P. Majlender, "A fuzzy approach to R&D project portfolio selection," *International Journal of Approximate Reasoning*, vol. 44, no. 2, pp. 93–105, Feb. 2007.

- [14] C. P. Lawson, P. J. Longhurst, and P. C. Ivey, "The application of a new research and development project selection model in SMEs," *Technovation*, vol. 26, no. 2, pp. 242–250, Feb. 2006.
- [15] M. A. Brown, "Market failures and barriers as a basis for clean energy policies," *Energy Policy*, vol. 29, no. 14, pp. 1197–1207, Nov. 2001.
- [16] P. Sanyal and L. R. Cohen, "Powering progress: Restructuring, competition, and R&D in the US electric utility industry," *The Energy Journal*, pp. 41–79, 2009.
- [17] A. Purnus and C.-N. Bodea, "Project prioritization and portfolio performance measurement in project oriented organizations," *Procedia - Social and Behavioral Sciences*, vol. 119, pp. 339–348, 2014.
- [18] P. McLaughlin and O. Sherouse, "The McLaughlin-Sherouse list: The 10 most-regulated industries of 2014 | Mercatus Center," 2016. [Online]. Available: <https://www.mercatus.org/publications/regulation/mclaughlin-sherouse-list-10-most-regulated-industries-2014>. [Accessed: 06-Aug-2020].
- [19] Changsheng Yi, "A decision-making approach for R&D project selection in a fuzzy environment," in *International Seminar on Business and Information Management*, 2008, pp. 372–375.
- [20] R. Bhattacharyya, P. Kumar, and S. Kar, "Fuzzy R&D portfolio selection of interdependent projects," *Computers & Mathematics with Applications*, vol. 62, no. 10, pp. 3857–3870, Nov. 2011.
- [21] L. M. Meade and A. Presley, "R&D project selection using the Analytic Network Process," *IEEE Transactions on Engineering Management*, vol. 49, no. 1, pp. 59–66, 2002.
- [22] F. Hassanzadeh, M. Collan, and M. Modarres, "A practical approach to R&D portfolio selection using the fuzzy pay-off method," *IEEE Transactions on Fuzzy Systems*, vol. 20, no. 4, pp. 615–622, Aug. 2012.
- [23] W. Jingmei and G. Peng, "The robustness risk and selection optimization of R&D project portfolio under uncertainty," in *2015 IEEE International Conference on Grey Systems and Intelligent Services (GSIS)*, 2015, pp. 622–627.
- [24] N. M. Arratia M., F. López I., S. E. Schaeffer, and L. Cruz-Reyes, "Static R&D project portfolio selection in public organizations," *Decision Support Systems*, vol. 84, pp. 53–63, Apr. 2016.
- [25] D. Leonard-Barton and W. A. Kraus, "Implementing new technology," *Harvard Business Review*, Nov-1985.
- [26] K. Lauritzen, "Method for optimal capability-based R&D portfolio selection," in *2014 IEEE International Technology Management Conference*, 2014, pp. 1–4.
- [27] C.-C. Huang, P.-Y. Chu, and Y.-H. Chiang, "A fuzzy AHP application in government-sponsored R&D project selection," *Omega*, vol. 36, no. 6, pp. 1038–

1052, Dec. 2008.

- [28] K. Costello, "R&D and public utilities," *Electricity Journal*, vol. 29, no. 5, pp. 19–26, 2016.
- [29] J. Behrens, "A lack of insight: An experimental analysis of R&D managers' decision making in innovation portfolio management," *Creativity and Innovation Management*, vol. 25, no. 2, pp. 239–250, Jun. 2016.
- [30] M. J. Liberatore, "An extension of the analytic hierarchy process for industrial R&D project selection and resource allocation," *IEEE Transactions on Engineering Management*, no. 1, pp. 12–18, 1987.
- [31] A. Roos, "R&D project portfolio selection in new product developing organizations," Fraunhofer Insrtitut Arbeitswirtschaft und Organisation, 2008.
- [32] M. Ghobakhloo, T. S. Hong, M. S. Sabouri, and N. Zulkifli, "Strategies for successful information technology adoption in small and medium-sized enterprises," *Information*, vol. 3, no. 4, pp. 36–67, Feb. 2012.
- [33] C. Gaspoz and Y. Pigneur, "Preparing a negotiated R&D portfolio with a prediction market," in *Proceedings of the Annual Hawaii International Conference on System Sciences*, 2008, pp. 1–10.
- [34] R. G. Cooper and E. J. Edgett, Scott J & Kleinschmidt, "Portfolio management for new product development: Results of an industry practices study," *R&D Management (Industrial Research Institute, Inc.)*, vol. 13, no. 4, pp. 1–39, 2001.
- [35] C.-T. Chen and W.-Z. Hung, "Applying fuzzy linguistic variable and ELECTRE method in R&D project evaluation and selection," in *2008 IEEE International Conference on Industrial Engineering and Engineering Management*, 2008, pp. 999–1003.
- [36] A. Jekunen, "Decision-making in product portfolios of pharmaceutical research and development - managing streams of innovation in highly regulated markets," *Drug Design, Development and Therapy*, p. 2009, Oct. 2014.
- [37] F. Nagm and K. Kautz, "It doesn't add up: Why financial evaluation methods are inadequate in appraising IS investments," *Australasian Conference on Information Systems*, pp. 141–151, 2007.
- [38] M. J. Liberatore and G. J. Titus, "The practice of Management Science in R&D Project Management," *Management Science. Aug1983*, vol. 29, no. 8, pp. 962–974, 1983.
- [39] A. Amaro, J. Cunha, E. Ares, and M. Araújo, "Assessment of companies practices concerning the evaluation of R&D investment project," in *2th International Conference on Technology Policy and Innovation*, 2009, pp. 1–12.
- [40] T. Conka and S. Ercan, "The combined decision model for selecting and prioritizing research and development projects," in *Proceedings of 2nd International*

Conference on Recent Advances in Space Technologies, 2005, pp. 823–828.

- [41] G. F. Nemet and D. M. Kammen, “U.S. energy research and development: Declining investment, increasing need, and the feasibility of expansion,” *Energy Policy*, vol. 35, no. 1, pp. 746–755, Jan. 2007.
- [42] A. Sterlacchini, “Energy R&D in private and state-owned utilities: An analysis of the major world electric companies,” *Energy Policy*, vol. 41, no. November, pp. 494–506, 2012.
- [43] F. Zubascu and S. Business, “European power suppliers boost R&D investment,” 2016. [Online]. Available: <http://sciencebusiness.net/news/77392/European-power-suppliers-boost-R-and-D-investment>. [Accessed: 11-May-2016].
- [44] U.S. DOE Energy Information Administration, “Direct federal financial interventions and subsidies in energy in fiscal year 2010,” *Energy Information Administration*, no. March, 2015.
- [45] B. R. Fonslow *et al.*, “NIH Public Access,” *Adm Policy Ment Health*, vol. 10, no. 1, pp. 54–56, 2013.
- [46] K. W. Cheung, G. W. Rosenwald, X. Wang, and D. I. Sun, “Restructured electric power systems and electricity markets,” in *Restructured Electric Power Systems*, X.-P. Zhang, Ed. John Wiley & Sons, Inc., 2010, pp. 53–97.
- [47] M. T. Booher, D. F. Proaño, and K. Kash, “PLC - Electricity regulation in the United States: overview,” *Practical Law*, 13-Mar-2016. [Online]. Available: <http://us.practicallaw.com/8-525-5799?source=relatedcontent#a1003615>.
- [48] E. E. Sauma and S. S. Oren, “Proactive planning and valuation of transmission investments in restructured electricity markets,” *Journal of Regulatory Economics*, vol. 30, no. 3, pp. 358–387, Apr. 2006.
- [49] G. Gross, “The evolution of the USA open access transmission regime,” in *University of Illinois at Urbana-Champaign, ICPSOP*, 2000.
- [50] W. J. Hausman and J. L. Neufeld, “How politics, economics, and institutions shaped electric utility regulation in the United States: 1879–2009,” *Business History*, vol. 53, no. 5, pp. 723–746, Mar. 2011.
- [51] U.S. Department of Energy, “United States electricity industry primer,” 2015.
- [52] America’s Power Plan, “Ratemaking and utility business models,” *America’s Power Plan*, 13-Mar-2017. [Online]. Available: <http://americaspowerplan.com/power-transformation-solutions/ratemaking-and-utility-business-models/>.
- [53] S. Borenstein and J. Bushnell, “The US electricity industry after 20 years of restructuring,” *Annu. Rev. Econ.*, vol. 7, no. 1, pp. 437–463, Mar. 2015.
- [54] J. Lazar, *Electricity Regulation in the US: A Guide*, Second. 2016.
- [55] M. Warwick, “A primer on electric utilities, deregulation, and restructuring of U.S.

- electricity markets,” Richland, Washington, Mar. 2002.
- [56] Stinson Leonard Street, “FERC ELECTRICITY 101.” Washington, DC, 13-Mar-2014.
 - [57] PrivacySense.net, “The Difference Between the Private and Public Sector,” *PrivacySense.net*, 13-Mar-2015. [Online]. Available: <http://www.privacysense.net/difference-between-private-public-sector/>. [Accessed: 26-May-2020].
 - [58] Public Power Council, *Public Power Chronicle - A Guide to Public Power in the Pacific Northwest for the 21st Century*. Portland OR: Public Power Council, 2002.
 - [59] California Energy Commission, “Differences between publicly and investor-owned Utilities,” *California Energy Commission*, 15-Apr-2017. [Online]. Available: http://www.energy.ca.gov/pou_reporting/background/difference_pou_iou.html. [Accessed: 26-May-2020].
 - [60] R. C. Agarwal, “Public utilities: Meaning, characteristics, forms, privileges and obligations,” *YourArticleLibrary.com: The Next Generation Library*. 13-Mar-2014.
 - [61] P. Illingworth and W. E. Parmet, “Health as a global public good,” in *Health of Newcomers*, 2013, no. November.
 - [62] J. Pfeifenberger, J. Chang, M. Davis, and M. Geronimo, “Competition in transmission planning and development: Current status and international experience,” Washington DC, 2014.
 - [63] RAP Energy Solutions for Changing World, “Electricity regulation in the US: A guide,” Montpelier, Vermont, 2011.
 - [64] J. Tarbert, “Public power’s business model: A primer.” Public Power and the American Public Power Association, 2012.
 - [65] M. H. Brown and R. P. Sedano, *Electricity transmission: A primer*. Denver, Colorado: National Council on Electric[ity] Policy, 2004.
 - [66] J. J. Hoecker and D. W. Smith, “Regulatory federalism and development of electric transmission: A brewing Storm,” *Energy Law Journal*, vol. 35, p. 71, Mar. 2014.
 - [67] M. Sowinski, “Practical, legal, and economic barriers to optimization in energy transmission and distribution,” *Journal of Land Use & Environmental Law*, vol. 26, no. 2, pp. 503–530, Mar. 2011.
 - [68] S. Cicala *et al.*, “Imperfect markets versus imperfect regulation in U.S. electricity generation,” 2017.
 - [69] D. P. Tuttle *et al.*, “The history and evolution of the U.S. electricity industry,” University of Texas - Energy Institute, Austin, TX, Apr. 2016.
 - [70] Utility Dive and PA Consulting, “State of the electric utility survey,” 2017.

- [71] R. Lehr, "New utility business models: Utility and regulatory models for the modern era." 02-Apr-2013.
- [72] L. Kiesling, "Rethink the natural monopoly justification of electricity regulation," *Reason Foundation*. 14-Mar-2017.
- [73] Edison ElectricInstitute, "Key facts about electric power industry," *EEI Edison Electric Institute*. Washington, D.C, USA, 13-Mar-2017.
- [74] T. U. Daim, T. Oliver, and I. Iskin, "Research and development (R&D) portfolio management in the electric utility sector: Does it change for the service sector?," *Benchmarking: An International Journal*, vol. 20, no. 2, pp. 186–211, Apr. 2013.
- [75] T. Jamasb and M. Pollitt, "Liberalisation and R&D in network industries: The case of the electricity industry," *Research Policy*, vol. 37, no. 6–7, pp. 995–1008, Mar. 2008.
- [76] S. Schmitt and K. Denes, "The impact of the regulatory reform process on R&D investment of european electricity utilities," in *Beiträge zur Jahrestagung des Vereins für Socialpolitik*, 2013.
- [77] H. Davoudpour, S. Rezaee, and M. Ashrafi, "Developing a framework for renewable technology portfolio selection: A case study at a R&D center," *Renewable and Sustainable Energy Reviews*, vol. 16, no. 6, pp. 4291–4297, Aug. 2012.
- [78] S. K. Lee, G. Mogi, and K. S. Hui, "A fuzzy analytic hierarchy process (AHP)/data envelopment analysis (DEA) hybrid model for efficiently allocating energy R&D resources: In the case of energy technologies against high oil prices," *Renewable and Sustainable Energy Reviews*, vol. 21, pp. 347–355, May 2013.
- [79] L. M. Meade and A. Presley, "R&D project selection using the analytic network process," *IEEE transactions on engineering management*, vol. 49, no. 1, pp. 59–66, 2002.
- [80] S. K. Lee, G. Mogi, M. Koike, K. S. Hui, and J. W. Kim, "Fuzzy integrated analytic hierarchy process approach for selecting strategic big-sized R&D programs in the sector of energy technology development," in *2009 IEEE International Conference on Fuzzy Systems, Jeju Island, Korea*, 2009, pp. 1432–1438.
- [81] A. Ç. Tolga, "Fuzzy multicriteria R&D project selection with a real options valuation model," *Journal of Intelligent & Fuzzy Systems*, vol. 19, no. 4, 5, pp. 359–371, 2008.
- [82] Y.-G. Hsu, G.-H. Tzeng, and J. Z. Shyu, "Fuzzy multiple criteria selection of government-sponsored frontier technology R&D projects," *R&D Management*, vol. 33, no. 5, pp. 539–551, 2003.
- [83] M. Hudymáčová, M. Benková, J. Pócsová, and T. Škovránek, "Supplier selection based on multi-criterial AHP method," *Acta Montanistica Slovaca Ročník*, vol. 15,

no. 3, pp. 249–255, 2010.

- [84] C. J. M. Victório, H. G. Costa, and C. G. de Souza, “Modeling selection criteria of R&D projects for awarding direct subsidies to the private sector,” *Science and Public Policy*, vol. 43, no. 2, pp. 275–287, Apr. 2016.
- [85] P. Guo, J. J. Liang, Y. M. Zhu, and J. F. Hu, “R&D project portfolio selection model analysis within project interdependencies context,” in *2008 IEEE International Conference on Industrial Engineering and Engineering Management*, 2008, pp. 994–998.
- [86] Q. Tian, J. Ma, and O. Liu, “A hybrid knowledge and model system for R&D project selection,” *Expert systems with applications*, vol. 23, no. 3, pp. 265–271, 2002.
- [87] J. Wang and W.-L. Hwang, “A fuzzy set approach for R&D portfolio selection using a real options valuation model,” *Omega*, vol. 35, no. 3, pp. 247–257, Jun. 2007.
- [88] H. Akers, “Advantages & disadvantages of Net Present Value in project selection | Chron.com.” [Online]. Available: <http://smallbusiness.chron.com/advantages-disadvantages-net-present-value-project-selection-54753.html>. [Accessed: 22-May-2017].
- [89] I. Iskin, “An assessment model for energy efficiency program planning in electric utilities: Case of the Pacific of Northwest U.S.A.,” *Engineering and Technology Management*, Portland State University, Oregon, USA, 2014.
- [90] I. S. Litvinchev, F. Lopez, A. Alvarez, and E. Fernandez, “Large-scale public R&D portfolio selection by maximizing a biobjective impact measure,” *IEEE Transactions on Systems, Man, and Cybernetics - Part A: Systems and Humans*, vol. 40, no. 3, pp. 572–582, May 2010.
- [91] R. P. Mohanty, R. Agarwal, A. K. Choudhury, and M. K. Tiwari, “A fuzzy ANP-based approach to R&D project selection: A case study,” *International Journal of Production Research*, vol. 43, no. 24, pp. 5199–5216, Dec. 2005.
- [92] M. Oral, O. Kettani, and P. Lang, “A methodology for collective evaluation and selection of industrial R&D projects,” *Management Science*, vol. 37, no. 7, pp. 871–885, 1991.
- [93] Y. H. Chun, “Sequential decisions under uncertainty in the R&D project selection problem,” *IEEE Transactions on Engineering Management*, vol. 41, no. 4, pp. 404–413, 1994.
- [94] Z. Danmei, Z. Tie, W. Xingtong, and C. Dongling, “A novel R&D project portfolio selection decision approach based on fuzzy logic and heuristics scheduling,” 2008, pp. 144–147.
- [95] J. D. Linton, S. T. Walsh, and J. Morabito, “Analysis, ranking and selection of R&D projects in a portfolio,” *R&D Management*, vol. 32, no. 2, pp. 139–148, Mar. 2002.
- [96] R. L. Schmidt, “A model for R&D project selection with combined benefit, outcome

- and resource interactions,” *IEEE Transactions on Engineering Management*, vol. 40, no. 4, pp. 403–410, 1993.
- [97] E. Fernandez, F. Lopez, J. Navarro, I. Vega, and I. Litvinchev, “An integrated mathematical-computer approach for R&D Project selection in large public organisations,” *International Journal of Mathematics in Operational Research*, vol. 1, no. 3, pp. 372–396, 2009.
 - [98] I. S. Litvinchev, F. López, A. Alvarez, and E. Fernández, “Large-scale public RD portfolio selection by maximizing a biobjective impact measure,” *IEEE Transactions on Systems, Man, and Cybernetics Part A: Systems and Humans*, vol. 40, no. 3, pp. 572–582, 2010.
 - [99] N. Maribel, A. Martínez, and F. López, “MILP for selecting portfolio of R & D projects in public organizations with partial and full resource allocation policies,” in *Fourth International Workshop on Knowledge Discovery, Knowledge Management and Decision Support*, pp. 241–246, 2013.
 - [100] P. L. Pereira and F. M. Veloso, “RD activity selection process: Building a strategy-aligned RD portfolio for government and nonprofit organizations,” *IEEE Transactions on Engineering Management*, vol. 56, no. 1, pp. 95–105, 2009.
 - [101] R. Gasparini *et al.*, “How can the results of Health Technology Assessment (HTA) evaluations applied to vaccinations be communicated to decision-makers and stakeholders? The ISPOR Rome chapter project,” *Journal of Preventive Medicine and Hygiene*, vol. 56, no. 4, pp. E150–E154, 2015.
 - [102] M. Besombes, Y. Goth, and X. Carniel, “Psycho acoustic characterisation of lawnmowers versus standard a-weighted sound power and comparison with virtual prototyping results,” in *13th International Congress on Sound and Vibration 2006, ICSV*, 2006, vol. 3, pp. 2469–2476.
 - [103] A. J. Brunett, D. Grabaskas, M. Bucknor, and S. Passerini, “A methodology for the integration of passive system reliability with success criteria in a probabilistic framework for advanced reactors,” American Society of Mechanical Engineers (ASME), Argonne, IL, US., 2016.
 - [104] M. Conte, “ENEA’s energy storage activities in the Italian electric system research project,” Institute of Electrical and Electronics Engineers Inc., Tech. Unit “Advanced Technologies for Energy and Industry” - Coordination of Energy Storage Systems, ENEA - Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Rome, Italy, 2015.
 - [105] D. Cornic, “Efficient recovery of braking energy through a reversible dc substation,” in *International Conference on Electrical Systems for Aircraft, Railway and Ship Propulsion, ESARS 2010*, 2010.
 - [106] T. U. Daim and T. Oliver, “Implementing technology roadmap process in the energy services sector: A case study of a government agency,” *Technological Forecasting and Social Change*, vol. 75, no. 5, pp. 687–720, 2008.

- [107] D. Grabaskas, A. J. Brunett, and M. Bucknor, "A methodology for the integration of a mechanistic source term analysis in a probabilistic framework for advanced reactors," in *2016 24th International Conference on Nuclear Engineering, ICONE 2016*, 2016, vol. 2.
- [108] D. Grabaskas, A. J. Brunett, and M. Bucknor, "A methodology for the development of a reliability database for an advanced reactor probabilistic risk assessment," in *2016 24th International Conference on Nuclear Engineering, ICONE 2016*, 2016, vol. 2.
- [109] Y. Huang, D. Liu, and H. Liao, "Site and size selection strategies of energy storage system based on power supply and storage capability index," in *International Conference on Renewable Power Generation, RPG 2015*, 2015, vol. 2015, no. CP679.
- [110] L. A. Johnson and D. N. Schochet, "Applying proven Organic Rankine cycle technology for the generation of electricity from geothermal water produced by oil and gas wells," in *Geothermal Resources Council - Annual Meeting of the Geothermal Resources Council 2007 "Renewable Baseload Energy: Geothermal Heat Pumps to Engineered Reservoirs"*, 2007, vol. 31, pp. 601–603.
- [111] F. Leménager *et al.*, "Assessment and outlook of the opennode smart grid architecture," in *22nd International Conference and Exhibition on Electricity Distribution, CIRED 2013*, 2013, vol. 2013, no. 615 CP.
- [112] C. Sabelli *et al.*, "Advanced operation of the high voltage system highlights from the italian plan for system security," in *CIGRE 2011 Bologna Symposium - The Electric Power System of the Future: Integrating Supergrids and Microgrids*, 2011.
- [113] T. Sakai *et al.*, "Activities of the safety and operation project for the international research and development of the sodium-cooled fast reactor in the generation IV international forum," in *2016 24th International Conference on Nuclear Engineering, ICONE 2016*, 2016, vol. 2.
- [114] L. Sigrist, K. May, A. Morch, P. Verboven, P. Vingerhoets, and L. Rouco, "On scalability and replicability of smart grid projects-A case study," *Energies*, vol. 9, no. 3, 2016.
- [115] A. J. C. Trappey, C. V Trappey, U. H. Govindarajan, J. J. Sun, and A. C. Chuang, "A Review of Technology Standards and Patent Portfolios for Enabling Cyber-Physical Systems in Advanced Manufacturing," *IEEE Access*, vol. 4, pp. 7356–7382, 2016.
- [116] N. Wang and G. Mogi, "From Regulation to Deregulation: An Empirical Study of Japanese Electric Utility R&D Investment Behavior under Transition," in *8th International Conference on Applied Energy, ICAE 2016*, 2017, vol. 105, pp. 3193–3200.
- [117] K.-L. Chang, "A Hybrid program projects selection model for nonprofit TV stations," *Mathematical Problems in Engineering*, vol. 2015, 2015.

- [118] D. W. Compton, R. Glover-Kudon, M. E. Avery, and C. L. Morris, "The collaborative evaluation fellows project: Background and overview of the model," *Cancer Practice*, vol. 9, no. SUPPL. 1, pp. S4–S10, 2001.
- [119] N. Dehouche, "Non-profit project portfolio evaluation and selection: A multi-criteria approach," *International Journal of Applied Management Science*, vol. 7, no. 4, pp. 338–363, 2015.
- [120] J. Johnson and C. Marshall, "Convergent usability evaluation: A case study from the eirs project," in *Conference on Human Factors in Computing Systems, CHI EA 2005*, 2005, pp. 1501–1504.
- [121] K. Joyner and R. J. Mash, "The value of intervening for intimate partner violence in South African primary care: Project evaluation," *BMJ Open*, vol. 1, no. 2, 2011.
- [122] M. Lopez, "Faith matters: Developing the our whole lives evaluation and promotion project," *American Journal of Sexuality Education*, vol. 6, no. 1, pp. 13–19, 2011.
- [123] R. Mott, K. Keller, and K. Funkenbusch, "'Keep me doing what I love': A photovoice evaluation of the Missouri AgrAbility Project," *Journal of Agromedicine*, vol. 22, no. 4, pp. 425–431, 2017.
- [124] M. Nagao, K. Kuji-Shikatani, and A. J. Love, "Preparing school evaluators: Hiroshima pilot test of the Japan evaluation society's accreditation project," *Canadian Journal of Program Evaluation*, vol. 20, no. 2, pp. 125–155, 2005.
- [125] R. Rodriguez-García, D. Wilson, N. York, C. Low, N. N'Jie, and R. Bonnel, "Evaluation of the community response to HIV and AIDS: Learning from a portfolio approach," *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, vol. 25, no. SUPPL.1, pp. S7–S19, 2013.
- [126] S. Y. Sohn, Y. Gyu Joo, and H. Kyu Han, "Structural equation model for the evaluation of national funding on R&D project of SMEs in consideration with MBNQA criteria," *Evaluation and Program Planning*, vol. 30, no. 1, pp. 10–20, 2007.
- [127] M. Viswanathan *et al.*, "Cross-site evaluation of a comprehensive pediatric asthma project: The Merck Childhood Asthma Network, Inc. (MCAN).," *Health promotion practice*, vol. 12, no. 6 Suppl 1, pp. 20S–33S, 2011.
- [128] B. Wang, K. Narvekar, and T. Nguyen, "The hierarchical decision model for non-profit organization's project selection," in *2013 Portland International Conference on Management of Engineering and Technology, PICMET 2013*, 2013, pp. 401–410.
- [129] M. N. M. Arratia, I. F. López, S. E. Schaeffer, and L. Cruz-Reyes, "Static R&D project portfolio selection in public organizations," *Decision Support Systems*, vol. 84, pp. 53–63, 2016.
- [130] W. Bronsgeest, R. Arendsen, and J. van Dijk, "Towards participatory e-

- government?: Learning from e-government project evaluations,” in *9th IFIP WG 8.5 International Conference on Electronic Participation, ePart 2017*, 2017, vol. 10429 LNCS, pp. 127–139.
- [131] E. H. S. Cabral, “Values and public space: Frameworks and tools for evaluation of social projects,” *Revista de Administracao Publica*, vol. 45, no. 6, pp. 1915–1941, 2011.
 - [132] M. Çağlar and S. Gürel, “Public R&D project portfolio selection problem with cancellations,” *OR Spectrum*, vol. 39, no. 3, pp. 659–687, 2017.
 - [133] M. García-Melón, R. Poveda-Bautista, and J. L. Del Valle M., “Using the strategic relative alignment index for the selection of portfolio projects application to a public Venezuelan Power Corporation,” *International Journal of Production Economics*, vol. 170, pp. 54–66, 2015.
 - [134] I. Litvinchev, F. López, H. J. Escalante, and M. Mata, “A milp bi-objective model for static portfolio selection of R&D projects with synergies,” *Journal of Computer and Systems Sciences International*, vol. 50, no. 6, pp. 942–952, 2011.
 - [135] B. Mahdia and B. Hossein, “Project selection with outsourcing view using fuzzy TOPSIS linear assignment programming,” in *4th IEEE International Conference on Management of Innovation and Technology, ICMIT*, 2008, pp. 327–332.
 - [136] M. A. Ortiz, H. A. Felizzola, and S. N. Isaza, “A contrast between DEMATEL-ANP and ANP methods for six sigma project selection: A case study in healthcare industry,” *BMC Medical Informatics and Decision Making*, vol. 15, no. 3, 2015.
 - [137] A. A. Ramaiah and N. C. Gawde, “Economic evaluation of a public–private mix TB Project in Tamil Nadu, India,” *Journal of Health Management*, vol. 17, no. 3, pp. 370–380, 2015.
 - [138] S. Shenbaga Ezhil, “Integer programmig model in project selection and prediction using artificial neural network (ANN),” *International Journal of Applied Engineering Research*, vol. 10, no. 2, pp. 2541–2561, 2015.
 - [139] N. Wisitpongphan and T. Khampachua, “IT project prioritization and scoring system for thai public sectors,” in *Proceedings of the European Conference on e-Government, ECEG*, 2015, vol. 2015-Janua, pp. 300–307.
 - [140] D. Yakovlev, E. Yushkov, A. Pryakhin, and M. Bogatyreova, “Effectiveness evaluation of the R&D projects in organizations financed by the budget expenses,” *International Conference for Young Scientists, Specialists, and Postgraduates on Nuclear Reactor Physics 2016, ICNRP 2016*, vol. 781, no. 1, 2017.
 - [141] A. Kassem, K. Al-Haddad, D. Komljenovic, and A. Schiffauerova, “A value tree for identification of evaluation criteria for solar thermal power technologies in developing countries,” *Sustainable Energy Technologies and Assessments*, vol. 16, pp. 18–32, 2016.

- [142] X. Li, X. Zhu, Q. Liao, and H. Sun, "Evaluation of power transmission and transformation projects using fuzzy multi-layer models," *International Journal of Simulation: Systems, Science and Technology*, vol. 17, no. 47, pp. 21.1-21.6, 2016.
- [143] I. Matsukawa, "The effects of priority service on electricity transmission: The case of interconnection investment," in *Transmission Lines: Theory, Types and Applications*, Faculty of Economics, Musashi University, Tokyo, Japan: Nova Science Publishers, Inc., 2011, pp. 165–184.
- [144] K. Takakura, S. Tanaka, T. Nakamura, K. Chatani, and Y. Kaji, "IASCC evaluation method for irradiated core internal structures in BWR power plants," in *ASME 2010 Pressure Vessels and Piping Division/K-PVP Conference, PVP2010*, 2010, vol. 6, pp. 675–684.
- [145] Y. Yi, Z. Chen, and L. Wang, "Statistical evaluation and prediction of audible noise of HVDC transmission lines," in *2016 IEEE Conference on Electrical Insulation and Dielectric Phenomena, CEIDP 2016*, 2016, vol. 2016-Decem, pp. 279–282.
- [146] N. V Batalova, V. Maroussov, and F. G. Viens, "Selection of an optimal portfolio with stochastic volatility and discrete observations," in *2nd International Conference on Computational Finance and its Applications, COMPUTATIONAL FINANCE 2006, CF06*, 2006, vol. 43, pp. 371–380.
- [147] S. Brendle, "Portfolio selection under incomplete information," *Stochastic Processes and their Applications*, vol. 116, no. 5, pp. 701–723, 2006.
- [148] E. Çanakoğlu and S. Özekici, "Portfolio selection in stochastic markets with HARA utility functions," *European Journal of Operational Research*, vol. 201, no. 2, pp. 520–536, 2010.
- [149] H. Chang, "Dynamic portfolio selection with liability and stochastic interest rates in the utility framework," *International Journal of Industrial and Systems Engineering*, vol. 19, no. 2, pp. 169–189, 2015.
- [150] H. Chang, K. Chang, and J.-M. Lu, "Portfolio selection with liability and affine interest rate in the HARA utility framework," *Abstract and Applied Analysis*, vol. 2014, 2014.
- [151] Y. Cui, Y. Yu, and Z. Yang, "Application Effect evaluation of demonstration project of thyristor-controlled phase shifting transformer in 500kV Grid," in *5th IEEE International Conference on Electric Utility Deregulation, Restructuring and Power Technologies, DRPT 2015*, 2016, pp. 1643–1647.
- [152] D. De Macedo Correia and D. De Oliveira Camponês Do Brasil, "Pilot project for the evaluation of the sag performance of some Brazilian network busbars," in *CIGRE/IEEE PES International Symposium Quality and Security of Electric Power Delivery Systems, CIGRE/PES 2003*, 2003, pp. 231–234.
- [153] S. Desmettre and A. Szimayer, "Work effort, consumption, and portfolio selection: When the occupational choice matters," *Mathematical Methods of Operations*

Research, vol. 74, no. 1, pp. 121–145, 2011.

- [154] D. Durović, Ž. Stevanović, and Ž. Stevanović, “Evaluation of the suitability of a project Wind Farm Kostolac using CDM methodology - case study,” in *21st International Conference on Efficiency, Cost, Optimization, Simulation and Environmental Impact of Energy Systems, ECOS 2008*, 2008, pp. 1169–1176.
- [155] M. Kojo, M. Kari, and T. Litmanen, “The socio-economic and communication challenges of spent nuclear fuel management in Finland. The post site selection phase of the repository project in Eurajoki,” *Progress in Nuclear Energy*, vol. 52, no. 2, pp. 168–176, 2010.
- [156] C. Li, Y. Liu, and S. Li, “Risk evaluation of Qinghai-Tibet power grid interconnection project for sustainability,” *Sustainability (Switzerland)*, vol. 8, no. 1, pp. 1–19, 2016.
- [157] H. Li, Z. Lu, Y. Qiao, and Z. Sun, “The fast reliability evaluation method in transmission grid expansion project based on power flow tracing and ward equivalent method,” in *2014 International Conference on Power System Technology, POWERCON 2014*, 2014, pp. 897–901.
- [158] Z. Li, X. Yan, B. Liu, H. Wang, and B. Han, “Application of circuit breaker switching capacitor bank with phase selection in UHV transmission project,” in *2014 International Conference on Power System Technology, POWERCON 2014*, 2014, pp. 1178–1181.
- [159] F. Liang, X. Lv, J. Liu, W. Zhang, X. Liu, and B. Gao, “Evaluation of investment projects on distribution network based on fuzzy algorithms,” in *5th Annual IEEE International Conference on Cyber Technology in Automation, Control and Intelligent Systems, IEEE-CYBER 2015*, 2015, pp. 761–766.
- [160] L. Liu, Z. Jian, W. Qi, Y. Zhao, Y. Wang, and L. Ying, “Theoretical calculation and evaluation of the line losses on UHV AC demonstration project,” in *5th Annual IEEE International Conference on Cyber Technology in Automation, Control and Intelligent Systems, IEEE-CYBER 2015*, 2015, pp. 1299–1303.
- [161] S. Liu, “Economic and risk evaluation on large hydropower station delivery engineering project in Southern China,” in *2012 International Conference on Information Management, Innovation Management and Industrial Engineering, ICIII 2012*, 2012, vol. 2, pp. 106–109.
- [162] N. Loukeris, D. Donnelly, A. Khuman, and Y. Peng, “A numerical evaluation of meta-heuristic techniques in portfolio optimisation,” *Operational Research*, vol. 9, no. 1, pp. 81–103, 2009.
- [163] G. Lu, H. Luan, W. He, and Y. Ma, “Decision model research on engineering project arrangement of power grid enterprise group based on input and output efficiency evaluation,” in *International Conference on Engineering Technology and Application, ICETA 2015*, 2015, vol. 22.

- [164] Y. Lu, C. Niu, X. Xu, and M. Xing, "Power grid project cost intelligent evaluation technology based on probability statistics," *Open Cybernetics and Systemics Journal*, vol. 8, no. 1, pp. 1129–1133, 2014.
- [165] H. Mi and S.-G. Zhang, "Dynamic portfolio selection for loss-averse investors with wealth constraints," *Xitong Gongcheng Lilun yu Shijian/System Engineering Theory and Practice*, vol. 33, no. 5, pp. 1107–1115, 2013.
- [166] Q. Mu, M. Wang, N. Zeng, W. Jiang, and H. Wang, "Selection of control strategy for on-line deblocking of converter units used in UHVDC power transmission project," *Dianwang Jishu/Power System Technology*, vol. 35, no. 4, pp. 8–13, 2011.
- [167] M. Nagle, S. Kolluri, and S. K. Agarwal, "Implementation of probabilistic methods for ranking transmission projects," in *2004 International Conference on Probabilistic Methods Applied to Power Systems*, 2004, pp. 900–905.
- [168] J. X. Qi, S. L. Liu, and Z. Y. Sun, "Study on post-evaluation for the power transmission and transformation project based on AHP-fuzzy comprehensive," in *3rd International Conference on Materials Science and Information Technology, MSIT 2013, Beijing, China*, 2013, vol. 756–759, pp. 2668–2672.
- [169] D. Qiushi, W. Guan-Nan, and C. Li, "Project evaluation of jilin rural power grid reformation based on rough set and support vector machine," in *14th International Symposium on Distributed Computing and Applications for Business, Engineering and Science, DCABES 2015*, 2016, pp. 489–492.
- [170] G. Quek and C. Atkinson, "Portfolio selection in discrete time with transaction costs and power utility function: A perturbation analysis," *Applied Mathematical Finance*, vol. 24, no. 2, pp. 77–111, 2017.
- [171] A. Shankar and K. Varghese, "Evaluation of location based management system in the construction of power transmission and distribution projects," in *30th International Symposium on Automation and Robotics in Construction and Mining, ISARC 2013, Held in Conjunction with the 23rd World Mining Congress*, 2013, pp. 1447–1455.
- [172] G. S. Tian, J. C. Liu, J. J. Zhou, J. L. Liu, and B. Li, "Efficiency evaluation model of power transmission & transformation project investment based on AHP-Fuzzy method," in *2013 2nd International Conference on Energy and Environmental Protection, ICEEP 2013, East Inner Mongolia, China*, 2013, vol. 732–733, pp. 1303–1307.
- [173] F. J. Wang and Y. Lu, "Fuzzy analytic hierarchy process based comprehensive evaluation of distribution materials standardization projects," in *5th International Symposium on Project Management, ISPM 2017*, 2017, pp. 668–675.
- [174] J. Wang, L. Zhang, and Y. Wang, "Research and practice on the social evaluation of power grid construction project," in *2006 China International Conference on Electricity Distribution, CIGED 2006*, 2006, no. 527 CP, pp. 250–255.

- [175] Y.-L. Wang, Y.-J. Li, and Q.-C. Xu, "Application of improved radar chart in comprehensive evaluation of power transmission and transformation project," *Dianli Xitong Baohu yu Kongzhi/Power System Protection and Control*, vol. 40, no. 5, pp. 119–123, 2012.
- [176] Y. Wang and Y. Li, "Comprehensive evaluation of power transmission and transformation project based on improved radar chart," in *2011 International Conference on Energy, Environment and Sustainable Development, ICEESD 2011, Beijing, China*, 2012, vol. 354–355, pp. 1068–1072.
- [177] G. Wei, Y. Yang, J. Wang, and B. Zhou, "Technical post-evaluation on power transmission and transformation project based on comprehensive evaluation method," *Dianwang Jishu/Power System Technology*, vol. 34, no. 3, pp. 112–116, 2010.
- [178] J. Wen, J. Wang, L. Wang, W.-Y. Yin, and B.-H. Liu, "Evaluation of capacitor commutated converter HVDC for Qinghai-Xizhang interconnection project," in *9th IET International Conference on AC and DC Power Transmission, ACDC 2010, Beijing, China*, 2010, no. 570 CP.
- [179] K. Wong, "Prioritization of underground transmission cable renewal projects in power electric utility companies," in *2014 IEEE Power and Energy Society General Meeting*, 2014, vol. 2014, no. October, pp. 1–5.
- [180] H. Wu and Y. Zeng, "Multi-period mean-variance portfolio selection in a regime-switching market with a bankruptcy state," *Optimal Control Applications and Methods*, vol. 34, no. 4, pp. 415–432, 2013.
- [181] K. Xu *et al.*, "Multi-attribute comprehensive evaluation method for power transmission and transformation projects," in *2013 2nd International Conference on Sustainable Energy and Environmental Engineering, ICSEEE 2013*, 2014, vol. 521, pp. 245–251.
- [182] F. Yan, M. Dai, and Y.-J. Wei, "Research on risk evaluation of power network planning project based on BP neural network," in *2010 3rd International Conference on Advanced Computer Theory and Engineering, ICACTE 2010*, 2010, vol. 6, pp. V6274–V6277.
- [183] H. Zhai, X. Lu, and H. Qiao, "Research of cost management mode of power transmission project and its evaluation," in *WIT Transactions on Information and Communication Technologies*, 2014, vol. 46, pp. 9–14.
- [184] P. Zhang, M. Graham, and D. Ramsay, "Prioritization of transmission projects using EPRI Probabilistic Risk Assessment program," in *2009 Asia-Pacific Power and Energy Engineering Conference, APPEEC 2009*, 2009.
- [185] X. Zhang, T. K. Siu, and Q. Meng, "Portfolio selection in the enlarged Markovian regime-switching market," *SIAM Journal on Control and Optimization*, vol. 48, no. 5, pp. 3368–3388, 2010.

- [186] H. Zhao and S. Guo, "Risk evaluation on UHV power transmission construction project based on AHP and FCE method," *Mathematical Problems in Engineering*, vol. 2014, 2014.
- [187] H. Zhao and N. Li, "Risk evaluation of a uhv power transmission construction project based on a cloud model and fce method for sustainability," *Sustainability (Switzerland)*, vol. 7, no. 3, pp. 2885–2914, 2015.
- [188] L. X. Zheng, "Research on comprehensive post-evaluation of electric transmission project based on fuzzy AHP analysis method," in *2nd International Conference on Automatic Control and Mechatronic Engineering, ICACME 2013*, vol. 415. Electrical and Electronic Engineering School, North China Electric Power University, Beijing, China, pp. 280–286, 2013.
- [189] X. Li, X. Zhu, Q. Liao, and H. Sun, "Evaluation of power transmission and transformation projects using fuzzy multi-layer models," *International Journal of Simulation: Systems, Science and Technology*, vol. 17, no. 47, pp. 21.1–21.6, 2016.
- [190] A. Morton, J. Keisler, and A. Salo, "Multicriteria portfolio decision analysis for project selection," in *International Series in Operations Research & Management Science*, vol. 233, F. J. (eds) Greco S., Ehrgott M., Ed. New York, US.: Springer, 2016.
- [191] J. D. Linton, S. T. Walsh, and J. Morabito, "Analysis, ranking and selection of R&D projects in a portfolio," *R and D Management*, vol. 32, no. 2, pp. 139–148, 2002.
- [192] K. L. Poh, B. W. Ang, and F. Bai, "A comparative analysis of R&D project evaluation methods," *R and D Management*, vol. 31, no. 1, pp. 63–73, 2001.
- [193] G. Gottardi, R. Maglione, F. Donati, and P. Broccia, "Ranking R&D projects in the petroleum area: New tools for economic evaluation," *European Petroleum Conference (EUROPEC)*. Soc Pet Eng (SPE), Univ of Padova, Padova, Italy, pp. 587–593, 2000.
- [194] C. Carlsson, R. Fullér, and P. Majlender, "A fuzzy approach to R&D project selection," in *Joint 4th Conference of the European Society for Fuzzy Logic and Technology, EUSFLAT 2005 and 11th French Days on Fuzzy Logic and Applications, LFA 2005*, 2005, pp. 536–540.
- [195] X. Y. Liu, W. G. Fang, and F. J. Wei, "Multi-stage evaluation of R&D IT projects - Based on compound options," in *1st International Forum of Information Systems Frontiers, IFISF and 2nd IFIP TC8.9 International Conference on Research and Practical Issues of Enterprise Information Systems, CONFENIS 2007*. Beijing, China, pp. 413–419, 2008.
- [196] S. Managi, Z. Zhang, and S. Horie, "A real options approach to environmental R&D project evaluation," *Environmental Economics and Policy Studies*, vol. 18, no. 3, pp. 359–394, 2016.
- [197] A. Ç. Tolga, "Fuzzy multicriteria R&D project selection with a real options

- valuation model,” *Journal of Intelligent and Fuzzy Systems*, vol. 19, no. 4–5, pp. 359–371, 2008.
- [198] A. C. Tolga and C. Kahraman, “Fuzzy multiattribute evaluation of R&D projects using a real options valuation model,” *International Journal of Intelligent Systems*, vol. 23, no. 11, pp. 1153–1176, 2008.
 - [199] A. Ç. Tolga and C. Kahraman, “A new fuzzy real options valuation model: Its application to multicriteria R&D project selection,” in *Computational Intelligence in Decision and Control - 8th International FLINS Conference, Istanbul, Turkey*, 2008, pp. 641–646.
 - [200] L. A. M. Leite, L. P. Santiago, and J. P. Teixeira, “Real options under Knightian uncertainty for economic evaluation of research and development (R&D) projects,” *Producao*, vol. 25, no. 3, pp. 641–656, 2015.
 - [201] J. Wang and W.-L. Hwang, “A fuzzy set approach for R&D portfolio selection using a real options valuation model,” *Omega*, vol. 35, no. 3, pp. 247–257, 2007.
 - [202] E. E. Karsak, “A generalized fuzzy optimization framework for R&D project selection using real options valuation,” in *ICCSA 2006: International Conference on Computational Science and Its Applications, Istanbul, Turkey*, vol. 3982 LNCS. Springer Verlag, Istanbul, Turkey, pp. 918–927, 2006.
 - [203] H.-Z. Zeng and G.-M. Hou, “Evaluation of electric vehicle R&D project based on real option theory -in the case of TESLA,” *Beijing Ligong Daxue Xuebao/Transaction of Beijing Institute of Technology*, vol. 34, pp. 196–199, 2014.
 - [204] F. Hassanzadeh, M. Collan, and M. Modarres, “A technical note on ‘A fuzzy set approach for R&D portfolio selection using a real options valuation model’ by Wang and Hwang (2007),” *Omega*, vol. 39, no. 4, pp. 464–465, 2011.
 - [205] D. Zhu, X. Wang, and R. Ren, “A heuristics R&D projects portfolio selection decision system based on data mining and fuzzy logic,” in *2010 International Conference on Intelligent Computation Technology and Automation, ICICTA 2010*, vol. 1. Fushun, Liaoning, China, pp. 118–121, 2010.
 - [206] T. Yao, “Dynamic R&D projects selection: The role of uncertainty and managerial flexibility,” in *2006 IIE Annual Conference and Exposition, PA United States*, 2006.
 - [207] T. Silva, M. Jian, and Y. Chen, “Process analytics approach for R&D project selection,” *ACM Transactions on Management Information Systems*, vol. 5, no. 4, 2014.
 - [208] J. D. Linton, S. T. Walsh, B. A. Kirchhoff, J. Morabito, and M. Merges, “Selection of R&D projects in a portfolio,” *2000 IEEE International Engineering Management Conference*. IEEE, Polytechnic Univ, United States, pp. 506–511, 2000.
 - [209] W. Bitman and N. Sharif, “A conceptual framework for ranking R&D projects,” *IEEE Transactions on Engineering Management*, vol. 55, no. 2, pp. 267–278, 2008.

- [210] A. J. Da Silva Neves and R. Camanho, "The use of AHP for IT project prioritization - A case study for oil & gas Company," *Procedia Computer Science*, vol. 55, no. Itqm, pp. 1097–1105, 2015.
- [211] S. S. Kumar, "AHP-based formal system for R&D project evaluation," *Journal of Scientific and Industrial Research*, vol. 63, no. 11, pp. 888–896, 2004.
- [212] C.-C. Huang, P.-Y. Chu, and Y.-H. Chiang, "A fuzzy AHP application in government-sponsored R&D project selection," *Omega*, vol. 36, no. 6, pp. 1038–1052, 2008.
- [213] M. Habib, R. Khan, and J. L. Piracha, "Analytic network process applied to R&D project selection," *2009 International Conference on Information and Communication Technologies, ICICT 2009*. Lahore, Pakistan, pp. 274–280, 2009.
- [214] L. M. Meade and A. Presley, "R&D project selection using the analytic network process," *IEEE Transactions on Engineering Management*, vol. 49, no. 1, pp. 59–66, 2002.
- [215] C. Verbano and A. Nosella, "Addressing R&D investment decisions: A cross analysis of R&D project selection methods," *European Journal of Innovation Management*, vol. 13, no. 3, pp. 355–379, 2010.
- [216] S. Rama Mohan and A. Ramakrishna Rao, "R and D project prioritisation model for public research institutes," *Journal of Scientific and Industrial Research*, vol. 61, no. 12, pp. 1033–1038, 2002.
- [217] L. P. Santiago and P. Vakili, "Optimal project selection and budget allocation for R&D portfolios," in *PICMET '05: Portland International Conference on Management of Engineering and Technology*, 2005, pp. 275–281.
- [218] D. Kuchta, "A fuzzy model for R&D project selection with benefit, outcome and resource interactions," *Engineering Economist*, vol. 46, no. 3, pp. 164–180, 2001.
- [219] Y. Changsheng, "A decision-making approach for R&D project selection in a fuzzy environment," *2008 International Seminar on Business and Information Management, ISBIM 2008*, vol. 1. Jinhua, Zhejiang, China, pp. 372–375, 2009.
- [220] D. Luo and L. Xu, "The grey B-S model of R&D project evaluation," in *2010 3rd International Conference on Artificial Intelligence and Education, ICAIE 2010*, 2010, pp. 414–417.
- [221] D.-M. Zhu, T. Zhang, X.-T. Wang, and D.-L. Chen, "Developing an R&D projects portfolio selection decision system based on fuzzy logic," *International Journal of Modelling, Identification and Control*, vol. 8, no. 3, pp. 205–212, 2009.
- [222] F. Hassanzadeh, M. Collan, and M. Modarres, "A practical approach to R&D portfolio selection using the fuzzy pay-off method," *IEEE Transactions on Fuzzy Systems*, vol. 20, no. 4, pp. 615–622, 2012.
- [223] D. Gourc, S. Bougaret, and G. Lacoste, "Evaluation of development strategies of

new products in a situation of uncertainty. The case of a pharmaceutical research and development project,” *Journal Europeen des Systemes Automatises*, vol. 38, no. 7–8, pp. 847–872, 2004.

- [224] R. P. Mohanty, R. Agarwal, A. K. Choudhury, and M. K. Tiwari, “A fuzzy ANP-based approach to R&D project selection: A case study,” *International Journal of Production Research*, vol. 43, no. 24, pp. 5199–5216, 2005.
- [225] P. Godinho, J. P. Costa, J. Fialho, and R. Afonso, “Some issues about the application of the analytic hierarchy process to R&D project selection,” *Global Business and Economics Review*, vol. 13, no. 1, pp. 26–41, 2011.
- [226] S. Roper, N. Hewitt-Dundas, and J. H. Love, “An ex ante evaluation framework for the regional benefits of publicly supported R&D projects,” *Research Policy*, vol. 33, no. 3, pp. 487–509, 2004.
- [227] S. Coldrick, P. Longhurst, P. Ivey, and J. Hannis, “An RD options selection model for investment decisions,” *Technovation*, vol. 25, no. 3, pp. 185–193, 2005.
- [228] M. S. Pfitzner and R. Quadros, “R&D portfolio management: The case study of a big energy company in Brazil,” *PICMET 2011 – Portland International Center for Management of Engineering and Technology*, pp. 1–16, 2011.
- [229] R. W. Saaty, “The analytic hierarchy process-what it is and how it is used,” *Mathematical Modelling*, vol. 9, no. 3–5, pp. 161–176, 1987.
- [230] R. Neshati and T. U. Daim, “Participation in technology standards development: A decision model for the information and communications technology (ICT) industry,” *The Journal of High Technology Management Research*, vol. 28, no. 1, pp. 47–60, 2017.
- [231] S. Riddell and W. A. Wallace, “The use of fuzzy logic and expert judgment in the R&D project portfolio selection process,” *International journal of technology management*, vol. 53, no. 2–4, pp. 238–256, 2011.
- [232] E. Gibson, “A measurement system for science and engineering research center performance evaluation,” *Engineering and Technology Management - Portland State University, Oregon*, 2016.
- [233] B. B. Brown, “DELPHI process: A methodology used for the elicitation of opinions of experts,” no. February. Santa Monica, California Introduction, 1968.
- [234] Federal Highway Administration U.S. Department of Transportation, “Use of expert panels in developing land use forecasts,” *Proceedings of a Peer Exchange Sponsored by the Travel Model Improvement Program*. 2002.
- [235] R. Abotah, “Evaluation of energy policy instruments for the adoption of renewable energy : Case of wind energy in the Pacific Northwest,” *Portland State University, Oregon, USA*, 2014.
- [236] D. J. Weiss and J. Shanteau, “Empirical assessment of expertise,” *Human Factors*:

The Journal of the Human Factors and Ergonomics Society, vol. 45, no. 1, pp. 104–116, 2003.

- [237] J. Estep, “Development of a technology transfer score for evaluating research proposals: Case study of demand response technologies in the Pacific Northwest,” Engineering and Technology Management, Portland State University, Oregon, USA, 2016.
- [238] TMIP, “Use of expert panels in developing land use forecasts,” 2002.
- [239] W. L. Stitt-Gohdes, T. B. Crews, and T. B. Crews, “The Delphi technique: A research strategy for career and technical education,” *Journal of Career and Technical Education*, vol. 20, no. 2, May 2004.
- [240] Q. Jones *et al.*, “Information overload and the message dynamics of online interaction spaces: A theoretical model and empirical exploration,” *Information Systems Research*, vol. 15, no. 2, pp. 194–210, Jun. 2004.
- [241] K. Phan, “Innovation measurement: A decision framework to determine innovativeness of a company,” Engineering and Technology Management, Portland State University, Oregon, USA, 2013.
- [242] Qualtrics, “Qualtrics.” Provo, Utah, USA, 2019.
- [243] C. Okoli and S. D. Pawlowski, “The Delphi method as a research tool: an example, design considerations and applications,” *Information & Management*, vol. 42, no. 1, pp. 15–29, Dec. 2004.
- [244] E. Garces, K. van Blommestein, J. Anthony, J. Hillegas-Elting, T. Daim, and B. S. Yoon, “Technology domain analysis: A case of energy-efficient advanced commercial refrigeration technologies,” *Sustainable Production and Consumption*, vol. 12, no. December 2016, pp. 221–233, 2017.
- [245] M. Abbas, “Consistency analysis for judgment quantification in Hierarchical Decision Model,” Portland State University, Oregon, USA, 2016.
- [246] ETM PSU-PCM, “HDM Softwarer Version: Beta 2.0.” ETM, Portland, Oregon, USA, 2016.
- [247] H. Chen and D. F. Kocaoglu, “A sensitivity analysis algorithm for hierarchical decision models,” *European Journal of Operational Research*, vol. 185, no. 1, pp. 266–288, Feb. 2008.
- [248] J. Seeber, “Project Selection Criteria : How to Play it Right,” 2011.
- [249] B. W. F. Depoorter, “5400 REGULATION OF NATURAL MONOPOLY,” *Center for Advanced Studies in Law and Economics, University of Ghent*, pp. 498–532, 1999.
- [250] F. T. Lorne and L. W. C. Lai, “Schumpeterian Innovation for Regulated Natural Monopoly as a Corporate Strategy,” in *International Conference on Information*,

Services and Management Engineering, 2011, vol. 2011.

- [251] Federal Energy Regulatory Commission, “FERC: Electric power markets.” [Online]. Available: <https://www.ferc.gov/market-assessments/mkt-electric/overview.asp>. [Accessed: 08-Jun-2020].
- [252] Department of Energy, “Energy Department names Elliot Mainzer Bonneville Power Administration administrator.” [Online]. Available: <https://www.energy.gov/articles/energy-department-names-elliott-mainzer-bonneville-power-administration-administrator>. [Accessed: 15-May-2020].
- [253] U.S. Department of Energy, *DOE Transition 2016 Organization Overviews Book Three*, DOE. DOE, 2016.
- [254] Bonneville Power Administration, “BPA.GOV - About us.” [Online]. Available: <https://www.bpa.gov/news/AboutUs/Pages/default.aspx>. [Accessed: 15-May-2020].
- [255] U.S. Energy Information Administration, “Federal Power Marketing Administrations operate across much of the United States,” *Today in Energy*, 14-Mar-2017. [Online]. Available: <https://www.eia.gov/todayinenergy/detail.php?id=11651>.
- [256] D. Markham, “Power Marketing Administrations poised to make another big contribution to america’s progress,” *Energy.gov*. 15-Apr-2012.
- [257] T. L. Saaty, “That is not the analytic hierarchy process: What the AHP is and what it is not,” *Journal of Multi-Criteria Decision Analysis*, vol. 6, no. 6, pp. 324–335, 1997.

APPENDIX A: Research Instrument RI1: Criteria Decision Model Validation

Welcome to the survey for criteria validation of a part of my thesis model.

Thank you for agreeing to take part in this important survey validating the criteria for the model which evaluates R&D projects. I realize how precious your time is; this survey should only take 2-3 minutes to complete. I appreciate you letting me know your name, be assured that your name and all the answers you provide will be kept in the strict confidentiality.

Edwin Garces
PhD Student/Research Assistant
 Department of Engineering and Technology Management
 Portland State University

Please provide your name and click "Next" to begin

First Name

Last Name

General Information of the Research

Objective:
 To develop a model to select R&D projects based on a holistic approach aligned to strategies, utility objectives and market conditions in the electric transmission sector.

The entire model is presented below and the next page is focused on the "criteria" validation showing ONE yes/no type question.

Level 1
Mission

R&D project selection in electric transmission sector

Technical

Market

Organizational

Economic

External/
Regulation/
Environmental

Technical success

Existence of required competence

Availability of resources

Applicability to other products and processes

Technology readiness

Potential size of market

Time to market

Additional (variety) applications opened

Market risk

Research staff availability

Knowledge/skill availability

Competence and experience on similar projects

Strategic fit

Available facilities

Net present value (NPV)

Value-added of target products

Project cost

Economic risk

Economic regulations

Environmental policy

Technical standard policy

Acceptance of stakeholders

Level 2
Criteria

Project 1

Project 2

Project 3

...

Project "n"

Level 3
Sub-Criteria

Project 1

Project 2

Project 3

...

Project "n"

Level 4
Alternatives

Project 1

Project 2

Project 3

...

Project "n"

0% 100%

NEXT

Criteria Validation

Please see the information below and answer the yes/no question:

- Please click "Yes" if you think that the specific criterion contributes to the evaluation of R&D projects, and "No" if you think that the specific criterion does not contribute to the evaluation of R&D projects.

- If there are other criteria listed below, please add them in the space provided.

- If there is/are any comment(s), please provide them in the space provided.

Criteria	Description of Criteria - Level 2
Technical	This criterium is related to technological context which relates to how technology characteristics themselves can influence the R&D projects.
Market	These attributes scrutinize the various market limits associated with the development of new technologies through R&D projects.
Organizational	The organizational context describes the characteristics of an organization. It looks at the structure and processes of an organization that constrains or facilitates the R&D projects.
Economic	Financial characteristics of the R&D projects.
External/ Regulation/ Environmental	These attributes take into account external factors that influence to R&D projects, considering mainly environmental and governmental factors.

Please identify the criteria indicator that in your judgment, contribute to the R&D project selection in the Electric Transmission Sector

	Click to write	
	Yes	No
- Technical	☐	☐
- Market	☐	☐
- Organizational	☐	☐
- Economic	☐	☐
- External / Regulation / Environmental	☐	☐

Please feel free to add a criterion that in your judgment, contributes to the mission:

Comment:

0% 100%

<< NEXT

APPENDIX B: Research Instrument RI2: Sub-Criteria Decision Model Validation

Validation of the Model

Welcome to the survey for **Sub-criteria validation** of a part of my thesis model.

Thank you for agreeing to take part in this important survey validating the sub-criteria for the model which evaluates R&D projects. I realize how precious your time is; this survey should only take 3-4 minutes to complete. I appreciate you letting me know your name, be assured that your name and all the answers you provide will be kept in strict confidentiality. Please provide your name and click "Next" to begin.

First Name

Last Name

General Information of the Research

Title of the Research:

"Evaluating R&D Projects in Regulated Utilities: Case of Transmission Power Utilities"

Objective of the Research:

To develop a model to select R&D projects based on a holistic approach aligned to strategies, utility objectives and market conditions in the electric transmission sector.

Objective of this Survey:

The survey is intended to validate the key components of the "Sub-Criteria" (Sub-Criteria in the Hierarchical Decision Model).

The entire model is presented below and the next pages are focused on the "sub-criteria" validation showing yes/no type questions.

Level 1 Mission

R&D project selection in electric transmission sector

Level 2 Criteria

- Technical
- Market
- Organizational
- Economic
- External/Regulation/Environmental

Level 3 Sub-Criteria

- Technical:** Technical success, Existence of required competence, Availability of resources, Applicability to other products and processes, Technology readiness
- Market:** Potential size of market, Time to market, Additional (variety) applications opened, Market risk, System Planning
- Organizational:** Research staff availability, Knowledge/skill availability, Competence and experience on similar projects, Strategic fit, Available facilities
- Economic:** Net present value (NPV), Value-added of target products, Project cost, Economic risk, Cost-Time Process improvement
- External/Regulation/Environmental:** Economic regulations, Environmental policy, Reliability, resilience, state Awareness technical standards, Acceptance of stakeholders, Power Quality standards

Level 4 Alternatives

Project 1, Project 2, Project 3, ..., Project "n"

0% 100%

NEXT

Validation of "Technical Sub-Criteria"

- Please click "Yes" if you think that the specific sub-criterion contributes to the evaluation of R&D projects
- Please click "No" if you think that the specific sub-criterion does not contribute to the evaluation of R&D projects
- If there are other sub-criteria listed below, please add them in the space provided.
- If there is/are any comment(s), please provide them in the space provided.

Criterion	Sub-Criteria	Description of Sub-Criteria - Level 3
Technical	Technical success	Opportunity (probability, prospect) of success for the technology. This sub-criterion considers implicitly technical risk.
	Existence of required competence	The ability, knowledge, and skills to perform and develop the R&D project consistently over time.
	Availability of resources	Availability of technical resources, technical criterion support, and equipment support.
	Applicability to other products and processes	Opportunity to apply the new technology to other products or processes different from the original objectives.
	Technology readiness	Technology Readiness Levels (TRL) are a method of estimating technology maturity of Critical Technology Elements (CTE) of a program during the acquisition process.

Please identify the Sub-criteria Indicator that in your judgment, contribute to the "Technical" Criterion.

	Click to write	
	Yes	No
Technical success	☒	☐
Existence of required competence	☒	☐
Availability of resources	☒	☐
Applicability to other products and processes	☒	☐
Technology readiness	☒	☐

(Optional) Please feel free to add a Sub-criterion that in your judgment, contributes to the mission:

(Optional) Comment:

0% 100%

← BACK NEXT →

Validation of "Market Sub-Criteria"

- Please click "Yes" if you think that the specific sub-criterion contributes to the evaluation of R&D projects
- Please click "No" if you think that the specific sub-criterion does not contribute to the evaluation of R&D projects
- If there are other sub-criteria listed below, please add them in the space provided.
- If there is/are any comment(s), please provide them in the space provided.

Criterion	Sub-Criteria	Description of Sub-Criteria - Level 3
Market	Potential size of market	The market size is typically defined by the number of units sold (level of energy level) in the market in a given year. This is used as an input to determine the baseline energy consumption (using the average unit energy consumption, it is the actual market energy consumption - SPA Firm energy).
	Time to market	It is the length of time that development takes a product being conceived until its being available for sale or its use.
	Additional (variety) applications opened	Additional technologies and applications that can be derived from the results of the R&D project.
	Market risk	Stability of the market, specifically referred to the variations of the size of the market as defined above.
	Load and Power System Planning	How the power system will grow over a period of time. The load forecasting is based on facts, assumptions, and logic judgments.

Please identify the sub-criteria indicator that in your judgment, contribute to the "Market" Criterion.

	Click to write	
	Yes	No
Potential size of market	☐	☐
Time to market	☐	☐
Additional (variety) applications opened	☐	☐
Market risk	☐	☐
Load and Power System Planning	☐	☐

(Optional) Please feel free to add a Sub-criterion that in your judgment, contributes to the mission:

(Optional) Comment:

0% 100%

BACK NEXT

Validation of "Organizational Sub-Criteria"

- Please click "Yes" if you think that the specific sub-criterion contributes to the evaluation of R&D projects
- Please click "No" if you think that the specific sub-criterion does not contribute to the evaluation of R&D projects
- If there are other sub-criteria listed below, please add them in the space provided.
- If there is/are any comment(s), please provide them in the space provided.

Criterion	Sub-Criteria	Description of Sub-Criteria - Level 3
Organizational	Research staff availability	Available technical staff for research and development of a specific project.
	Knowledge/skill availability	The capability of the research team such as the competence (progressive and diversified training and experience) of the project leader and technical staff.
	Competence and experience on similar projects	Ability to perform the new project based on the experience in similar or previous projects.
	Strategic fit	Appropriateness of the project with respect to an organization's overall objectives.
	Available facilities	Buildings or equipment for developing the project.

Please identify the Sub-criteria Indicator that in your judgment, contribute to the "Organizational" Criterion.

	Click to write	
	Yes	No
Research staff availability	☐	☐
Knowledge/skill availability	☐	☐
Competence and experience on similar projects	☐	☐
Strategic fit	☐	☐
Available facilities	☐	☐

(Optional) Please feel free to add a Sub-criterion that in your judgment, contributes to the mission:

(Optional) Comment:

0% 100%

BACK NEXT

Validation of "Economic Sub-Criteria"

- Please click "Yes" if you think that the specific sub-criterion contributes to the evaluation of R&D projects
- Please click "No" if you think that the specific sub-criterion does not contribute to the evaluation of R&D projects
- If there are other sub-criteria listed below, please add them in the space provided.
- If there is/are any comment(s), please provide them in the space provided.

Criterion	Sub-Criteria	Description of Sub-Criteria - Level 3
Economic	Net present value (NPV)	The present amount invested and future cash amount discounted by a specified rate of return.
	Value-added of target products	Economic benefits for developing the product.
	Project cost	Total expending in the project, including capital and operation costs.
	Economic risk	Associated risk with financial and economic factors on the project such as costs or economic benefits.
	Cost-Time Process improvement	Reduction of the cost and time due to the systematic approach of the process performance.

Please identify the Sub-criteria indicator that in your judgment, contribute to the "Economic" Criterion.

	Click to write	
	Yes	No
Net present value (NPV)	☐	☐
Value-added of target products	☐	☐
Project cost	☐	☐
Economic risk	☐	☐
Cost-Time Process improvement	☐	☐

(Optional) Please feel free to add a Sub-criterion that in your judgment, contributes to the mission:

(Optional) Comment:

0% 100%

BACK NEXT

Validation of "External / Regulation / Environmental Sub-Criteria"

- Please click "Yes" if you think that the specific sub-criterion contributes to the evaluation of R&D projects
- Please click "No" if you think that the specific sub-criterion does not contribute to the evaluation of R&D projects
- If there are other sub-criteria listed below, please add them in the space provided.
- If there is/are any comment(s), please provide them in the space provided.

Criteria	Sub-Criteria	Description of Sub-Criteria - Level 3
External/ Regulation/ Environmental	Economic regulations	Legislative measures and government regulations to affect economic outcomes.
	Environmental policy	Relationship between the R&D project and the commitment of an organization to the laws, regulations, and other policy mechanisms concerning environmental issues.
	Reliability, resilience, state awareness technical standards	It is an established norm or requirement regarding technical systems to ensure the reliability of the bulk power system.
	Power Quality standards	Standards related to reducing the disturbances of covering areas of voltage, harmonic distortion, flicker, disturbance, frequency.
	Acceptance of stakeholders	Stakeholders' perception of the project and/or new technology.

Please identify the sub-criteria indicator that in your judgment, contribute to the "External / Regulation / Environmental Sub-Criteria"

	Click to write	
	Yes	No
Economic regulations	☐	☐
Environmental policy	☐	☐
Reliability, resilience, state awareness technical standards	☐	☐
Power Quality standards	☐	☐
Acceptance of stakeholders	☐	☐

(Optional) Please feel free to add a sub-criterion that in your judgment, contributes to the mission:

(Optional) Comment:

0% 100%

< BACK NEXT

APPENDIX C: Research Instrument RI3: Criteria Decision Model Quantification

Quantification of the Model

Welcome to the survey for the **Quantification** - part of my thesis model.

Thank you for agreeing to take part in this important survey quantifying the criteria and sub-criteria for the model that evaluates R&D projects. The model was validated and now it will be quantified in this survey.

I realize how precious your time is; this survey should only take 10-15 minutes to complete. I appreciate you letting me know your name, be assured that your name and all the answers you provide will be kept in strict confidentiality. Please provide your name below and click **"Next"** to begin.

First Name

Last Name

General Information of the Research

Title of the Research:

"Evaluating R&D Projects in Regulated Utilities: Case of Transmission Power Utilities"

The objective of the Research:

To develop a model to select R&D projects based on a holistic approach aligned to strategies, utility objectives and market conditions in the electric transmission sector.

The objective of this Survey:

The survey is intended to quantify the key components of the model, including the "Criteria", "Sub-Criteria", and "Alternatives" (Hierarchical Decision Model).

The entire model is presented below and the next pages are focused on the "criteria" and "sub-criteria" quantification showing the slider type questions to give your judgments.

Level 1
Mission

Level 2
Criteria

Level 3
Sub-Criteria

Level 4
Alternatives

R&D project selection in electric transmission sector

Technical

Market

Organizational

Economic

External/
Regulation/
Environmental

Technical success

Existence of required competence

Availability of resources

Applicability to other products and processes

Technology readiness

Potential size of market

Time to market

Additional (various) applications opened

Market risk

System Planning

Research staff availability

Knowledge/skill availability

Competence and experience on similar projects

Strategic fit

Available facilities

Net present value (NPV)

Value-added of target products

Project cost

Economic risk

Economic regulations

Environmental policy

Flexibility, resilience, state Awareness technical standards

Acceptance of stakeholders

Power Quality standards

Combined Horizontal-Vertical Seismic Isolation System for High Voltage Power Transformer

Power Transformer Through-fault Risk Assessment

Transformer Bushing Performance

Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools

(Additional Information)

Press "Yes" to show the information about the "CRITERIA"

Yes

Press "Yes" to show the information about the "SUB-CRITERIA"

Yes

Press "Yes" to show the information about the "ALTERNATIVES"

Yes

Barry Completion

0%

100%

NEXT>>

Instructions

A Hierarchical Decision Model (HDM) is used in this survey. In this method, two elements are compared with each other at a time. The expert allocates a total of 100 points to the two elements in the proportion of their relative importance to the objective.

- You can drag the slider left or right to give your judgments. If you prefer one element compared to the other one in the pair, please bring the slider closer to the preferred element.
- The description of each item can be obtained by locating the pointer mouse on the element.

Example:

- If the importance of A and B are the same, both get 50 points. This is the case regardless of whether both are extremely important, mildly important or unimportant. If A is $\frac{1}{4}$ as important as B, A gets 20 points, B gets 80 points. Zero is not used in the pairwise comparisons. If the importance of A is negligible in comparison to B, A gets 1 point, B gets 99 points.

Illustration:

- When you move the slider, the 100 points allocation and the ratio of the relative importance of A to B are shown automatically. If A is 3 times as important as B, A gets 75 points, B gets 25 points.

Please, see the animated illustration below:

Example:

Pairwise Comparison between Organizational Sub-criteria

Level 2 Criteria

Level 3 Sub-Criteria

Organizational

Research staff availability

Knowledge/skill availability

Competence and experience on similar projects

Strategic fit

Available facilities

(Additional Information)
Press "Yes" to show the information about the "Entire HDM Model"
Yes
Press "Yes" to show the information about the "CRITERIA"
Yes
Press "Yes" to show the information about the "SUB-CRITERIA"
Yes

Please give your judgment for each pair of nodes below toward R&D project selection in the electric transmission sector

Note: The pairwise comparisons are based on the level 2 criteria: "Organizational"

Research staff availability

Research staff availability 70 Knowledge/skill availability

Research staff availability = 70 Knowledge/skill availability = 30

Survey Completion

0% 100%

<<BACK

NEXT>>

Pairwise Comparison between Criteria

(Additional Information)

Press "Yes" to show the information about the "Entire HDM Model"

Yes

Press "Yes" to show the information about the "CRITERIA"

Yes

Please give your judgment for each pair of nodes (CRITERIA) below toward R&D project selection in the electric transmission sector

Market VS Technical

Market

Technical

Market = 0 Technical = 0

Organizational VS Technical

Organizational

Technical

Organizational = 0 Technical = 0

Economic VS Technical

Economic

Technical

Economic = 0 Technical = 0

External/ Regulation/ Environmental VS Technical

External/ Regulation/ Environmental

Technical

0102030405060708090100

50

External/ Regulation/ Environmental = 60 Technical = 60

Organizational VS Market

Organizational

Market

0102030405060708090100

50

Organizational = 60 Market = 60

Economic VS Market

Economic

Market

0102030405060708090100

50

Economic = 60 Market = 60

External/ Regulation/ Environmental VS Market

External/ Regulation/ Environmental

Market

0102030405060708090100

50

External/ Regulation/ Environmental = 60 Market = 60

Economic VS Organizational

Economic

Organizational

0102030405060708090100

Economic = NaN Organizational = NaN

External/ Regulation/ Environmental VS Organizational

External/ Regulation/ Environmental

Organizational

0102030405060708090100

50

External/ Regulation/ Environmental = 60 Organizational = 60

External/ Regulation/ Environmental VS Economic

External/ Regulation/ Environmental

Economic

0102030405060708090100

50

External/ Regulation/ Environmental = 60 Economic = 60

0%100%

Survey Completion

<<BACK NEXT>>

APPENDIX D: Research Instrument RI4: Sub-criteria Decision Model Quantification

(This instrument is taken from Qualtrics and kept the format – Example for the Technical Criterion)

Pairwise Comparison between Technical Sub-criteria

Level 2
Criteria

Level 3
Sub-Criteria

Technical

Technical success

Existence of required competence

Availability of resources

Applicability to other products and processes

Technology readiness

(Additional Information)
Press "Yes" to show the information about the "Entire HDM Model"

Press "Yes" to show the information about the "CRITERIA"

Press "Yes" to show the information about the "SUB-CRITERIA"

Please give your judgment for each pair of nodes below toward R&D project selection in the electric transmission sector

Note: The pairwise comparisons are based on the level 2 criteria: **Technical**

Technical success VS Existence of required competence

Technical success

Existence of required competence

0102030405060708090100

Technical success = 0 Existence of required competence = 0

Technical success VS Availability of resources

Technical success

Availability of resources

0102030405060708090100

Technical success = 0 Availability of resources = 0

Technical success VS Applicability to other products and processes

Technical success

Applicability to other products and processes

0102030405060708090100

Technical success = 0 Applicability to other products and processes = 0

234

<<BACK | NEXT>>

APPENDIX E: Research Instrument RI4: Alternatives Decision Model Quantification

(This instrument is taken from Qualtrics and kept the format – Example for the Technical Success Sub-criterion)

"Technical Success" Sub-criterion

Pairwise Comparison between "Alternatives"

Level 1 Mission	R&D project selection in electric transmission sector				
Level 2 Criteria	Technical	Market	Organizational	Economic	External/ Regulation/ Environmental
Level 3 Sub-Criteria	Technical success	Existence of required competence	Availability of resources	Applicability to other products and processes	Technology readiness
Level 4 Alternatives	Alternative 1 Transformer Bushing Performance	Alternative 2 Power Transformer Through-fault Risk Assessment	Alternative 3 Unmanned Aircraft Systems Power Equipment Inspections: Optimizing Workflows and Automation Tools	Alternative 4 Combined Horizontal-Vertical Seismic Isolation System for HighVoltage Power Transformer	

(Additional Information)

Press "Yes" to show the information about the "Entire HDM Model"

Press "Yes" to show the information about the "CRITERIA"

Press "Yes" to show the information about the "SUB-CRITERIA"

Press "Yes" to show the information about the "ALTERNATIVES"

Please give your judgment for each pair of nodes below toward R&D project selection in the electric transmission sector

Note: The pairwise comparisons are based on the level 3 subcriteria: "Technical Success."

Alternative 1:
Combined Horizontal-Vertical Seismic Isolation System for HighVoltage Power

VS

Alternative 2:
Power Transformer Through-fault Risk Assessment

Alternative 1:
Combined Horizontal-Vertical Seismic Isolation System for HighVoltage Power

Alternative 2:
Power Transformer Through-fault Risk Assessment

0

100

10

20

30

40

50

60

70

80

90

Alternative 1 = 0

Alternative 2 = 0

APPENDIX F: Analysis of the Differences Between Criteria Normality Test of Criteria Weights

Figure 67: Q-Q Plots – Criteria Weights

APPENDIX G: Q-Q plots for Normality Tests in Logarithms Values

Figure 68: Q-Q Plots – Criteria Weights

APPENDIX H: Equal Variance Tests

```
. sctest technical == market
```

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
techni~1	9	.1944444	.0282406	.0847218	.1293215	.2595674
market	9	.1466667	.0298142	.0894427	.0779149	.2154184
combined	18	.1705556	.0207455	.0880155	.1267865	.2143246

ratio = sd(technical) / sd(market) f = 0.8972
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.4409 2*Pr(F < f) = 0.8818 Pr(F > f) = 0.5591

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
market	9	.1466667	.0298142	.0894427	.0779149	.2154184
organi~1	9	.1588889	.0146671	.0440013	.1250665	.1927113
combined	18	.1527778	.0161853	.0686685	.1186297	.1869258

ratio = sd(market) / sd(organizational) f = 4.1320
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.9695 2*Pr(F > f) = 0.0610 Pr(F > f) = 0.0305

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
techni~1	9	.1944444	.0282406	.0847218	.1293215	.2595674
organi~1	9	.1588889	.0146671	.0440013	.1250665	.1927113
combined	18	.1766667	.0160269	.0679965	.1428528	.2104806

ratio = sd(technical) / sd(organizational) f = 3.7073
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.9590 2*Pr(F > f) = 0.0820 Pr(F > f) = 0.0410

Variance ratio test					
Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]
techni~1 economic	9	.1944444	.0282406	.0847218	.1293215 .2595674
	9	.2233333	.0229129	.0687386	.1704961 .2761705
combined	18	.2088889	.0179849	.0763035	.1709441 .2468337
ratio = sd(technical) / sd(economic)					f = 1.5191
Ho: ratio = 1					degrees of freedom = 8, 8
Ha: ratio < 1		Ha: ratio != 1		Ha: ratio > 1	
Pr(F < f) = 0.7161		2*Pr(F > f) = 0.5679		Pr(F > f) = 0.2839	

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]
techni~l	9	.1944444	.0282406	.0847218	.1293215 .2595674
external	9	.2744444	.022243	.0667291	.2231519 .325737
combined	18	.2344444	.0199546	.08466	.192344 .2765449

ratio = sd(technical) / sd(external) f = 1.6120
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.7427 2*Pr(F > f) = 0.5147 Pr(F > f) = 0.2573

APPENDIX I: Criteria F-test

```
. sdtest market == economic
```

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
market	9	.1466667	.0298142	.0894427	.0779149	.2154184
economic	9	.2233333	.0229129	.0687386	.1704961	.2761705
combined	18	.185	.0204724	.0868569	.1418071	.2281929

ratio = sd(market) / sd(economic) f = 1.6931
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.7636 2*Pr(F > f) = 0.4728 Pr(F > f) = 0.2364

```
. sdtest organizational == economic
```

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
organi~l	9	.1588889	.0146671	.0440013	.1250665	.1927113
economic	9	.2233333	.0229129	.0687386	.1704961	.2761705
combined	18	.1911111	.0153369	.0650691	.158753	.2234692

ratio = sd(organizational) / sd(economic) f = 0.4098
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.1142 2*Pr(F < f) = 0.2285 Pr(F > f) = 0.8858

```
. sdtest organizational == external
```

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
organi~l	9	.1588889	.0146671	.0440013	.1250665	.1927113
external	9	.2744444	.022243	.0667291	.2231519	.325737
combined	18	.2166667	.019063	.0808775	.1764472	.2568861

ratio = sd(organizational) / sd(external) f = 0.4348
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.1300 2*Pr(F < f) = 0.2600 Pr(F > f) = 0.8700

```
. sdtest market == external
```

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
market	9	.1466667	.0298142	.0894427	.0779149	.2154184
external	9	.2744444	.022243	.0667291	.2231519	.325737
combined	18	.2105556	.0237838	.100906	.1603762	.2607349

ratio = sd(market) / sd(external) f = 1.7966
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.7875 2*Pr(F > f) = 0.4250 Pr(F > f) = 0.2125

```
. sdtest economic == external
```

Variance ratio test

Variable	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
economic	9	.2233333	.0229129	.0687386	.1704961	.2761705
external	9	.2744444	.022243	.0667291	.2231519	.325737
combined	18	.2488889	.0166841	.0707846	.2136885	.2840892

ratio = sd(economic) / sd(external) f = 1.0611
Ho: ratio = 1 degrees of freedom = 8, 8

Ha: ratio < 1 Ha: ratio != 1 Ha: ratio > 1
Pr(F < f) = 0.5324 2*Pr(F > f) = 0.9352 Pr(F > f) = 0.4676