

Portland State University

PDXScholar

Joint Policy Advisory Committee on
Transportation

Oregon Sustainable Community Digital Library

7-13-2006

Meeting Notes 2006-07-13

Joint Policy Advisory Committee on Transportation

Follow this and additional works at: https://pdxscholar.library.pdx.edu/oscdl_jpact

Let us know how access to this document benefits you.

Recommended Citation

Joint Policy Advisory Committee on Transportation, "Meeting Notes 2006-07-13 " (2006). *Joint Policy Advisory Committee on Transportation*. 430.

https://pdxscholar.library.pdx.edu/oscdl_jpact/430

This Minutes is brought to you for free and open access. It has been accepted for inclusion in Joint Policy Advisory Committee on Transportation by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: pdxscholar@pdx.edu.

600 NORTHEAST GRAND AVENUE | PORTLAND, OREGON 97232-2736
TEL 503-797-1916 | FAX 503-797-1930



METRO

MEETING: JOINT POLICY ADVISORY COMMITTEE ON TRANSPORTATION


DATE: July 13, 2006

TIME: 7:30 A.M.

PLACE: Council Chambers, Metro Regional Center

7:30	CALL TO ORDER AND DECLARATION OF A QUORUM	Rex Burkholder, Chair
7:35	INTRODUCTIONS	Rex Burkholder, Chair
7:40	CITIZEN COMMUNICATIONS	
7:45	COMMENTS FROM THE CHAIR	Rex Burkholder, Chair
7:50	CONSENT AGENDA	Rex Burkholder, Chair
*	Consideration of JPACT minutes for June 22, 2006	
	ACTION ITEMS	
*	Resolution 06-3713, For The Purpose of Adopting The Eastside Transit Alternative Analysis Locally Preferred Alternative, Located Within The Portland Central City– <u>APPROVAL REQUESTED</u>	Richard Brandman
*	Resolution 06-3717 For The Purpose of Endorsing Regional Support of the "Plug-In" Partners National Campaign– <u>APPROVAL REQUESTED</u>	Rex Burkholder, Chair
	INFORMATION / DISCUSSION ITEMS	
#	Elderly & Disabled Transportation Plan and Land Use Study – <u>INFORMATION</u>	Phil Selinger & Lynn Peterson
#	RTO Program Overview– <u>INFORMATION</u>	Pam Peck
#	RTO Evaluation Report – <u>INFORMATION</u>	Dr. Jennifer Dill, PSU
	OTHER COMMITTEE BUSINESS	Rex Burkholder, Chair
9:00	ADJOURN	Rex Burkholder, Chair

* Material available electronically.
** Material to be emailed at a later date.
Material provided at meeting.
All material will be available at the meeting.



Eastside Transit Alternatives Analysis

Evaluation Summary

May 2006



METRO


TRI  MET



U.S. Department
of Transportation
Federal Transit Administration
Federal Highway Administration

Downtown Portland to the Eastside

TRANSIT ALTERNATIVES ANALYSIS



Metro Council

President

David Bragdon

Deputy President

Carl Hosticka

District 3

Rod Park

District 1

Brian Newman

District 2

Susan McLain

District 4

Rex Burkholder

District 5

Robert Liberty

District 6

Metro protects open space and parks, plans for land use and transportation, and manages garbage disposal and recycling for 1.3 million residents in three counties and 25 cities in the Portland, Oregon, region.



METRO
PEOPLE PLACES • OPEN SPACES

Metro Council

www.metro-region.org

(503) 797-1700

Executive Summary

Overview

This Evaluation Report contains the analysis of transit alternatives for a loop circulator in Portland's Central City. This Executive Summary section presents the results of the evaluation in an abbreviated summary form. The Summary section that follows provides more detail regarding the definition of the alternatives, goals and objectives, design considerations and evaluation measures. The individual report chapters that follow provide full detail and documentation regarding this alternatives analysis. This analysis was conducted in a manner intended to be consistent with the Federal Transit Administration's (FTA) newly created Small Starts program, current guidance for Alternatives Analysis and the National Environmental Policy Act.

Definition of Alternatives

All alternatives were based on the Regional Transportation Plan's 2025 Financially Constrained network and include:

The **No-Build Alternative** fulfills the role of a **Small Starts Baseline** as it includes incremental service increases in the corridor and serves the same downtown circulation travel market as the Streetcar Alternative.

The **Streetcar Alternative** is defined as the **Full Loop** alignment, and has three **Minimum Operable Segments (MOS)**; **Oregon Street, Morrison Street**, and at the Oregon Museum of Science and Industry, referred to as **OMSI**. These are shown in Figure ES-1

The **Streetcar Alternative** was analyzed using the MLK/Grand couplet alignment through the Central Eastside. The **Two-way Grand Design Option** could also be used for the Central Eastside segment of the loop, and is presented as an alternative to the MLK/Grand couplet alignment. The alternatives are presented schematically in Figures ES-2 through ES-5, showing the operating plan for each alternative. For the MOS alternatives, a connecting bus completes the full loop.

The results of key evaluation measures is presented below. A more detailed accounting of all evaluation measures is presented in the Summary, and in Chapter 3 of this report.

Transit Ridership Results

Each alternative results in an increase in Streetcar and total transit ridership compared to the 2025 No-Build Alternative, with the Full Loop resulting in the largest increase. Figure ES-5 shows this breakdown.

All of the build alternatives have over 50 percent of their ridership and at least some portion of the trip occurring in the Central Eastside. The MOSI MOS and Full Loop alternatives would exhibit the highest percentage of streetcar ridership on the eastside at approximately 75 percent.

Compared to the No-Build alternative, the Full Loop and MOSI MOS alternatives would improve transit connectivity through the Central Eastside by providing a limited stop, one-seat ride through the eastside. Streetcar alternatives would provide greater transit capacity and would result in more riders per mile of operation.

Figure ES-1
Streetcar Alternative and the Minimum Operable Segments (MOS)



Figure ES-2
Streetcar Alternative Service Concept



Figure ES-3
OMSI MOS Service Concept



Figure ES-4
Morrison MOS Service Concept




Figure ES-5
Oregon MOS Service Concept



The introduction of Streetcar service on the eastside would further complement the eastside grid system by dispersing trips across an array of destinations. The Full Loop alternative would have the best overall improvement in total transit travel times to/from and within the corridor compared to the No-Build alternative.

Figure ES-6
Streetcar and Bus Ridership Average Weekday – Year 2025



The full loop Streetcar Alternative, and to a lesser degree the MOSs, meet the project's goal of creating a Central City circulator transit project that distributes trips throughout the districts it serves.

All of the build alternatives provide improved connections between key visitor destinations in the Central City. The presence of streetcar stops, rails and catenary would make streetcar relatively more easily identifiable than standard fixed route bus service, which lacks permanent guideway improvements.

All of the build alternatives would result in reduced parking demand compared to the No-Build, because more internal transit trips within the corridor are accommodated on transit.

Land Use and Development Policy Results

All of the alternatives would be consistent with state, local and regional land use plans and policies in effect in the Central City. The Full Loop would go the farthest toward implementing specific policies regarding a Central City transit circulator and fostering transit supportive development.

The region's compact urban form, land use mix, short average trip lengths and the presence of viable alternatives to the single occupant vehicle are directly attributable to the region's land use

and transportation plans and policies. These have resulted in transit trips, including bus, streetcar and light rail, that have grown substantially more than vehicle miles traveled, a trend that is unusual compared to the rest of the country. Residents of the Central City, with its high level of transit service and density and mix of uses, make fewer auto trips, own fewer cars, and use transit more than their counterparts in other parts of the region. Figure ES-6 summarizes this trend historically.

Economic Development Policy Results

The existing Portland Streetcar line demonstrates the impact of transit on development. This can be illustrated by the response of the private sector development community to announced plans to build a streetcar line in downtown Portland. In 1997, the City of Portland gave final approval to Portland Streetcar Inc., to proceed with construction and operation of streetcar service in downtown Portland. July 2001, streetcar operation commenced. Based on the experience of the Portland Streetcar, the private sector is willing to develop at a higher density along a streetcar line as evidenced by signed developer agreements to build to higher floor area ratios contingent on the presence of the streetcar. After 1997, those areas within one block of the streetcar experienced much greater development than areas two, three or more blocks from the alignment. Specifically, since the commitment to streetcar service was made, lands within one block of the streetcar were built to within 90 percent of allowed density (FAR), while lands within two blocks only built to a little over 70 percent and areas three blocks distant built to a little over 60 percent of allowed density.

Based on the experience of the Portland Streetcar and application of that experience to the Eastside project through analysis of existing zoning, floor area ratios, redevelopment potential and other factors, substantially more housing and mixed use development could occur on the eastside with the Full Loop Streetcar or MOSs than with the No-Build, commensurate with the length of the project. The percent of maximum floor area ratio (FAR) was used to assess what might occur on the Eastside. Given the existing zoning, an additional 3,432 housing units could be expected between 2005 and 2025 if a the OMSI MOS or Full Loop projects were built. The shorter MOSs would result in fewer additional housing units.

The Eastside has numerous proposed economic development projects that would benefit from transit and especially a streetcar because of the streetcars' demonstrated higher attraction of riders and greater passenger capacity. This larger public investment in a streetcar would likely result in greater private investments in the Eastside than would occur with the provision of bus service.

Traffic Impact Results

The proposed Eastside Streetcar route would operate in mixed traffic on existing streets within the corridor. During the PM Peak periods traffic congestion is relatively heavy along this corridor, which would in turn impact streetcar operations. The Streetcar operations are dependent on the general traffic flow of the roadway system the streetcar is operating in, and key locations where the streetcar requires signalization changes or other exclusive provisions to integrate with the general traffic flow.

Future 2009 (opening year) and 2025 PM peak hour traffic analyses were conducted at 51 intersections along the SE MLK Jr. Boulevard/SE Grand Avenue couplet and the NE Broadway/NE Weidler couplet. For the year 2009 PM peak hour traffic operations, four intersections along the proposed route are anticipated to operate at an intersection level of service (LOS) E to F, and/or a volume to capacity Ratio (V/C) greater than 1.00. For the year 2025 PM

peak hour traffic operations, 17 intersections along the proposed route are anticipated to operate at a LOS E to F, and/or a V/C greater than 1.00.

Future PM peak hour traffic conditions may have some impact on streetcar operations due to congestion along this corridor. Six of the intersections would be impacted by Streetcar operations, where general traffic is stopped for the streetcar to turn into mixed traffic through either a new traffic signal or the addition of a new phase to the existing traffic signal. These changes would not significantly alter the existing signal timing and progression of traffic along these roadways.

As part of the proposed Streetcar alignment, several signal and roadway changes are proposed to successfully integrate Streetcar into mixed traffic. Changes would include special signal phases, queue jumps, roadway widening, and striping and lane changes. These changes were incorporated into the traffic analysis for Streetcar to OMSI and are summarized in this section. Any of the MOS Alternatives would have the same improvements up to the respective terminus locations.

Design Considerations

Further investigation into potential improvements to move the streetcar through the corridor faster and more reliably as well as ways to improve the pedestrian environment should be conducted during the next phase of this study. Based on community support, engineering judgment, and the 2009 and 2025 traffic analysis, several design issues have been identified and will be evaluated further during the next phase of the project. These design issues focus on streetcar operations and the pedestrian environment. Current plans in the corridor will help with the pedestrian environment and additional considerations could be made to improve on the pedestrian access and safety along the Broadway/Weidler and MLK Jr./Grand couplets.

Two Way Grand Design Option

The Two-Way Grand Design Option was developed as an alternative to the MLK Boulevard/Grand Avenue couplet to address transfer connection to radial bus lines and to improve the pedestrian environment. The Two-Way Grand Avenue Design Option has been designed so that it could be applied to any of the MOSs with the exception of the Oregon MOS which doesn't extend to the Central Eastside, and does not preclude either two-way Grand Avenue design option or the MLK/Grand couplet alignment extension to the Central Eastside.

With the Two-way Grand Avenue alignment, Grand Avenue would be converted to a two-way street. Streetcar would operate in both directions in the travel lanes with traffic. The proposed streetcar alignment would remain the same north of E Burnside Street. Southbound streetcar would turn northbound on E Burnside and southbound on SE Grand Avenue. Both northbound and southbound streetcar would operate on SE Grand Avenue. SE 7th Avenue would provide for the northbound general traffic function to replace SE Grand Avenue.

The Two-Way Grand Design Option would require extensive roadway improvements to SE 7th Avenue to carry northbound auto trips diverted from SE Grand Avenue. Transitions to and from SE Grand Avenue would be required at SE Stephens Street on the southern end and NE Couch Street on the northern end of the alignment. Additionally, roadway improvements would be needed to change NE Grand Avenue from one-way traffic operation to two-way traffic operation.

This design option would change both the function and classification of SE Grand Avenue and SE 7th Avenue. This would likely require an amendment to the City of Portland *Transportation System Plan* (TSP) and Metro's *Regional Transportation Plan* (RTP) street classification

designations. This design option would also likely result in traffic impacts, diversion of traffic into the adjacent neighborhoods, impacts to the Industrial Sanctuary, and private property impacts. During the next phase of study, if the Two-Way Grand design option were chosen as the preferred alternative, then further refinement of this design option would be needed. A full discussion of design considerations is included in Chapter 4 of the *Evaluation Report*.

Financial Feasibility

Assessing financial feasibility at the Alternatives Analysis phase of project development is a matter of comparing capital, operating and maintenance costs against proposed revenue sources. Funding sources generally solidify as a project moves through the project development process. In this section, proposed costs and revenues are presented and potential shortages and surpluses identified.

Capital cost estimates are provided in 2005 dollars and inflated to year of expenditure (YOE). The construction is assumed to be conducted from September 2007 to September 2009. Construction inflation has been assumed to be 5% per year through 2008. The cost estimates are based on a build-up of FTA cost categories and appropriate contingencies and are presented below.

**Table ES-1
Capital Costs**

Project Alternative	(\$2005 dollars)	(\$ YOE dollars)
Oregon MOS	\$84,000,000	\$100,506,000
Morrison MOS (MLK-Grand	\$105,000,000	\$125,632,000
Morrison MOS (Two Way Grand)	\$119,000,000	\$142,380,000
OMSI MOS (MLK-Grand)	\$142,000,000	\$169,905,000
OMSI (Two-Way Grand)	\$156,000,000	\$186,653,000
Full Loop	\$153,000,000	\$187,026,000
Full Loop (2-Way Grand)	\$167,000,000	\$203,774,000

Source: URS, Portland Streetcar Inc, April 2006

A preliminary inventory of funding sources indicate a potential of \$100-125 million available for total project costs, which would not be sufficient to fund the entire Full Loop at this time. The Oregon MOS and Morrison MOS have listed sources (not fully committed) that could assure the completion of the project. The OMSI MOS and Full Loop require identification of \$35-47 million in additional sources of funding in order to be constructed in a single project phase. Additional revenue would need to be identified if the entire project is to be constructed in one phase. Descriptions of proposed revenue sources are presented below.

- **Federal Small Starts** (60%): up to \$75,000,000.
- **Committed Federal funding** (HUD, MTIP): \$4,200,000.
- **Local Improvement District**: \$6,000,000 to \$10,000,000
- **Bridge Funds**: \$9,000,000
- **Portland Development Commission Funding**: \$25,000,000-\$35,000,000.
- **City of Portland Funding**: \$4,000,000

The Oregon MOS and Morrison MOS have listed sources (not fully committed) that could assure the completion of the project. The OMSI MOS and Full Loop require identification of \$35-47 million in additional sources of funding in order to be constructed in a single project phase.

Operations and maintenance costs are presented in Table ES-2 below. These costs refer to the difference between the alternatives and the No-Build and include connecting bus and streetcar costs.

**Table ES-2
Operating and Maintenance Costs (\$ 2005)**

Project Alternative	Operating Cost
Full Loop	\$ 5,262,000
OMSI MOS	\$ 5,325,100
Morrison MOS	\$ 4,928,200
Oregon MOS	\$ 4,642,200

Source: TriMet 2006

Operating revenue commitments have not been made for the Eastside Transit Project. However, funding mechanisms are in place that could potentially generate enough operating revenue to expand the streetcar system. More work will be required between TriMet and the City of Portland to develop a mutually agreeable funding plan, and to identify potential additional funding sources if necessary.

Cost-Effectiveness

Cost effectiveness provides a measure of how effectively the investment in capital, operating and maintenance funds that would be required for each alternative translates into ridership on the new streetcar line. The Full Loop is the most cost-effective alternative in terms of total annualized capital and operating cost per new streetcar rider, annualized federal cost per new streetcar rider and operating cost per streetcar rider. Cost-effectiveness decreases as the length of the project alternative decreases.

The Full Loop alternative, which has the highest cost, would also have the most riders, resulting in the lowest cost per streetcar rider of \$4.25. The remaining MOS alternatives, with fewer additional new streetcar miles, and therefore lower cost and ridership, show a cost per rider figure commensurate with the length of the new streetcar line; the OMSI MOS cost per rider is \$5.01, Morrison MOS is \$5.80, and the Oregon MOS is \$6.86.

The Full Loop alternative results in the lowest federal cost per streetcar rider at \$1.77 per rider. The remaining MOS alternative's, show an increasing federal cost per streetcar rider commensurate with the length and ridership of the new streetcar line. Specifically, the OMSI MOS federal cost per rider is \$2.03, Morrison MOS is \$2.17, and the Oregon MOS is \$2.39.

The Full Loop alternative would have the lowest operating cost per streetcar rider at \$1.30 per rider. The remaining MOS alternatives show increasing operating cost per rider as ridership declines with each successive shorter streetcar alternative.

Project Decision Making

The outcome of the Eastside Transit Alternatives Analysis will be the adoption of a locally preferred alternative. The LPA will specify the mode, alignment, and termini of the transit project and may also set forth a phasing strategy for the project if a minimum operable segment (MOS) is chosen.

Public involvement and comment has taken place since 2005 and will continue through the LPA process. The LPA recommendation will be generated by jurisdiction senior staff that serve on the Project Management Group (PMG). The citizen committee for the project, the Eastside Project Advisory Committee (EPAC) will also generate a recommendation. The Steering Committee,

which is composed of elected officials and executive staff of Metro, TriMet, the Oregon Department of Transportation (ODOT), the Cities of Portland and Lake Oswego, and Multnomah and Clackamas Counties will review the PMG and EPAC recommendations as well as public comment and will issue a LPA recommendation. The Portland City Council, Multnomah County Commission, TriMet Board and Portland Streetcar Board will make recommendations to the Metro Council either supporting or amending the Steering Committee Recommendation. The region's MPO body, the Joint Policy Advisory Committee on Transportation will make a LPA decision recommendation to the Metro Council. The Metro Council will then make the final LPA decision. It should be noted that the Steering Committee oversees both the Eastside Transit Alternatives Analysis and the Portland to Lake Oswego Transit and Trail Alternatives Analysis.

Evaluation Summary

Overview

This Evaluation Report summarizes the analysis of transit alternatives for a loop circulator in Portland's Central City (see Figure S-1). The purpose of the Eastside Transit Alternatives Analysis is to develop, evaluate and select a transit alternative that is responsive to community needs and the travel demand in the Central City and which serves as a catalyst for economic development and supports and focuses land use. This analysis was conducted in a manner intended to be consistent with the Federal Transit Administration's (FTA) newly created Small Starts program, current guidance for Alternatives Analysis and the National Environmental Policy Act.

This report provides analysis and information for decision-makers and the public to undertake selection of a Locally Preferred Alternative (LPA). This report does not recommend a LPA for adoption, but presents consistent information on each alternative that allows the reader to determine how well each alternative meets the project's purpose and need and evaluation criteria. Information is presented specific to each evaluation measure and is designed to serve as the basis for selection of a LPA. The report provides information regarding transportation analysis, transit ridership, land use, economic development, capital and operating costs, traffic impacts, conceptual design, and cost effectiveness.

Goals and Objectives

The following goals and objectives have been developed with the Eastside Policy Advisory Committee and Steering Committee and have received public review. The goals may be summarized as a project that will:


- Reduce reliance on the auto for trips to, from and within the Central City.
- Improve Central City transit circulation, capacity, connectivity and local access that facilitates economic development and promotes the vitality of the Central City, and
- Support existing and future streetcar and light rail investments in the region by expanding the system and increasing ridership in a cost-effective manner.
- Support economic development.
- Support community goals and has strong public acceptance.

For a full discussion of the project's purpose and need, goals and objectives and evaluation measures, please see Chapter 1 of this report.

Central City Development Context

Together, Portland's Central City - Eastside and Westside - is the region's premier mixed use center, serving as a cultural, employment, high density housing center upon which the transit system is centered. Between 1980 and 2000, office space in the Central City increased from about 5.2 million square feet to over 14 million - up 174 percent. During this period Central City employment increased from about 89,000 to 121,000. From 1995 to 2005, there were 6,379 new homes built in the Pearl and Old Town districts - 97 per cent of the City's 2020 target for these districts. The number of households in the Central City is expected to increase by 55 percent between 2005 and 2025. Employment is forecast to increase by 35 percent. The location of new growth is important as households in the Central City generate fewer auto trips, fewer vehicle miles traveled, and more transit and walk trips compared to locations without transit friendly conditions. Many believe that the locally funded streetcar approved in 1997 and opened in 2001

Figure S-1
Central City Districts and Study Area



has been a catalyst for private development - much more than rubber-tired transit. For example, from 1997 to 2005, over \$2.28 billion has been invested within two blocks of the streetcar line, representing over 7,200 new residential units and 4.6 million square feet of additional commercial space. Further, over half (55 percent) of all new development within the City's core has been constructed within one block of the streetcar line. In comparison, prior to 1997, land located within one block of the streetcar alignment totaled 19 percent of all development. Central City districts, in addition to providing jobs and housing, also include cultural, entertainment, higher educational institutions and are important destinations. Many in the local business, civic, higher education and government sectors believe that a loop streetcar will tie together the Central City districts into a cohesive core and spark substantial additional growth in housing and jobs beyond the current forecast.

Description of Alternatives

Alternatives include the No Build/Baseline alternative (referred to henceforth as the No-Build Alternative) and a streetcar alternative including a full loop, and minimum operable segments - Oregon Street, Morrison Street and Oregon Museum of Science and Industry (OMSI). In addition, a Two-Way Grand Avenue alignment is included as a design option to the MLK/Grand alignment. All alternatives are analyzed as they would be constructed and operated in 2025. For a detailed discussion of the definition of alternatives, please see Chapter 2 of this report.

The **No-Build** fulfills the role of a Small Starts baseline as it includes incremental service increases in the corridor and serves the same downtown circulation travel market as the Streetcar Alternative. The No-Build provides bus service between RiverPlace, OMSI (via the Hawthorne Bridge), the Central Eastside and Lloyd Districts, connecting to downtown via frequent light rail and bus service at the Rose Quarter Transit Center, as shown in Figure S-2.

The **Streetcar Alternative** consists of the “full loop” alignment, as shown in Figure S-3. The Streetcar Alternative would operate from RiverPlace to PSU to 10th/11th Avenues on the existing Portland Streetcar alignment. It would divert from the existing alignment to cross the Broadway Bridge at 10th/11th and NW Lovejoy. A new alignment would be constructed to connect to the Lloyd District on NE Broadway/Weidler and NE Grand/7th Avenues and would continue south into the Central Eastside via the MLK/Grand couplet and would cross back to RiverPlace via the proposed Milwaukie Light Rail bridge, also known as the Caruthers Bridge. The **Streetcar Alternative** is analyzed using the MLK/Grand couplet alignment. The **Two-way Grand Design Option** could also be used for the Central Eastside segment of the loop, and is presented as an alternative to the MLK/Grand couplet alignment.

The Streetcar Alternative includes three **Minimum Operable Segments**, shown in Figure S-4. Each MOS is a potential terminus for the first phase of streetcar construction. In order to maintain full loop connectivity for purposes of comparison, connecting bus service would link each MOS to OMSI and RiverPlace, connecting with the existing Portland Streetcar via the Hawthorne Bridge. Service concepts for the Streetcar Alternative and the MOSs are presented in Figures S-5 through S-8. The **Oregon MOS** would terminate in the Lloyd District at the Oregon Convention Center and would be compatible with either the MLK/Grand Couplet or the Two-way Grand Design Option. The **Morrison MOS** would terminate at SE Morrison Street and would be feasible with either the MLK/Grand couplet or the Two-way Grand Design Option. The **OMSI MOS** would terminate immediately south of OMSI. A flyover would be constructed over the Union Pacific railroad right of way, and would be feasible with either the MLK/Grand couplet or the Two-way Grand Design Option. Table S-1 summarizes the characteristics of each alternative.

Figure S-2
No-Build Transit Network



Figure S-3
Streetcar Alternative “Full Loop”



Figure S-4
Streetcar Alternative and MOS



Figure S-5
Streetcar Alternative Service Concept



Figure S-6
OMSI MOS Service Concept



Figure S-7
Morrison MOS Service Concept



Figure S-8
Oregon MOS Service Concept



**Table S-1
Summary of Transit Characteristics by Alignment**

	No-Build Bus (Line 83)	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Streetcar Length (in miles)					
Total One-Way Length ¹		6.0	5.7	4.8	4.0
Existing/Shared Streetcar Length	2.4	2.4	2.4	2.4	2.4
New Streetcar Length	NA	3.6	3.3	2.4	1.6
Bus Connector Length ²	3.5	NA	1.4	2.3	3.2
Headways (in minutes)					
Shared Streetcar Headways	10-min peak/15-min off peak	5-min peak/7.5 min off-peak	5-min peak/7.5 min off-peak	5-min peak/7.5 min off-peak	5-min peak/7.5 min off-peak
New Streetcar Headways	NA	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak
Peak Bus Connector Headways	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak
Peak Streetcar Vehicle Requirements³	NA	12	10	7	6
Bus Connector Transfer Locations	NA	NA	At OMSI and RiverPlace	At SE Morrison St and RiverPlace	At NE Oregon St and RiverPlace
Compatible with the Two-Way Grand Design Option	NA	Yes	Yes	Yes	NA ⁴

¹Estimated one-way length

²With the Minimum Operable Segments (MOS), transfer to a bus is required to complete the loop.

³This includes the total number of vehicles needed to provide the streetcar service to the Central Eastside as well as additional spare vehicles for maintenance, emergencies, and breakdowns.

⁴The Two-Way Grand Avenue Design Option has been designed so that it could be applied to any of the MOSs with the exception of the Oregon MOS which doesn't extend to the Central Eastside, but does not preclude either two-way Grand Avenue design option or the MLK/Grand couplet alignment extension to the Central Eastside.

Evaluation of Alternatives

The alternatives were evaluated based on how well they performed relative to the project's evaluation measures. The measures and the results of the analysis are summarized below. Detailed discussion of these analyses and results can be found in Chapter 3.


The transportation analysis of the alternatives was done using Metro's travel demand forecasting models. Model results are based on the MLK/Grand couplet alignment through the Central Eastside. Given the constraints of a regional model, travel demand forecasts were not prepared for the Two-way Grand Design Option. Travel times would be similar to the MLK/Grand couplet and the zonal detail, even in downtown and on the eastside, is not fine enough to discern differences between the two alignments. However, traffic assignments were prepared for use in the traffic analysis.

Measure:	Improve Central City Transit Ridership
Result:	<i>Each alternative results in an increase in Streetcar and total transit ridership compared to the 2025 No-Build Alternative, with the Full Loop resulting in the largest increase.</i>

Each alternative was analyzed with the same underlying transit network. There are no significant differences among the alternatives with regards to which portions of the corridor have walk accessibility to the transit system. Each 2025 alternative has the same transit coverage in terms of households (33,700) and employment (275,000), creating a "level playing field" for the analysis.

Each alternative results in an increase in Streetcar and total transit ridership compared to the 2025 No-Build Alternative. As shown in Figure S-9, all of alternatives result in an increase in bus and streetcar ridership on the key routes in the corridor. Existing streetcar totals refer to ridership on the existing streetcar line between RiverPlace and NW Portland. New streetcar ridership refers to the second line that would operate as the full loop, or which would connect RiverPlace to any of the three MOSs. The bus ridership totals refer to the connecting bus service that would complete the loop for each of the MOSs. The shorter MOS's, Oregon and Morrison, show a slight increase over the No-Build of approximately 700 riders each. The OMSI MOS shows an overall increase of approximately 3,000 bus and streetcar trips and the Full Loop alternative shows the highest increase at 4,885 trips.

Figure S-9
Streetcar and Bus Ridership Average Weekday – Year 2025




Source: Metro, 2006

Measure: Improve Eastside transit ridership

Results: All of the build alternatives have over 50 percent of their ridership and at least some portion of the trip occurring in the Central Eastside.

Another measure of comparison for alternatives is to assess new ridership within the Eastside. Figure __ below, shows the percentage of ridership on the new streetcar line where some portion of the trip occurs in the Central Eastside (See Figure S-10 for district map). All of the build alternatives have over 50 percent of their ridership and at least some portion of the trip occurring in the Central Eastside. The OMSI MOS and Full Loop alternatives would exhibit the highest percentage of streetcar ridership on the eastside at approximately 75 percent, in part because in both of these alternatives streetcar traverses the entire eastside.

Figure S-10
Percentage of New Streetcar Ridership with Some Portion of Trip in the Central Eastside -
Average Weekday, Year 2025



Source: Metro 2006

Measure:	Improve north/south transit connectivity and capacity through the Central Eastside.
Result:	<i>Compared to the No-Build alternative, the Full Loop and OMSI MOS alternatives would improve transit connectivity through the Central Eastside by providing a limited stop, one-seat ride through the eastside. Streetcar alternatives would provide greater transit capacity and would result in more riders per mile of operation.</i>

This measure focuses on how well each alternative improves transit connectivity and capacity through the Central Eastside. As compared to the No-Build alternative, the Full Loop and OMSI MOS alternatives would improve transit connectivity through the Central Eastside by providing a limited stop, one-seat ride through the eastside. The Morrison MOS and Oregon MOS alternatives perform comparable to the No-Build because, for a majority of trips, a transfer would be required to travel through the Central Eastside.

The streetcar alternatives, because of the greater carrying capacity of the vehicle, would provide more carrying capacity through the Central Eastside at equivalent headways compared to bus transit.

Another example of improved transit circulation and connectivity is an increase in the number of streetcar riders per mile of operation. The Full Loop would result in 2,068 riders per mile,


followed by the OMSI MOS at 1,754, the Morrison MOS at 1,440 and the Oregon MOS at 1,240 riders per mile. The increase in riders per mile indicates that more trips are possible when the streetcar is extended to connect to more destinations.

Measure: Serve as a “cross-town” transit line that complements the eastside transit grid.

Results: *The introduction of Streetcar service on the eastside would further complement the eastside grid system by dispersing trips across an array of destinations. The Full Loop alternative would have the best overall improvement in total transit travel times to/from and within the corridor compared to the No-Build alternative.*

The Full Loop alternative would have the best overall improvement in total transit travel times to/from and within the corridor compared to the No-Build alternative. The MOS alternatives would have somewhat less improvement, in part because of required transfers along the central eastside for some origin and destination pairs. Figure S-11 shows the advantage of the Caruthers Bridge alignment to make the connection between OMSI and RiverPlace.

Figure S-11
Total Transit Travel Time between OMSI and RiverPlace PM Peak, Year 2025



Source: Metro 2006

Measure: **Improve Central City transit circulation**


Result: *The full loop Streetcar Alternative, and to a lesser degree the MOSs, meet the project's goal of creating a Central City circulator transit project that distributes trips throughout the districts it serves.*

A key measure of the success of the proposed alternatives is whether they improve transit circulation within the Central City by connecting destinations such as Portland's Central Business District (CBD), RiverPlace, the Central Eastside, the Lloyd, University, and Pearl Districts, and to non-corridor locations. Analysis shows that all alternatives meet the project's goal of creating a Central City circulator transit project that distributes trips throughout the districts it serves.

Figure S-12 displays an array of graphics that represent the distribution (calculated as a percentage) of new streetcar trip origins and destinations by district for each alternative. The Full Loop alternative has a more balanced distribution pattern of origins and destinations across the study area districts. Although each district is generating a slightly lower percentage of origins and destinations, as compared to the MOS alternatives, the Full Loop alternative is serving more districts. Specifically, downtown Portland, the Lloyd, Central Eastside, and Pearl Districts show up as major origin and destinations in the Full Loop alternative, indicating a relatively equal distributions of trips in the study area. In contrast, the Oregon MOS alternative, which provides streetcar only as far as the Lloyd District, has the opposite pattern of origins and destinations. The spatial pattern reflects a more concentrated distribution of origins and destinations, with a slightly higher percentage of origins

Non-corridor districts, or districts outside the study area, account for a large percentage of both origins and destinations in all of the alternatives, showing that the streetcar would integrate with a variety of transit trips and perform as an element of the total transit system to provide central city circulation. Approximately 1/3 of the non-corridor origins and destinations involve a district (SE Portland) just outside and adjacent to the corridor. In fact, over 2/3 of the non-corridor origins and destinations involve Multnomah County.

Figure S-12
2025 Streetcar Rider Origins and Destinations by District



Measure: Serve important visitor destinations including Downtown, Rose Garden, Coliseum, Oregon Convention Center, Lloyd Mall and OMSI with a clearly identifiable fixed route transit service.

Results: *All of the build alternatives provide improved connections between visitor destinations.*

Linking visitor attractions and hotels with an easily identifiable fixed-route transit service would attract both local and out-of-state visitors increasing transit ridership, and increasing Portland's overall attractiveness. However, Metro's regional model does not currently account for such visitor trips. Consequently, a potentially substantial market is unaccounted for in the current analysis. To address the visitor market, a special-purpose non-resident model would need to be developed based on locally obtained survey data.

Measure: Appraisal of identifiability of transit alternatives.

Results: *The presence of streetcar stops, rails and catenary would make streetcar relatively more easily identifiable than standard fixed route bus service, which lacks permanent guideway improvements.*

The presence of streetcar stops, rails and catenary would make streetcar relatively more easily identifiable than standard fixed route bus service, which lacks permanent guideway improvements. The longer the MOS, the more identifiable an alternative was determined to be.

Measure: Reduce demand for parking.

Results: *All of the build alternatives would result in reduced parking demand compared to the No-Build, because more internal transit trips within the corridor are accommodated on transit.*

All of the build alternatives would result in reduced parking demand because more internal transit trips within the corridor are accommodated on transit, ranging from 700 to 300 more transit trips, as compared to the No-Build alternative.

Land Use and Development Policy and Results

The land use policy framework for the Eastside Transit Alternatives Analysis is focused on the Central City, and includes state, regional and local plans and policies. The evaluation of land use and development policies includes a determination of the project's consistency with plans and policies and also evaluates the effect that these plans and policies have had in creating a transit supportive environment in the Central City.

The state, regional and local levels of government work together to create the land use and policy framework for this project and the Central City. Regional and local plans must be prepared consistent with Oregon's Statewide Planning Goals. Both the *Central City Plan* and the *2040 Growth Concept*, as part of the *Regional Framework Plan*, have been acknowledged by the Oregon Land Conservation and Development Commission as consistent with the Statewide Planning Goals.

Measure:	Consistency with state, regional and local land use plans and policies.
Results:	<i>All of the alternatives would be consistent with state, local and regional land use plans and policies in effect in the Central City. The Full Loop would go the farthest toward implementing specific policies regarding a Central City transit circulator and fostering transit supportive development.</i>

The regional plan, the 2040 Growth Concept supports and encourages the growth and development of the Central City, including the Eastside, as "the largest market area, the region's employment and cultural hub." As shown in Table S-2, the Eastside Transit Project (bus or streetcar), by providing a transit circulator that helps connect the districts of the Central City, is consistent with the 2040 Growth Concept and the Central City Plan.

**Table S-2
Land Use Plans and Policies Summary**

	Statewide Planning Goals	Region 2040 and Regional Framework Plan	Central City Plan and CCTMP*
Transit Friendly Policies	Yes	Yes	Yes
Demonstrated Results	Compact urban form	Transit ridership greater than population or VMT growth	Greater mode share in Central City with its use of mixes, density and available transit
Project Consistent with Plans/Policies			
Bus	Yes	Yes	Yes
Streetcar	Yes, but likely to foster more development	Yes, but likely to foster more development	Yes, but likely to foster more development


*Central City Transportation Management Plan, City of Portland

Measure:	Land use plans and policies have demonstrated results that create a transit friendly environment for the project.
Results:	<i>The region's compact urban form, land use mix, short average trip lengths and the presence of viable alternatives to the single occupant vehicle are directly attributable to the region's land use and transportation plans and policies. These have resulted in transit trips, including bus, streetcar and light rail, that have grown substantially more than vehicle miles traveled, a trend that is unusual compared to the rest of the country. Residents of the Central City, with it's high level of transit service and density and mix of uses, make fewer auto trips, own fewer cars, and use transit more than their counterparts in other parts of the region.</i>

Based on the Portland region's growth in transit ridership, relatively low rate of vehicle miles traveled per capita and despite only moderate density, it can be concluded that the Portland region has been successful in providing transit that is well used and providing urban form and land use conducive to transit use. The tools that have been used include longstanding land use plans and policies, which have many, if not most of the elements considered necessary for transit friendliness. Further, as the Central City, including the Eastside Corridor is planned for the most dense and intense land uses and activities in the region, with corresponding policies, regulations and incentives, the Eastside corridor is also concluded to be transit friendly. Land use plans and policies that apply to the region, the central city, and the Eastside have a good track record of transit friendliness. Either a bus or streetcar would benefit from and reinforce these transit friendly plans and policies.

Transit trips, including bus, streetcar and light rail, have grown substantially more than vehicle miles traveled in the region (see Figure S-13). This trend is largely attributable to the region's compact urban form, land use mix and form, short average trip lengths and the presence of viable alternatives to the single occupant vehicle.

Figure S-13
Comparison of Population, Vehicle Miles Traveled and Transit Service and Ridership 1993 - 2003



Source: TriMet., 2006

Table S-3 below shows that a transit supportive land use pattern and good levels of transit service result in higher transit mode split, fewer vehicle miles traveled per capita and reduced auto ownership when compared to areas of the region that lack such attributes. The Central City as a whole has the region's highest levels of transit service, and greatest residential and employment densities due to the implementation of state, regional, and local land use policies. These policies and their resulting development pattern result in auto trips "not taken" by residents of the Central City compared to other parts of the region.

**Table S-3
Transportation Mode Share by Transit and Land Use Characteristics**

Land Use Type	Mode Share					Vehicle Miles per capita	Auto ownership per household
	% Auto	% Walk	% Transit	% Bike	% Other		
Good Transit/Mixed Use	58.1%	27.0%	11.5%	1.9%	1.5%	9.80	0.93
Good Transit Only	74.4%	15.2%	7.9%	1.4%	1.1%	13.28	1.50
Remainder of Multnomah County	81.5%	9.7%	3.5%	1.6%	3.7%	17.34	1.74
Remainder of Region	87.3%	6.1%	1.2%	0.8%	4.6%	21.79	1.93

Source: Metro 1994 Travel Survey

Looking at the Portland region and comparing its density and vehicle miles per capita, we find that in a comparison with metropolitan areas from throughout the country, the Portland region has medium density, but much lower daily vehicle miles traveled per capita. In fact, the Portland region has comparable daily vehicle miles traveled per capita to such transit intensive cities as San Francisco and Chicago. Further, when looking at the Portland region's transit mode share, it meets or exceeds that of many much larger cities. In addition, Portland has been ranked as one of the five best cities for walking - which again reinforces the notion that a pedestrian and transit friendly environment has been established relative to other parts of the country.

Economic Development Policy and Results

The existing Portland Streetcar line demonstrates the impact of transit on development. This can be illustrated by the response of the private sector development community to announced plans to build a streetcar line in downtown Portland. In 1997, the City of Portland gave final approval to Portland Streetcar Inc., to proceed with construction and operation of streetcar service in downtown Portland. July 2001, streetcar operation commenced.


Measure: Economic development policies and the private sector support the proposed transit investment.

Results: *Based on the experience of the Portland Streetcar, the private sector is willing to develop at a higher density along a streetcar line as evidenced by signed developer agreements to build to higher floor area ratios contingent on the presence of the streetcar. After 1997, those areas within one block of the streetcar experienced much greater development than areas two, three or more blocks from the alignment.*

A significant part of the economic development framework of the initial Portland Streetcar segments involved development agreements. These agreements were contracts between the public and private sector stipulating that if the public sector provided certain investments, particularly streetcar construction and operation, the private sector would agree to higher development densities and intensity. In addition, a local improvement district was formed to contribute to the construction of the streetcar.

In a study by E. D. Hovee Inc, it was found that the development occurring after 1997 in close proximity to the streetcar line was at a higher density than prior to 1997. Actual floor area ratio (FAR) built since 1997 was compared with potential FAR (one measure of the maximum allowed density or intensity of development). Hovee found that those areas within one block of the streetcar experienced much greater development than areas two, three and three and more blocks from the streetcar. Specifically, since the commitment to streetcar service was made, lands within one block of the streetcar were built to within 90 percent of allowed density (FAR), while lands within two blocks only built to a little over 70 percent and areas three blocks distant built to a little over 60 percent of allowed density, as shown in Figure S-14.


Figure S-14
Development Potential Achieved - Block by Block
(Before 1997 Streetcar Decision and 1997-2004)



Source: Portland Streetcar Development Impacts, E. D. Hovee, 2005

Streetcar influence is also demonstrated when the amount of development within one block of the streetcar as a percent of total central business district (CBD) development is compared with the percent of total CBD development in blocks two, three and more distant, as shown in Figure S-15 below.

Figure S-15
Development Potential Achieved
Percent of All Central Business District Development
(Before 1997 Streetcar Decision and 1997-2004)



Source: Portland Streetcar Development Impacts, E.D. Hovee, 2005

In addition to the economic policies and plans in place in the Central City that have resulted in today's healthy economy, it is important to look to the future to assess what trends will be shaping the Central City and the districts served by the Eastside project. A recent study has shown that the Portland region has experienced growth in the 25 to 34 year-old population in excess of the region's overall population growth trend. Further, the type of 25 to 34 year-old moving to the Portland region tends to be those that are college educated. In addition, the locations that this 25 to 34 year-old population tends to locate is closer to the Portland central business district (defined as within three miles of the city center.) This study argues that successful economic development must address the 25 to 34 college educated population and that this population is attracted to close-in neighborhoods. It further demonstrates that close-in neighborhoods in Portland have been successful in attracting this population compared with most other cities in the US. Based on this assessment, Portland is well positioned to attract this key demographic to the Central City in the future.

Measure:	Economic development potential in the Lloyd District and Central Eastside
-----------------	--

Results:	<i>Based on the experience of the Portland Streetcar and application of that experience to the Eastside project through analysis of existing zoning, floor area ratios, redevelopment potential and other factors, substantially more housing and mixed use development could occur on the eastside with the Full Loop Streetcar or MOSs than with the No-Build, commensurate with the length of the project.</i>
-----------------	---

The demonstrated response of the development community to the streetcar in Downtown and the Pearl District can be used to draw some conclusions regarding the Eastside project. E.D. Hovee developed projections for development that could occur in the Lloyd District and Central Eastside if a streetcar project were built. The percent of maximum floor area ratio (FAR) was used to assess what might occur on the Eastside. Given the existing zoning, an additional 3,432 housing units could be expected between 2005 and 2025 if a the OMSI MOS or Full Loop projects were built. The shorter MOSs would result in fewer additional housing units.

Employment is more difficult to project using this method and there were no significant differences found in the existing projections from the maximum FAR method. It should be noted that in discussions with the City of Portland Planning Bureau, it appears as though some adjustments to the 2025 South Corridor projections of housing should occur. However, the basic point of strong streetcar influence will still be shown and further work to revise and adjust this comparison will be completed soon.

There is a great deal of information that has been presented about transit and its value to economic development as well as the economic development climate in the Eastside. It can be concluded that when comparing the economic development benefits of bus service (No-Build) with a streetcar, that:

- The Eastside has relatively high value land, though it also has a significant amount of undervalued properties with buildings not reflecting the underlying land value;
- The Eastside has proposed numerous economic development projects which would benefit from transit and especially a streetcar because of the streetcars' demonstrated higher attraction of riders and greater passenger capacity.
- A streetcar is likely to spark substantially more economic development - perhaps on the order of 4 times, or 3,400 more housing units than a bus (No-Build).
- This larger public investment in a streetcar would likely result in greater private investments in the Eastside than would occur with the provision of bus service.
- The larger private investment in development in the Eastside consistent with a streetcar would likely result in a larger tax base than would result with the provision of bus service.

2009 and 2025 PM Peak Hour Traffic and Streetcar Operations

The traffic analysis used the Financially Constrained 2025 RTP network for future demand and to determine future traffic volumes for the 2009 and 2025 PM peak hour traffic analysis. The traffic analysis focused on the traffic conditions and how they would affect streetcar operations, and how streetcar operations would impact traffic.

For the purpose of this analysis, the OMSI MOS streetcar alignment was chosen as a representative alignment to assess traffic impacts for the streetcar alternative. The Full Loop and OMSI MOS traffic impacts would be identical, as no additional mixed traffic operations would be required to complete the loop over the Caruthers Bridge. The analysis evaluated streetcar operations through the Lloyd District and the Central Eastside districts.

The proposed Eastside Streetcar route would operate in mixed traffic on existing streets within the corridor. During the PM Peak periods traffic congestion is relatively heavy along this corridor, which would in turn impact streetcar operations. The Streetcar operations are dependent on the following conditions:

- General traffic flow of the roadway system the streetcar is operating in, and
- Key locations where the streetcar requires signalization changes or other exclusive provisions to integrate with the general traffic flow.

Future 2009 (opening year) and 2025 PM peak hour traffic analyses were conducted at 51 intersections along the SE MLK Jr. Boulevard/SE Grand Avenue couplet and the NE Broadway/NE Weidler couplet. For the year 2009 PM peak hour traffic operations, four intersections along the proposed route are anticipated to operate at an intersection level of service (LOS) E to F, and/or a volume to capacity Ratio (V/C) greater than 1.00. For the year 2025 PM peak hour traffic operations, 17 intersections along the proposed route are anticipated to operate at a LOS E to F, and/or a V/C greater than 1.00.

Future PM peak hour traffic conditions may have some impact on streetcar operations due to congestion along this corridor. Six of the intersections would be impacted by Streetcar operations, where general traffic is stopped for the streetcar to turn into mixed traffic through either a new traffic signal or the addition of a new phase to the existing traffic signal. These changes would not significantly alter the existing signal timing and progression of traffic along these roadways.

The streetcar operations would impact the following intersections:

- | | |
|--|---|
| ▪ NW 11 th Avenue/NW Lovejoy Street | ▪ NE Grand Avenue/NE Broadway Street |
| ▪ NW Lovejoy Street/NW Broadway Bridge | ▪ SE MLK Jr. Boulevard/SE Harrison Street |
| ▪ NE Weidler Street/NE 7 th Avenue | ▪ SE Grand Avenue/SE Harrison Street |

Changes to the Transportation Network for the Proposed Streetcar Alignment

As part of the proposed Streetcar alignment, several signal and roadway changes are proposed to successfully integrate Streetcar into mixed traffic. Changes would include special signal phases, queue jumps, roadway widening, and striping and lane changes. These changes were incorporated into the traffic analysis for Streetcar to OMSI and are summarized in this section. Any of the MOS Alternatives would have the same improvements up to the respective terminus locations.

Table S-4 summarizes the changes to the transportation system for the proposed Streetcar alignment.

**Table S-4
Summary of Proposed Signal and Roadway Improvements**

Location	Traffic Signal Improvements			Roadway Improvements	
	Transit Phase	Queue Jump	New Signal ¹	New Striping	Widen/New Roadway
NW 11 th Avenue at NW Lovejoy Street	X		X		
NW Lovejoy Street at the NW Broadway Bridge	X				
NW Lovejoy Street at the NW Broadway Bridge	X				
NE Broadway Street				X	X
NE Broadway Street at N Williams Street			X		
NE Weidler Street					X
NE Weidler Street at N Williams Street			X		
NE Weidler Street at NE Wheeler Street			X ²		
NE Broadway Street at NE 2 nd Avenue			X ²		
NE Weidler Street at NE 2 nd Avenue			X ²		
NE Weidler Street at NE 7 th Avenue	X				
NE 7 th Avenue and NE Halsey Street			X		
NE Grand Avenue and NE Broadway Street	X				
NE MLK Jr. Boulevard				X	
NE MLK Jr. Boulevard at NE Couch Street		X			
NE MLK Jr. Boulevard				X	
NE MLK Jr. Boulevard and NE Davis Street			X		
SE MLK Jr. Boulevard at SE Morrison Street			X ²		
SE MLK Jr. Boulevard at SE Belmont Street			X ²		
SE MLK Jr. Boulevard at SE Pine Street			X ²		
SE Grand Avenue at SE Pine Street			X ²		
SE MLK Jr. Boulevard under the Hawthorne overpass			X ²		
SE MLK Jr. Boulevard and SE Clay Street		X			
SE MLK Jr. Boulevard and Streetcar flyover			X		
New Streetcar Flyover					X
SE MLK Jr. Boulevard and SE Harrison Street	X		X		
SE Grand Avenue and SE Harrison Street	X		X		

Note: this table does not include physical modifications to existing traffic signals.

¹ Identifies locations where a traffic signal does not exist today or in the future. This does not include locations where there is a traffic signal but needs to be replaced due to modifications to operations.

² New Pedestrian Traffic Signal

Design Considerations

Further investigation into potential improvements to move the streetcar through the corridor faster and more reliably as well as ways to improve the pedestrian environment should be conducted during the next phase of this study. Based on community support, engineering judgment, and the 2009 and 2025 traffic analysis, the following design considerations to study further during the next phase include, but are not limited to streetcar operations and pedestrian access, as described below.

Streetcar Operations:

Heavy traffic volumes, queues and delays along the corridor could potentially impact the operations of the streetcar. Table S-5 identifies potential areas of concern or issues to be considered further.

Pedestrian Access

The proposed streetcar includes various pedestrian improvements to make the pedestrian access to the streetcar stations safer and more comfortable. However, there are still other pedestrian improvements that could be implemented to improve the pedestrian environment in the corridor. Current plans in the corridor will help with the pedestrian environment and additional considerations could be made to improve on the pedestrian access and safety along the Broadway/Weidler and MLK Jr./Grand couplets. Some potential solutions to be considered include:

- Adding curb extensions to reduce the crossing distance across the wide arterial streets.
- Plant additional street trees.
- Consolidate or reduce the width of excessive driveways, to minimize the number of disruptions to the through zone of the sidewalk.
- Construct ADA-compliant curb ramps, especially where none currently exist.
- Improve the conditions of the sidewalk along MLK beneath the Morrison and Hawthorne bridges. Currently, the area behind the sidewalk is fenced off and used as storage, leaving a narrow space between the fence and the bridge structure. The sidewalk could potentially be widened by moving the fence four feet and adding lighting could improve the pedestrian environment.
- Consider installing additional traffic signals to allow for more pedestrian crossing opportunities and potentially slowing traffic down.
- Create a plan for improvements along SE MLK Jr. Boulevard and SE Grand Avenue that integrates streetscape, street design, transit access, and redevelopment opportunities.

**Table S-5
Summary of the Design Considerations for Streetcar Operations**

Location	Design Considerations to Study Further
Streetcar Operations	
Northwest Connection NW Lovejoy Street	Improve the connection between the Broadway Bridge and Northwest Portland Identify the feasibility of re-striping NW Lovejoy Street as two eastbound lanes east of 10 th Avenue to improve streetcar operations
NW Lovejoy Street Ramp and the Broadway Bridge	Identify ways to improve the operations at this intersection, such as: <ul style="list-style-type: none"> ▪ Compare a Lead or Lag signal phase for the streetcar ▪ Identify the cost and feasibility of operating the streetcar in the left lanes on the NW Lovejoy Ramp ▪ Identify the feasibility of an alternative that would use NW Hoyt Street to NW Broadway Street to access the Broadway Bridge
NE Broadway/Weidler Streets Couplet	Identify the feasibility of operating streetcar in the right lanes on NE Broadway Street and NE Weidler Street
NE Broadway Street at N Williams Avenue	Identify potential right of way impacts at NE Williams Street may occur by shifting lanes to add a left turn lane at N Vancouver Avenue to reduce traffic conflicts with the streetcar
NE Broadway Street at N Vancouver Avenue	Identify ways to reduce traffic conflicts with streetcar, such as: <ul style="list-style-type: none"> ▪ Shifting the four travel lanes on NE Broadway Street to the north to add a left turn lane to N Vancouver Avenue, as designed in this Alternatives Analysis ▪ Shifting the existing lanes to the north to provide a left turn only lane from NE Broadway Street to N Vancouver Avenue and restripe the left/through lane to a left turn only lane. Streetcar would shift from the left lane to the third lane
NE Grand Avenue at NE Broadway Street	Consider special detection and signal timing plans for the streetcar to clear out the westbound queues on NE Broadway east of NE MLK Jr. Boulevard to improve streetcar operations
NE Grand Avenue between NE Multnomah/NE Holladay Street and NE Broadway Street	Identify the feasibility of restriping the right lane to a right turn/streetcar only lane on NE Grand Avenue between NE Multnomah Street (or NE Holladay Street) and NE Weidler Street to improve streetcar operations
NE Broadway Street at NE MLK Jr. Boulevard	Identify ways to reduce traffic conflicts with streetcar, such as: <ul style="list-style-type: none"> ▪ Remove on-street parking on NE Broadway between NE Grand Avenue and NE MLK Jr. Boulevard to provide a new auto left turn lane, as designed in this Alternatives Analysis ▪ Restripe the existing left/through lane to provide a left turn only lane on NE Broadway Street to NE MLK Jr. Boulevard and streetcar would operate in the second lane with through traffic on NE Broadway Street
NE 7th Avenue Transit Station Platforms	Consider locating the streetcar station platforms near side/center of the street to reduce conflicts with bikes

**Table S-5
Summary of the Design Considerations for Streetcar Operations (Continued)**

Location	Design Considerations to Study Further
NE MLK Jr. Boulevard between NE Couch Street and NE Oregon Street	Identify ways to improve streetcar speed and reliability due to increase in congestion, such as: <ul style="list-style-type: none"> Restripe to create a streetcar only lane between NE Lloyd Boulevard and NE Couch Extend the streetcar only lane north of NE Lloyd Boulevard to NE Oregon Street adjacent to the Oregon Convention Center Consider potential special timing plans for NE MLK Jr. Boulevard that extend the green time at NE Lloyd Boulevard to clear the queues from the intersection, and reduce the southbound green time at NE Oregon Street when traffic is queued on NE MLK Jr. Boulevard
NE Grand Avenue at NE Everett Street/I-84 eastbound on-ramp	Consider constructing a right turn lane on NE Grand Avenue to the I-84 on-ramp to reduce the traffic conflict between the streetcar and access to I-84
SE Grand Avenue at E Burnside Street	Consider providing a right turn only lane on SE Grand Avenue to E Burnside Street to reduce the traffic conflict between the streetcar and right turns to E Burnside Street
MLK Jr. Boulevard at E Burnside Street	Consider providing one westbound lane on E Burnside and providing a right turn only lane on MLK Jr. Boulevard to E Burnside Street to allow two options for vehicles to turn for the Burnside Bridge and reduce congestion along MLK Jr. Boulevard
SE MLK Jr. Boulevard at SE Clay and Hawthorne Streets	Evaluate the traffic and streetcar operations of the pedestrian signal and queue jump at this location
SE MLK Jr. Boulevard and SE Grand Avenue at SE Harrison Street	Identify ways to improve the streetcar connection across SE MLK Jr. Boulevard and SE Grand Avenue to OMSI, such as: <ul style="list-style-type: none"> Add new traffic signals at SE Harrison Street and SE MLK Jr. Boulevard and SE Grand Avenue, as included in the design in this Alternatives Analysis Due to lane configurations on SE MLK Jr. Boulevard at this location, consider other locations to cross SE MLK Jr. Boulevard such as using SE Division Street to SE Market Street
Streetcar Only Bridge/Connection at the NE Grand/MLK Viaduct	Confirm the grades/alignment needed for the connection of the streetcar bridge over the railroad tracks to OMSI and coordinated with the ongoing SE MLK/Grand Viaduct Project
MLK Jr. Boulevard/Grand Avenue Couplet	Identify the feasibility of operating streetcar in the left lanes on NE Broadway Street and NE Weidler Street to reduce the cost and conflict with moving the existing water pipe
Traffic Signals	In addition to providing a separate phase, consider special traffic signal timing plans and detection to clear the traffic queues for streetcar operations

Two Way Grand Design Option

The Two-Way Grand Design Option was developed as an alternative to the MLK Boulevard/Grand Avenue couplet to address transfer connection to radial bus lines and to improve the pedestrian environment. With the Two-way Grand Avenue alignment, Grand Avenue would be converted to a two-way street. Streetcar would operate in both directions in the travel lanes with traffic. The proposed streetcar alignment would remain the same north of E Burnside Street. Southbound streetcar would turn northbound on E Burnside and southbound on SE Grand Avenue. Both northbound and southbound streetcar would operate on SE Grand Avenue. SE 7th Avenue would provide for the northbound function to replace SE Grand Avenue.

This design option would require that the lane configuration and signals be modified. A southbound lane would be introduced to Grand Ave. The number of lanes northbound on Grand would be reduced. This would require re-routing vehicle traffic from the Grand Ave Viaduct to SE 7th Avenue through the Central Eastside to one-way northbound to accommodate increased traffic volumes and serve as the couplet to MLK Blvd. Traffic would be re-routed from the Grand Ave Viaduct at SE Mill Street and back to Grand somewhere between NE Couch and NE Everett before the I-84 overpass. This conversion would require removal and relocation of one or both bike lanes on SE 7th Ave.

The Two-Way Grand Design Option would require more extensive roadway improvements to SE 7th Avenue to carry northbound auto trips diverted from SE Grand Avenue. Transitions to and from SE Grand Avenue would be required at SE Stephens Street on the southern end and NE Couch Street on the northern end of the alignment. Additionally, roadway improvements would be needed to change NE Grand Avenue from one-way traffic operation to two-way traffic operation.

The Two-Way Grand Avenue Design Option has been designed so that it could be applied to any of the MOSs with the exception of the Oregon MOS which doesn't extend to the Central Eastside, and does not preclude either two-way Grand Avenue design option or the MLK/Grand couplet alignment extension to the Central Eastside.

This design option would change both the function and classification of SE Grand Avenue and SE 7th Avenue. This would likely require an amendment to the City of Portland *Transportation System Plan* (TSP) and Metro's *Regional Transportation Plan* (RTP) street classification designations. This design option would also likely result in traffic impacts, diversion of traffic into the adjacent neighborhoods, impacts to the Industrial Sanctuary, and private property impacts.

2025 Travel Patterns Under the Two-Way Grand Design Option

Metro's travel demand model, which is based on the Financially Constrained 2025 RTP network was used to identify the future 2025 travel patterns for both the MLK/Grand couplet and the Two-Way Grand design option. The 2025 PM 2-hour peak volumes were used to identify potential travel patterns and major destinations and origins using Grand Avenue and 7th Avenue.

The following summarizes some changes in travel patterns between the two scenarios (MLK/Grand couplet and Two-Way Grand design option):

- Under the couplet scenario trips to I-84 were taken via Grand Avenue. Under the Two-Way Grand design option, trips wanting to access I-84 did not use SE 7th Avenue through the corridor, instead they stayed on Grand Avenue to I-84.
- From 7th Avenue, many of the trips turned onto NE Couch Street instead of using NE Everett Street to get back to NE Grand Avenue.
- With the Two-Way Grand Avenue design option, some neighborhood traffic diversion is anticipated. The most prominent diversion of traffic occurs south of the SE Madison Street.
 - Volumes would increase on I-5 northbound and access the highway via the new McLoughlin/I-5 on- and off-ramps.
 - Volumes would increase on SE 11th and 12th Avenue between SE Division Street and SE Hawthorne Boulevard.
 - Volumes would increase on SE Water Avenue between SE Division Street and SE Clay Street.
 - Volumes would increase on SE Hawthorne and SE Madison Street between the Hawthorne Bridge and SE 11th Avenue.

Two-Way Grand Avenue Design Option Considerations

During the next phase of study, if the Two-Way Grand design option were chosen as the preferred alternatives than further refinement of this design option would be needed. Table S-6 summarizes design considerations to study further during the next phase of this study.

**Table S-6
Summary of Two-Way Grand Avenue Design Option Design Considerations**

Location	Design Considerations to Study Further
Transitions at the North End	Transition at NE Everett and the traffic impacts and access to I-84
Streetcar Transition at E Burnside Street	Traffic impacts and operations at the intersections with E Burnside at MLK Jr. Boulevard and Grand Avenue.
Morrison MOS Terminus	Traffic operations and impacts at the streetcar terminus at the SE Morrison Street and SE Grand Avenue intersection
Bike Lanes	Identifying the best location for the bike lanes that would be relocated from SE 7 th Avenue
SE Grand Avenue	Identify the best cross section for two-way Grand Avenue in regards to pedestrians, bicycles, traffic and streetcar
Transitions at the South End	Identify if Stephens Street could carry the potential traffic demand that is destined through the corridor and traffic impacts on SE MLK Jr. Boulevard were the streetcar crosses to access OMSI
Traffic Analysis	Traffic impacts are unknown at this time and further traffic analysis would need to be conducted

Financial Feasibility

Assessing financial feasibility at the Alternatives Analysis phase of project development is a matter of comparing capital, operating and maintenance costs against proposed revenue sources. Funding sources generally solidify as a project moves through the project development process. In this section, proposed costs and revenues are presented and potential shortages and surpluses identified.

Capital cost estimates are provided in 2005 dollars and inflated to year of expenditure (YOE) in Table S-7. The construction is assumed to be conducted from September 2007 to September 2009. Construction inflation has been assumed to be 5% per year through 2008. The cost estimates are based on a build-up of FTA cost categories and appropriate contingencies and are presented below.

**Table S-7
Capital Costs**

Project Alternative	(\$2005 dollars)	(\$ YOE dollars)
Oregon MOS	\$84,000,000	\$100,506,000
Morrison MOS (MLK-Grand	\$105,000,000	\$125,632,000
Morrison MOS (Two Way Grand)	\$119,000,000	\$142,380,000
OMSI MOS (MLK-Grand)	\$142,000,000	\$169,905,000
OMSI (Two-Way Grand)	\$156,000,000	\$186,653,000
Full Loop	\$153,000,000	\$187,026,000
Full Loop (2-Way Grand)	\$167,000,000	\$203,774,000

Source: URS, Portland Streetcar Inc, April 2006

Capital Funding Sources

Potential federal and local sources for capital funding have been identified. At this phase of project development the funding sources are general strategies to be pursued with actual funding commitments anticipated prior to a request for FTA funding. There are variations in the amount available by funding source and these assumptions are outlined below. The FTA Small Starts share controls a considerable part of the proposed funding as it is assumed that the project can receive a 60% federal share up to the maximum of \$75 million allowed under the program. The total project cost cannot exceed \$250 million under the FTA Small Starts program, which is not an issue for this project. Table S-8 present the complete capital funding plan.

**Table S-8
Proposed Capital Funding Plan**

	Oregon MOS	Morrison MOS MLK-Grand	Morrison MOS 2 Way Grand	OMSI MOS MLK-Grand	OMSI MOS 2 Way Grand	LOOP MLK-Grand	LOOP 2 Way Grand
Construction Costs							
Streetcar to NE Oregon	100,506,000	100,506,000	100,506,000	100,506,000	100,506,000	100,506,000	100,506,000
Oregon to Morrison		25,126,000	25,126,000	25,126,000	25,126,000	25,126,000	25,126,000
Two-Way Grand Cost			16,748,000		16,748,000		16,748,000
Morrison to OMSI				44,273,000	44,273,000	44,273,000	44,273,000
Loop Completion						17,121,000	17,121,000
TOTAL	100,506,000	125,632,000	142,380,000	169,905,000	186,653,000	187,026,000	203,774,000
Total Without Inflation (\$ FY 05)	84,000,000	105,000,000	119,000,000	142,000,000	156,000,000	153,000,000	167,000,000
Funding Sources							
FTA 60% Grant	60,303,600	75,000,000	75,000,000	75,000,000	75,000,000	75,000,000	75,000,000
LID	6,000,000	8,000,000	8,000,000	10,000,000	10,000,000	10,000,000	10,000,000
PDC TIF - multiple districts	20,000,000	25,000,000	25,000,000	30,000,000	30,000,000	35,000,000	35,000,000
Bridge Funds	9,000,000	9,000,000	9,000,000	9,000,000	9,000,000	9,000,000	9,000,000
HUD (committed)	613,590	613,590	613,590	613,590	613,590	613,590	613,590
MTIP (committed)	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
MTIP (SAFETEA-LU)	1,650,000	1,650,000	1,650,000	1,650,000	1,650,000	1,650,000	1,650,000
MTIP (City Request	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
City Funding (TBD)	593,155	4,000,000	4,000,000	4,000,000	4,000,000	4,000,000	4,000,000
TOTAL REVENUE	100,160,345	125,263,590	125,263,590	132,263,590	132,263,590	137,263,590	137,263,590
SURPLUS/(DEFICIT*)	(345,655)	(368,410)	(17,116,410)	(37,641,410)	(54,389,410)	(49,762,410)	(66,510,410)

Source: Portland Streetcar Inc, and URS, May 2006

Note: PDC TIF funds to be determined.

*Any deficits identified would have to be eliminated prior to submittal to FTA by a combination of value engineering and/or identification of additional revenues

Measure: **Assessment of capital funding sources**

Results: *A preliminary inventory of funding sources indicate a potential of \$100-125 million available for total project costs, which would not be sufficient to fund the entire Full Loop at this time. The Oregon MOS and Morrison MOS have listed sources (not fully committed) that could assure the completion of the project. The OMSI MOS and Full Loop require identification of \$35-47 million in additional sources of funding in order to be constructed in a single project phase. Additional revenue would need to be identified if the entire project is to be constructed in one phase.*

Descriptions of proposed revenue sources are presented below.

- **Federal Small Starts: \$75,000,000.** The proposed project anticipates a 60% federal share.
- **Committed Federal: \$4,200,000.** Streetcar has received a \$1 million MTIP commitment of Surface Transportation Program (STP) funds, \$613,000 Housing and Urban Development commitment, and \$2.6 million from SAFETEA-LU.
- **Local Improvement District: \$6,000,000 to \$10,000,000.** A local improvement district similar to the one used for the initial streetcar is proposed with similar rates. LID revenue varies with the length of the project.
- **Bridge Funds: \$9,000,000.** The Broadway Bridge will require a major improvement estimated to cost \$17 million to extend its life. It is proposed that bridge funds be sought to support \$9 million of the construction from other bridge funds available to the region.
- **Portland Development Commission Funding: \$25,000,000-\$35,000,000.** A total contribution ranging between \$25-\$35 million, depending on the alternative, is proposed from the various urban renewal districts benefiting from the project.
- **City of Portland Funding: \$4,000,000 maximum** The balance of the project cost is anticipated to be provided by the City of Portland from various sources including system development charges, one-time-only funding, New Market Tax Credits, and others. A maximum amount is set at \$4 million which represents the limit on ability to secure additional funds to complete the project.

The Oregon MOS and Morrison MOS have listed sources (not fully committed) that could assure the completion of the project. The OMSI MOS and Full Loop require identification of \$35-47 million in additional sources of funding in order to be constructed in a single project phase.

Measure: **Assessment of operating revenue sources**

Results: *Operating revenue commitments have not been made for the Eastside Transit Project. However, funding mechanisms are in place that could potentially generate enough operating revenue to expand the streetcar system. More work will be required between TriMet and the City of Portland to develop a mutually agreeable funding plan, and to identify potential additional funding sources if necessary.*

**Table S-9
Operating and Maintenance Costs (\$ 2005)**

Project Alternative	Operating Cost
Full Loop	\$ 5,262,000
OMSI MOS	\$ 5,325,100
Morrison MOS	\$ 4,928,200
Oregon MOS	\$ 4,642,200

Source: TriMet 2006

The operating and maintenance costs represent a blended cost of streetcar and bus (See Table S-8). This helps to explain the seemingly counter-intuitive result that the OMSI MOS would cost more to operate than the Full Loop. In the OMSI MOS, the piece of the loop connecting OMSI to RiverPlace is provided by a short segment of connecting bus service over the Hawthorne Bridge. In the Full Loop, the streetcar route is more direct over the Caruthers Bridge. In this instance, the difference in cost between the Full Loop and OMSI MOS streetcar segments is offset by the required bus connector in the OMSI MOS.

Operating revenue commitments have not been made for the Eastside Transit Project. City of Portland and TriMet revenue has been used to date for streetcar operations and each is discussed below. Some combination of these sources, and possibly additional sources, will ultimately be used to fund operations for the project. Currently, TriMet provides two-thirds of the streetcar operating revenue with the remaining third provided by the City of Portland. TriMet has proposed a review of the benefits of added streetcar service, potential savings that could be derived and development of a formula for operating cost participation. TriMet is unable to commit to service expansion beyond its current commitments due to the economic situation in the region and the projected payroll tax revenues. The City of Portland has developed a policy of supporting streetcar operations with parking meter revenues generated from the area served. The City is prepared to explore the feasibility of expanding the parking meters to include the area selected for streetcar service in the first construction segment. Contributions to operations from the City of Portland are based upon the increase of parking meters in the Central City.

Cost-Effectiveness

Cost effectiveness provides a measure of how effectively the investment in capital, operating and maintenance funds that would be required for each alternative translates into ridership on the new streetcar line. Table S-10 shows the cost per streetcar rider, new streetcar line only, for each alternative. The cost includes the annualized capital cost of the alternative and the annual operating and maintenance cost. The annual cost, as compared to the No-Build alternative, is compared to the annualized streetcar riders to arrive at cost per streetcar rider.

Measure:	Assessment of cost-effectiveness, comparing ridership and costs
Results:	<i>The Full Loop is the most cost-effective alternative in terms of total annualized capital and operating cost per new streetcar rider, annualized federal cost per new streetcar rider and operating cost per streetcar rider. Cost-effectiveness decreases as the length of the project alternative decreases.</i>

The Full Loop alternative, which has the highest cost, would also have the most riders, resulting in the lowest cost per streetcar rider of \$4.25. The remaining MOS alternatives, with fewer additional new streetcar miles, and therefore lower cost and ridership, show a cost per rider figure commensurate with the length of the new streetcar line; the OMSI MOS cost per rider is \$5.01, Morrison MOS is \$5.80, and the Oregon MOS is \$6.86.

**Table S-10
Cost per Streetcar Rider
Year 2025**

	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Annual Capital + O&M Cost ¹	\$17,177,000	\$16,331,100	\$13,062,200	\$11,095,200
Annual New Streetcar Riders ²	4,044,030	3,260,000	2,252,660	1,616,960
Cost/Streetcar Rider	\$4.25	\$5.01	\$5.80	\$6.86

¹Costs are in 2005 dollars.

²Annualized Streetcar Riders on new streetcar line only.

Table S-11 is similar to the previous table except cost is shown as the federal share (assuming 60% federal share) of the annualized capital cost of each alternative. Operating and maintenance cost are excluded because the federal government does not pay any portion of the operating or maintenance cost.

The Full Loop alternative results in the lowest federal cost per streetcar rider at \$1.77 per rider. The remaining MOS alternative's, show an increasing federal cost per streetcar rider commensurate with the length and ridership of the new streetcar line. Specifically, the OMSI MOS federal cost per rider is \$2.03, Morrison MOS is \$2.17, and the Oregon MOS is \$2.39.

**Table S-11
Federal Cost per Streetcar Rider
Year 2025**

Federal Share (60%) CEI

	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Annualized Capital Cost (60% share) ¹	\$7,149,000	\$6,603,000	\$4,880,400	\$3,871,800
Annual New Streetcar Riders ²	4,044,030	3,260,000	2,252,660	1,616,960
Federal Cost/Streetcar Rider	\$1.77	\$2.03	\$2.17	\$2.39

¹Federal Costs are in 2005 dollars and assume 60% maximum federal share.

²Annualized Streetcar Riders on new streetcar line only.

**Table S-12
Operating Cost per Streetcar Rider
Year 2025**

Operating Cost/New Streetcar Rider

	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Annual O&M Cost ¹	\$5,262,000	\$5,325,100	\$4,928,200	\$4,642,200
Annual New Streetcar Riders ²	4,044,030	3,260,000	2,252,660	1,616,960
O&M Cost/New Streetcar Rider	\$1.30	\$1.63	\$2.19	\$2.87

¹Costs are in 2005 dollars.

²Annualized Streetcar Riders on new streetcar line only.

Table S-12 shows operating cost per streetcar rider, new streetcar line only, for each alternative. The Full Loop alternative would have the lowest operating cost per streetcar rider at \$1.30 per rider. The remaining MOS alternatives show increasing operating cost per rider as ridership declines with each successive shorter streetcar alternative.

Decision Making

The outcome of the Eastside Transit Alternatives Analysis will be the adoption of a locally preferred alternative. The LPA will specify the mode, alignment, and termini of the transit project and may also set forth a phasing strategy for the project if a minimum operable segment (MOS) is chosen. The project's decision-making structure is shown in Figure S-16.


Public involvement and comment has taken place since 2005 and will continue through the LPA process. The LPA recommendation will be generated by jurisdiction senior staff that serve on the Project Management Group (PMG). The citizen committee for the project, the Eastside Project Advisory Committee (EPAC) will also generate a recommendation. The Steering Committee, which is composed of elected officials and executive staff of Metro, TriMet, the Oregon Department of Transportation (ODOT), the Cities of Portland and Lake Oswego, and Multnomah and Clackamas Counties will review the PMG and EPAC recommendations as well as public comment and will issue a LPA recommendation. The Portland City Council, Multnomah County Commission, TriMet Board and Portland Streetcar Board will make recommendations to the Metro Council either supporting or amending the Steering Committee Recommendation. The region's MPO body, the Joint Policy Advisory Committee on Transportation will make a LPA decision recommendation to the Metro Council. The Metro Council will then make the final LPA decision. It should be noted that the Steering Committee oversees both the Eastside Transit Alternatives Analysis and the Portland to Lake Oswego Transit and Trail Alternatives Analysis.

Figure S-16
Eastside Transit Alternatives Analysis Decision Process





METRO



Eastside Transit Alternatives Analysis

Evaluation Report

May 2006



METRO


TRI  MET



U.S. Department
of Transportation
Federal Transit Administration
Federal Highway Administration

Downtown Portland to the Eastside

TRANSIT ALTERNATIVES ANALYSIS



Metro Council

President

David Bragdon

Deputy President

Carl Hosticka

District 3

Rod Park

District 1

Brian Newman

District 2

Susan McLain

District 4

Rex Burkholder

District 5

Robert Liberty

District 6

Metro protects open space and parks, plans for land use and transportation, and manages garbage disposal and recycling for 1.3 million residents in three counties and 25 cities in the Portland, Oregon, region.



METRO
PEOPLE PLACES • OPEN SPACES

Metro Council

www.metro-region.org

(503) 797-1700

Transit Alternatives Analysis Steering Committee

Rex Burkholder, Co-Chair

Councilor, Metro

Brian Newman, Co-Chair

Councilor, Metro

Sam Adams

Commissioner, City of Portland

Hank Ashforth

Chair, Eastside Transit Alternatives Advisory Committee

Judie Hammerstad

Mayor, City of Lake Oswego

Fred Hansen

General Manager, TriMet

David Jorling

Chair, Lake Oswego to Portland Transit AA PAC

Bill Kennemer

Chair, Clackamas County Board of Commissioners

Michael Powell

Vice-Chair, Board of Directors, Portland Streetcar, Inc.

Maria Rojo de Steffey

Commissioner, Multnomah County Board of Commissioners

Charlie Sciscione

Deputy Manager, Region 1, Oregon Department of Transportation

Eastside Transit Alternatives Policy Advisory Committee

Hank Ashforth, Chair

Eastside Transit Alternatives Advisory Committee

Richard Parker, Vice-Chair

United Finance

Joe Angel

Pacific Star, Inc.

Brian Bennett

Opus, Northwest, LLC.

Roberta Blau

PacifiCorp

Jeffrey Blosser

Oregon Convention Center

Mike Bolliger

Bolliger and Sons, Inc.

Dick Cooley

Cooley Partners

Vicky Diede

City of Portland, Office of Transportation

Kathie Eastman

Congressman Blumenauer's Office

Steve Fosler

Fosler Portland Architecture, LLC.

J.E. Isaac

Portland Trailblazers

Wayne Kingsley

Central Eastside Industrial Council

Susan Lindsay

Buckman Neighborhood Association

Tom Markgraf

Markgraf & Associates

Rod McDowell

Oregon Museum of Science and Industry

Bill Medak

Kaiser Permanente

Tom Miller

Chief of Staff, Commissioner Sam Adams

Susan Pearce

Hosford-Abernathy Neighborhood Development

Brad Perkins

Perkins Development Realty

Michael Powell

Vice-Chair, Board of Directors, Portland Streetcar, Inc.

Owen Ronchelli

Lloyd Transportation Management Association

Chris Smith

Chair, Portland Streetcar Citizens Advisory Committee

Dee Walsh

REACH Community Development, Inc.

Joe Zehnder

City of Portland, Bureau of Planning

Rick Gustafson, Staff

Portland Streetcar, Inc.

Transit Alternatives Analysis Project Management Group

Richard Brandman, Chair

Metro

Ed Abrahamson

Multnomah County

Vicky Diede

City of Portland, Office of Transportation

Ralph Drewfs

Oregon Department of Transportation

Rick Gustafson

Portland Streetcar, Inc.

Jane Heisler

City of Lake Oswego

Stephen Iwata

City of Portland, Office of Transportation

Neil McFarlane

TriMet

Cherie McGinnis

Clackamas County

Transit Alternatives Analysis Technical Advisory Committee

Ross Roberts, Chair

April Bertelsen	Metro
Irene Bowers	City of Portland, Office of Transportation
Vicky Diede	Portland Development Commission
Ralph Drewfs	City of Portland, Office of Transportation
Peter Fry	Oregon Department of Transportation
Roger Geller	Portland Streetcar, Inc.
Nancy Gronowski	City of Portland, Office of Transportation
Rick Gustafson	City of Portland, Bureau of Parks and Recreation
Jane Heisler	Portland Streetcar, Inc.
Matt Larson	City of Lake Oswego
Alan Lehto	Multnomah County
Douglas McCollum	TriMet
Cherie McGinnis	City of Portland, Office of Transportation
Denyse McGriff	Clackamas County
Art Pearce	Portland Development Commission
David Unsworth	City of Portland, Office of Transportation
	TriMet

Eastside Transit Alternatives Analysis Evaluation Report Contributors

Richard Brandman, Deputy Director	Metro
Ross Roberts, Manager	Metro
Nathaniel Brown	Metro
Jennifer John	Metro
Randy Parker	Metro
Jamie Snook	Metro
Bill Stein	Metro
Mark Turpel	Metro
Karen Withrow	Metro

Eastside Transit Alternatives Analysis Supporting Document Contributors

David Evans and Associates, Inc.
Portland Streetcar, Inc.
URS Corporation

Eastside Transit Alternatives Analysis Evaluation Report

Table of Contents


State, Regional and Central City Locator Maps

	Page
Executive Summary.....	i
 Chapter 1. Background	
Purpose.....	1-1
Context.....	1-1
Eastside.....	1-1
Westside.....	1-4
Eastside and Westside - Central City.....	1-5
Problem Definition.....	1-5
Problem (and Opportunity) Statement.....	1-7
Goals and Objectives.....	1-10
Environmental Issues and Considerations.....	1-12
Public Involvement.....	1-12
Process for Decision-Making.....	1-13
 Chapter 2. Description of the Alternatives	
Introduction	2-1
No-Build Alternative.....	2-1
Streetcar Alternative.....	2-5
Full Loop.....	2-6
OMSI MOS.....	2-8
Morrison Street MOS.....	2-10
Oregon Street MOS.....	2-12
Summary of Streetcar Alternative and Minimum Operable Segments.....	2-13
Streetcar/Bus Alternatives Previously Considered.....	2-16
 Chapter 3. Evaluation	
Introduction.....	3-1
Transportation.....	3-2
Land Use Measures.....	3-17
Economic Development Measures.....	3-37
Financial Feasibility.....	3-67
Cost-Effectiveness.....	3-71
 Chapter 4. Design Considerations	
Introduction.....	4-1
Traffic Issues.....	4-1
Design Considerations.....	4-7
Two Way Grand Design Option.....	4-12
 Chapter 5. Environmental and Social, Neighborhood and Community Impacts	
Introduction.....	5-1
Potential Environmental Consequences.....	5-1
NEPA and Proposed Documented Categorical Exclusion.....	5-1
 Appendix	


State Locator



Regional Locator



Central City Locator



Chapter 1. Background

Purpose

The purpose of the Eastside Transit Alternatives Analysis is to develop, evaluate and select a transit alternative that is responsive to the community needs and the travel demand in the downtown area and benefits the economic development and land uses of the area consistent with the Federal Transit Administration's (FTA) newly approved Small Starts program and the National Environmental Policy Act. This Evaluation Report provides an appraisal of alternatives that could extend existing transit service from the west side of Portland's Central City to the Eastside, providing a transit circulator.

Context

For many years the City of Portland has exerted substantial efforts to revitalize a downtown that in the 1970's was threatened by the urban crisis of dis-investment and flight that most US cities faced and with which some still struggle. A "population strategy" starting with Portland's 1972 *Downtown Plan* was created that "...emphasized public transportation, neighborhood revitalization and downtown reinvestment". More recent City plans have called for a transit circulator to provide for Central City circulation and access. In addition, plans have been adopted and implemented at region and state levels consistent with and supportive of the goal of downtown Portland revitalization. All land use and transportation policies relevant to Central City transportation, land use and economic development are documented in Chapter 3 in the land use section. Recognizing the potential transportation and economic development benefits, the 2003 Portland City Council proposed that a locally funded streetcar be extended to the Eastside with FTA assistance, an alternatives analysis, consistent with FTA requirements, was initiated to assess the feasibility of a transit circulator serving the whole Central City, including the Eastside. This report is the evaluation of alternatives.

Eastside

The Eastside, as defined in this report, is comprised of two districts - Lloyd and Central Eastside - and is the home of a variety of uses and activity centers including the Oregon Museum of Science and Industry (OMSI), the Rose Garden Arena, Memorial Coliseum, Oregon Convention Center, the Lloyd Center Mall, eight hotels, several office towers, a cluster of home improvement retailers, Portland Community College Workforce Training Center, Eastbank Esplanade, support businesses serving the Central City and government offices including: Bonneville Power Administration, State, Multnomah County, TriMet and Metro.

Figure 1-1
Looking south upon the Eastside



[from the north end of the Lloyd District (approximately Broadway) with Rose Garden and Oregon Convention Center mid- photo and the Central Eastside District in the background].

Figures 1-1, 1-2, 1-3 and 1-4 illustrate the urban environment of the Eastside Project area.


Figure 1-2
Lloyd District Plan Overview



[Looking northeast from above the Willamette River]
Source: Portland Development Commission


Despite the existing vibrant urban uses, the Eastside is an area also in need of revitalization. Much of the Eastside is included within one of two urban renewal areas. Many of the public and private plans for revitalization and redevelopment of the Eastside are looking to an extension of the existing streetcar to and through the area in a loop, providing an economic development spark as it did in the Pearl District, though recognizing the unique characteristics and opportunities of the Eastside and completing a transit circulator connecting the east and west sides of the Central City.

Figure 1-3
Lloyd District Plan



Source: Portland Development Commission

Figure 1-4
Eastside Urban Renewal Area and Projects



Westside

Across the Willamette River lies the west side of the Central City. The Pearl, Old Town districts included in the boundaries of the Central City Plan as well as the Northwest District, a high-density district adjacent to the Central City.

The Westside also includes many uses, activity centers and cultural resources such as the Park Blocks, Waterfront Park, 18 hotels, Central Library, Pioneer Courthouse Square, Portland Art Museum, Portland Center for the Performing Arts, Newmark Theater, Keller Auditorium, Oregon Historical Society, many art galleries as associated with the Downtown Art Gallery Association, the Northwest Film Center, and PGE Park. Cultural attractions also include eight historic places of worship.


Also within the downtown are Portland State University with over 22,000 students and Lincoln High School with 1,400 students. Government offices include federal and county courthouses and City Hall.

Figure 1-5
Looking North to Portland Downtown along Willamette River.



[Eastside to right and off photo. Vacant lands in foreground now under construction.]

Figure 1-6
Portland City Center - Attractions and Facilities



Source: Portland Oregon Visitors Association

Eastside and Westside - Central City

Together, Portland's Central City - Eastside and Westside - is the region's premier mixed use center, serving as a cultural, employment, high density housing center upon which the transit system is centered. The Central City is comprised of eight districts as shown on Figure 1-7¹. As the downtown is bounded by the West Hills to the west and south, over time downtown growth extended across the Willamette River, creating the Central City. Between 1980 and 2000, office space in the Central City increased from about 5.2 million square feet to over 14 million - up 174 percent. During this period Central City employment increased from about 89,000 to 121,000. From 1995 to 2005, there were 6,379 new homes built in the Pearl and Old Town districts - 97 per cent of the City's 2020 target for these districts.

The Central City is anticipated to accommodate significant amounts of employment and household growth in the next 20 years based on the region's long range land use plan, Metro's 2040 Growth Concept, as well as City of Portland plans. The location of new growth is important as households in the Central City generate fewer auto trips, fewer vehicle miles traveled, and more transit and walk trips compared to locations without transit friendly conditions. These travel characteristics are important as they advance the region's adopted goals for balanced transportation, compact land use, clean air, energy efficiency and conserved environment (natural, farm and forest).

The Willamette River forms a natural constraint to travel to and from the Central City districts. There are six arterial bridges that link the west and east sides of the Central City. Existing travel demand has strained these bridges. Improvements in the 2004 Regional Transportation Plan's financially constrained system will not increase the bridges' capacity. A locally funded streetcar currently serves the Northwest, Pearl, Old Town, Downtown, University districts and will soon serve the northern portion of the South Waterfront District.


Problem Definition

As significant additional new roadway capacity is not anticipated due to the high capital and social costs that come with the construction of new highways or arterials in the downtown area, additional capacity and mobility is proposed to be addressed by increasing transit capacity and facilitating bicycle and pedestrian trips in the downtown area. A locally funded streetcar now serves the western portion of the Central City and, since the commitment to build it in 1997, substantial economic development in the form of mixed use, multi-story residential, retail commercial, office and other uses have been built. Specifically, from 1997 to 2005, over \$2.28 billion has been invested within three blocks of the streetcar line, representing building permits for over 7,200 residential units and 4.6 million square feet of commercial uses (source: Portland Streetcar Inc, 2006). Further, over half (55 percent) of all new development within the City's core has been constructed within one block of the streetcar line (Source: E.D Hovee, 2005). While not the only catalyst for economic development in the Central City, the streetcar has proved a potent tool.

Based on its economic development performance and desire to better knit together the Central City with improved transit, many business owners, civic leaders and others have advocated a streetcar loop around the Central City. This transit project would connect the various districts within the central city and spur economic development - all while reducing pressure to expand the urban growth boundary, reducing the growth of vehicle miles traveled and the cost of expanding urban services.

¹ The City of Portland has designated geographic districts within the Central City. In this report, transportation analysis zones boundaries used for travel forecasting follow as closely as possible each of the City's district's, but are not exactly the same as the City Plan districts.

Figure 1-7
Central City Districts
(as defined by transportation analysis zones)



Problem (and Opportunity) Statement

The Portland Central City is comprised of eight districts in which the number of households are expected to increase by 55 percent between 2005 and 2025 (12,892 new households - without taking into consideration likely and substantial additional increases that would be induced by some types of transit improvements). Employment is forecast to increase by 35 percent (an additional 72,411 jobs - again, without considering further economic inducements likely to be created by some transit improvements).

**Table 1-1
Central City - Forecast Household and Employment Increase 2005 to 2025**

Central City District	2005		2025		Household Percent Change	Employment Percent Change
	Households	Employment	Households	Employment		
Lloyd District	907	20,045	2,000	33,925	121%	69%
Central Eastside	3,155	18,764	4,000	26,379	27%	41%
South Waterfront*	266	6,359	3,000	13,000	1,028%	104%
Downtown	5,550	109,656	7,900	138,500	42%	26%
University District	2,093	12,710	2,400	17,762	15%	40%
Northwest	6,276	21,069	6,612	23,415	5%	11%
Old Town	1,622	5,904	2,700	11,636	66%	97%
Pearl District	3,752	13,359	7,900	15,661	111%	17%
Total	23,620	207,867	36,512	280,278	55%	35%

Source: Metro, 2006 * Approximately 1,000 housing units are under construction today with occupancy slated for Fall 2006.

Many believe that the locally funded streetcar approved in 1997 and first opened in 2001 has been a catalyst for private development - much more than rubber-tired transit. For example, from 1997 to 2005, over \$2.28 billion has been invested within two blocks of the streetcar line, representing over 7,200 new residential units and 4.6 million square feet of additional commercial space. Further, over half (55 percent) of all new development within the City's core has been constructed within one block of the streetcar line. In comparison, prior to 1997, land located within one block of the streetcar alignment totaled 19 percent of all development. Prior to 1997, land located within one block of the streetcar alignment captured 19 percent of all development. Central City districts, in addition to providing jobs and housing, also include cultural, entertainment, higher educational institutions and are important destinations. Many in the local business, civic, higher education and government sectors believe that a loop streetcar will tie together the Central City districts into a cohesive core and spark substantial additional growth in housing and jobs beyond the current forecast.

Adding transit circulation capacity acknowledges that the existing transportation picture is constrained. Looking at traffic volumes from 1980 to the year 2000, substantial increases have occurred.

**Table 1-2
Central City Historic All Day Traffic Volumes**

Location	1980	1990	2000	Percent change 1980 to 2000
Grand Ave at Multnomah	12,000	17,100	22,900	91%
MLK at Multnomah	15,000	18,700	22,400	49%
Hawthorne Bridge	23,562	26,154	36,249	54%
Morrison Bridge	43,092	49,000	54,950	28%
Burnside Bridge	37,879	37,426	43,113	14%

Source: Metro 2006

Key to connecting the Central City districts are the bridges that link each side of the Willamette River. In 2005, five of the six arterial bridges had volume-to-capacity (v/c) ratios greater than one - they are at capacity at peak hour and the congestion extends into a second hours of congestion. Further, volume-to-capacity ratios are forecast to get worse over time - even with the improvements included in the Financially Constrained System of the 2004 Regional Transportation Plan (with a horizon year of 2025).

**Table 1-3
Arterial Bridge Capacity 2005 and 2025**

Arterial Bridge Connecting East and West sides of Central City	2005 Eastbound PM Peak Hour Volume-to- Capacity Ratio	2025 Eastbound PM Peak Hour Volume-to-Capacity Ratio
Broadway Bridge	1.46	1.54
Steel Bridge	1.31	1.33
Burnside Bridge	1.15	1.15
Morrison Bridge	0.94	1.31
Hawthorne Bridge	1.24	1.29
Ross Island Bridge	1.31	1.34

Source: Metro 2006

**Figure 1-8
Central City Bridges**



Looking west from the Eastside with three bridges, Steel, Burnside and Morrison bridges in the background

Source: PDC

While the number of lanes on these bridges is not planned to be increased, and therefore the number of vehicles that may cross them in the peak hour is limited and at capacity, it may be possible to increase the number of people that cross the bridges by improving transit and increasing the capacity of vehicles crossing the bridges.

Regional and local land use plans and goals encourage the accommodation of growth by increasing jobs and housing in mixed use centers - such as the Central City. Analysis indicates that in such mixed use areas, vehicle miles traveled are less and more environmentally friendly travel modes, including transit, command a much larger share of total trips. The table below demonstrates that in the Portland region, areas that are walkable and have good transit and the right mix of uses can have a much higher transit mode share. The Eastside Transit Alternatives Analysis intends to assess whether additional transit could help address the desire to improve circulation within the Central City, especially the Eastside.

Table 1-4
Transportation Mode Share by Transit and Land Use Characteristics

Land Use Type	Mode Share					Vehicle Miles per capita	Auto ownership per household
	% Auto	% Walk	% Transit	% Bike	% Other		
Good Transit/Mixed Use	58.1%	27.0%	11.5%	1.9%	1.5%	9.80	0.93
Good Transit Only	74.4%	15.2%	7.9%	1.4%	1.1%	13.28	1.50
Remainder of Multnomah County	81.5%	9.7%	3.5%	1.6%	3.7%	17.34	1.74
Remainder of Region	87.3%	6.1%	1.2%	0.8%	4.6%	21.79	1.93

Source: Metro 1994 Travel Behavior, 2-Jul-97

Accordingly, the Eastside Transit Problem Statement is:

How can the transportation needs of the residents, workers and visitors located within or traveling to or within the Central City be improved?

Further, proposed FTA Small Start guidance states that:

"Together, the evaluation measures and the narrative case for the project might consider: the nature of the problem/opportunity - because meritorious transit projects emerge from efforts to solve transportation problems and ...support economic development."

That is, the most current (draft) FTA guidance suggests that Small Start projects might consider economic opportunities that could be created as well as how best to address transportation problems. The Eastside Transit Project is proposed as both a transit solution and as a tool to support economic development.

This Eastside economic development opportunity may be stated as:

How much additional economic development can be achieved by providing transit improvements in the Eastside of the Central City?

Figure 1-10
Lower East Burnside Redevelopment Plan



Source: PDC

Goals and Objectives

The purpose of the Eastside Transit Project is to develop a project that garners a high level of public acceptance and community support. The following have been developed with the Eastside Policy Advisory Committee and Steering Committee and have received public review. The goals may be summarized as a project that will:

- Reduce reliance on the auto for trips to, from and within the Central City.
- Improve Central City transit circulation, capacity, connectivity and local access that facilitates economic development and promotes the vitality of the Central City, and
- Support existing and future streetcar and light rail investments in the region by expanding the system and increasing ridership in a cost-effective manner.
- Support economic development.
- Support community goals and has strong public acceptance.

The full text of the goals and objectives is as follows:

A. Reduce Reliance On Single-Occupant Vehicle Trips To and Within the Central City.

- By providing transit access between jobs and housing in the Central City, increase transit ridership and reduce growth in demand on regional road and highway facilities characteristic of suburban to Central City auto commute patterns that would occur otherwise. (Also referred to as the "trip not taken").
- Support continued and on-going growth in the 2040 Centers that encourages mixed used development in the Downtown, Pearl District, South Waterfront, Lloyd District and Central Eastside areas of the Central City that encourages pedestrian and transit trips and reduces reliance on automobile trips.
- Provide Central City transit investments that facilitate business and residential location decisions that result in an overall increase in transit trips compared to what would occur without improved transit access and mixed-use development in the Central City.

B. Improve Central City Transit Access and Circulation

- Improve transit access and circulation within the Central City by extending the rail transit system to connect destinations on the line such as the Downtown core, North Macadam, RiverPlace, the Pearl and River Districts with the Central Eastside and adjacent inner SE Portland neighborhoods, the Lloyd District and Rose Quarter.
- Serve important visitor destinations including Downtown, Rose Garden, Coliseum, Oregon Convention Center, Lloyd Mall and OMSI with a clearly identifiable fixed-route transit service.
- Link lodging opportunities in Downtown Portland with visitor destinations in the Lloyd District, Rose Quarter and Central Eastside.
- Provide possible alternatives to light rail on the Steel Bridge by adding rail crossings of the Willamette River via the Broadway Bridge to the north and eventually to a proposed new light rail bridge (Caruthers) to the south or to the Hawthorne Bridge.

- Improve north/south transit connectivity and capacity through the Central Eastside without having to travel into and out of Downtown.
- Provide increased transfer opportunities and strengthen the eastside transit grid.
- Provide better, more reliable and more identifiable transit service to residents, workers, and visitors to, from and within the central city area.

C. Support Existing and Future Transit Investments.

- Maximize the utility of existing streetcar and light rail investments by continuing to incrementally expand the system in a cost-effective manner.
- Provide future capacity to complement the Milwaukie LRT line.
- Improve direct access from the southeast part of the region through the Central Eastside to Rose Quarter, north Portland and eventually Vancouver via connections with the Interstate MAX Yellow Line.
- Serve as a “crosstown” transit line that complements the eastside transit grid.

D. Support Economic Development

- Provide economic and transportation benefits to residents, public institutions and businesses.
- Facilitate economic development in the Central Eastside, Rose Quarter and Lloyd District.
- Provide fixed public infrastructure as an anchor for new development and redevelopment.
- Leverage publicly funded transportation infrastructure improvements to spur development at higher intensity that would otherwise occur.
- Provide alternatives to auto access and reduce private development costs by reducing the demand for parking.
- Provide a transit link that would support the regional tourism industry by connecting areas currently served by the streetcar including the Downtown core, RiverPlace, PSU, the west end cultural district, the Pearl District and River District with regional destinations including the Convention Center, Rose Garden arena, Memorial Coliseum, Lloyd District, the MLK/Grand shopping and home improvement retail district, PCC and OMSI.
- Provide a strong transportation presence for future investment in the eastside area and along the existing streetcar line including the proposed Burnside bridgehead redevelopment, Lloyd District redevelopment, and continuing development in the Pearl and River Districts as well as future extensions south from RiverPlace through the North Macadam residential and employment redevelopment area including a new OHSU campus currently under construction.

D. Supports community goals and has strong public acceptance

- Alternatives should be supportive of community needs and should have strong public support.

Environmental Issues and Considerations

One important consideration with any project seeking federal transportation funding is meeting the requirements of the National Environmental Policy Act (NEPA). The transit circulator is proposed to be located wholly within existing public right-of-way along the alignment (the Full Loop would utilize a new LRT bridge, but is not included in this consideration.) It is therefore not anticipated that issues of real property acquisition, residential or business displacement or most of the possible adverse environmental impacts would be associated with a Central City circulator. (However, the Two Way Grand could involve some land acquisition associated with some turns and will likely involve more environmental analysis.) A documented Categorical Exclusion may be appropriate for the selected project, particularly if no acquisition is involved. Regardless of the acquisition issue, there are some environmental issues that will likely need further documentation, including how any in-water activity associated with improvements to the Broadway Bridge would be addressed to eliminate or greatly reduce any potential adverse impacts to the Willamette River. Further, traffic, parking and loading space analyses and historic resource assessments may be needed to complete environmental assessment of the proposed project. These considerations will be provided as part of a separate proposed Categorical Exclusion document.

It should be noted that initial consideration of transit improvements on the Eastside, specifically, extension of the existing locally funded Portland Streetcar was completed in a City of Portland process culminating in the Eastside Streetcar Alignment Study adopted by the Portland City Council June 25, 2003. However, after further consideration of the proposed project and the Federal Transit Administration's Small Starts program, it was concluded that such federal funding support should be sought. Accordingly, this required that an alternatives analysis, including at least one non-streetcar transit alternative be compared with a streetcar alternative. In addition, the National Environmental Policy Act (NEPA) needed to be addressed. This Evaluation Report summarizes the results of the Alternatives Analysis. A proposed Categorical Exclusion will be prepared separately to address the NEPA regulations.

Public Involvement

Public involvement in the proposed project is vital to ensuring that the project is understood by those it may benefit or adversely affect as well as provide opportunities for comment that could result in project changes and improvements. Regardless of earlier public involvement activities², it is also a required element of an FTA Alternatives Analysis.

In spring 2005, public involvement activities for the Eastside Transit AA began. Between March and August 2005 the following activities were completed:

- A flyer announcing an open house was mailed and distributed to organizations and included the notice in a Portland Development Commission mailing
- An open house was held on April 26, 2005

Between August 2005 and March 2006, the following public involvement activities were conducted:

A real property assessment along each alternative was prepared concerning:

- Drive/walk alignments
- An expanded database and map of property owners/businesses along each alternative

² Two public workshops were held in February and April of 2003 by the City of Portland. Over 1,400 flyers were sent to interested parties and about 110 members of the public attended one or both workshops. In addition, presentations were made to neighborhood organizations, and testimony taken before the City Council June 2003.

Stakeholder meetings

- Neighborhood and business associations were contacted concerning fall presentations
- Interviews were scheduled with property owners/key employment generators along corridor

Policy Advisory Committee (PAC) activities included:

- Inviting Burnside Bridgehead project partners, OPUS NW, to participate in Eastside PAC
- Developing and presenting a draft Eastside Transit AA Public Involvement Plan
- Presenting traffic and impact observations
- Planning a PAC tour of proposed alignments


Informational Materials:

- The Web site was updated to provide the most recent project information
- Illustration of the MLK/ Grand Minimum Operable Segments was completed

Process for Decision-Making

There are several steps in the decision-making process to select a Locally Preferred Alternative (LPA) for the Eastside Transit Alternatives Analysis. These include review of this evaluation report by the Technical Advisory Committee (technical staff), the Project Management Group (senior staff), the Eastside Policy Advisory Committee (citizen committee comprised of business, community, property owner and neighborhood representatives). Once the Evaluation Report is adopted, each of these committees, in the same order, will formulate recommendations that will be considered by the Eastside Transit AA Steering Committee (elected officials and TriMet General Manager). The Steering Committee recommendation will be forwarded to the Portland Development Commission, the City of Portland Planning Commission, then to the Portland City Council, the TriMet Board of Directors, the Multnomah County Commission, the Portland Streetcar, Inc. Board. Each of these public bodies will be requested to consider a resolution in support of the Steering Committee recommendation. After these supporting resolutions are approved, the Steering Committee recommendations will then be forwarded, after technical review by the Transportation Policy Advisory Committee to the Joint Policy Advisory Committee on Transportation (JPACT) and then the JPACT recommendation, in the form of a draft resolution, will be forwarded to the Metro Council for approval. The public will have the opportunity to provide testimony at all of these decision points.

Figure 1-11
Eastside Transit Alternatives Analysis Decision Process



Chapter 2. Description of the Alternatives

Introduction

This chapter describes detailed transit alternative characteristics such as improvements, transit service frequency, location of stops, the inter-connecting transit network and other transit features. These characteristics apply to an alignment on the Eastside in the Lloyd District along Broadway and Weidler as far as 7th Avenue and then into the Central Eastside along MLK and Grand Avenues. Alternatives include the No Build/Baseline (referred to as the No-Build Alternative from here on) alternative and a streetcar alternative including a full loop, and minimum operating segments - Oregon Street, Morrison Street and Oregon Museum of Science and Industry (OMSI). In addition, a Two-Way Grand Avenue alignment is included as a design option to the MLK/Grand alignment.

The No-Build fulfills the role of a Small Starts baseline as it includes incremental service increases in the corridor and serves the same downtown circulation travel market as the Streetcar Alternative. The No-Build provides bus service between RiverPlace, OMSI (via the Hawthorne Bridge), the Central Eastside and Lloyd Districts, connecting to downtown via frequent light rail and bus service at the Rose Quarter Transit Center.

No-Build Alternative

The No-Build Alternative is essential to compare the benefits and cost of various alternatives and existing conditions. The Federal Transit Administration requires a comparison between potential alternatives and a No-Build Alternative. The No-Build Alternative is based on the adopted Regional Transportation Plan (RTP) Financially Constrained 20-year set of highway and transit improvements. The 2025 highway and transit networks include highway and transit improvements that are achievable within “financially constrained” revenue sources. The networks have been developed consistent with the Regional Framework Plan and RTP policies. The 2025 Financially Constrained RTP network is acknowledged by the USDOT as meeting federal air quality conformity standards.

The 2025 Financially Constrained highway network includes a number of highway improvements throughout the region. The 2025 Financially Constrained transit network represents an incremental increase in transit service throughout the region, consistent with existing revenue sources. The bus route structure is the same as the existing system with some increase in frequency as needed to serve demand.

The average annual increase in TriMet service hours available for the Financially Constrained network is approximately 1.5 percent per year. This 1.5 percent annual growth in service hours is intended to address peak overloads and to maintain schedule reliability. The growth in service is allocated throughout the TriMet service area and also includes improved headways and a limited number of new routes. The Financially Constrained network also includes planned transit improvements such as the I-205/Portland Mall Project, South Corridor Phase II Milwaukie Light Rail Project and Washington County Commuter Rail Project.

**Figure 2-1
No Build (Bus) Alternative.**



Source: TriMet

No-Build Roadway Improvements

The No-Build Alternative includes the highway improvements in the corridor that would be built as part of the RTP Financially Constrained network. The RTP identifies two key changes to the transportation network: improvements to I-5 and the Broadway/Weidler/Blazer Arena and Rose Garden Area connection and new ramp connections between I-5 North and McLoughlin Boulevard south. No additional roadway improvements are anticipated above the level included in the RTP Financially Constrained network.

No-Build Transit Network

The intent of the No-Build Alternative is to provide a basis for comparison with the Streetcar Alternative. Accordingly, the No-Build Alternative service level would be equal to the service as proposed for the Streetcar Alternative. To provide an Eastside circulation function and connection to the downtown, the No Build route (Line 83-Martin Luther King (MLK) Boulevard) would start at the RiverPlace streetcar station and would cross the Hawthorne Bridge via SW River Parkway to SW Harbor Way to Naito Parkway to the Hawthorne Bridge. On the west side of the Bridge the line would use the SE Water Avenue ramps to OMSI and then from OMSI to SE Clay Street to SE Grand Avenue. The Route 83 terminates at the Rose Quarter and does not complete the full Central City loop, as numerous bus lines and LRT serve to connect the north end of the route to Downtown.

The Line 83-MLK Boulevard would provide service to OMSI, Portland Community College and Station “L”, SE MLK Boulevard and Grand Avenue, the eastside development area, the Burnside Bridgehead Redevelopment, the Convention Center, and the Lloyd District.

As shown in Figure 2-2 the No-Build transit network would have ample transfer opportunities at the Rose Quarter Transit Center to transfer to 9 bus lines and four MAX lines to get to downtown and the Pearl. The No-Build would consist of transit service along the same route as the build alternative with numerous connections to bus and light rail service to downtown (See Figure 2-4 on page 2-4).

Transit Frequency and Stops

The No-Build Alternative would have similar service and coverage as the build alternatives. The No-Build Alternative would operate as a frequent bus with headways of 10 minutes during the peak and 15 minutes during the off-peak periods. Bus stops would be located approximately every 3 to 4 blocks throughout the corridor, similar to today.


Transit Station Improvements

The No-Build Alternative does not include any transit station related capital improvements.

Transit Vehicle Definition


The proposed vehicle would be a low floor hybrid technology bus with a 65-passenger seated and standing capacity.

**Figure 2-2
No-Build Alternative Service Concept**




Source: Metro 2006

Figure 2-3
Existing Central City Bus Routes Map



Source: Metro 2006

Figure 2-4
No-Build (Bus) Alternative



Source: Metro 2006

Streetcar Alternative

Definition of the Streetcar Alternative

The streetcar alternative is defined as the complete streetcar loop, however, in order to address funding concerns, three minimum operable segments (MOS) are described. An alignment design option that would provide two-way (Two-Way Grand Design Option) streetcar service on SE Grand Avenue between E Burnside and SE Stephens is also described. This alternative would build on the design and service characteristics of the existing streetcar that operates from the Northwest district, through the Pearl district, into downtown and turning around in the South Waterfront District.

Transit Network

The streetcar would then operate on a couplet on the eastside with the southbound alignment on NE Seventh Avenue and MLK Jr. Boulevard. The northbound alignment would be located on Grand Avenue. Near OMSI, the alignment would connect to the proposed Caruthers light rail bridge (to be constructed as part of the Milwaukie Light Rail Project) and would connect back to the South Waterfront District via the existing streetcar alignment at SW River Parkway.

In the Central Eastside District, the Two-Way Grand design option would locate both the north and southbound streetcar alignments on SE Grand between E Burnside and SE Stephens Street. This option was developed to evaluate the trade-offs of potentially improving the streetcar/bus transfers at the bridgehead areas and to develop a streetscape more conducive to autos, streetcar, bikes and pedestrians. As part of this design option, Grand Avenue would change from one-way northbound operations to two-way traffic operations. The northbound and southbound streetcar would operate in mixed traffic on Grand Avenue. This design option would leave MLK Boulevard as one-way southbound and operate Streetcar and vehicles two-way on Grand Avenue and operate 7th Avenue as a northbound one-way traffic street that would carry the through traffic. Additional conceptual design work will need to be developed to better understand the trade-offs involved with this design option, should this option be selected to move forward.

Transit Frequency and Stops

Portland Streetcar uses single car trains that are approximately 66 feet long with a 92-person capacity. The covered stops are located approximately every three to four blocks and are equipped with transit tracker type equipment that provides an accurate forecast of the streetcar arrival. Streetcar would operate every 10-minutes during the peak and 15-minutes in off-peak periods.

Transit Vehicle Definition

Portland Streetcar uses single car trains approximately 66 feet long with a 92-person capacity.

**Figure 2-5
Existing Portland Streetcar Mixed Traffic
Operating Environment**



Full Loop Streetcar Alternative

The Full Loop Streetcar Alternative would operate as a loop through the Central City, operating on the existing streetcar alignment through the downtown with a new streetcar alignment connecting the Lloyd and Central Eastside Districts. Figure 2-6 shows the proposed Full Loop Streetcar Alignment.

Streetcar Improvements

As part of the proposed Streetcar alignment, several signal and roadway changes are proposed to successfully integrate Streetcar in mixed traffic. Changes include special signal phases, queue jumps, roadway widening, and striping and lane changes.

From the existing streetcar alignment on NW 10th and 11th Avenues, the streetcar would turn and operate on NW Lovejoy Street and cross the Willamette River via the Broadway Bridge. From the Broadway Bridge the streetcar would operate westbound on NE Broadway Street and eastbound on NE Weidler Street. The streetcar would operate in the left on the NE Broadway/Weidler couplet.

The eastbound streetcar on NE Weidler Street would turn on NE 7th Avenue to travel southbound. Southbound Streetcar would operate on NE 7th Avenue between NE Oregon Street and NE Weidler Street. Streetcar would operate on NE Oregon Street to SE MLK Jr. Boulevard southbound in the right lane to SE Harrison Street.

Northbound Streetcar would operate in the right lane on Grand Avenue between SE Harrison Street and NE Broadway Street. The streetcar would turn from northbound Grand Avenue to westbound NE Broadway Street to the Broadway Bridge.

At SE Harrison Street connection with SE MLK Jr. Boulevard and SE Grand Avenue, the streetcar would connect with a new streetcar only bridge over the Union Pacific Railroad to OMSI. Westbound and eastbound streetcar would connect to RiverPlace via the new Caruthers Bridge (a new light rail bridge proposed for the Milwaukie light rail extension).

Generally, the streetcar would operate in mixed traffic with the general traffic flow. However, there are some instances where streetcar would have transit priority treatments such as a transit only phase at an intersection, transit only lane or a queue jump. Minor roadway improvements are anticipated with the streetcar alternative, including re-striping of lanes or widening to add a turn lane. A number of traffic signals would be added or modified to facilitate efficient signal progression and to allow safe pedestrian access. Additional pedestrian improvements have been identified to improve pedestrian connectivity. As previously mentioned, a new streetcar bridge would be constructed over the Union Pacific Railroad. The *Eastside Transit Alternatives Analysis Streetcar Alternative Alignment Plans*, December 1, 2005 provide more detailed information regarding specific improvements and locations.

Access to the major destinations in the corridor could all be made on the streetcar without transfers. Additionally, the new streetcar service would provide connections to light rail service at the northern and southern end of the circuit and radial lines throughout the corridor.

Figure 2-6
Full Loop Streetcar Alternative



Source: Metro 2006

Streetcar Operations

The streetcar would share the existing streetcar alignment in the downtown between RiverPlace and NW Lovejoy Street. The new streetcar alignment would be constructed on the eastside of the Willamette River with connections to the existing streetcar at RiverPlace at the southern end of the loop and NW 11th and 10th Avenues at NW Lovejoy Street on the northern end of the loop, as shown in Figure 2-7.

The total estimated one-way operating length for the Full Loop Alternative is approximately 6 miles with 3.6 miles of new streetcar alignment, including approximately 0.3 miles on the new Caruthers Bridge. The new streetcar would share 2.4 miles of existing streetcar alignment between RiverPlace and NW Lovejoy Street.

**Figure 2-7
Full Loop Streetcar Service Concept**



The Full Loop Streetcar Alternative would operate with 10-minute headways during the peak and 15-minute headways during the off-peak periods. By introducing the new streetcar service to the Lloyd District and the Central Eastside, the composite headways on the shared downtown alignment would increase from 10-minute headways to 5-minute headways.

The existing streetcar fleet currently has 7 streetcars vehicles with three additional vehicles currently being manufactured for a total of 10 streetcar vehicles. To expand the streetcar service for the Full Loop Alternative, an additional 12 streetcar vehicles will be needed. This includes spare vehicles for routine maintenance, emergencies and breakdowns.

Bus Operations

The Full Loop Alternative would provide the complete loop for riders to circulate through the Central City on a fixed route system with no bus transfers required.

Three Minimum Operable Segments (MOS) are included in this Alternatives Analysis: the OMSI MOS, the Morrison MOS, and the Oregon MOS. Figure 2-10 (on the next page) shows each of the proposed MOS Alternatives.


OMSI Minimum Operable Segment (MOS)

Streetcar Improvements

The OMSI Minimum Operable Segment (MOS) would include a new streetcar alignment over the Broadway Bridge from the Pearl District to serve and Lloyd and Central Eastside Districts.

From the South Waterfront District to Portland State University through downtown on 10th/11th Avenues to the Pearl District, the OMSI MOS would operate on the existing streetcar alignment. The terminus would remain on the Eastside and would be connected to OMSI by a new streetcar bridge over the existing Union Pacific Railroad.

Figure 2-9
Streetcar Alternative and MOS



Source: Metro 2006

The Streetcar would include all the same streetcar and roadway improvements as the Full Loop Alternative, with the exception that it would not connect to the new Caruthers Bridge.


Access to most of the major destinations in the corridor could be made on the streetcar. Additionally, the new streetcar service would provide connections to the light rail service at the northern end of the circuit. Access to RiverPlace would require a transfer from the Eastside to the bus connector to complete the loop.

Streetcar Operations

This MOS would terminate at OMSI and a connecting bus would continue the loop from OMSI to RiverPlace via the Hawthorne Bridge, as shown in Figure 2-8.

The total estimated one-way operating length for the OMSI MOS Alternative is approximately 5.7 miles. This is the total length to travel in one direction from RiverPlace to OMSI. The one-way operating length for the new streetcar alignment from NW Lovejoy Street to OMSI is approximately 3.3 miles and 2.4 miles shared streetcar alignment between RiverPlace and NW Lovejoy Street.

**Figure 2-8
OMSI MOS Service Concept**



The streetcar would operate at 10-minute headways during the peak and 15-minute headways during the off-peak periods. Headways in the downtown would increase from 10-minute frequencies to 5-minutes. The connecting bus would also operate with 10-minute headways during the peak and 15 minute headway during the off-peak.

To expand the streetcar service for the OMSI MOS Alternative, an additional 10 streetcar vehicles will be needed. This includes spare vehicles for routine maintenance, emergencies and breakdowns.

Bus Operations

As previously mentioned, the OMSI MOS would terminate at OMSI with a bus connection to RiverPlace across the river to complete the loop. The approximate one-way operating length for the connecting bus from OMSI to RiverPlace via the Hawthorne Bridge is 1.4 miles.

The Bus would operate with 10-minute headways during the peak and 15-minute headways during the off-peak periods. Transfers from streetcar to bus would be provided at OMSI and RiverPlace.

Morrison Minimum Operable Segment (MOS)

Streetcar Improvements

The Morrison MOS would include most of the streetcar and roadway improvements as identified with the Full Loop and OMSI MOS alternatives. Improvements associated with the streetcar south of SE Morrison Street would not be included such as the streetcar bridge over the Union Pacific Railroad would be eliminated.

This alternative would require minor improvements at the terminus at SE Morrison Street. Currently SE Morrison Street, at this location, has one lane eastbound. With this alternative, there would still be one

lane eastbound but streetcar would operate westbound. A mountable curb would be constructed to separate the auto and streetcar lanes.


The Morrison Street MOS Streetcar provides access from RiverPlace through downtown Portland, over the river, through Lloyd District and to the Central Eastside District. This MOS does not travel through the Central Eastside; therefore, portions of this district are accessible by streetcar. A bus would complete the loop from SE Morrison Street to OMSI and over the Hawthorne Bridge to RiverPlace to complete the loop. This MOS also provides direct connection to the Morrison Bridgehead and transit routes crossing the Morrison Bridge.

Streetcar Operations

The Morrison MOS would terminate at SE Morrison Street with a connecting bus to OMSI and RiverPlace via the Hawthorne Bridge, as shown in Figure 2-10.

The total estimated one-way operating length for the SE Morrison Street MOS Alternative is about 4.8 miles. This is the total length to travel in one direction from RiverPlace to SE Morrison Street. Approximately 2.4 miles is the one-way operating for the new streetcar alignment and 2.4 miles is shared streetcar on the existing alignment between RiverPlace and NW Lovejoy Street.

**Figure 2-10
Morrison MOS Service Concept**



The streetcar would operate with 10-minute headways during the peak and 15-minute headways during the off-peak periods. Headways in the downtown would increase from 10-minute frequencies to 5-minutes. To expand the streetcar service for the Morrison MOS Alternative, an additional 8 streetcar vehicles will be needed. This includes spare vehicles for routine maintenance, emergencies and breakdowns.

The Morrison MOS would provide access to the Lloyd and a portion of the Central Eastside Districts. A transfer to a connecting bus would be required to make the full loop and to access OMSI and RiverPlace.

Bus Operations

The Morrison MOS Alternative would terminate at SE Morrison Street with a bus connection to OMSI and RiverPlace via the Hawthorne Bridge to complete the loop. The approximate one-way operating length for the connecting bus from SE Morrison Street to OMSI and RiverPlace via the Hawthorne Bridge is 2.3 miles.

The Bus would operate with 10-minute headways during the peak and 15-minute headways during the off-peak periods to complete the loop. Transfers to the connecting bus would occur at SE Morrison Street and RiverPlace. At Morrison Street, streetcar riders would connect to the bus to OMSI or to TriMet Line 15-Belmont over the Morrison Bridge.

Oregon Minimum Operable Segment

Streetcar Improvements

The Oregon MOS would include a streetcar alignment that would add another route that would operate along the existing streetcar alignment from the South Waterfront District to Portland State University through downtown on 10th/11th avenues to the Pearl District where it would extend over the Broadway Bridge and operate on NE Weidler to NE 7th Avenue where the alignment would turn south to NE Oregon.

This alternative would only include those improvements north of NE Oregon Street. This alternative would not include any queue jumps or the streetcar bridge over the Union Pacific Railroad to OMSI. It would however include some roadway widening to provide for turn lanes and separate transit phases at signalized intersections for streetcar.

Streetcar Operations

The Oregon MOS would terminate at NE Oregon Street with a connecting bus to OMSI and RiverPlace via the Hawthorne Bridge, as shown in Figure 2-11.

The total estimated one-way operating length for the Oregon MOS Alternative is 4.0 miles. This is the total length to travel in one direction from RiverPlace to NE Oregon Street. The one-way operating length of new streetcar operations is approximately 1.6 miles and the shared alignment with the existing streetcar is 2.4 miles between RiverPlace and NW Lovejoy Street.

The streetcar would operate at 10-minute headways during the peak and 15-minute headways during the off-peak periods. Headways in the downtown would increase from 10-minute frequencies to 5-minutes. To expand the streetcar service for the Oregon MOS Alternative, an additional 6 streetcar vehicles will be needed. This includes spare vehicles for routine maintenance, emergencies and breakdowns.

The Oregon MOS would provide streetcar access to the Lloyd District. A transfer to a connecting bus would be required to make the full loop and to access the Central Eastside District, OMSI and RiverPlace.

Bus Operations

The Oregon MOS provides access from RiverPlace through downtown Portland, over the river, and through Lloyd District. This MOS stops north of the Central Eastside; therefore, a bus would complete the loop. The approximate one-way operating length for the connecting bus is 3.2 miles from NE Oregon Street to OMSI and RiverPlace via the Hawthorne Bridge. Transfers to the connecting bus would occur at NE Oregon Street and RiverPlace. The Bus would operate with 10-minute headways during the peak and 15-minute headways during the off-peak periods to complete the loop.

Design Option

The Two-Way Grand Design Option was developed as an alternative to the MLK Boulevard/Grand Avenue couplet to address transfer connection to radial bus lines and to improve the pedestrian

**Figure 2-11
Oregon MOS Service Concept**



environment. Figure 2-12 shows the proposed Two-Way Grand Design Option. With a Two-way Grand Avenue alignment, Grand Avenue would be converted to a two-way street. Streetcar would operate in both directions in the travel lanes with traffic. The proposed streetcar alignment would remain the same north of E Burnside Street. Southbound streetcar would turn northbound on E Burnside and southbound on SE Grand Avenue. Both northbound and southbound streetcar would operate on SE Grand Avenue. SE 7th Avenue would provide for the northbound function to replace SE Grand Avenue.

This design option would require that the lane configuration and signals be modified. A southbound lane would be introduced to Grand Ave. The number of lanes northbound on Grand would be reduced. This would require re-routing vehicle traffic from the Grand Ave Viaduct through the Central Eastside. The current proposal is to convert SE 7th Ave to one-way northbound to accommodate increased traffic volumes and serve as the couplet to MLK Blvd. Traffic would be re-routed from the Grand Ave Viaduct at SE Mill Street and back to Grand somewhere between NE Couch and NE Everett before the I-84 overpass. This conversion would require removal and relocation of one or both bike lanes on SE 7th Ave.


The Two-Way Grand Design Option would require more extensive roadway improvements to SE 7th Avenue to carry northbound auto trips diverted from SE Grand Avenue. Transitions to and from SE Grand Avenue would be required at SE Stephens Street on the southern end and NE Couch Street on the northern end of the alignment. Additionally, roadway improvements would be needed to change NE Grand Avenue from one-way traffic operation to two-way traffic operation.

The Two-Way Grand Avenue Design Option has been designed so that it could be applied to any of the MOSs with the exception of the Oregon MOS which doesn't extend to the Central Eastside, and does not preclude either two-way Grand Avenue design option or the MLK/Grand couplet alignment extension to the Central Eastside.

Summary of the Streetcar Alternative and the Minimum Operable Segments

Table 2-1, on the next page, summarizes some of the operational characteristics of each the Streetcar Alternative. The goal in defining the alternatives was to provide a similar level of service among the alternatives, while taking into account the unique characteristics of each MOS.

Figure 2-12
Two Way Grand Design Option



Source: Metro 2006

**Table 2-1
Summary of Transit Characteristics by Alignment**

	No-Build Bus (Line 83)	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Streetcar Length (in miles)					
Total One-Way Length ¹		6.0	5.7	4.8	4.0
Existing/Shared Streetcar Length	2.4	2.4	2.4	2.4	2.4
New Streetcar Length	NA	3.6	3.3	2.4	1.6
Bus Connector Length ²	3.5	NA	1.4	2.3	3.2
Headways (in minutes)					
Shared Streetcar Headways	10-min peak/15-min off peak	5-min peak/7.5 min off-peak	5-min peak/7.5 min off-peak	5-min peak/7.5 min off-peak	5-min peak/7.5 min off-peak
New Streetcar Headways	NA	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak
Peak Bus Connector Headways	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak	10-min peak/15-min off-peak
Peak Streetcar Vehicle Requirements³	NA	12	10	7	6
Bus Connector Transfer Locations	NA	NA	At OMSI and RiverPlace	At SE Morrison St and RiverPlace	At NE Oregon St and RiverPlace
Compatible with the Two-Way Grand Design Option	NA	Yes	Yes	Yes	NA ⁴

¹ Estimated one-way length

² With the Minimum Operable Segments (MOS), transfer to a bus is required to complete the loop.

³ This includes the total number of vehicles needed to provide the streetcar service to the Central Eastside as well as additional spare vehicles for maintenance, emergencies, and breakdowns.

⁴ The Two-Way Grand Avenue Design Option has been designed so that it could be applied to any of the MOSs with the exception of the Oregon MOS which doesn't extend to the Central Eastside, but does not preclude either two-way Grand Avenue design option or the MLK/Grand couplet alignment extension to the Central Eastside.

Streetcar/Bus Alternatives Previously Considered

A bus circulator was considered, however, the No-Build alternative serves the same function by providing transit access to major visitor destinations, employment and residential areas and major redevelopment sites. This coupled with the incremental service increase noted above performs the role of a Transportation System Management (TSM) Alternative as outlined by the Federal Transit Administration, and is proposed to be the baseline alternative for the purposes of FTA's Small Starts rating process. A bus circulator alternative with further bus system enhancements would not garner public support because it would not have the level of demonstrated economic development impacts that would realized with streetcar.

In addition, FTA has stated in draft guidance that:

"For the Small Starts program, a baseline alternative may be less important in both accurately determining the costs and benefits of some projects and establishing a level playing field for evaluation across the country. ...a baseline alternative may not be necessary for certain kinds of projects based on their costs or other characteristics"

Accordingly, the No-Build alternative is effectively the baseline alternative and no separate baseline alternative has been included in this Alternatives Analysis.


The City of Portland and Portland Streetcar Inc. completed an analysis of a number of alternative alignments for the extension of streetcar to the Lloyd and Eastside districts during 2002 and 2003 (*Eastside Streetcar Alignment Study*, City of Portland, June 2003.)

The City of Portland appointed an Eastside Steering Committee comprised of business and community leaders from the Lloyd and Eastside districts. The charge to this committee was to investigate potential streetcar alignments that could connect into the existing streetcar alignment located in the downtown district. This committee examined a number of potential alignments and recommended a preferred alignment to the Portland City Council and the Multnomah Board of Commissioners in June 2003. Potential alternatives proposed and not recommended to advance are illustrated on Figure 2-13.

Comparing 6th and 7th avenue alignments with the MLK/Grand alignment, it was concluded that service on MLK would better strengthen the existing MLK/Grand couplet, by providing more transit accessibility to all of the convention related uses, existing and planned, for the area and serving existing and potentially much greater development than other alignments. (See land use policies in Chapter 3 for more information about zoning and city policies related to development in the Central Eastside.) Proposals for using 7th Avenue south of Interstate 84 were judged to have potential impacts such as traffic diversion on nearby residential streets, potential increases in on-street parking by out of neighborhood streetcar users and potential pressure to rezone existing nearby residential areas.

Two alternative crossings of the Willamette River were also considered: the existing Hawthorne Bridge and a new bridge in a location that aligns with Caruthers Street. The Caruthers Bridge was recommended by the City in 2003 because it would provide for a direct connection to the existing streetcar alignment on the Westside. The Hawthorne Bridge alignment, though recommended for retaining as a backup option, was not recommended as it would result in out-of-direction travel for a Central City transit circulator loop configuration.

Figure 2-13 Alternatives Considered and Not Advanced



Chapter 3. Evaluation

Introduction

Evaluation of the alternatives is vital to making a deliberative, documented and fact-based selection of a Locally Preferred Alternative (LPA) and to provide the Federal Transit Administration (FTA) with validation that federal requirements and considerations have been addressed.

Evaluation criteria for the Eastside Transit Alternatives Analysis include the emerging FTA Small Starts funding criteria as well as the following criteria developed by the project team and advisory committees to address the projects' purpose and need:

Transportation Measures

- Transit access to households and jobs within ¼ mile ;
- Travel times to selected locations;
- Transit ridership;
- District to District transit trips;
- Qualitative assessment of transit connectivity;
- Qualitative evaluation of transfer opportunities;
- Qualitative appraisal of how identifiable transit alternatives are;
- Qualitative review of changes to parking demand;
- Qualitative assessment of the quality of transit links to regional tourism facilities;

Land Use Plan Measures

- Consistency with region and local land use plans and goals;
- Consistency with state-wide planning goals;

Economic Development Measures

- Additional jobs, housing, that would likely be created with some transit alternatives;
- Private investment induced;
- Tax base improvements;

Cost-Effectiveness

- Comparison of ridership and capital and operating costs;

Financial Feasibility

- Local match share sources;
- Risks and sensitivity to risks in revenue projections;

Each of these evaluation measures will be addressed in the following sections.

Transportation

Introduction

This section describes how well the alternatives meet the study transportation criteria described above. Many of the criteria are quantitative and are based on travel demand forecasts that have been developed for the year 2025. These forecasts use Metro's regional travel forecasting models that are described in further detail in the *Travel Demand Forecasting Methodology Report* prepared and submitted to FTA (March 2006).

This section also includes several criteria that are addressed with qualitative analyses. The qualitative analyses are generally based on the professional judgment of staff, the consulting team and the study's Technical Advisory Committee, made up of staff from participating jurisdictions.

As previously described, the purpose of the Eastside Transit Alternatives Analysis is to assess alternatives that would extend existing transit service from the west side of Portland's Central City to the eastside, providing a transit circulator, or loop, serving all of the Central City. By definition, the Central City corridor, which is entirely within the Central City, is quite different than a typical radial corridor that connects Portland's Central Business District (CBD) with outlying centers. Also because of its location, the Central City corridor encompasses a very transit-rich environment. Accordingly, there are numerous transit paths available for every trip. For example, Milwaukie LRT and the existing streetcar, which are included in every alternative, overlap areas served by the proposed new streetcar. Consequently, the distinction between alternatives is minor. As the system matures with increasing coverage and service levels, the connections between key locations becomes more important and plays a larger role in the performance of an alternative than in a typical radial corridor.

Transportation Analysis Methods

Metro's regional travel demand models continue to evolve and improve in their ability to forecast the future demand on the highway and transit systems. The models that were used for this Eastside Transit Alternative Analysis are based on the models recently used for the *South Corridor Final Environmental Impact Statement - November 2004* and the *I-205/Portland Mall LRT Project 2005 New Starts* submittal and include improvements recommended by PB Consult to better forecast the streetcar mode. See *Travel Demand Forecasting Methodology Report* for a detailed description of model modifications.

The goal of modeling the Eastside Transit Alternatives was to develop information that would allow the comparison of the alternatives on a "level playing field". The inputs were defined and the networks were designed keeping this level playing field concept in mind. The transportation data presented in this report provides for a fair comparison of alternatives. This comparison is based on factors that are an inherent part of each alternative (access, travel time, etc.), and not on extraneous factors such as differing service levels or coverage areas.

Factors that Determine Ridership Differences

Modeling inputs such as parking cost and transit fares, along with demographic characteristics (age, income, auto ownership, etc.) play a major role in determining transit demand. However, those factors are required to be consistent for all of the alternatives and as a result do not play a major role in determining the transit ridership differences among the alternatives. The differences in transit ridership described later in this section are generally based on differences in travel times and connectivity.

Transit Service Levels (Frequency)

The service levels of the transit circulator routes, be they streetcar or bus, are similar among all of the alternatives at 10-minute peak hour headways and 15 minute off-peak. The No-Build alternative includes a local route, also at 10-minute peak hour headways and 15 minute off-peak, which serves RiverPlace, OMSI (via the Hawthorne Bridge), and the Central Eastside along MLK and Grand Avenue terminating at the Rose Quarter Transit Center. These headways assume the use of standard 65 passenger buses and 92 passenger streetcar vehicles. The No-Build alternative represents a 1.5% growth rate in annual transit system hours.

The peak hour transit service is sized so that it accommodates the forecast amount of peak hour transit demand. In other words, the service level on the bus or streetcar circulator route is, in part, dictated by the overall attractiveness of the mode.

Access

Each alternative was analyzed with the same underlying transit network. As indicated in Table 3-1, there are no significant differences among the alternatives with regards to which portions of the corridor have walk accessibility to the transit system. Each alternative has the same transit coverage in terms of households and employment, creating a “level playing field” for the analysis. However, there may be differences among the alternatives with regards to the quality of the transit service that can be accessed by walking, and by bus transfer. In other words, the quality of the transit service that is walk accessible differs among the alternatives and can have an influence on the performance of the alternatives. In short, some alternatives would require more transfers than others for certain origin and destination pairs. The added out-of-vehicle time required for transferring shows up in the travel times, which are described later in this section.

**Table 3-1
Households and Employment within ¼ mile of Transit
P.M. Peak Hour, Year 2025**

	No-Build	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Households					
Total Corridor	30,700	30,700	30,700	30,700	30,700
Households					
Covered Households	30,700	30,700	30,700	30,700	30,700
Percent Households Covered	100%	100%	100%	100%	100%
Employment					
Total Corridor	275,000	275,000	275,000	275,000	275,000
Employment					
Covered	275,000	275,000	275,000	275,000	275,000
Percent Employment Covered	100%	100%	100%	100%	100%

Source: Metro, 2006

Travel Time

Transit travel time is a significant factor in determining the level of transit demand. If one alternative can offer a travel time savings (compared to another alternative) for a variety of different trips, it will attract more transit riders. When a bus or streetcar operates in mixed traffic its travel times are based on the auto travel time along the route plus dwell time that accounts for decelerating, stopping to pick up passengers and accelerating.

Transit travel time includes two components, in-vehicle time and out-of-vehicle time. In-vehicle time is the time spent traveling in the transit vehicle, including dwell time at stops to pick up and unload passengers. Out-of-vehicle time includes time spent walking to or from the transit line and waiting for a transit vehicle and any transfer wait time, if incurred.

Measure – Improve Central City Transit Ridership

This section presents information on various measures of transit ridership for each alternative.

Total corridor ridership includes all transit trips (light rail, streetcar and buses) to, from and within the corridor. This measure compares how well each of the alternatives serves the transit trips to, from and within the corridor.

Figure 3-1 defines the eight districts in the Portland Central City that comprise the corridor or travel market for trips that would utilize the proposed transportation alternatives. The corridor includes the Downtown, University, Pearl, Northwest, Lloyd, Central Eastside and South Waterfront districts.

Figure 3-1
Central City Districts





Figure 3-2
Streetcar and Bus Ridership Average Weekday – Year 2025



Source: Metro 2006

Figure 3-2 shows the daily ridership on the existing streetcar, new streetcar and connecting bus analyzed with each alternative. While it is difficult to compare among these very different alternatives, this information, coupled with the corridor transit ridership, can provide valuable information in evaluating the alternatives.

Streetcar and Bus Ridership

The No-Build alternative results in 8,800 riders on the existing streetcar and 6,430 riders on the eastside connector bus for a total of 15,230 streetcar and bus riders. There is no “new streetcar” in the No-Build alternative.

The Full Loop alternative results in 7,710 on the existing streetcar and 12,405 on the new streetcar for a total of 20,115 streetcar riders, or 4,885 more than the No-Build alternative. There is no connecting bus in the Full Loop alternative.


The OMSI MOS alternative produces 8,080 on the existing streetcar, 10,000 on the new streetcar, and 175 on the connecting eastside bus for a total of 18,255 bus and streetcar riders. Compared to the No-Build, this is an increase of 3,025 riders.

The Morrison MOS alternative shows 8,080 riders on the existing streetcar, 6,910 on the new streetcar and 965 on the eastside connecting bus for a total of 15,955 bus and streetcar riders, or 725 more than the No-Build alternative.

The Oregon MOS alternative produces 8,100 riders on the existing streetcar, 4,960 on the new streetcar and 2,940 on the eastside connecting bus for a total of 16,000 bus and streetcar riders, 770 more than the No-Build alternative.

Overall, all of the Build alternatives result in an increase in bus and streetcar ridership on the key routes in the corridor. The shorter MOS's, Oregon and Morrison, show a slight increase of approximately 700 riders each. The OMSI MOS shows an overall increase of approximately 3,000 bus and streetcar riders and the Full Loop alternative shows the highest increase at approximately 4,800 riders.


Figure 3-3
Total Streetcar* Ridership Average Weekday – Year 2025



Source: Metro 2006

Figure 3-3 focuses exclusively on the average weekday ridership on the existing streetcar and the new streetcar lines only. The No-Build alternative is forecast to carry 8,800 riders on the existing streetcar line. The Full Loop alternative, with the introduction of a new streetcar line to the eastside, is forecast to carry 20,115 riders, nearly 11,315 more than the No-Build alternative. As expected, the MOS alternatives with fewer additional new streetcar miles show ridership commensurate with the length of the streetcar line; 18,080 riders for the OMSI MOS, 14,990 for the Morrison MOS, and 13,060 for the Oregon MOS.

Figure 3-4
New Streetcar Transit Ridership Average Weekday – Year 2025




Source: Metro 2006

Figure 3-4 shows the average weekday ridership the on new streetcar line only, which includes operations on existing 10/11th from RiverPlace to Broadway Bridge in addition to new construction. The Full Loop alternative is forecast to carry 12,405 riders a day. The MOS alternatives' successively shorter additional new streetcar miles yield 9,995 riders for the OMSI MOS, 6,910 for the Morrison MOS, and 4,960 for the Oregon MOS.

Measure – Improve Eastside Transit Ridership

Another measure of comparison for alternatives is to assess new ridership within the Eastside. Table 3-5, below, shows the percentage of ridership on the new streetcar line where some portion of the trip occurs in the Central Eastside (See Figure 3-1 for district map). As shown, all of the build alternatives have over 50 percent of their ridership with at least some portion of the trip occurring in the Central Eastside. The OMSI MOS and Full Loop alternatives would exhibit the highest percentage of streetcar ridership on the eastside at approximately 75 percent, in part because in both of these alternatives streetcar traverses the entire eastside. The Morrison MOS, where streetcar traverses about ½ of the eastside, results in 69 percent of its riders with at least some portion of their trip occurring on the eastside. The Oregon MOS, which introduces streetcar to the Lloyd District, results in 57 percent of its riders with at least some portion of their trip occurring on the eastside. Also, refer to figures 3-10a and 3-10b for streetcar ridership distribution patterns.

Figure 3-5
Percentage of New Streetcar Ridership with Some Portion of Trip in the
Central Eastside - Average Weekday, Year 2025



Source: Metro 2006


Corridor Transit Ridership and Trips

The Full Loop alternative would provide the largest improvement in corridor transit ridership with 1,000 additional transit riders in the corridor as compared to the No-Build. The OMSI MOS alternative would provide the second largest improvement at 750 additional riders followed by the Oregon MOS at 310. The Morrison MOS would result in a loss of approximately 200 transit riders in the corridor, as compared to the No-Build alternative, because of an additional transfer required for a variety of origin and destination pairs. For example, a trip traveling from the Lloyd District to SE Portland would require a single transfer in all the alternatives, the exception being the Morrison MOS, which would require an additional transfer to traverse the eastside. Refer to the travel time section for a more detailed explanation.

Total internal transit trips (light rail, streetcar and buses) within the corridor is defined as all transit trips with both trip ends occurring totally within the Central City districts as shown in Figure 3-1. All of the future year (2025) alternatives would increase the number of transit trips within the corridor as compared to the 2005 Base Year at an annual growth rate of approximately 2.7%. Compared to the No-Build alternative, the Full Loop alternative results in 700 more transit trips within the corridor at 39,240 average weekday trips. The OMSI MOS provides the second largest improvement in internal corridor transit trips at 39,030, 560 more than the No-Build alternative. The Oregon MOS and Morrison MOS alternatives are similar with 390 and 290 more transit trips within the corridor compared to the No-Build alternative, respectively.

Measure - Improve north/south transit connectivity and capacity through the Central Eastside. This section focuses on how well each alternative improves transit connectivity and capacity through the Central Eastside. As stated, transit travel time is a significant factor in determining transit demand. Any alternative that provides a travel time savings will attract more ridership. And while there are no differences among the alternatives with regards to accessibility and transit coverage, there may be differences among the alternatives with regards to the quality of the transit service that can be accessed by walking and by bus transfer.

Figure 3-6
Total Transit Travel Time between the Lloyd District (near Multnomah and 7th Avenue) and OMSI via New Streetcar and/or Bus – PM Peak, Year 2025



Source: Metro 2006

For example, Figure 3-6 shows total transit travel time for a trip entirely on the Eastside in the p.m. peak between the Lloyd District (just south of Multnomah St. between 7th Avenue and Grand Avenue) and OMSI via either the new streetcar and/or bus connector, depending on the alternative. The data indicates that in the No-Build Alternative this trip is 23 minutes, whereas in the Full Loop and OMSI MOS alternatives this trip is 2 minutes faster at 21 minutes. This is due in part because of slight variations in congestion levels and dwell time between the streetcar and the local eastside bus. In the Morrison MOS and Oregon MOS alternatives this trip takes two minutes longer than the No-Build, 25 minutes, because of a transfer required to complete the trip to OMSI.

It should also be noted that the travel times above reflect the mode or modes used to complete the trip. For example, in the No-Build alternative this trip is entirely on a local bus. In the Full Loop and OMSI MOS alternatives this trip is entirely on the streetcar. In the Morrison MOS and

Oregon MOS alternatives this trip is on both the streetcar and bus connector and requires a transfer.

In summary, compared to the No-Build alternative, the Full Loop and OMSI MOS alternatives would improve transit connectivity through the Central Eastside by providing a limited stop, one-seat ride through the eastside. The Morrison MOS and Oregon MOS alternatives perform comparable to the No-Build because, for a majority of trips, a transfer would be required to travel through the Central Eastside.


In terms of capacity through the Central Eastside, at 10 minute peak period headways, a standard bus with a loaded capacity of 65 passengers would provide 390 seats in the p.m. one hour. A streetcar vehicle, assuming a loaded capacity of 92 passengers per vehicle, would provide 552 seats in the p.m. peak one hour through the Central Eastside. In other words, the streetcar alternatives, because of the greater carrying capacity of the vehicle, would provide more carrying capacity through the Central Eastside at equivalent headways.

Measure – Serve as a “cross-town” transit line that complements the eastside transit grid.

The eastside transit network is currently a grid network comprised of several east/west buses on streets that cross the Willamette River, including the Broadway, Burnside, Morrison, and Hawthorne Bridges. The north/south bus routes completing the grid include the #6 bus and the #70 bus. The #6 bus operates along MLK and Grand Avenue between the Hawthorne Bridge and Broadway/Weidler and continues north to the Expo Center, Jantzen Beach, and downtown Vancouver. The #70 operates north/south along 11/12th avenues terminating in Milwaukie in the south and at the Rose Quarter in the north.

The introduction of streetcar on the eastside would further complement the eastside grid system by dispersing trips across an array of destinations. In the Central City, urban circulators are needed to complete trips from the outlying transit centers and to provide for internal circulation. For example, a trip traveling from OMSI to RiverPlace today would have to take a bus downtown and transfer to the existing streetcar line to complete the trip to RiverPlace. In the No-Build alternative that same trip could be made via the bus connector, but would have to travel across the Hawthorne Bridge to complete the trip to RiverPlace. In the Full Loop alternative, that same trip could be made via the streetcar, which would continue directly to RiverPlace via the Caruthers Light Rail Bridge. Figure 3-7 shows the total transit travel time in the p.m. peak for a trip from OMSI to RiverPlace utilizing either the bus connector or streetcar. The Full Loop alternative, because it utilizes the Caruthers Bridge, saves 8 minutes of travel time by not having to cross the Hawthorne Bridge.

Figure 3-7
Total Transit Travel Time between OMSI and RiverPlace PM Peak,
Year 2025



Source: Metro 2006

Travel Time Summary

The Full Loop alternative would have the best overall improvement in total transit travel times to/from and within the corridor compared to the No-Build alternative. The MOS alternatives would have somewhat less improvement, in part because of required transfers along the central eastside for some origin and destination pairs.

Measure - Improve Central City transit circulation

This section focuses on how well each alternative improves transit circulation within the Central City by extending the rail system to connect destinations such as Portland's Central Business District (CBD), RiverPlace, the Central Eastside, the Lloyd, University, and Pearl Districts, and to non-corridor locations (see Figure 3-1 for a description of the Central City districts).

Figure 3-8 displays an array of graphics that represent the distribution (calculated as a percentage) of new streetcar rider trip origins and destinations by district for each alternative.

Focusing on the district maps, there is a spatial pattern across the map that becomes evident. The Full Loop alternative, which connects the central city and the central eastside with streetcar, has a more balanced distribution pattern of origins and destinations across the study area districts. Although each district is generating a slightly lower percentage of origins and destinations, as compared to the MOS alternatives, the Full Loop alternative is serving more districts. Specifically, downtown Portland, the Lloyd, Central Eastside, and Pearl Districts show up as major origin and destinations in the Full Loop alternative, indicating a relatively equal distributions of trips in the study area.

In contrast, the Oregon MOS alternative, which provides streetcar only as far as the Lloyd District, has the opposite pattern of origins and destinations. The spatial pattern reflects a more concentrated distribution of origins and destinations, with slightly higher percentage of origins

and destinations being generated by fewer districts. In the Oregon MOS, downtown Portland and the Lloyd District show up as major origins and destinations, indicating that the Oregon MOS is serving only a few districts within the corridor. The Morrison MOS does slightly better than the Oregon MOS with the Central Eastside showing up as more of an origin and destination because of the deeper penetration of streetcar into the district. The OMSI MOS is similar to the Full Loop Alternative in that a relatively equal distribution is emerging within the corridor. However, the downtown Portland district is slightly less prominent, as compared to the Full Loop alternative, in part because the OMSI MOS does not provide the connection back across the Willamette River in the southern portion of the corridor.

The district maps also exhibit other patterns among the alternatives. For example, in all the alternatives Northwest Portland, Old Town, University and South Waterfront Districts vary slightly and represent a very low percentage (< 5%) of trip origins and destinations.

On the other hand, the “non-corridor” districts, or districts outside the study area, account for a large percentage of both origins and destinations in all of the alternatives. This is due, in part, on the relatively small size of the corridor as compared to the rest of the region. In addition, approximately 1/3 of the non-corridor origins and destinations involve a district (SE Portland) just outside and adjacent to the corridor. In fact, over 2/3 of the non-corridor origins and destinations involve Multnomah County.

Another example of improved transit circulation and connectivity is an increase in the number of streetcar riders per mile of operation. As shown in Table 3-2, each alternative's extension of the streetcar line results in additional transit ridership, which results in an increase in the number of streetcar riders per mile. This indicates that, by extending the streetcar, more and more places are being connected that were not available before. For example, the Full Loop alternative extends the streetcar to the central eastside connecting the east side of the river with the downtown Portland, but also provides connections to the large number of buses crossing the Hawthorne Bridge and to Milwaukie Light Rail.

**Table 3-2
Streetcar riders per Mile
Average Weekday, Year 2025**

	Streetcar Riders¹	New Streetcar Miles²	Streetcar Rider per Mile
Full Loop	12,405	6.0	2,068
OMSI MOS	10,000	5.7	1,754
Morrison MOS	6,910	4.8	1,440
Oregon MOS	4,960	4.0	1,240

Source: Metro, 2006

¹ Streetcar Riders on new streetcar line only.

² One-way miles, including portion operating on existing streetcar tracks.

Measure – Serve Important Visitor Destinations including Downtown, Rose Garden, Coliseum, Oregon Convention Center, Lloyd Mall and OMSI with a Clearly Identifiable Fixed Route Transit Service.

Portland's Central City includes many different types of uses and activity centers beyond residential and office and retail employment. These other uses include many visitor destinations including downtown Portland, the Rose Garden Arena, home of the Portland Trail Blazer NBA team, professional Lacrosse and Hockey teams as well concerts and many other events, Memorial Coliseum, the Oregon Convention Center, Lloyd Center, and the Oregon Museum of Science and Industry (OMSI). In addition, a number of hotels and lodging opportunities exist in downtown Portland and the Lloyd District. Linking these visitor attractions and hotels with an easily identifiable fixed-route transit service would attract both local and out-of-state visitors increasing transit ridership, and increasing Portland's overall attractiveness.

However, Metro's regional model does not account for such visitor trips. Consequently, a potentially substantial market is unaccounted for in the current analysis. To address the visitor market, a special-purpose non-resident model would need to be developed based on locally obtained survey data.

Measure - Appraisal of How Identifiable Are Transit Alternatives

Streetcar currently shares a number of operating characteristics with bus. The current streetcar line operates entirely at-grade, has similar hours of operation and acceleration/deceleration characteristics as a bus, and operates in mixed traffic. However, streetcar is more visible than bus, provides detailed arrival information to riders at stops and on the internet, and provides well-marked boarding platforms. Those alternatives with successively shorter additional new streetcar

miles would be less identifiable within the transit community, but all the streetcar alternatives would be more visible than the bus only alternatives.

Measure – Reduce Demand for Parking

Currently there is both surface parking and structured parking in downtown Portland and in the Central Eastside. All of the build alternatives would result in more internal transit trips within the corridor, ranging from 700 to 300 more transit trips, as compared to the No-Build alternative. Increasing transit ridership decreases auto trips, which in turn decreases the demand for parking. Reduced parking demand frees up land area for development and reduces pressure for on-street parking that could support mixed-use retail development.

Design Options

The above data is based on alternatives that assume operations on the MLK/Grand couplet. As described in Chapter 2, a design option was developed, as an alternative to the MLK/Grand couplet alignment that would operate northbound and southbound streetcar on SE Grand Avenue between East Burnside and SE Stephens Street, just north of the SE McLoughlin viaduct.

Given the constraints of a regional model, travel demand forecasts were not prepared for this design option. Travel times would be similar to the MLK/Grand couplet and the zonal detail, even in downtown and on the eastside, is not fine enough to discern differences between the two alignments. However, traffic assignments were prepared for use in the traffic analysis.

Land Use Measures

Small Starts and Project Land Use Criteria

SAFETEA-LU, the Federal legislation adopted in 2005 that provides for the Small Starts program, includes proposed evaluation criteria for projects that achieve multiple benefits in addition to the traditional transportation mobility benefits. One of these criteria is "transit supportive land use". Federal Transit Administration draft guidance says that "current land use plans and policies and track record of those plans and policies" are current measures. Further, this draft guidance suggests that a project should consider the:

"transit friendliness of the project corridor, now and in the future to indicate the extent to which the proposed project would be conducive to its success".

This draft guidance indicates that considering land use is useful in risk assessment. That is, how likely are the proposed land use changes leveraged by a project, given the track record of the project sponsors in implementing transit supportive land use changes.

The Eastside Transit Alternatives Analysis Project evaluation measures for land use are similar and include the following:

- Consistency with region and local land use plans and goals;
- Consistency with statewide planning goals;

Accordingly, the land use assessment of the Eastside Transit Alternatives Analysis, the following will consist of the following:

- 1) definition of "transit friendliness"
- 2) inventory of the land use policies and policies as they relate to transit,
- 3) assessment these policies track record,
- 4) evaluation of the consistency of the project with state, regional and local plans and policies.

Defining "Transit Friendliness"

In the document *Pedestrian and Transit Friendly Design*¹, nine essential, eight highly desirable and five additional features are identified for transit (and pedestrian) friendliness. These factors range from the micro scale, such as the width of sidewalks, to features that are the result of long term macro scale economic and regulatory features. This list of features is as follows:

Essential Features

- Medium-to-High Densities
- Mix of Land Uses
- Short to Medium Length Blocks
- Transit Routes Every Half-Mile
- Two-or Four-Lane Streets (with Rare Exceptions)
- Continuous Sidewalks Wide Enough for Couples
- Safe Crossings
- Appropriate Buffering from Traffic
- Street-Oriented Buildings
- Comfortable and Safe Places to Wait

Highly Desirable Features

- Supportive Commercial Uses
- Gridlike Street Networks
- Traffic Calming along Access Routes
- Closely Spaced Shade Trees along Access Routes
- Little Dead Space, or Visible Parking
- Nearby Parks and Other Public Spaces
- Small-Scale Buildings (or Articulated Larger Ones)
- Attractive Looking Transit Facilities

Additional Helpful Features

- Streetwalls
- Functional Street Furniture
- Coherent, Small-Scale Signage
- Special Pavement
- Public Art.

Policies and plans that address and promote these features should be expected to provide a transit friendly environment and can be used to assess plans and policies.

Inventory of Existing Land Use Policies and Plans and Transit Friendliness

To document land use policies, this report looks at the current adopted land use plans and policies at the state, regional and local levels. It should be noted that some of the transit friendly factors are the result of very long term policies. For example, short block lengths and the resulting grid street pattern were the result of the City platting in the 1850's when pedestrian orientation was critical. Then too, much of the Central City was built in times (1890s through 1950s) when transit service was a very common means of transportation.

Nonetheless, this analysis looks first at the relevant *State-wide Planning Goals*, Metro's regional plan and policies and the City of Portland's plans and policies, particularly those relating to the Central City and the Eastside. State and regional plans and policies have relevance to the Central City and Eastside because City policies concerning the Central City and Eastside must be consistent with state and regional plans. In addition, the state and regional plans include policies that are supportive of the Central City and Eastside high density, mixed use transit oriented urban development.

Statewide Planning Goals and Policies

In 1973, the State of Oregon put into place a land use planning system that included the requirement that each city and county adopt a land use plan, zoning and land-division laws. These plans must be in accordance with the *Statewide Planning Goals*.

" Plans are reviewed for such consistency by the state's Land Conservation and Development Commission (LCDC). When LCDC officially approves a local government's plan, the plan is said to be 'acknowledged.' It then becomes the controlling document for land use in the area covered by that plan.

Oregon's planning laws apply not only to local governments but also to special districts and state agencies. The laws strongly emphasize coordination -- keeping plans and programs consistent with each other, with the goals, and with acknowledged local plans".

State Planning Goals important to the Eastside Transit AA Evaluation include, Goal 9 - Economic Development, Goal 12 - Transportation, Goal 13 - Energy Conservation and Goal 14 - Urbanization.

Goal 9, Economic Development includes the following to which every comprehensive plan in the state must demonstrate consistency:

"To provide adequate opportunities throughout the state for a variety of economic activities vital to the health, welfare, and prosperity of Oregon's citizens.

Comprehensive plans and policies shall contribute to a stable and healthy economy in all regions of the state. Such plans shall be based on inventories of areas suitable for increased economic

growth and activity after taking into consideration the health of the current economic base; materials and energy availability and cost; labor market factors; educational and technical training programs; availability of key public facilities; necessary support facilities; current market forces; location relative to markets; availability of renewable and non-renewable resources; availability of land; and pollution control requirements.

Comprehensive plans for urban areas shall:

- 1. Include an analysis of the community's economic patterns, potentialities, strengths, and deficiencies as they relate to state and national trends;*
- 2. Contain policies concerning the economic development opportunities in the community;*
- 3. Provide for at least an adequate supply of sites of suitable sizes, types, locations, and service levels for a variety of industrial and commercial uses consistent with plan policies;²"*

Further, Goal 9 states that with regard to planning:

" 3. Plans should designate the type and level of public facilities and services appropriate to support the degree of economic development being proposed."

and with regard to implementation:

" 1. Plans should take into account methods and devices for overcoming certain regional conditions and deficiencies for implementing this goal, including but not limited to

- (1) tax incentives and disincentives;*
- (2) land use controls and ordinances;*
- (3) preferential assessments;*
- (4) capital improvement programming; and*
- (5) fee and less-than-fee acquisition techniques.*

2. Plans should provide for a detailed management program to assign respective implementation roles and responsibilities to those private and governmental bodies which operate in the planning area and have interests in carrying out this goal and in supporting and coordinating regional and local economic plans and programs."

Goal 12, Transportation, has the following statement to which local comprehensive plans must show compliance (emphasis added):

" To provide and encourage a safe, convenient and economic transportation system.

A transportation plan shall (1) consider all modes of transportation including mass transit, air, water, pipeline, rail, highway, bicycle and pedestrian; (2) be based upon an inventory of local, regional and state transportation needs; (3) consider the differences in social consequences that would result from utilizing differing combinations of transportation modes; (4) avoid principal

reliance upon any one mode of transportation; (5) minimize adverse social, economic and environmental impacts and costs; (6) conserve energy; (7) meet the needs of the transportation disadvantaged by improving transportation services; (8) facilitate the flow of goods and services so as to strengthen the local and regional economy..."

The goal goes on to say (emphasis added):

"While high density developments with concentrated trip origins and destinations should be designed to be principally served by mass transit, low- density developments with dispersed origins and destinations should be principally served by the auto."

And with regard to transportation plan implementation (emphasis added):

*" 3. Lands adjacent to major mass transit stations, freeway interchanges, and other major air, land and water terminals should be managed and controlled so as to be consistent with and supportive of the land use and development patterns identified in the comprehensive plan of the jurisdiction within which the facilities are located.
4. Plans should provide for a detailed management program to assign respective implementation roles and responsibilities to those governmental bodies operating in the planning area and having interests in carrying out the goal."*

In addition to Goal 12, Transportation, there is also a Transportation Planning Rule with more specific requirements. It states:

" 660-012-0020

Elements of Transportation System Plans

(1) A TSP shall establish a coordinated network of transportation facilities adequate to serve state, regional and local transportation needs.

(2) The TSP shall include the following elements:...

(c) A public transportation plan which:

(A) Describes public transportation services for the transportation disadvantaged and identifies service inadequacies;

(B) Describes intercity bus and passenger rail service and identifies the location of terminals;

(C) For areas within an urban growth boundary which have public transit service, identifies existing and planned transit trunk routes, exclusive transit ways, terminals and major transfer stations, major transit stops, and park-and-ride stations. Designation of stop or station locations may allow for minor adjustments in the location of stops to provide for efficient transit or traffic operation or to provide convenient pedestrian access to adjacent or nearby uses....

(d) A bicycle and pedestrian plan for a network of bicycle and pedestrian routes throughout the planning area. The network and list of facility improvements shall be consistent with the requirements of ORS 366.514"

State Planning Goal 13, Energy Conservation, also addresses the nexus of land use and transportation. It states:

"To conserve energy.

Land and uses developed on the land shall be managed and controlled so as to maximize the conservation of all forms of energy, based upon sound economic principles."

During local government land use planning efforts, jurisdictions must consider (emphasis added):

" PLANNING

1. *Priority consideration in land use planning should be given to methods of analysis and implementation measures that will assure achievement of maximum efficiency in energy utilization.*
2. *The allocation of land and uses permitted on the land should seek to minimize the depletion of non-renewable sources of energy.*
3. *Land use planning should, to the maximum extent possible, seek to recycle and re-use vacant land and those uses which are not energy efficient.*
4. *Land use planning should, to the maximum extent possible, combine increasing density gradients along high capacity transportation corridors to achieve greater energy efficiency.*"

The last *Statewide Planning Goal* with direct bearing on the question of land use and transit relationships is Goal 14 - Urbanization. This goal, as the energy conservation goal, speaks to the trade-offs between expanding at the periphery of an urban area on rural, farm or forest lands or accommodating growth with more intensive use and reuse of lands at the urban center. This goal states:

" To provide for an orderly and efficient transition from rural to urban land use, to accommodate urban population and urban employment inside urban growth boundaries, to ensure efficient use of land, and to provide for livable communities.

Urban Growth Boundaries

Urban growth boundaries shall be established and maintained by cities, counties and regional governments to provide land for urban development needs and to identify and separate urban and urbanizable land from rural land.

Establishment and change of urban growth boundaries shall be based on the following:

(1) Demonstrated need to accommodate long range urban population, consistent with a 20-year population forecast coordinated with affected local governments; and...

Prior to expanding an urban growth boundary, local governments shall demonstrate that needs cannot reasonably be accommodated on land already inside the urban growth boundary."

B. IMPLEMENTATION

1. *The type, location and phasing of public facilities and services are factors which should be utilized to direct urban expansion.*
2. *The type, design, phasing and location of major public transportation facilities (i.e., all modes: air, marine, rail, mass transit, highways, bicycle and pedestrian) and improvements thereto are factors which should be utilized to support urban expansion into urbanizable areas and restrict it from rural areas."*

Another State of Oregon land use policy is Measure 37, approved by the voters in 2004 and recently confirmed in legal challenges. The measure provides that the owner of private real property is entitled to receive just compensation when a land use regulation is enacted after the owner or a family member became the owner of the property if the regulation restricts the use of the property and reduces its fair market value. In lieu of compensation, the measure also provides that the government responsible for the regulation may choose to "remove, modify or not apply" the regulation. Almost all claims are in lands outside urban growth boundaries throughout the state and the impact on the State's land use policies remains to be seen.

The Portland Oregon metropolitan area is adjacent to the State of Washington and the City of Vancouver, Washington and Clark County and southwest Washington are adjacent and within the travel shed of the Portland area, it is also important to consider State of Washington policies. We note that the State of Washington enacted a Growth Management Act for which Clark County must follow the following State land use policy which includes establishing urban growth areas and tying land use plans with transportation plans to serve these areas consistent with available funding³.

As land use and transportation are nearly inextricable, the transportation policies can either support or undermine any land use policies. Accordingly, it is useful to include the *Oregon Transportation Plan* in any consideration of state level land use policies. The current *Oregon Transportation Plan*, under Goal 1, Characteristics of the System, states:

"The transportation system must be designed and developed so that people have transportation choices in going from place to place. In urban areas people should be able to choose to commute, for example by carpool, public transit or bicycle as well as by auto."⁴

In Oregon Transportation Plan, Goal 2, Livability, it is stated:

"Oregon's transportation system must support statewide land use goals and regional, city and county land use plans. Transportation facilities and services need to support development of compact urban areas. Land use developments need to be designed so that people can live, work and shop in the same area. Walkways and bikeways should make walking and bicycling safe and convenient, and provide access to public transit."

Finally, the State of Oregon recognizes that regulations have limitations and that providing support and incentives is also important to achieve goals. Accordingly, the State formed a Transportation and Growth Management Program that oversees grants (\$4.1 million in 2005) for local jurisdictions, as well as developing publications, creating a quick response team and other non-regulatory methods to address state and local goals. The Program's mission is:

" Oregon's Transportation and Growth Management Program supports community efforts to expand transportation choices for people. By linking land use and transportation planning, TGM works in partnership with local governments to create vibrant, livable places in which people can walk, bike, take transit or drive where they want to go."



Regional Plans and Policies

Moving to the Portland regional level and consideration of land use plans and policies, the Portland metropolitan area is in some ways unique in that it has a directly elected regional government that has responsibilities for both regional transportation and land use. Oregon statutes provide for the creation of metropolitan service districts and in 1979, the voters of the region approved such a district. Thus, Metro, the regional government in the Portland metropolitan area was created. The original state statute called for the metropolitan service district to adopt an urban growth boundary around the metropolitan area with the intent of providing sufficient land to accommodate growth while protecting farm and forest lands. An urban growth boundary was adopted in 1979. In addition, voters approve a home rule charter for Metro in 1990, expanding the agency's land use authority and bolstering Metro's mission.

State statutes also provided that metropolitan service districts must adopt a regional framework plan and that the district:

"Require each city and county within the jurisdiction of the district and making land use decisions concerning lands within the land use jurisdiction of the district to make those decisions consistent with the regional framework plan. The obligation to apply the regional framework plan to land use decisions shall not begin until one year after the regional framework plan is acknowledged as complying with the statewide planning goals..."

Accordingly, a regional plan was completed and approved in 1995. This plan was a concept plan that contained both policies and a map. The plan and policies is known as the *2040 Growth Concept*. Policies in the *2040 Growth Concept* encourage:

- efficient use of land
- protection of farmland and natural areas
- a balanced transportation system
- a healthy economy
- diverse housing options.

Mixed-use urban centers inside the urban growth boundary are keys to the *2040 Growth Concept*. These are higher density centers of employment and housing that are well served by transit to form compact areas of retail, cultural and recreational activities in a pedestrian-friendly environment. Mixed-use centers provide efficient access to goods and services, enhance multi-modal transportation and create vital, attractive neighborhoods and communities.


The *2040 Growth Concept* uses interrelated types of centers:

- The central city is the largest market area, the region's employment and cultural hub.
- Regional centers serve large market areas outside the central city, connected to it by high capacity transit and highways.
- Smaller town centers with local shopping and employment opportunities within a local market area connect to each regional center by road and transit.

Planning for all of these centers is intended to balance jobs, housing and unique blends of urban amenities so that more transportation trips are likely to remain local and become more multi-modal.

The *2040 Growth Concept* Map is show below, with the large circle indicating the Central City in the middle of the map.

Figure 3-11
Metro 2040 Growth Concept Map



To implement the *2040 Growth Concept*, a functional plan that required local jurisdictions to make certain changes to their plans and zoning ordinances was adopted in 1996. This plan required local jurisdictions to make many changes including accommodating higher densities in centers, reducing surface parking requirements and other measures to help ensure a compact urban form and efficient land uses.

Another element of the region's land use plan and policies is the *Regional Transportation Plan*. The RTP serves as the region's transportation system plan and forms the basis for transit capital investments, such as this Project. The RTP states:

*"1.1 Regional Transportation Vision
Adoption of the 2040 Growth Concept established a new direction for planning in the Portland metropolitan region by linking urban form to transportation. This new direction reflects a regional commitment to developing a plan that is based on efficient use of land and a safe, cost-effective and efficient transportation system that supports the land uses in the 2040 Growth Concept and serves all forms of travel.*

The unifying theme of the 2040 Growth Concept is to preserve the region's livability while planning for expected growth in this region – a principle that calls for a regional transportation system designed to meet the specific needs of each 2040 Growth Concept land use component.

This Regional Transportation Plan seeks to protect the region's livability by defining a transportation system that:


- anticipates the region's current and future travel needs*
- accommodates an appropriate mix of all forms of travel*
- supports key elements of the 2040 Growth Concept through strategic investments in the region's transportation system*

1.2 Connecting Land Use and Transportation

While the 2040 Growth Concept is primarily a land use planning strategy, the success of the concept, in large part, hinges on implementation of regional transportation policies identified in this plan. The following are descriptions of each of the 2040 Growth Concept land-use components and the transportation system envisioned to serve them. The 2040 Growth Concept land-use components, called 2040 Design Types, are grouped into a hierarchy based on investment priority⁵."

The Central City, along with regional centers, regionally significant industrial areas and intermodal facilities are listed as the highest priority for transportation investments in the region.

The RTP also addresses land use. It states:



"Policy 3.0. Urban Form

Facilitate implementation of the 2040 Growth Concept with specific strategies that address mobility and accessibility needs and use transportation investments to leverage the 2040 Growth Concept.

- a. Objective: Serve new development with interconnected public streets that provide safe and convenient pedestrian, bicycle and motor vehicle access.*
- b. Objective: Provide Street, bicycle and pedestrian connections to transit routes within and between new and existing residential, commercial and employment areas and other activity centers.*
- c. Objective: Encourage development that supports increased mobility and accessibility, particularly by transit, walking and bicycling.*
- d. Objective: Support mixed-use development to reduce travel demand. Locate housing, jobs, schools, parks and other destinations within walking distance of each other whenever possible.*
- e. Objective: Leverage the region's multi-modal transportation investment by supporting the development of innovative tools including transit-oriented development, the location efficient mortgage and others.*

Policy 4.0. Consistency Between Land-use and Transportation Planning


Ensure the identified function, design, capacity and level of service of transportation facilities are consistent with applicable regional land use and transportation policies as well as the adjacent land use patterns.

- a. Objective: Provide adequate transportation facilities to support a land use plan that implements the 2040 Growth Concept."*

In addition to such regulatory measures at the regional level, Metro also recognized that non-regulatory measures could help achieve regional goals. Accordingly, Metro's Transit Oriented Development (TOD) Program was created. The TOD Program operates through a series of cooperative agreements between the region's elected regional government (Metro), local jurisdictions and private developers. The primary use of program funds is site acquisition. Property is acquired, planned and re-parceled. It is then sold with conditions to private developers for constructing transit-oriented development and/or dedicated to local governments for streets, plazas, and other public facilities where appropriate. In many cases the land value is written down to cover extraordinary development costs required to construct a specific TOD project. In such cases, a "highest and best transit use" appraisal is used to establish the sale price. The program is the first of its kind in the United States.

Figure 3-9, below, illustrates the mixed use areas eligible for the TOD program assistance. Each year potential projects located within these boundaries are considered for assistance to bridge the gap between not constructing a project and a market project - as a way to help ensure that the mixed use centers growth and thrive. Because there are often barriers to such mixed use development, the TOD program can provide a modest amount of assistance and ensure that center developments happen.

Figure 3-9
Urban Centers Eligible for Metro TOD Implementation Program



Another critical transportation implementation partner at the regional level is TriMet, the transit agency that builds, operates and maintains the region's transit network. It prepares a rolling five year *Transit Improvement Plan* that guides capital and operating transit investments in the region. This TIP states its priorities as follows:



"Within available financial resources, TriMet and its partners balance needs to guide where, when and how to invest transit-related dollars. The TIP priorities are to:

- 1. Build the Total Transit System – Enhance customer information, access to transit, stop amenities, frequency, reliability, passenger comfort, safety and security.*
- 2. Expand high capacity transit – Invest in MAX Light Rail, Commuter Rail and Streetcar service along key corridors to connect Regional Centers.*
- 3. Expand Frequent Service – Add routes to TriMet's network of bus lines than run every 15 minutes or better, every day.*
- 4. Improve local service – Work with local jurisdictions to improve transit service in specific local areas.⁶*

City of Portland Plans and Policies

At the local level, the City of Portland has substantial land use plans and policies that address the Eastside and the Central City. The *Central City Plan*, adopted by the Portland City Council in 1988 (with significant amendments in 1995 and 1996). The *Central City Plan* includes the Central City districts as discussed elsewhere in this document. The major concepts of the Plan include: Making the Willamette River the focus of the city, and;

- *"Developing major transit corridors as spines for future growth, especially a possible trolley line and supporting extension of the light rail system..."*
- *Increasing housing and employment, especially locating medium and high density commercial along the regional transit corridors...*
- *Retaining and expanding the Central City's role as the cultural and educational core for the region..."*

More specifically, the transportation element of the *Central City Plan* states (emphasis added):

"Policy 4: Transportation

Improve the Central City's accessibility to the rest of the region and its ability to accommodate growth, by extending the light rail system and by maintaining and improving other forms of transit and the street and highway system, while preserving and enhancing the City's livability."

Element H of this policy states:


"Develop new systems and better utilize the existing transportation system to promote tourism by connecting the City's hotel, retailing, recreational, cultural and entertainment attractions."

In addition, the accompanying action chart in the 1988 *Central City Plan* states (emphasis added):

*"T4 Plan and construct an inner city transit loop (possibly on Grand Ave.)"*⁷

CENTRAL CITY PLAN


ADOPTED BY THE PORTLAND CITY COUNCIL
MARCH 24, 1988



BUREAU OF PLANNING
CITY OF PORTLAND, OREGON
AUGUST 1988




Figure 3-10
Central City Concept Plan - (Transit Circulator Loop Emphasized)



Source: City of Portland, 1988

To implement the land use policies of the Central City Plan, the *Central City Transportation Management Plan* was adopted in 1995. This policy document, part of the City's Transportation System Plan states:

"An effective transit system is a key element in implementing the Central City Plan. Transit does more than provide critical access to the Central City. It also promotes higher density and diversity of both housing and commercial buildings, which in turn leads to pedestrian and bicycle travel for short distance commutes, as well as access to buses and trains. Higher density makes transit more cost-effective. All of these factors lead to minimizing auto use, improving air quality, and managing traffic congestion - all key factors in improving livability for the entire Portland region.⁸"



The CCTMP also contains the following policies (emphasis added):

"Policy 2.7: Maintain Access to Industrial Activities

Maintain and/or enhance commercial and vehicle access and circulation to and within the Central City to serve industrial activities.

Policy 2.9 Central City Edges

Protect residential neighborhoods adjacent to the Central City from adverse transportation or parking impacts caused by economic or other activities in the Central City and mitigate their impacts.

Policy 2.11 Grand/Martin Luther King, Jr. Corridor

Enhance the multimodal transportation role of the Grand/Martin Luther King, Jr. corridor with transportation improvements that reduce congestion by increasing opportunities for transit (bus and streetcar), pedestrians, bicycles, freight movement, and traffic management.

Policy 3.1: Transit Mode Split

Support achieving the following transit share goals for commute trips in 2010:

<i>Downtown</i>	<i>60%</i>
<i>North of Burnside</i>	<i>40%</i>
<i>Lloyd-Coliseum</i>	<i>40%</i>
<i>Northwest Triangle</i>	<i>40%</i>
<i>North Macadam</i>	<i>20%</i>
<i>Goose Hollow</i>	<i>20%</i>
<i>Central Eastside</i>	<i>15%</i>
<i>Lower Albina</i>	<i>10%"</i>

Policy 5.4: Central City Transit Circulation

Improve transit service to provide better circulation and distribution within and between districts of the Central City.

Objectives:

5.4.1 Increase the frequency of service and the connectivity between major bus routes and light rail to improve their function as Central City shuttles so that users would not need a system schedule.

5.4.3 Establish a network of transit streets, terminals, and transit centers in the Central City.

5.4.4 Identify a strategy for developing the Central City streetcar system and integrating it with other transit services.⁹"


Finally, the City of Portland has zoning ordinances that guide urban development throughout the City and especially the Central City. The zoning for the Central City is primarily zones that allow, if not require high intensity uses including retail commercial, office, high density residential and often in mixed-use development. In addition, these codes have provisions that include design review as well as pedestrian standards, building street orientation, limitations on drive-through windows, street trees, ground floor windows, transit street main entrances, measures that discourage surface parking lots and other measures intended to foster the pedestrian and transit friendliness of the Central City.

As with the state and regional levels, the City of Portland has also provided incentives to help implement its plans. These programs and incentives have mainly been completed under the Portland Development Commission and are described in more detail under the economic development section of this report.

Effect of Land Use Plans and Policies

As noted earlier in this section, the FTA has asked for evaluation of the transit-friendliness of land use - existing and planned. Evidence from the region about the past shows that transit rides, including bus, streetcar and light rail, have grown substantially more than vehicle miles traveled. This trend is largely attributable to the region's compact urban form, land use mix and form, short average trip lengths and the presence of viable alternatives to the single occupant vehicle.

**Figure 3-11
Comparison of Population, Vehicle Miles Traveled, Transit Service & Ridership 1993-2003**



Source: TriMet


Then too, modal split data from travel surveys shows that in the Metro region, areas such as the Central City with good transit and mixed uses can garner up to 40 percent or more of all trips.

**Table 3-3
Transportation Mode Share by Transit and Land Use Characteristics**

Land Use Type	Mode Share					Vehicle Miles per capita	Auto ownership per household
	Auto	Walk	Transit	Bike	Other		
Good Transit/Mixed Use	58.1%	27.0%	11.5%	1.9%	1.5%	9.80	0.93
Good Transit Only	74.4%	15.2%	7.9%	1.4%	1.1%	13.28	1.50
Remainder of Multnomah County	81.5%	9.7%	3.5%	1.6%	3.7%	17.34	1.74
Remainder of Region	87.3%	6.1%	1.2%	0.8%	4.6%	21.79	1.93


Source: Metro 1994 Travel Survey

Figure 3-12
Pedestrian Accessibility in the Metro Region



Source: Nat Brown, Metro 2005

Figure 3-13
Comparison of Portland Transit To US



Source: Figure 28 Littman, 2005

Looking at the Portland region and comparing its density and vmt/capita, we find that in a comparison with metropolitan areas from throughout the country, the Portland region has medium density, but much lower daily vehicle miles traveled per capita¹⁰. In fact, the Portland region has comparable daily vehicle miles traveled per capita to such transit intensive cities as San Francisco and Chicago, with substantially less than Seattle and Milwaukee. Further, when looking at the Portland region's transit mode share, it meets or exceeds that of many much larger cities. In addition, Portland has been ranked as one of the five best cities for walking - which again reinforces the notion that a pedestrian and transit friendly environment has been established relative to other parts of the country. Figure 3-12, shows the areas within the region with the best pedestrian accessibility and the Eastside is among the areas in the region with the best pedestrian accessibility now, based on the short block lengths and continuous, relatively wide sidewalks.

Based on the Portland region's growth in transit ridership, relatively low rate of vehicle miles traveled per capita and despite only moderate density, it can be concluded that the Portland region has been successful in providing transit that is used and providing urban form and land use conducive to transit use. The tools that have been used include longstanding land use plans and policies, which have many, if not most of the elements considered necessary for transit friendliness. Further, as the Central City, including the Eastside Corridor is planned for the most dense and intense land uses and activities in the region, with corresponding policies, regulations and incentives, the Eastside corridor is concluded to be transit friendly.

Land use plans and policies that apply to the region, the central city, and the Eastside have a good track record of transit friendliness. Either a bus or streetcar would benefit from and reinforce these transit friendly plans and policies.

Project Consistency with Regional and Local Plans

The regional plan, the 2040 Growth Concept supports and encourages the growth and development of the Central City, including the Eastside, as "the largest market area, the region's employment and cultural hub." The Eastside Transit Project (bus or streetcar), by providing a transit circulator that helps connect the districts of the Central City, is concluded to be consistent and directly implements the Central City Plan.

**Figure 3-14
Oil Crisis Readiness**



Source: SustainLane 2005

Further, as an "inner city transit loop (possibly on Grand Ave.)" is included in the *Central City Plan*, it is concluded that the Eastside Transit Project (bus or streetcar) is consistent with the Eastside Transit Project. However, to the extent that a streetcar would serve as a development catalyst for much more intensive urban development than bus service, a streetcar is the most consistent transit mode concerning the regional policies.

Project Consistency with Statewide Planning Goals

Regional and local plans must be prepared consistent with the State Planning Goals. Both the *Central City Plan* and the *2040 Growth Concept*, as part of the *Regional Framework Plan*, have been acknowledged by the Oregon Land Conservation and Development Commission as consistent with the Statewide Planning Goals.

Looking at the Eastside Transit Project (bus or streetcar) and individual Statewide Planning Goals, it is concluded that the Eastside Transit Project is consistent with Statewide Planning Goal 9, Economic Development, as it provides support for economic activities and considers the characteristics of the Eastside including labor market factors, educational and technical training programs, necessary support facilities, current market forces and availability of land.

With regard to Statewide Planning Goal 12, Transportation, the Project also provides transit service in addition to the motor vehicle travel which addresses the guidance to "...avoid principal reliance upon any one mode of transportation;..." and because of the existing and planned high density development in the Eastside is consistent with the guidance that states that:

"...high density developments with concentrated trip origins and destinations should be designed to be principally served by mass transit..."

Further, Statewide Planning Goal 13, Energy Conservation, clearly favors integrated transportation and land use systems that save energy by reducing distances and using more highly efficient modes of travel¹¹. Here again, to the extent that a streetcar sparks more compact development and more jobs and housing, a streetcar results will also include shorter trip lengths, more pedestrian and bike trips and less energy consumed. As is the transportation system most consistent with the energy conservation goal. Figure 3-14 suggests that policies of the city, region and state have resulted in a place in which, relative to many cities in the US, policies have been effective in addressing energy conservation and reliance on fuel sources outside of our control.

A summary of land use policies, their transit friendliness, demonstrated results and how a bus or streetcar would compare under these policies is included in Table 3-4, below.

**Table 3-4
Land Use Plans and Policies Summary**

	Statewide Planning Goals	Region 2040 and Regional Framework Plan	Central City Plan and CCTMP
Transit Friendly Policies	Yes	Yes	Yes
Demonstrated Results	Compact urban form	Transit ridership greater than population or vmt growth	Greater mode share in central city with its use of mixes, density and available transit
Project Consistent with Plans/Policies			
Bus	Yes	Yes	Yes
Streetcar	Yes, but likely to foster more development	Yes, but likely to foster more development	Yes, but likely to foster more development

Economic Development Measures

Background

Publicly funded transportation improvements are widely acknowledged to provide broad economic development benefits, perhaps beginning in the US with public support of canals and railroads in the 19th century and continuing with highway and transit projects in the 20th and 21st centuries. Transit (both streetcar and bus) provides mobility to users and accessibility to jobs and housing. One estimate is that every \$10 invested in transit capital projects results in \$30 in business sales and every \$10 of transit operations generates \$32 in business sales¹², a three fold multiplier.

This Evaluation Report is intended to assess the differences between Eastside Transit alternatives. In Chapter 1 of this Report, an economic development goal was described based on local desires for additional economic development in the Eastside. Further, economic development potential is included in SAFETEA-LU legislation [federal transportation law, specifically, section 3011 (e)(2)] that requires the Secretary of Transportation to provide funding assistance to a proposed Small Start project only if the Secretary finds that the project meets certain standards, including that the project is:

... "(B) Justified based on a review of its ...effect on local economic development."

Further, the federal statute requires the Secretary to make the following determination:

".... the degree to which a project will have a positive effect on local economic development...."

Preliminary Federal Transit Administration proposed guidance for Small Starts further suggests that:

"Useful measures for economic development might include vacancy rates, the value of land parcels compared to the value of current improvements on those parcels, and similar measures of development conditions in the corridor of interest."

and,

"...the best available measures of likely economic development/land use benefits may be derived from the circumstances in which the projects would be implemented rather than from the forecasts of their specific development impacts. A survey of available research on the development impacts of transit suggests that increased accessibility and permanence of the transit investment are the primary transit-related characteristics of development. Those project related characteristics, plus indicators of the availability of land for development or redevelopment may provide a workable representation of likely development benefits."

Increases in accessibility have been addressed in the transportation section of this report and are therefore not repeated in this section. In addition, vacancy rates are not recommended for use in this evaluation as they can be quite changeable from season to season and because the Portland Streetcar has been implemented concurrent with new mixed use development, new units exaggerate vacancy rates as occupancy lags construction. For example, in the South Waterfront area, there are currently about 1,000 (987) housing units under construction. While the sales contracts have been completed for the majority, if not all of these units, they could be counted as vacant. Earlier this month a proposal for six more towers, with perhaps another 1,000 housing units, was proposed. Accordingly, vacancy rates could be misleading given this high growth rate.

This suggests that to best address federal requirements the measures should be narrowed to:

- the value of land parcels compared with the value of current improvements;
- the permanence of the transit investment;
- the availability of vacant or re-developable land

In addition, during the development of the Eastside Transit Alternatives Analysis, the following evaluation measures were identified to measure economic development effects:

- Additional jobs and housing that would likely be created with some transit alternatives;
- Private investment induced; and,
- Tax base improvement (an expanded or increase in assessed value)

Accordingly, this evaluation of economic development will address federal regulations and guidelines as well as the stated project goals and objectives.

City of Portland Economic Development Plans and Policies

As a background to economic development in the Central City and Eastside, there are important City of Portland plans and policies for the urban center that the City has been pursuing since the early 1970s. These include the following:

"Policy 1. Economic Development

Build upon the Central City as the economic heart of the Columbia Basin and guide its growth to further the City's prosperity and livability.

A. Foster the development of at least 50,000 additional new jobs in the Central City by the year 2010.

B. Enhance the Central City's dominance in finance, government, professional services, culture, entertainment, and as a business headquarters location.

C. Strengthen the Central City's role as a retail center, tourist attractor, and center for diverse educational programs.

D. Support and maintain manufacturing and distribution as significant components in the Central City economy.

E. Capture the opportunities for new jobs and investment created by the new Oregon Convention Center.

F. Support the retention and expansion of existing businesses while attracting and encouraging new businesses in the Central City.

G. Build on and market the Central City's livability as a central component of Portland's economic development strategies.¹³"

These goals are supported by a range of regulations and incentives provided by the City of Portland through the Portland Development Commission. [It should also be noted that these economic development goals are not the only economic development goals of the City. Several strategies have been articulated and are being implemented (for example transportation/freight hub, high technology including silicon, bio-medical and nanotechnology based systems)]

The Portland Development Commission has established the following urban renewal area goals for the Central Eastside:

"Goal 1: Urban Development

Encourage expanded opportunities for housing and jobs while retaining the character of established residential, neighborhood and business centers.

Promote urban diversity by encouraging a range of employment opportunities and living environments to attract and retain a stable and diversified population.

*Encourage full use of vacant land, except in those areas designated as open space.
Coordinate with and support goals of adjacent URAs.*

Goal 2: Business Retention & New Business Development

Improve the level, distribution and stability of jobs and income for resident industry, business and people.

Foster a public/private partnership for development responsive to the economic needs of Portland's business and residents.

Encourage long-term employment opportunities that enhance broad vocational and income opportunities, decrease unemployment, and increase the disposable income of City residents.

Encourage business and industrial district organizations that help meet the City's economic development objectives and are compatible with neighborhood livability.

Keep Portland competitive with other regional and national centers by encouraging existing business to remain and expand and proactively attracting new business and industry.

Goal 3: Central Eastside Revitalization Program

Enhance the Central Eastside as a near-in job center featuring a diverse industrial base with compatible, supportive and appropriately located commercial and residential activities.

Encourage the vitality of existing firms, provide an attractive climate for complimentary ventures, and offer a positive environment for adjacent neighborhoods.

Enhance the function of the Central Eastside Industrial District (CEID) as an incubator for new industrial and commercial business.

Increase the attractiveness of the area as an industrial center, particularly for specialty manufacturing and distribution firms desiring convenient access to regional transportation networks.

Enhance opportunities for existing firms by providing industrial sanctuaries for certain industrial activities while allowing commercial housing development within appropriate subareas.

Feature high quality design standards complimentary to the overall business climate for new and existing businesses, recognizing the CEID is both the "front door" to nearby residential neighborhoods and highly visible to Portland's Central Business District.

Intensify property use at locations not suitable for industry and increase the number of compatible businesses and retail services along commercial corridors.

Improve the transportation system and parking resources to meet the CEID's business needs and redevelopment objectives while respecting traffic concerns of adjacent neighborhoods.

Goal 4: Riverfront Access

Implement the Willamette River Greenway Plan to preserve a strong working river while promoting recreation, commercial and residential waterfront development south of the Broadway Bridge. Increase accessibility to the river and enhance greenway areas as a public resource, and improve the environmental quality of life for adjacent and nearby neighborhoods."

Similarly, the Lloyd District portion of the Convention Center Urban Renewal Area has goals as follows:

" ...to develop a vision and implementation strategy that will:

Guide the development and livability of the Lloyd District through 2013.

Identify public-sector capital improvements to support development.

Coordinate private-sector stakeholders to implement the vision.

Increase interest in and support for the Lloyd District vision.

Defining Economic Development

The economic consequences of new or additional transit service can be expressed in both monetary and non-monetary forms. Economic development impacts may be categorized as:

- *"Increases in regional productivity and benefits of urbanization and agglomeration;*
- *Enhanced employment accessibility;*
- *Impacts on property values; and,*
- *Employment, output, and income effects due to construction and operations of transit projects.¹⁴"*

There is also analysis that suggests that:

- *"Average labor productivity increases with employment density*
- *Dense labor markets and high clustering of jobs leads to knowledge spillovers*
- *Dense local economies are linked to increased patenting¹⁵"*

These findings are buttressed by similar findings that conclude:


"... While the marginal cost of transmitting information across geographical space has fallen significantly, the marginal cost of transmitting knowledge still rises with distance..." "Therefore, the knowledge spillover benefits of clustering in cities can be large for high-value, knowledge intensive sectors."¹⁶"

The City of Portland economic development approach for the Central City, including the Eastside, has been designed to take advantage of the potential economic gain that may accrue from agglomeration and urbanization, enhanced accessibility to jobs, economic development and increased property values. This approach takes advantage of the characteristics of the Eastside and Central City that are unique within the region.

An Urban Center Economic Development Hypothesis

While the economic development benefits of urbanization and agglomeration may be demonstrable, it is important to understand what dynamics might actually be at work that would justify confidence in such an economic development approach. Following is a hypothesis that, while not articulated or forecast in the 1970s or 1980s when central city policies were first formulated, is consistent with, and facilitated by, City policies.

This urban center hypothesis (a research paper entitled *The Young and the Restless in a Knowledge Economy*¹⁷) is an analysis of the likely outcome of upcoming demographic trends. Its creators assert that that portion of the population between the ages of 25 and 34 with a college education are the most mobile, creative and entrepreneurial. As *"Most new jobs in America are created by the small business sector..."¹⁸*, this economic development approach asserts that communities that attract this population segment during the time that they are mobile will result in robust city economies, especially central cities. The intent of the following analysis is to show that 1) Portland's Central City policies create an environment conducive to job growth; 2) this job growth will occur because of the ability to attract key demographic segments of the



population ; and 3) the Central City and Eastside Streetcar accessibility benefits fit well with the mobility characteristics of this key demographic group and as such supports economic development.

Following are excerpts from *The Young and the Restless in a Knowledge Economy*:

"The immediate challenge for cities is to attract young, college-educated workers who, more than any previous generation, have greater mobility, and they use it, moving to cities with the assets, ethos and opportunities that they seek. In understanding these young, educated workers, cities have their best chance of succeeding in the most competitive economic environment in history.

But, first, cities have to shake off the complacency that comes from four decades of an ever expanding, seemingly inexhaustible labor force. For decades, the U.S. economy has been fueled by increases in the size and improvements

in the quality of the nation's workforce: the tide of baby boomers entering the labor force, the doubling of women's participation in paid work outside the home and the impact of the number of college-educated adults increasing from 10 million to 50 million over the past four decades.

But, over the next decade, all of the forces that converged to create our abundance of talent will collapse or reverse. This research on the Young and Restless identifies trends that are early warning signs for our nation's cities and concludes that:

- *Young educated people are the most mobile people in the U.S. population*
- *"People in the 25 to 34 year-old group are the most entrepreneurial in our society."*

The importance of these young, educated workers will become increasingly apparent as the baby boom generation, now in its peak earning years, retires in substantial numbers in the next few years; women's labor force participation—now nearly the same as men's—won't increase further; and the college graduation rate is hitting a plateau, with no sign of a national or local commitment to increase capacity dramatically.

Place matters: young educated people are being disproportionately drawn to certain cities, and once in them, they are more likely to choose vibrant, close-in neighborhoods than other Americans.

These unfolding changes demand a new calculus for cities' economic development. Both nationally and locally, we have taken for granted the ready supply of workers, but companies and cities continue to do so at their own peril. Already, signs of shortage are surfacing in industries and regions that depend on highly-skilled, long-tenured employees—skilled nursing shortages are widespread, skilled manufacturing workers are in tight supply and the entire utility industry faces a huge brain drain in the years ahead.

Also, these talented young adults are not simply workers. They are also more likely to be entrepreneurs, forming the next generation of growth companies that power metropolitan and national growth. Once rooted in place, the Young and Restless represent a tremendous economic asset for a region."

Assessing Demographic Shifts in the Portland Area, Central City and Eastside

Portland region has experienced the growth of the 25 to 34 year-old population in excess of the region's overall population growth trend. Further, the type of 25 to 34 year-old moving to the Portland region tends to be those that are college educated. In addition, the locations that this 25

to 34 year-old population tends to locate closer to the Portland central business district (defined as within three miles of the city center.)

This location preference for nearness to the central city is even stronger in the Portland region when the college educated 25 to 34 year-old population is considered. The *Young and the Restless in a Knowledge Society* study therefore posits that successful economic development must address the 25 to 34 college educated population and that this population is attracted to close-in neighborhoods. It further demonstrates that close-in neighborhoods in Portland have been successful in attracting this population compared with most other cities in the US.

In addition the following evaluations of Portland consistent with *The Young and the Restless in a Knowledge Society* have been concluded:

- Portland was ranked number two in the 2005 *Money* magazine's *Best Places to Live*;
- Portland is in the top ten cities as rated by *Forbes* magazine in 2004 for cities with a core city population of between 150,000 and 750,000, as it is a place with a lively downtown and reasonable cost of living;
- Portland leads the country in women-owned businesses according to the Center for Women's Business Research;
- Portland is among the top ten cities for literacy according to a University of Wisconsin 2004 analysis.

Business Community Perspective on Economic Development and the Central City

The business community of the Central City is represented by the Portland Business Alliance (PBA) and by the Central Eastside Industrial Council in the Central Eastside. In 2005, a PBA sponsored review of central city development and redevelopment projects¹⁹. This review concluded that:

"Portland has long been recognized as one of the country's strongest per capita retail markets, and downtown is often used as a national example of urban vitality built on a mix of national and independent retailers."

Periodically, the Portland Business Alliance conducts a census in order to assess the health of the downtown. Highlights of the latest survey, conducted October 2004²⁰ are as follows:

- since 2001, the number of employers is up by 81 firms, or two percent.
- since 2001 the number of employees is down by 4,272, or five percent, though the number of 2004 jobs is up over the number in 2003 and 2002.
- 53 percent of business owners say their business improved in the last year.
- in the last year foot traffic has increase six percent at key intersections.
- 35 percent of business owners say they have plans to expand in the next two years.
- 55 percent of business owners rate downtown as safe or very safe.
- 76 percent of business owners rate downtown as good or acceptable cleanliness in public spaces.

Further, Portland has been concluded to have the following business aspects:


- Oregon is ranked in the top ten states for business tax climate²¹
- Portland has been ranked as third highest in the nation in competitiveness²²

(this study defined competitiveness as "...policies and conditions that ensure and sustain a higher level of per capita income and continued growth."

Cost of Doing Business

Economic development is encouraged or discouraged by a myriad of factors. One such factor is the taxes paid by businesses. Total state taxes, of all types, are one consideration in locating or retaining businesses. In the State of Oregon, businesses pay 25 percent of all state taxes, the lowest rate in the nation²³. Further, the State of Oregon is ranked 34 in total taxes per capita (out of 50 states, with 1 being the highest total taxes per capita and 50 being the lowest)²⁴.


Figure 3-15
Largest Downtown Employers



Also important to consider is the importance of a transit circulator to tourists and other visitors to the Central City area. As noted in this report, there are several different kinds of districts in the Central City area with differing attractions varying from art museums and galleries, theatre and similar cultural attractions to educational and learning experiences on the Portland State University campus to the restaurants and nightlife and hotels all within the Central City. In addition, there is the home improvement district in the Central Eastside as well as the jobs in the support businesses, from printing to wholesale food distributors that supply the westside businesses.

A transit circulator would serve all of these trip purposes as well the existing and new residents expected to be living within the Central City.

**Table 3-16
Portland City Center - Attractions and Facilities**



Source: Portland Oregon Visitors Association

Conclusions about Central City Economic Development Strategy

The above information has demonstrated that the City of Portland has a long standing economic development strategy crafted to meet the characteristics of the Central City, including the Eastside,. Further, that there is a coherent economic development theory that states that a demographic cohort of young, educated and entrepreneurial population can be a powerful economic engine and that this demographic segment is attracted to the Central City because of its cultural, educational and entertainment uses and to the adjacent close in neighborhoods. The next task is to determine what link transit can play with regard to economic development.

Comparing Bus and Streetcar

Fundamentally, the question for this Eastside Transit AA is whether there is a difference between rubber-tired transit and rail. For this section, economic development, the question is whether there bus or rail differ in their economic development potential.

A brief review of the literature provides some clues. For example, there is a 1989 study²⁵ that concludes (speaking of all passenger rail types, not just streetcars):

"Because transit use is a function of travel time, fare, frequency of service, population, and density, increased transit use can not be attributed to rail transit when these other factors are improved. When these service conditions are equal, it is evident that rail transit is likely to attract from 34 percent to 43 percent more riders than will equivalent bus service. The data do not provide explanations for this phenomenon, but other studies and reports suggest that the clearly identifiable rail route; delineated stops that are often protected; more stable, safer, and more comfortable vehicles; freedom from fumes and excessive noise; and more generous vehicle dimensions may all be factors."

Another study²⁶ completed in 1997, contains this observation:

"In San Francisco, the 8-Market electric trolley bus line was replaced by 50-year old heritage trolleys, renamed as the F-line, running over the identical route in the mid 1990s by the Municipal Railway of San Francisco (Muni). According to the agency's own figures, in September 1994, the route 8 trolley bus averaged 5,813 riders per day. By November of 1997, the heritage trolleys on the same route were averaging 7,896 riders per day over the identical route, a 35% increase. Ridership has grown steadily since then and, including the Embarcadero extension, now is reported to exceed 19,000 per day. The Muni is hard pressed to run enough cars to meet the demand. The F-line service is one of the most popular services offered by the agency among both residents and tourists, and other parts of the city are requesting that heritage trolleys be extended to their neighborhoods as well."

Toronto's experience, also in 1997, comparing streetcars with buses is described as follows:

"The introduction of the 604 Harbourfront streetcar route was followed by an increase in transit ridership in the area, compared to the previous bus operation. Transit ridership at Harbourfront increased by approximately three times, from 2,000 weekday customer-trips on the former bus service to 5,700 customer-trips each day on the streetcar service. While this increase cannot be solely attributed to the streetcar operation, the increased service levels, transit priority, and visibility of the streetcar service are certainly responsible for a portion of the ridership increase."²⁷

Higher ridership attributed to the presence of fixed rail transit suggests that there is more economic development potential with rail than with bus. The literature also suggests that bus service does not enhance commercial property values as fixed rail does. A FTA study in year 2000 of 2,830 commercial properties located in Washington D.C. found that:

"... other things being equal, the shorter the distance between a commercial property and a Metro Station, the higher the value of the property"²⁸.

Further, the same analysis found that:

"In our sample, the proximity of a Bus stop does not seem to enhance the value of commercial properties."

Table 3-5, below, summarizes other research about this question.

**Table 3-5
Economic Benefits of Urban Passenger Rail Transit**

Location	Date of Analysis	Residential Property Value Change with Transit	Commercial Property Value Change with Transit
Dallas, Texas ²⁹	2003	39% greater value	Office commercial space 53 % greater value
Various ³⁰ (Includes studies of Sacramento, San Diego and Santa Clara California)	2002	2-18% greater value	4-30 % greater value for office, retail and industrial
San Diego ³¹	2003	17% greater value	
Washington, D.C. ¹⁰	2000		On average, a 1,000 feet reduction in the distance to a Metro station raises the value of commercial properties by \$2.3 per square foot.
San Francisco ³²	2002	"Transit-oriented developments in San Francisco... are overall the most valuable properties in the metro area, averaging a premium of 20-25 percent over comparable non-transit areas."	

Source: Metro

However, the difference between bus and rail transit is perhaps best expressed as follows:

"Rather than a debate about which is better, each can be considered most appropriate in particular situations. Bus is best serving areas with more dispersed destinations and lower demand. Rail is best serving corridors where destinations are concentrated, such as large commercial centers and mixed-use urban villages. Rail can be a catalyst for creating more accessible, multi-modal communities and urban redevelopment. Rail tends to attract more riders within a given area, but buses can cover more area. Both can become more efficient and effective at achieving planning objectives if implemented with supportive policies that improve service quality, create supportive land use patterns and encourage ridership³³."

Figure 3-17, below, provides a side-by-side comparison of the characteristics of bus and rail transit.

Figure 3-17
Comparison of Bus and Rail

<u>Bus Transit</u>	<u>Rail Transit</u>
Flexibility. Bus routes can change and expand when needed. For example, routes can change if a roadway is closed, or if destinations or demand changes.	Greater demand. Rail tends to attract more discretionary riders than buses.
Requires no special facilities. Buses can use existing roadways, and general traffic lanes can be converted into a busway.	Greater comfort, including larger seats with more legroom, more space per passenger, and smoother and quieter ride.
More suitable for dispersed land use, and so can serve a greater rider catchment area.	More voter support for rail than for bus improvements.
Several routes can converge onto one busway, reducing the need for transfers. For example, buses that start at several suburban communities can all use a busway to a city center.	Greater maximum capacity. Rail requires less space and is more cost effective on high volume routes.
Lower capital costs.	Greater travel speed and reliability, where rail transit is grade separated.
Is used more by people who are transit dependent, so bus service improvements provide greater equity benefits.	More positive land use impacts. Rail tends to be a catalyst for more accessible development patterns.
	Increased property values near transit stations.
	Less air and noise pollution, particularly when electric powered.
	Rails stations tend to be more pleasant than bus stations, so rail is more appropriate where many transit vehicles congregate.

Source: Litman, 2005

If these characteristics are applied to the Eastside Project, then streetcar or some type of rail would seem to best fit the high density mixed use existing and planned land uses in the Eastside.

Actual Portland Streetcar Economic Development Experience

In Portland, the locally funded streetcar provides documented demonstration of the impact of transit investment.

A significant part of the economic development implementation structure of the Portland Streetcar involved development agreements. These agreements were contracts between the public and private sector stipulating that if the public sector provided certain investments, particularly streetcar construction and operation, the private sector would agree to higher development densities and intensity.

For example, the *City of Portland/Hoyt Street Properties Development Agreement*, Hoyt Street Properties (HSP) committed to building a minimum density of 109 dwelling units per acre (an addition of 22 dwelling units per acre than otherwise required) once the City commenced construction of

Figure 3-18
Existing Streetcar Service




the Portland Streetcar project in May 1999. From 1999 to 2003, HSP built 877 dwellings at an average density of 160 dwelling units per acre - plus ground level retail¹. HSP continues to develop its remaining properties at significantly greater densities than required. And more generally, as the real estate market responded to such development, developers found that high density development in the Central City was not as risky as once thought.

The private property development sector as well as representatives of Metro, the City of Portland, TriMet and Portland Streetcar, Inc. closely watched the amount and type of urban development that occurred along the Portland Streetcar line. Many observers thought that there was more economic development occurring where streetcar service was provided than in otherwise similar areas. In addition, developers near the line have expressed interest in having streetcar service provided to their areas. Further, there was anecdotal evidence that transit riders preferred streetcar or other steel wheel transit vehicles over buses. Based on these observations, in 2005 it was hypothesized that streetcar service generates more economic development than rubber tire transit, all other variables held constant.

A literature search was completed to identify studies documenting differences in the development potential (building and occupancy of residential and commercial structures) of rubber tired transit and streetcar service and analysis methods. No rigorous analyses were found, though those studies found supported the hypothesis. Several analysis methods were identified and hedonic pricing was recommended as the most rigorous method. Recognizing budget limitations and hedonic pricing analysis cost, it was proposed that a determination of whether there was a sufficient database for hedonic pricing should be completed and a preliminary economic assessment be conducted if sufficient data were available.

After gathering and sampling the available data, E.D. Hovee & Company, the economic development consultant selected to undertake the analysis, concluded that there was sufficient data to complete a hedonic pricing analysis. The consultant also found that there was a method to do a quick test of the hypothesis. This method looked at how much development occurred in proximity to the streetcar alignment (within one block of the streetcar) and compared that to the amount of development further from the streetcar line (two and three blocks from streetcar service).

Figure 3-19
Areas within 1, 2 or 3 Blocks of Streetcar Service



Source: *Portland Streetcar Development Impacts*, E.D. Hovee, 2005

Actual floor area ratio (FAR) built since 1997 was compared with potential FAR (one measure of the maximum allowed density or intensity of development). Analysts found that those areas within one block of the streetcar experienced much greater development than areas two, three and three and more blocks from the streetcar. Specifically, since the commitment to streetcar service was made, lands within one block of the streetcar built to within 90 percent of allowed density (FAR), while lands within two blocks only built to a little over 70 percent and areas three blocks distant built to a little over 60 percent of allowed density.


**Figure 3-20
Development Potential Achieved - Block by Block**



Source: Portland Streetcar Development Impacts, E.D. Hovee, 2005

This relationship is also visually demonstrated by Figure 3-21, below, which illustrates the location of development or redevelopment within the west side of the Central City.


Figure 3-21
Development Activity within the Portland Streetcar Local Improvement Districts



Source: Portland Streetcar, Inc. January 2006

Streetcar influence is also demonstrated when the amount of development within one block of the streetcar as a percent of total central business district (CBD) development is compared with the percent of total CBD development in blocks two, three and more distant. A dramatic difference is revealed when pre 1997 conditions and 1997 to 2005 conditions are compared as shown in Figure 3-22, below.

Figure 3-22
Development Potential Achieved as a Percent of All Downtown Development




Source: *Portland Streetcar Development Impacts*, E.D. Hovee, 2005

Forecasting An Alternative Land Use Future

The existing Portland Streetcar experience was then used to assess the possible economic development impact of streetcar service in the Eastside. The percent of maximum FAR was used to assess what might occur in the Eastside. Using this method illustrates how an alternative land use assumption might be made and how streetcar service might differ from rubber tire transit with regard to economic development. Figure 3-23, below, shows the maximum allowed FAR in the Eastside and Westside of the Central City.


Figure 3-23
Maximum Allowed Floor Area Ratio



Source: Eastside Streetcar Alignment Study, City of Portland, 2003

Another way to understand the maximum floor area ratio, or maximum allowed intensity of land use is shown in Figure 3-24, below, where the highest intensity, or floor area ratio is located in the central core of the westside and in the core of the Lloyd District.


Figure 3-24
Maximum Floor Area Limits on Development in the Central City



Source: Planning Bureau, City of Portland

Looking at the maximum intensity allowed and comparing that with the amount of that maximum that is in use, or has been consumed, provides a means of assessing how much capacity for additional growth is available under present policies. Figure 3-25, below, provides a visualization of the Central City and where the floor area maximums have been achieved and where capacity exists.

Figure 3-25
Percentage of Maximum Floor Area Ratio Consumed




Source: Planning Bureau, City of Portland

(Note: The City of Portland, under some circumstances allows density bonuses and accordingly, some areas have achieved more than 100 percent of the floor area ratio.)

These data illustrate that in the Eastside there are areas with Maximum allowed FAR similar to those on the Westside and that there are areas with substantial additional capacity to accommodate additional growth. Figure 3-26, below, illustrates that if the same set of dynamics hold for the Eastside as have for the Westside where streetcar service was initiated, the difference in economic development could be as much as four times greater (410 percent compared with 2025 South Corridor) projections of housing. Employment is more difficult to project using this method and there were no significant differences found in the existing projections from the maximum FAR method.

Figure 3-26
Projection of Streetcar Impact on Eastside Housing Years 2007-2025




Source: *Portland Streetcar Development Impacts*, E. D. Hovee, 2005

While this preliminary analysis shows a strong influence of streetcar service, it only considers parcels of land that were vacant and then built upon. It does not take into consideration redevelopment of existing buildings. For example, the conversion of an old warehouse to new residential development is not taken into consideration with this method. Substantial redevelopment has occurred along the streetcar line (Brewery Blocks is one example) and therefore the methodology could likely understate the total streetcar service benefit to economic development. In addition, hedonic pricing analysis of the influence of streetcar is the most rigorous test of the hypothesis. This analytical method could be used to further corroborate both observed and measured conclusions about the economic development impact of streetcar service in mixed use areas with relatively flat topography and a well developed pedestrian network.


In addition to what development intensity is allowed, another driver of economic development recognized in the preliminary FTA guidance is the value of land compared with the value of structures upon land. When land is as valuable as structure upon it, this is often an indicator that redevelopment of the land to a more intensive use of the land would be possible, particularly if the land is well located and accessible to jobs and housing and nearby land with high structure values. Figure 3-27, below, shows areas with building value to land value of 1.0 or less. This is an important focus, but does not tell the whole story. The value of land relative to other places in the region is also important, as it reflects all of the locational factors of land. Figures 3-28 and 3-29 illustrate that the northern portion of the Eastside has land values comparable to many areas of the Westside of the Central City. That is, the Eastside location desirable and value is high.

Figure 3-27
Taxlots with a Building Value to Land Value of 1 or Less



Source: Eastside Streetcar Alignment Study, City of Portland, 2003

Figure 3-28
Assessed Value of Land in the Metro Region



Source: Metro 2004

Figure 3-29
Assessed Value of Land in the Central City




Source: Metro 2004

Note: Dark lines denote areas within ¼ mile of LRT service

Private and Public/Private Development Plans

Also important to this analysis are City of Portland policies and resources. Specifically, the Portland Development Commission (PDC) is an agency of the city that works to ensure that City plans and policies are implemented. In its toolbox are several development and redevelopment tools and in particular, it manages urban renewal districts, which allow it to use tax increment financing to provide funding for a variety of public improvements in order to spark private investments. This approach was used with great success in the Pearl District with various public improvements, particularly the streetcar, but also parks and park improvements as well as street improvements to revitalize an area that had not experienced fresh investment in many years. Figure 3-30 shows the urban renewal areas and features of the Central City, especially the Eastside that the PDC is focused upon.


Figure 3-30
Portland Development Commission - Urban Renewal Areas in the Eastside and Vicinity



Source: Eastside Streetcar Alignment Study, city of Portland, 2003

While the above analysis is somewhat theoretical, Figure 3-31, below, provides a summary of a survey of property owners and developers with an interest in the Eastside and potential projects that they are considering on the Eastside. Property owners and developers in the Eastside area were contacted to assess what development might occur in the area. Twelve "green light" projects were identified and not included in the projection of housing, but noted on the map to indicate general development interest. This real world survey provides another method of assessing the development potential of the Eastside. Further, several of the property owners in the Eastside have cited their interest in seeing a streetcar built in order to further support their future development plans.

Figure 3-31
Assessment of Probable and Possible Eastside Development



Source: E.D. Hovee, 2005

In conjunction with PDC efforts, and consistent with the property owner survey, there are a number of private and public/private development plans that have been produced for the Eastside. One of the largest is known as the *Lloyd Crossing Sustainable Urban Design Plan & Catalyst Project*. The project is located in the northern end of the Eastside Transit AA Project area. This project includes a 35 block (each block approximately an acre in size) area and currently has approximately 2.8 million square feet of floor area - a combination of commercial (office, retail, food and hotel uses) as well as residential and substantial parking, much in structures. The potential (calculated from maximum allowed floor area ratios) is for 15.6 million square feet of building area - more than five times the existing base. According to the Lloyd Crossing plan, one mid-rise and two high rise scenarios have been completed for this site.

Figure 3-32
Three Dimensional Rendering of Catalyst Project from Lloyd Crossing



Source: Lloyd Crossing: *Sustainable Urban Design Plan & Catalyst Project*, PDC, July 2004 .

Source: PDC 2005

Drawing by Mithun Architects + Designers + Planners. For study purposes only and do not necessarily indicate development plans.

Another public/private project development plan has been created for the Burnside Bridgehead Project area (see Figure 3-33). This project is located in the lower end of the Lloyd District and again, the Eastside Transit Project alignment would provide increased accessibility to the jobs, shopping and other uses in the Bridgehead, as well as providing new residents of the Bridgehead with accessibility to the rest of the Central City via a transit circulator.

Figure 3-33
Burnside Bridgehead Project Concept



Concept sketch of 10 to 12 story buildings on Burnside at Grand and Martin Luther King Jr. Boulevard.

Conclusions about Transit, the Eastside and Economic Development

There is a great deal of information that has been presented about transit and its value to economic development as well as the economic development climate in the Eastside. It can be concluded that when comparing the economic development benefits of a bus with a streetcar, that:

- the Eastside has relatively high value land, though it also has significant amount of undervalued properties with buildings not reflecting the underlying land value;
- the Eastside has proposed numerous economic development projects which would benefit from transit and especially a streetcar because the streetcars higher attraction of riders and greater passenger capacity.
- a streetcar is likely to spark substantially more economic development - perhaps on the order of 4 times, or 3,400 more housing units than a bus.
- This larger public investment in a streetcar would likely result in greater private investments in the Eastside than would occur with the provision of bus service.
- The larger private investment in development in the Eastside consistent with a streetcar would likely result in a larger tax base than would result with the provision of bus service.

Financial Feasibility

Introduction

Assessing financial feasibility at the Alternatives Analysis phase of project development is a matter of comparing capital, operating and maintenance costs against proposed revenue sources. Funding sources generally solidify as a project moves through the project development process. In this section, proposed costs and revenues are presented and potential shortages and surpluses identified.

Capital Costs

Cost estimates are provided in 2005 dollars and inflated to year of expenditure (YOE). The construction is assumed to be conducted from September 2007 to September 2009. Construction inflation has been assumed to be 5% per year through 2008. The cost estimates are based on a build-up of FTA cost categories and appropriate contingencies and are presented below.

Table 3-6
Capital Costs

Project Alternative	(\$2005 dollars)	(\$YOE dollars)
Oregon MOS	\$84,000,000	\$100,506,000
Morrison MOS (MLK-Grand)	\$105,000,000	\$125,632,000
Morrison MOS (Two Way Grand)	\$119,000,000	\$142,380,000
OMSI MOS (MLK-Grand)	\$142,000,000	\$169,905,000
OMSI (Two-Way Grand)	\$156,000,000	\$186,653,000
Full Loop	\$153,000,000	\$187,026,000
Full Loop (2-Way Grand)	\$167,000,000	\$203,774,000

Source: URS, April 2006

Capital Funding Sources

Potential federal and local sources for capital funding have been identified. At this phase of project development the funding sources are general strategies to be pursued with actual funding commitments anticipated prior to a request for FTA funding. There are variations in the amount available by funding source and these assumptions are outlined below. The FTA Small Starts share controls a considerable part of the proposed funding as it is assumed that the project can receive a 60% federal share up to the maximum of \$75 million allowed under the program. The total project cost cannot exceed \$250 million under the FTA Small Starts program, which is not an issue for this project.

A preliminary inventory of funding sources indicate a potential of \$100-125 million available for total project costs, which would not be sufficient to fund the entire Full Loop at this time. Additional revenue would need to be identified if the entire project is to be constructed in one phase. Without additional revenues, a phasing plan would be required. Descriptions of proposed revenue sources are presented below.

Federal Small Starts: \$75,000,000. Recent legislation passed by Congress known as SAFETEA-LU reauthorization includes provision for Small Starts for projects costing less than \$250 million and receiving a maximum of \$75 million federal. The proposed project anticipates a 60% federal share.

Committed Federal: \$4,200,000. Streetcar has received a \$1 million MTIP commitment of Surface Transportation Program (STP) funds, \$613,000 Housing and Urban Development commitment, and \$2.6 million from SAFETEA-LU.

Local Improvement District: \$6,000,000 to \$10,000,000. A local improvement district similar to the one used for the initial streetcar is proposed with similar rates yielding \$10 million for streetcar the entire district with \$6 million Lloyd, \$2 million Morrison and \$2 million OMSI. Property owners are being asked to commit to support the LID prior to the February preferred alternative decision.

Bridge Funds: \$9,000,000. The Broadway Bridge will require a major improvement estimated to cost \$17 million to extend its life. It is proposed that bridge funds be sought to support \$9 million of the construction from other bridge funds available to the region.

Portland Development Commission Funding: \$25,000,000-\$35,000,000. The entire project is in three urban renewal districts: River District, Convention Center and Central Eastside. A total contribution ranging between \$25-\$35 million, depending on the alternative, is proposed from the various districts benefiting from the project.

City of Portland Funding: \$4,000,000 maximum The balance of the project cost is anticipated to be provided by PDOT from various sources including system development charges, one-time-only funding, New Market Tax Credits, and others. A maximum amount is set at \$4 million which represents the limit on ability to secure additional funds to complete the project.

Capital Funding Feasibility

Table 3-8, below, entitled Proposed Capital Funding Plan provides sources and uses for each MOS under consideration. The Oregon MOS and Morrison MOS have listed sources (not fully committed) that could assure the completion of the project. The OMSI MOS and Full Loop require identification of \$35-47 million in additional sources of funding in order to be constructed in a single project phase.

Operations and Maintenance Costs

Operating costs were developed by TriMet based on model outputs provided by Metro. The results are presented in Table 3-7 below. The costs represent the increment of cost required to operate the alternative over and above the No-Build. Costs are expressed in 2005 dollars. The Two-way Grand Design would have operating costs similar to the MLK/Grand couplet.

**Table 3-7
Operating and Maintenance Costs (\$ 2005)**

Alternative	Operating Cost
Full Loop	\$5,262,000
OMSI MOS	\$5,325,100
Morrison MOS	\$4,928,200
Oregon MOS	\$4,642,200

Source, TriMet 2006

The operating and maintenance costs represent a blended cost of streetcar and bus. This helps to explain the seemingly counter-intuitive result that the OMSI MOS would cost more to operate than the Full Loop. In the OMSI MOS, the piece of the loop connecting OMSI to RiverPlace is

provided by a short segment of connecting bus service over the Hawthorne Bridge. In the Full Loop, the streetcar route is more direct over the Caruthers Bridge. In this instance, the difference in cost between the Full Loop and OMSI MOS streetcar segments is offset by the required bus connector in the OMSI MOS.

Operating Revenue Sources

Operating revenue commitments have not been made for the Eastside Transit Project. Two sources of revenue have been used to date for streetcar operations and each is discussed below. Some combination of these sources, and possibly additional sources, will ultimately be used to fund operations for the project. Currently, TriMet provides two-thirds of the streetcar operating revenue with the remaining third provided by the City of Portland.

TriMet Operating Revenue TriMet has raised two key issues that require additional study. The first issue is that TriMet seeks to develop a rationale for the percentage of operating costs assigned to TriMet and to the City of Portland. TriMet has proposed a review of the benefits of added streetcar service, potential savings that could be derived and development of a formula for operating cost participation.

The second issue relates to TriMet's ability to meet operating commitments prior to 2011 or 2012. TriMet is unable to commit to service expansion beyond its current commitments due to the economic situation in the region and the projected payroll tax revenues. There is a need to develop alternative funding sources in the initial years depending upon when service is projected to begin.

City of Portland Operating Revenue The City of Portland has developed a policy of supporting streetcar operations with parking meter revenues generated from the area served. Currently, the Lloyd District has parking meters in a substantial portion of the proposed service area. The Broadway Weidler Corridor from the Bridge to NE 7th Avenue currently does not have meters. The areas of the Central Eastside do not have parking meters. The City is prepared to explore the feasibility of expanding the parking meters to include the area selected for streetcar service in the first construction segment. Contributions to operations from the City of Portland are based upon the increase of parking meters in the Central City.

Operating and Maintenance Funding Feasibility

Funding mechanisms are in place that could potentially generate enough operating revenue to expand the streetcar system. More work will be required between the potential funding partners to develop a mutually agreeable funding plan, and to identify potential additional funding sources if necessary.

**Table 3-8
Proposed Capital Funding Plan**

	Oregon MOS	Morrison MOS MLK-Grand	Morrison MOS 2 Way Grand	OMSI MOS MLK-Grand	OMSI MOS 2 Way Grand	LOOP MLK-Grand	LOOP 2 Way Grand
Construction Costs							
Streetcar to NE Oregon	100,506,000	100,506,000	100,506,000	100,506,000	100,506,000	100,506,000	100,506,000
Oregon to Morrison		25,126,000	25,126,000	25,126,000	25,126,000	25,126,000	25,126,000
Two-Way Grand Cost			16,748,000		16,748,000		16,748,000
Morrison to OMSI				44,273,000	44,273,000	44,273,000	44,273,000
Loop Completion						17,121,000	17,121,000
TOTAL	100,506,000	125,632,000	142,380,000	169,905,000	186,653,000	187,026,000	203,774,000
Total Without Inflation (\$ FY 05)	84,000,000	105,000,000	119,000,000	142,000,000	156,000,000	153,000,000	167,000,000
Funding Sources							
FTA 60% Grant	60,303,600	75,000,000	75,000,000	75,000,000	75,000,000	75,000,000	75,000,000
LID	6,000,000	8,000,000	8,000,000	10,000,000	10,000,000	10,000,000	10,000,000
PDC TIF - multiple districts	20,000,000	25,000,000	25,000,000	30,000,000	30,000,000	35,000,000	35,000,000
Bridge Funds	9,000,000	9,000,000	9,000,000	9,000,000	9,000,000	9,000,000	9,000,000
HUD (committed)	613,590	613,590	613,590	613,590	613,590	613,590	613,590
MTIP (committed)	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
MTIP (SAFETEA-LU)	1,650,000	1,650,000	1,650,000	1,650,000	1,650,000	1,650,000	1,650,000
MTIP (City Request	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
City Funding (TBD)	593,155	4,000,000	4,000,000	4,000,000	4,000,000	4,000,000	4,000,000
TOTAL REVENUE	100,160,345	125,263,590	125,263,590	132,263,590	132,263,590	137,263,590	137,263,590
SURPLUS/(DEFICIT)	(345,655)	(368,410)	(17,116,410)	(37,641,410)	(54,389,410)	(49,762,410)	(66,510,410)

Source: Portland Streetcar Inc, and URS, May 2006

Note: PDC TIF funds to be determined. In addition, any deficits identified would have to be eliminated prior to submittal to FTA by a combination of value engineering and/or identification of additional revenues.

Cost-Effectiveness

Introduction

Cost effectiveness provides a measure of how effectively the investment in capital, operating and maintenance funds that would be required for each alternative translates into ridership on the new streetcar line. Table 3-9 shows the cost per streetcar rider, new streetcar line only, for each alternative. The cost includes the annualized capital cost of the alternative and the annual operating and maintenance cost. The annual cost, as compared to the No-Build alternative, is compared to the annualized streetcar riders to arrive at cost per streetcar rider.

The Full Loop alternative, which has the highest cost, would also have the most riders, resulting in the lowest cost per streetcar rider of \$4.25. The remaining MOS alternatives, with fewer additional new streetcar miles, and therefore lower cost and ridership, show a cost per rider figure commensurate with the length of the new streetcar line; the OMSI MOS cost per rider is \$5.01, Morrison MOS is \$5.80, and the Oregon MOS is \$6.86.

**Table 3-9
Cost per Streetcar Rider
Year 2025**

	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Annual Capital + O&M Cost ¹	\$17,177,000	\$16,331,100	\$13,062,200	\$11,095,200
Annual New Streetcar Riders ²	4,044,030	3,260,000	2,252,660	1,616,960
Cost/Streetcar Rider	\$4.25	\$5.01	\$5.80	\$6.86

¹Costs are in 2005 dollars.

²Annualized Streetcar Riders on new streetcar line only.

Table 3-10 is similar to the previous table except cost is shown as the federal share (assuming 60% federal share) of the annualized capital cost of each alternative. Operating and maintenance cost are excluded because the federal government does not pay any portion of the operating or maintenance cost.

The Full Loop alternative results in the lowest federal cost per streetcar rider at \$2.55 per rider. The remaining MOS alternative's, show an increasing federal cost per streetcar rider commensurate with the length and ridership of the new streetcar line. Specifically, the OMSI MOS federal cost per rider is \$3.01, Morrison MOS is \$3.48, and the Oregon MOS is \$4.12.

**Table 3-10
Federal Cost per Streetcar Rider
Year 2025**

Federal Share (60%) CEI				
	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Annualized Capital Cost (60% share) ¹	\$10,306,200	\$9,798,600	\$7,837,300	\$6,657,100
Annual New Streetcar Riders ²	4,044,030	3,260,000	2,252,660	1,616,960
Federal Cost/Streetcar Rider	\$2.55	\$3.01	\$3.48	\$4.12

¹Federal Costs are in 2005 dollars and assume 60% maximum federal share.

²Annualized Streetcar Riders on new streetcar line only.

**Table 3-11
Operating Cost per Streetcar Rider
Year 2025**

Operating Cost/New Streetcar Rider				
	Full Loop	OMSI MOS	Morrison MOS	Oregon MOS
Annual O&M Cost ¹	\$5,262,000	\$5,325,100	\$4,928,200	\$4,642,200
Annual New Streetcar Riders ²	4,044,030	3,260,000	2,252,660	1,616,960
O&M Cost/New Streetcar Rider	\$1.30	\$1.63	\$2.19	\$2.87

¹Costs are in 2005 dollars.

²Annualized Streetcar Riders on new streetcar line only.

Table 3-11 shows operating cost per streetcar rider, new streetcar line only, for each alternative. The Full Loop alternative would have the lowest operating cost per streetcar rider at \$1.30 per rider. The remaining MOS alternatives show increasing operating cost per rider as ridership declines with each successive shorter streetcar alternative.

In addition, it should be noted that the Project is in the process of developing 2009 travel forecast and performance data and will complete further cost effectiveness analysis after FTA guidance.

Endnotes for Chapter 3

-
- ¹ *Pedestrian and Transit Friendly Design: A Primer for Smart Growth*. Reid Ewing, American Planning Association, 1997.
- ² Oregon Revised Statutes 660-015-0000(9).
- ³ *Who must plan — Summary of requirements — Development regulations must implement comprehensive plans*. Revised Code of Washington 36.70A.040.
- ⁴ *Oregon Transportation Plan*, 1992, Page 4, Executive Summary.
- ⁵ *2004 Regional Transportation Plan*, July 2004, Metro. page 1-1
- ⁶ *2005 Transit Investment Plan Executive Summary* TriMet, 2005, page 1.
- ⁷ *Action Chart, Central City Plan*, City of Portland, March 1998, page 44.
- ⁸ *Central City Transportation Management Plan*, City of Portland, 1995, pages 17 and 18.
- ⁹ *Central City Transportation Management Plan*, City of Portland, 1995, page 55.
- ¹⁰ *Land Use and Site Design*, Transit Cooperative Research Program, Transportation Research Board, 2003 page 15-21.
- ¹¹ *U.S. Cities Preparedness for Oil Crisis*, SustainLane, 2005 see:
<http://www.sustainlane.com/article/747//U.S.+Cities%92+Preparedness+for+an+Oil+Crisis.html>
- ¹² *The Economic Impact of Public Transit in Oregon*, The Oregon Transit Association, January 26, 2005, citing a Cambridge Systematics study.
- ¹³ *Central City Plan*, City of Portland, March 1988, page 38.
- ¹⁴ *Estimating the Benefits and Costs of Public Transit Projects: A Guidebook for Practitioners*, Transit Cooperative Research Program, Transportation Research Board, 2002.
- ¹⁵ *Transformative Investments: Unleashing the Potential of American Cities*, speech and powerpoint by Bruce Katz, Brookings Institution, Metropolitan Policy Program, April 5th, 2006.
- ¹⁶ *Devolving Decision Making*, Her Majesty's Treasury and the Office of the Deputy Prime Minister, 2006 as cited by Katz, op. cit.
- ¹⁷ *The Young and the Restless in a Knowledge Economy*, Joseph Cortright, CEO for Cities, December 2005
- ¹⁸ President George W. Bush, *President Discusses Strong Economic Growth and Job Creation*, The White House, December 2, 2005.
- ¹⁹ *Central City Development and Redevelopment Projects* Portland Business Alliance, Heritage Consulting Group, April 2005.
- ²⁰ *2004 Downtown Portland Business Census & Survey*, Portland Business Alliance, 2005.
- ²¹ *Total State and Local Business Taxes*, Council on State Taxation, March 2006.
- ²² *Metro Area and State Competitiveness* Beacon Hill Institute, Suffolk University, 2004.
- ²³ *Total State and Local Business Taxes*, Council on State Taxation, March 2006, Ernst and Young, Table 4, Business Taxes as a Share of State, Local and Total Taxes and Private Sector GSP, FY2005, page 8.
- ²⁴ *Local, State and Federal Taxes Per Capita, by State*, Tax Foundation, 2006.
- ²⁵ *Research in Bus and Rail Transit Operations*, Transportation Research Record 1221, Transportation Research Board, National Research Council, Washington, DC 1989 "Impact on Transit Patronage of Cessation or Inauguration of Rail Service" - see <http://www.heritagetrolley.org/articleTennyson.htm>
- ²⁶ *Benefits of Heritage Trolley Lines* at <http://www.heritagetrolley.org/planBenefits.htm>
- ²⁷ *Opportunities for New Streetcar Routes*, Discussion Paper, Toronto Transit Commission, January 1997. Located at: http://www.city.toronto.on.ca/ttc/schedules/opportunities_for_new_streetcar_routes.htm
- ²⁸ *Transit Benefits: 2000 Working Papers. A Public Choice Policy Analysis*. FTA Policy Paper. Office of Policy Development, Federal Transit Administration, U.S. Department of Transportation, Washington, D.C., 2000, p. xvi. (<http://www.fta.dot.gov/library/policy/tb2/tb2analysis.pdf>)
- ²⁹ *DART Light Rail's Effect on Taxable Property Valuations and Transit Oriented Development*, U Weinstein, Bernard and Clower, Terry niversity of North Texas, Center for Economic Development and Research, Dallas, Texas, January 2003, page 7.

³⁰ *How Will the Centerline Affect Property Values in Orange County: A Review of Literature and Methodological Approaches for Future Consideration*, Cockerill, Lee and Stanley, Denise, California State University - Fullerton, Institute of Economic and Environmental Studies, October 2002.

Also Cervero, R. and Duncan, M. "Benefits of Proximity to Rail on Housing Markets: Experiences in Santa Clara County", *Journal of Public Transportation*, Vol. 5, No. 1, p. 1-18, 2002.

³¹ *Ten Principles for Successful Development Around Transit*, Urban Land Institute "Apply the Power of Partnerships" Washington, DC 2003, p. 7.

³² *On Common Ground*: Mastaglio, Linda, "All Aboard Commuter Rail: A Growing Alternative for Metro Areas" REALTORS & Smart Growth, National Association of Realtors, Winter 2002 p. 32.

³³ *Rail Transit in America: A Comprehensive Evaluation of Benefits*, Litman, Victoria Transport Policy Institute, April, 2005, page 34.

Chapter 4. Design Considerations

Introduction

The purpose of this chapter is to outline the design and traffic-related issues associated with operating a streetcar within the study area including peak hour traffic analysis with and without a streetcar, operational issues, neighborhood traffic issues, and design considerations for the next phase of this study. In addition, assessment of a design option - two way Grand Avenue - is also included in this chapter.

Traffic Issues

Introduction

The traffic analysis used the Financially Constrained 2025 RTP network for future demand and to determine growth rates for the 2009 PM peak hour traffic analysis. Historical PM peak hour turning movement counts were obtained from the City of Portland at all the traffic-controlled intersections along the Eastside Streetcar route. Then the counts were adjusted to the Year 2009 using Metro's travel demand model to obtain an average 20-year linear growth rate. A 2% per year linear growth rate was applied to the traffic counts to obtain year 2009 background traffic volumes. To increase traffic volumes for the 2025 PM peak hour analysis, Metro's model was used as a starting point. Adjustments were made to specific link locations to balance the traffic volumes through the corridor and to better represent predicted travel patterns.

For the purpose of this analysis, the OMSI MOS streetcar alignment that was chosen as a representative alignment to assess traffic impacts for the streetcar alternative. The Full Loop and OMSI MOS traffic impacts would be identical, as no additional mixed traffic operations would be required to complete the loop over the Caruthers Bridge. The OMSI MOS was chose to keep the analysis area manageable within the VISSIM model. This MOS was modeled using VISSIM, a traffic micro-simulation tool, beginning at the existing Northwest Portland Streetcar alignment at NW Lovejoy Street and ending at OMSI in southeast Portland. The analysis evaluated streetcar operations through the Lloyd District and the Central Eastside districts. The traffic analysis focused on the traffic conditions and how they would affect streetcar operations, and how streetcar operations would impact traffic.

The proposed Eastside Streetcar route would operate in mixed traffic on existing streets within the corridor. During the PM Peak periods traffic congestion is relatively heavy along this corridor, which would in turn impact streetcar operations. Today, the Streetcar operations are dependent on the following conditions:

- General traffic flow of the roadway system the streetcar is operating in, and
- Key locations where the streetcar requires signalization changes or other exclusive provisions to integrate with the general traffic flow.

2009 and 2025 PM Peak Hour Traffic Analysis

Future 2009 (opening year) and 2025 PM peak hour traffic analyses were conducted at 51 intersections along the SE MLK Jr. Boulevard/SE Grand Avenue couplet and the NE Broadway/NE Weidler couplet.

For the year 2009 PM peak hour traffic operations, four intersections along the proposed route are anticipated to operate at an intersection level of service (LOS) E to F, and/or a volume to capacity Ratio (V/C) greater than 1.00. The four intersections that have the most congestion are shown in Table 4-1.

**Table 4-1
2009 PM Peak Hour Congested Intersections
Along the Proposed Streetcar Alignment**

Intersection	Measure
NE Broadway St at N Vancouver Ave	LOS F
NE Martin Luther King JR Blvd at NE Lloyd Blvd	LOS E and v/c ratio of 1.13
SE Martin Luther King JR Blvd at SE Stark St	LOS E and v/c ratio of 1.21
SE Martin Luther King JR Blvd at SE Taylor Street	v/c ratio of 1.04

Source: David Evans and Associates, 2006

For the year 2025 PM peak hour traffic operations, 17 intersections along the proposed route are anticipated to operate at a LOS E to F, and/or a V/C greater than 1.00. The 17 intersections that have the most congestion are shown in Table 4-2.

**Table 4-2
2025 PM Peak Hour Congested Intersections
Along the Proposed Streetcar Alignment**

Intersection	Measure
NE Broadway St at NE Grand Ave	LOS E and v/c ratio of 1.02
NE Weidler St at NE Martin Luther King JR Blvd	LOS E and v/c ratio of 1.08
NE Weidler St at NE Grand Ave	LOS E and v/c ratio of 1.15
NE Martin Luther King JR Blvd at NE Lloyd Blvd	LOS F and v/c ratio of 1.37
NE Martin Luther King JR Blvd at NE Couch	LOS F and v/c ratio of 1.11
Martin Luther King JR Blvd at E Burnside St	LOS F and v/c ratio of 1.31
SE Martin Luther King JR Blvd at SE Ankeny St	v/c ratio of 1.03
SE Martin Luther King JR Blvd at SE Stark St	LOS F and v/c ratio of 1.79
SE Martin Luther King JR Blvd at SE Taylor Street	LOS F and v/c ratio of 1.27
SE Martin Luther King JR Blvd at SE Clay St	LOS F
NE Grand Ave at Multnomah St	LOS E and v/c ratio of 1.13
NE Grand Ave at NE Couch St	LOS F and v/c ratio of 1.18
Grand Ave at E Burnside St	LOS F and v/c ratio of 1.24
SE Grand Ave at SE Ankeny	LOS E
SE Grand Ave at SE Stark St	LOS F and v/c ratio of 1.23
SE Grand Ave at SE Belmont St	LOS F and v/c ratio of 1.16
SE Grand Ave at SE Hawthorne Blvd	LOS E

Source: David Evans and Associates, 2006

2009 and 2025 PM Peak Hour Streetcar Operations

Future PM peak hour traffic conditions may have some impact on streetcar operations due to congestion along this corridor. Six of the intersections would be impacted by Streetcar operations, where general traffic is stopped for the streetcar to turn into mixed traffic through either a new traffic signal or the addition of a new phase to the existing traffic signal. These intersections are identified in Table 4-3 as having a Transit Phase at a signalized intersection. These changes would not significantly alter the existing signal timing and progression of traffic along these roadways.

Changes to the Transportation Network for the Proposed Streetcar Alignment

As part of the proposed Streetcar alignment, several signal and roadway changes are proposed to successfully integrate Streetcar into mixed traffic. Changes would include special signal phases,

queue jumps, roadway widening, and striping and lane changes. These changes were incorporated into the traffic analysis for Streetcar to OMSI and are summarized in this section. Any of the MOS Alternatives would have the same improvements up to the respective terminus locations.

At the **NW 10th and 11th Avenues and NW Lovejoy Street** intersection, the inbound streetcar would have a separate signal phase to turn left from NW Lovejoy Street to southbound NW 11th Avenue. The outbound streetcar would turn right from NW 10th Avenue to NW Lovejoy Street. The Streetcar would operate in mixed traffic on NW Lovejoy Street.

On **NW Lovejoy Street at the NW Broadway Bridge Approach**, the inbound streetcar would have a separate signal phase to turn right from the left lane of the Broadway Bridge to the right lane on the NW Lovejoy Street ramp. The eastbound streetcar would also have a separate signal phase to turn left from the right lane on NW Lovejoy Street to the left lane on the Broadway Bridge. Once on the Broadway Bridge, the streetcar would operate in middle left lanes of the bridge. From the Broadway Bridge, the streetcar would transition into the westbound/eastbound left lanes on the N/NE Broadway/Weidler Streets couplet.

On **NE Broadway Street (westbound) approach to N Williams Street**, the roadway would be widened and lanes shifted to provide a new left turn only lane to N Vancouver adjacent to the streetcar. Currently, the left turn lane is a forced left turn only lane. On **NE Weidler Street (eastbound) approach to N Vancouver Street**, the roadway would be widened and the lanes would shift to add a new left turn lane to N Williams

New pedestrian traffic signals would be installed on **NE Broadway and NE Weidler Street at NE 2nd Avenue** and **NE Weidler Street at NE Wheeler Street** to provide safe pedestrian crossings at proposed streetcar stations.

At the **NE Weidler Street and NE 7th Avenue** intersection, the eastbound streetcar would require a separate traffic signal phase to turn right from the left lane on NE Weidler to southbound NE 7th Avenue. On NE 7th Avenue, a new traffic signal would be installed at **NE 7th Avenue and NE Halsey Street** intersection to replace the all way stop control. Southbound Streetcar would operate on NE 7th Avenue between NE Oregon Street and NE Weidler Street.

Northbound Streetcar would operate in the right lane on NE Grand Avenue between SE Harrison Street and NE Broadway Street. At the **NE Grand Avenue and NE Broadway Street** intersection, the northbound streetcar would require a separate traffic signal phase from the right lane on NE Grand Avenue to turn left to the left lane on NE Broadway Street.

From NE 7th Avenue, the streetcar would turn right on NE Oregon Street through the NE Grand Avenue and NE Oregon Street intersection to NE MLK Jr. Boulevard. At the NE MLK Jr. Boulevard and NE Oregon Street intersection, streetcar would turn left to travel southbound in the right lane on **NE MLK Jr. Boulevard**. South of NE Lloyd Boulevard, the streetcar would transition into an exclusive streetcar only lane over the I-84 overpass. The streetcar only lane would require taking on-street parking between I-84 and NE Couch Street (approximately two blocks). This would only require re-striping the existing roadway.

At **NE MLK Jr. Boulevard and NE Couch Street**, a queue jump signal would be constructed to transition the streetcar out of the streetcar only lane into mixed traffic in the southbound right lane.

On **SE MLK Jr. Boulevard just south of SE Madison Street**, streetcar would transition from operating in mixed traffic in the right lane to an exclusive streetcar only lane due to bridge clearance requirements under the SE Hawthorne Boulevard overpass. The streetcar only lane would eliminate on-street parking for this short segment between SE Madison Street and SE Clay Street.

New pedestrian traffic signals would be installed on **SE MLK Jr. Boulevard and SE Grand Avenue at SE Morrison Street, SE Belmont Street and SE Pine Street** to provide safe pedestrian crossings at proposed streetcar stations.

A new pedestrian traffic signal would be installed on **SE MLK Jr. Boulevard under the SE Hawthorne Boulevard overpass** to provide safe pedestrian crossings at proposed streetcar stations.

At the **SE MLK Jr. Boulevard and SE Clay Street and SE Hawthorne ramp** from the Hawthorne Bridge, the streetcar would have a queue jump to transition back into mixed traffic in the right lane on SE MLK Jr. Boulevard. At **SE Harrison Street**, the streetcar would turn onto a new streetcar only flyover of the railroad to OMSI.

Northbound streetcar exiting OMSI would use the new streetcar only flyover of the railroad and cross **SE MLK Boulevard** with a new traffic signal to SE Harrison Street. The streetcar would travel on SE Harrison Street to SE Grand Avenue.

A new signal would be installed at **SE Grand Avenue and SE Harrison Street** intersection for streetcar to turn left to northbound SE Grand Avenue. Streetcar would operate in the right lane of SE Grand Avenue to NE Broadway Street.

Table 4-3 summarizes the changes to the transportation system for the proposed Streetcar alignment.

2009 and 2025 Operational Issues with the Proposed Streetcar Alignment

Given future levels of congestion in the study area and based on the 2009 and 2025 traffic analysis, no significant traffic impacts are anticipated as a result of the proposed Streetcar operations. However, there are some operational issues that may require attention as they could impact existing or future traffic operations or these issues require further analysis as the project design progresses.

The following summarizes the 2009 operational issues:

At the **NW Lovejoy Street and Broadway Bridge intersection**, all traffic movements at the signalized intersections would stop to allow for both the inbound and outbound streetcar movements. Traffic stopped behind the streetcar would be required to change lanes to get around the streetcar or wait until the next signal phase for that movement.

At the **NE Grand Avenue and NE Broadway Street intersection**, the northbound streetcar would turn from the right lane on NE Grand Avenue to the left lane on NE Broadway Street. To accomplish this, the streetcar would have to swing into the center lanes on NE Broadway Street. All traffic would be stopped to provide the opportunity for the streetcar to make this maneuver. The streetcar could be impacted by traffic queues from the NE MLK Jr. Boulevard and NE Broadway Street intersection that would extend past the trackway. The streetcar would not be able to make this movement unless all traffic queues have cleared the trackway.

**Table 4-3
Summary of Proposed Signal and Roadway Improvements**

Location	Traffic Signal Improvements			Roadway Improvements	
	Transit Phase	Queue Jump	New Signal ¹	New Striping	Widen/New Roadway
NW 11 th Avenue at NW Lovejoy Street	X		X		
NW Lovejoy Street at the NW Broadway Bridge	X				
NW Lovejoy Street at the NW Broadway Bridge	X				
NE Broadway Street				X	X
NE Broadway Street at N Williams Street			X		
NE Weidler Street					X
NE Weidler Street at N Williams Street			X		
NE Weidler Street at NE Wheeler Street			X ²		
NE Broadway Street at NE 2 nd Avenue			X ²		
NE Weidler Street at NE 2 nd Avenue			X ²		
NE Weidler Street at NE 7 th Avenue	X				
NE 7 th Avenue and NE Halsey Street			X		
NE Grand Avenue and NE Broadway Street	X				
NE MLK Jr. Boulevard				X	
NE MLK Jr. Boulevard at NE Couch Street		X			
NE MLK Jr. Boulevard				X	
NE MLK Jr. Boulevard and NE Davis Street			X		
SE MLK Jr. Boulevard at SE Morrison Street			X ²		
SE MLK Jr. Boulevard at SE Belmont Street			X ²		
SE MLK Jr. Boulevard at SE Pine Street			X ²		
SE Grand Avenue at SE Pine Street			X ²		
SE MLK Jr. Boulevard under the Hawthorne overpass			X ²		
SE MLK Jr. Boulevard and SE Clay Street		X			
SE MLK Jr. Boulevard and Streetcar flyover			X		
New Streetcar Flyover					X
SE MLK Jr. Boulevard and SE Harrison Street	X		X		
SE Grand Avenue and SE Harrison Street	X		X		

Note: this table does not include physical modifications to existing traffic signals.

¹ Identifies locations where a traffic signal does not exist today or in the future. This does not include locations where there is a traffic signal but needs to be replaced due to modifications to operations.

² New Pedestrian Traffic Signal

At the **NE Weidler Street and NE 7th Avenue** intersection, the streetcar has a tight turning radius from the left lane on NE Weidler Street to the right lane on NE 7th Avenue. The streetcar would swing into the striped median on NE 7th Avenue. This is similar in operations to the existing streetcar at the SW Market Street and SW 5th Avenue in downtown.

At the **NE Oregon Street and NE MLK Jr. Boulevard** intersection, the streetcar turns from NE Oregon Street to NE MLK Jr. Boulevard to travel southbound towards OMSI. Heavy southbound traffic on NE MLK Jr. Boulevard creates traffic queues at times that extend to NE Oregon Street. In instances where traffic queues up to or past NE Oregon Street, the streetcar would not be able to turn into the lane until the queue clears.

All of the issues identified during the 2009 PM peak hour are also relevant to the 2025 PM peak hour. The following summarizes the additional 2025 operational issues:

The anticipated increase in congestion in Northwest Portland creates traffic queues that extend over the Broadway Bridge. This would impact the streetcar operations at the **NW Lovejoy Street and Broadway Bridge** intersection. The streetcar would only be able to move through the intersection as long as the traffic queues have cleared the trackway or there was a lane for the streetcar to enter.

Northbound traffic Queues on **NE Grand Avenue** would extend as far back as NE Multnomah Street. Streetcar would operate in mixed traffic along NE Grand Avenue and would be impacted by the congestion from NE Multnomah Street to NE Broadway Street.

The anticipated increase in congestion through the E Burnside Street and NE Couch Street couplet plus northbound traffic queues on **NE Grand Avenue** extending back to SE Stark Street would impact the streetcar operations.

The anticipated increase in congestion along **SE MLK Jr. Boulevard and SE Grand Avenue** south of SE Belmont and SE Morrison Streets would impact the streetcar operating in mixed traffic.

Neighborhood Traffic Impacts

The proposed streetcar would have some effect on the local street system. This section provides a discussion of these effects would impact the neighborhoods by the year 2025.

The **No-Build** alternative would not provide any major transit improvements in the corridor. There are a few major highway improvements in the corridor that are intended to help alleviate some of the anticipated future congestion. However, even with these major capital improvements in place, congestion in the corridor is expected to increase. During the 2025 PM peak hour, many of the intersections are expected to experience significant delays and operate at or over capacity and traffic queues are expected to spill back into adjacent intersections. With the high levels of congestion in the corridor, a likely outcome is neighborhood cut-through traffic to bypass the congestion.

The proposed **Streetcar Full Loop Alternative** would operate in mixed traffic with a few key locations designed to move the streetcar through the corridor reliably and efficiently. Since the streetcar would operate in mixed traffic, it is subject to the same congestion and delays as general traffic. As congestion worsens for general traffic, travel times for the streetcar will increase. With

the high levels of congestion projected for the corridor, the potential for neighborhood cut-through traffic is just as likely as it would be under the No-Build scenario. Where general traffic is impacted by separate streetcar-only phases at signalized intersections, frustrated drivers could seek new routes on adjacent streets. The Streetcar Alternative would have higher transit ridership compared to the No-Build, moving more persons through the corridor. Further investigation into the potential for neighborhood cut through should be conducted as design progresses during the next phase of this study.

Design Considerations

Further investigation into potential improvements to move the streetcar through the corridor faster and more reliably as well as ways to improve the pedestrian environment should be conducted during the next phase of this study. Based on community support, engineering judgment, and the 2009 and 2025 traffic analysis, the following design considerations to study further during the next phase include, but are not limited to streetcar operations and pedestrian access, as described below.

Streetcar Operations:

Heavy traffic volumes, queues and delays along the corridor could potentially impact the operations of the streetcar. The following list identifies potential areas of concern or issues to be considered further.

Northwest Connection: The current streetcar alignment would require modification to create a loop around NW 10th and 11th Avenues with NW Hoyt and NW Lovejoy Streets to make the connection between Northeast and Northwest Portland. Further consideration is recommended to improve the connection between the Broadway Bridge and Northwest Portland.

NW Lovejoy Street: Currently, NW Lovejoy Street provides one eastbound lane between NW 9th Avenue and the Lovejoy Street ramp to the Broadway Bridge, with two eastbound lanes on the Lovejoy ramp. NW Lovejoy Street includes one lane in each direction with turn lanes and on-street parking. On-street parking has been installed between NW 10th and NW 9th Avenues on the south side of NW Lovejoy Street. Based on the traffic analysis, it would be beneficial if the NW Lovejoy Street were striped as two eastbound lanes east of 10th Avenue.

NW Lovejoy Street Ramp and the Broadway Bridge: The Lovejoy ramp was designed for the future streetcar alignment to operate in the right lanes on the NW Lovejoy Ramp. This Alternatives Analysis conceptual design analysis has determined that the best alignment is to use the left lanes across the Broadway Bridge creating the need for the alignment to transition from the right lane on the NW Lovejoy ramp to the left lane on the bridge. The current streetcar design includes a separate streetcar phase at the NW Lovejoy Street Ramp and Broadway Bridge and NW Hoyt Street intersection for the streetcar to transition between the right lanes on NW Lovejoy Street to the left lanes on the Broadway Bridge. Traffic would be stopped to allow streetcar to move from through this intersection. The 2009 and 2025 PM peak hour traffic analysis assumed that the streetcar phase would operate as a lagging phase at this signal. Therefore streetcar would wait for the eastbound and westbound phases to end from NW Lovejoy Street before the streetcar could move through the intersection. Options to be considered further during the next phase of study include:

- Further study should be conducted to identify the feasibility of a streetcar only phase to lead instead of lag at the traffic signal. Traffic would still have to stop to allow streetcar to move through the intersection, but streetcar would have a priority and get through the intersection faster.

- Further engineering studies should be conducted to review the cost and feasibility of operating the streetcar in the left lanes on the NW Lovejoy Ramp. This option could potentially require structural modifications to the NW Lovejoy Ramp. This would eliminate the need for a streetcar only phase at this intersection, benefiting both streetcar and traffic operations.
- Further analysis of an alternative that would use NW Hoyt Street to NW Broadway Street to access the Broadway Bridge should be reviewed during the next phase of study. An alternative that travels in a clockwise loop that would begin with a right turn from NW 10th Avenue to NW Hoyt Street to NW Broadway Street. NW Broadway would then connect to the Broadway Bridge. This concept would create a small clockwise loop around the existing Post Office site. Further development of this option should include an evaluation of whether both inbound and outbound or just outbound should operate on this alignment. The feasibility of operating the streetcar on the NW Broadway Street ramp should be evaluated and a determination made as to what, if any, structural modifications would be needed. NW Hoyt Street carries less traffic volumes compared to NW Lovejoy Street, therefore would likely have less traffic conflicts.

NE Broadway/Weidler Streets Couplet: The proposed alignment recommends that streetcar operate in the left lane on NE Broadway Street and NE Weidler Street. Further consideration should be given to the potential to operate streetcar in the right lanes on NE Broadway Street and NE Weidler Street. The evaluation between left or right lane running should include streetcar operations, bicycle access, pedestrian access and safety, traffic considerations, station locations and compatibility with the transit system.

NE Broadway Street at N Williams Avenue: Traffic queuing in the right lanes turning right on to N Williams Avenue to the I-5 northbound on-ramp causes congestion on NE Broadway Street. The streetcar alignment developed in this Alternatives Analysis conceptual engineering would operate in the left lane on NE Broadway Street bypassing the congestion at the I-5 northbound on-ramp. Further study should be conducted to identify potential right of way impacts at NE Williams Street may occur by shifting lanes to add a left turn lane at N Vancouver Avenue.

NE Broadway Street at N Vancouver Avenue: The proposed streetcar alignment would operate in the left lane on NE Broadway and NE Weidler Streets. Currently the left westbound lane on NE Broadway Street is a forced left turn lane and a permitted left turn from the through lane to N Vancouver Avenue. Congestion on N Vancouver Avenue spills back onto westbound NE Broadway Street. Options to be considered further during the next phase of study include:

- The proposed streetcar design shifts the four travel lanes on NE Broadway Street to the north to add a left turn lane to N Vancouver Avenue. The streetcar would operate in the left/through lane. This alignment could be constructed without reducing capacity on NE Broadway Street. The streetcar would be impacted by the left turns from the shared left and through lane. This option is included in the capital cost estimates.
- Another option is to shift the existing lanes to the north to provide a left turn only lane from NE Broadway Street to N Vancouver Avenue and restripe the left/through lane to a left turn only lane. Streetcar would shift from the left lane to the third lane at N Williams Street or NE 2nd Avenue. This option would reduce the overall capacity of NE Broadway Street from three through lanes to two through lanes between N Williams Street or NE 2nd Avenue and N Vancouver Avenue. Under this option, the streetcar would operate in the through lane without conflict of the left turns from NE Broadway Street to N Vancouver Avenue.

NE Grand Avenue at NE Broadway Street: Under the conceptual streetcar design developed in this Alternatives Analysis, the streetcar operates in the right lane on northbound NE Grand

Avenue and must turn left into the left lane on eastbound NE Broadway Street. The streetcar would have to make a wide turn across three lanes of traffic on NE Broadway to get to the left lane. Heavy congestion and queuing on NE Broadway Street may impact this turn movement at times. Further considerations should be made to provide special detection and signal timing plans for the streetcar to clear out the westbound queues on NE Broadway east of NE MLK Jr. Boulevard.

NE Grand Avenue between NE Multnomah/NE Holladay Street and NE Broadway Street:

The streetcar alignment developed in this Alternatives Analysis conceptual engineering would operate in the right lane on Grand Avenue. Heavy congestion on NE Grand Avenue is anticipated to create delay for the streetcar operations. To reduce delay along this segment, the next phase of study should look at restriping the right lane to a right turn/streetcar only lane on NE Grand Avenue between NE Multnomah Street (or NE Holladay Street) and NE Weidler Street. On NE Grand Avenue between NE Weidler Street and NE Broadway Street, the right lane would be an exclusive streetcar only lane. This option would reduce the volume in the right lane shared with streetcar. Streetcar would likely bypass congestion along this segment improving speed and reliability for the streetcar. However, this option would reduce the capacity from four northbound through lanes to three through lanes on NE Grand Avenue.

NE Broadway Street at NE MLK Jr. Boulevard: The proposed westbound streetcar alignment would operate in the left lane on NE Broadway Street. Today and in the future, it is anticipated that there will be a heavy left turn demand from NE Broadway Street to NE MLK Jr. Boulevard that may impact the streetcar operations. Options to be considered further during the next phase of study include:

- The proposed streetcar alignment removes on-street parking on NE Broadway between NE Grand Avenue and NE MLK Jr. Boulevard to provide a new auto left turn lane. This would provide a refuge for left turning vehicles. However, it is likely that the left turns could queue back to the next signalized intersection at NE Broadway and NE Grand Avenues. Queues at this location would impact streetcar turning from NE Grand Avenue to NE Broadway Street. The streetcar makes a wide a turn from the right lane on NE Grand Avenue to the left lane on NE Broadway Street. For streetcar to make this movement safely and efficiently, the queues on NE Broadway Street between NE Grand Avenue and NE Broadway Street to clear.
- Another option would be to restripe the existing left/through lane to provide a left turn only lane on NE Broadway Street to NE MLK Jr. Boulevard, instead of widening. Streetcar would operate in the second lane with through traffic on NE Broadway Street. This option would keep the on-street parking on this block, but would reduce the capacity from four through lanes to three through lanes. Additionally, the is option would reduce the number of lanes the streetcar would have to cross to turn from NE Grand Avenue to NE Broadway Street.

NE 7th Avenue Transit Station Platforms: With the conceptual design developed through this Alternatives Analysis, the streetcar stops on NE 7th Avenue are located on the near side/sidewalk side of the signalized intersections. Consideration should be given to locating the streetcar station platforms near side/center of the street. By moving the station platforms to the center of the street, it reduces the conflict between the streetcar trackway and the bike lanes. The platforms would be located in place of the left turns lanes. Left turns would be permitted from the through lanes. Pedestrians would cross the intersections at the crosswalk to access the sidewalks.

NE MLK Jr. Boulevard between NE Couch Street and NE Oregon Street: With the conceptual design developed through this Alternatives Analysis, the streetcar turns from westbound Oregon to southbound NE MLK Jr. Boulevard. The 2025 PM peak hour traffic analysis indicated that traffic queues on NE MLK Jr. Boulevard are expected to extend Lloyd

Boulevard to NE Oregon Street, sometimes even blocking the intersection. This would require streetcar to wait or get stuck in the middle of the intersection trying to turn from NE Oregon Street to NE MLK Jr. Boulevard when the tracks are blocked by traffic queues from upstream intersections. Further considerations should be made to improve this condition. Some options include:

- The proposed designs have a streetcar only lane between NE Lloyd Boulevard and NE Couch Street to the south. Travel lanes would be restriped to add a streetcar only lane within the existing roadway width. This will improve the speed and reliability of the proposed streetcar.
- Another option recommended for study is the feasibility of extending the streetcar only lane north of NE Lloyd Boulevard to NE Oregon Street adjacent to the Oregon Convention Center. Travel lanes would be restriped to add the streetcar only lane within the existing roadway width between NE Oregon Street and NE Lloyd Boulevard. At NE Lloyd Boulevard where the sidewalk/plaza area extends out, the streetcar would operate through the plaza to connect with the proposed streetcar only lane south of the intersection. This option would need to be looked at further in the next phase to identify the potential impacts to the sidewalk/plaza area on the corner of NE Lloyd Boulevard and NE MLK Jr. Boulevard.
- Another option to study potential special timing plans for NE MLK Jr. Boulevard that extend the green time at NE Lloyd Boulevard to clear the queues from the intersection, and reduce the southbound green time at NE Oregon Street when traffic is queued on NE MLK Jr. Boulevard.

NE Grand Avenue at NE Everett Street/I-84 eastbound on-ramp: With the conceptual design developed through this Alternatives Analysis, the streetcar would operate in the right lane on NE Grand Avenue. Currently, congestion to the eastbound I-84 on-ramp queues extends into the right lane in NE Grand Avenue. Constructing a right turn lane on NE Grand Avenue to the I-84 on-ramp should be considered. Construction of this lane would likely require parking removal and some roadway widening.

Right Turn Only Lane on SE Grand Avenue at E Burnside Street: Heavy traffic congestion is anticipated on SE Grand Avenue, traffic queues are anticipated to extend as far back as SE Stark Street. It is recommended that further study be conducted to evaluate the feasibility of providing a right turn only lane on SE Grand Avenue to E Burnside Street. This option may remove a sidewalk bulb-out constructed by PDC. The right turn lane would extend back to SE Ash or SE Ankeny Streets. The right turn only lane would help reduce the queuing issues at this intersection and improve general traffic flow as well as move streetcar through the intersection faster.

Right Turn Only Lane on MLK Jr. Boulevard at E Burnside Street: Heavy congestion in the right lanes on MLK Jr. Boulevard would impact the proposed streetcar alignment operating in the right lane. Further study should identify improvements to reduce congestion in this area. One option could be to allow one westbound lane on E Burnside Street and to provide a right turn only lane on MLK Jr. Boulevard to accommodate this movement. This option would allow trips destined for the Burnside Bridge to turn on NE Couch Street or E Burnside Street. This is different than the current plan for the Burnside Bridgehead development and would change the planned circulation for this area.

SE MLK Jr. Boulevard at SE Clay and Hawthorne Streets: The proposed streetcar on SE MLK Jr. Boulevard would have a stop at this location. Heavy southbound traffic creates a barrier for pedestrians to cross SE MLK Jr. Boulevard. To accommodate pedestrian crossings at the streetcar stop, a new pedestrian signal would be constructed under the Hawthorne Bridge ramp.

Additionally, a transit only lane on MLK Jr. Boulevard between SE Madison Street ramps and the Hawthorne Street ramps, with a queue jump signal for street to transition back to mixed traffic.

SE MLK Jr. Boulevard and SE Grand Avenue at SE Harrison Street: With the conceptual design developed through this Alternatives Analysis, the proposed streetcar would use SE Harrison Street to enter or exit the station at OMSI with a streetcar only bridge over the railroad. Further considerations should be made to improve this condition. Some options include:

- Heavy northbound and southbound traffic on SE MLK Jr. Boulevard and SE Grand Avenue would create a barrier for the streetcar to exit SE Harrison Street and cross SE MLK Jr. Boulevard and turn on SE Grand Avenue. To accommodate the streetcar crossing SE MLK Jr. Boulevard and turning on SE Grand Avenue from OMSI, new traffic signals would be constructed at SE Harrison Street and SE MLK Jr. Boulevard and SE Grand Avenue.
- Adding two new signals on SE MLK Jr. Boulevard at SE Stephens Street and SE Harrison Street for the streetcar operations has been identified as potential issues with the lane configuration on SE MLK Jr. Boulevard. At this location, SE MLK Jr. Boulevard is transitioning from four to three through lanes on the McLoughlin Viaduct. Addition of the two new signals could cause further congestion at this location. Further study should look at other ways to get across SE MLK Jr. Boulevard, such as routing northbound streetcar onto southbound SE Division Street. From SE Division Street, streetcar would turn right onto SE Market Street. Streetcar would then travel north on SE Market Street through a new signalized intersection with SE MLK Jr. Boulevard to SE Grand Avenue. Streetcar would turn left onto SE Grand Avenue at a new signalized intersection at SE Grand Avenue and SE Market Street.

Streetcar Only Flyover Bridge/Connection at SE Harrison Street at the NE Grand/MLK Viaduct: Further engineering study should be conducted to confirm the grades/alignment needed for the connection of the streetcar bridge over the railroad tracks to OMSI. This effort should be coordinated with the ongoing SE MLK/Grand Viaduct Project being conducted by the City of Portland and the Oregon Department of Transportation. Once the design of the new northbound SE Grand Avenue Viaduct is complete, further analysis should be conducted regarding safety and sight distance relative to the new proposed traffic signal at SE Grand Avenue and SE Harrison Street.

MLK Jr. Boulevard/Grand Avenue Couplet: With the conceptual design developed through this Alternatives Analysis, the streetcar would operate in the right lanes on MLK Jr. Boulevard and Grand Avenue. Further consideration should be made to evaluate the potential to operate streetcar in the left lanes on MLK Jr. Boulevard and Grand Avenue. With the current streetcar alignment, the proposed project would move an existing water line located on the right side of the streets. Operating the streetcar on the left side of the streets would reduce the capital costs associated with this project. Further evaluation of this option is needed to identify the impacts to the access to the Hawthorne, Morrison, and Burnside Bridges. Streetcar would likely restrict access to the bridges or would include added delay due to queues at the bridgeheads.

Traffic Signals: At signalized intersections where the streetcar has a separate signal phase, special detection would be needed to communicate with the traffic signals. The purpose of providing a separate phase for streetcar is to stop general traffic to allow the streetcar to make a difficult turn without conflict or to transition from a streetcar only lane to mixed traffic. In addition to providing a separate phase, the traffic signal timing plans should be designed to clear the traffic queues for streetcar to enter that block.

Pedestrian Access

The proposed streetcar includes various pedestrian improvements to make the pedestrian access to the streetcar stations safer and more comfortable. However, there are still other pedestrian improvements that could be implemented to improve the pedestrian environment in the corridor. Current plans in the corridor will help with the pedestrian environment and additional considerations could be made to improve on the pedestrian access and safety along the Broadway/Weidler and MLK Jr./Grand couplets. Some potential solutions to be considered include:

- Adding curb extensions to reduce the crossing distance across the wide arterial streets.
- Plant additional street trees.
- Consolidate or reduce the width of excessive driveways, to minimize the number of disruptions to the through zone of the sidewalk.
- Construct ADA-compliant curb ramps, especially where none currently exist.
- Improve the conditions of the sidewalk along MLK beneath the Morrison and Hawthorne bridges. Currently, the area behind the sidewalk is fenced off and used as storage, leaving a narrow space between the fence and the bridge structure. The sidewalk could potentially be widened by moving the fence four feet and adding lighting could improve the pedestrian environment.
- Consider installing additional traffic signals to allow for more pedestrian crossing opportunities and potentially slowing traffic down.
- Create a plan for improvements along SE MLK Jr. Boulevard and SE Grand Avenue that integrates streetscape, street design, transit access, and redevelopment opportunities.

Two Way Grand Design Option

In the Central Eastside District, a design option was developed as an alternative to the MLK/Grand couplet alignment that would operate northbound and southbound Streetcar on SE Grand Avenue between NE Everett and SE Stephens Streets, just north of the SE McLoughlin Viaduct. This option was developed to address transfer connections to radial bus lines and to assess benefits to the pedestrian environment compared to the MLK/Grand couplet.

The Two-Way SE Grand Avenue design option would change SE Grand Avenue from a one-way major arterial to a local street that provides both northbound and southbound travel lanes. The Two-Way Grand design option would re-route the northbound through trips from Grand Avenue to SE 7th Street.

Some of the transportation system changes required by this option include diverting northbound traffic to SE 7th Avenue, changes to bridge access, traffic signal changes, and converting SE Grand Avenue from a one-way street to two-way operations. This design option would change the functional classification of Grand and 7th Avenues and would likely require amending the street classification designations in the City of Portland's TSP and Metro's RTP.

The Two-Way Grand Avenue Design Option has been designed so that it could be applied to any of the MOSs with the exception of the Oregon MOS, but does not preclude either two-way Grand Avenue design option or the MLK/Grand couplet alignment extension to the Central Eastside. However, the following discussion compares the design option to the Full Loop Alternative.

Changes to SE Grand Avenue


Currently SE MLK Jr. Boulevard and SE Grand Avenue operate as a couplet through the Central Eastside District. Each of the two streets provides four general purpose travel lanes, for a total of four southbound and four northbound travel lanes. SE Grand Avenue is designated as a Major City Traffic Street, a Major Transit Priority Street, a City Bikeway, and a Central City

Transit/Pedestrian Street by the City of Portland as identified in the City's TSP. Metro's 2004 RTP designates SE Grand Avenue as Major Arterial, Rapid Bus, Regional Access Bikeway and a Transit Mixed-Use Corridor.

Under this design option, SE Grand Avenue would be changed from a one-way northbound street to provide both northbound and southbound travel lanes and northbound and southbound Streetcar operations. Figure 4-1 shows the proposed cross-section for SE Grand Avenue.

As shown in Figure 4-1, SE Grand Avenue would provide for one southbound shared streetcar lane and a shared northbound streetcar and auto lane with one northbound auto lane. Additionally, SE Grand Avenue would provide on-street parking and bike lanes.

**Figure 4-1
Typical Mid-block Section of SE Grand Avenue
Two-Way Grand Avenue Alignment Option**




Source: URS Corporation, 2006

The proposed design of 2-way SE Grand Ave is not a typical 2-way street cross-section. A typical roadway design would be one lane (or two lanes) in each direction. SE Grand Avenue would provide more northbound travel lanes than southbound to ensure that the total capacity between this design option and the MLK/Grand couplet alignment remain the same.

Figure 4-2 compares the proposed lane geometry for the Full Loop Alternative with the 2-Way Grand Avenue Design Option. The existing width on SE 7th Avenue prohibits it from providing four northbound travel lanes as well as on-street parking without major roadway improvements and extensive property acquisitions. Therefore, the fourth northbound travel lane is accommodated on SE Grand Avenue.

Figure 4-2
Roadway Capacity Comparison between the Full Loop Alternative and
2-Way SE Grand Avenue Design Option



Source: Metro, 2006

Under this design option, the streetcar would have direct connections with major bus lines. Transfers to major bus lines would be accommodated more efficiently and provides a reduction in the pedestrian crossing to use streetcar in both directions.

Left turns from SE Grand Avenue would be restricted where there is a conflict with streetcar platforms or to preserve on-street parking. By restricting left turn movements, there is a risk of diverting traffic to other local or neighborhood streets. Access to the bridgeheads may be reduced for auto traffic due to left turn restrictions or traffic capacity to bridgeheads would likely be reduced on SE Grand Avenue due to turning movements.

The character of this roadway would change significantly under this design option. SE Grand Avenue serves both through and local traffic needs today. Through traffic on SE Grand Avenue is traveling through the corridor destined for access to the bridges across the Willamette River or to southeast or northeast Portland. Local traffic is destined for locations on SE Grand Avenue. SE Grand Avenue would change from a fairly high speed and high capacity roadway to become more pedestrian, bike, and transit friendly roadway, under this design option. This is a key trade-off by this design option.

Changes to SE 7th Avenue


SE 7th Avenue currently provides one lane in each direction with a center turn lane, bike lanes and on-street parking. SE 7th Avenue would be changed to a one-way northbound street. SE 7th Avenue would become the northbound portion of the Highway 99E couplet with SE MLK Jr. Boulevard, which is located three blocks to the east. SE 7th Avenue is designated as a Traffic Access Street, a Transit Access Street, a City Bikeway, and a City Walkway by the City of

Portland as identified in the City's TSP. These designations are for a much less intensely used street than either MLK Jr. Boulevard or Grand Avenue. By re-routing through trips onto 7th Avenue, this would require a change to the street function in manner that is inconsistent with the existing policy in the RTP and Portland's TSP and would require amending the RTP and TSP to reflect this change. Additionally, through trips are just as likely to divert to other local or neighborhood streets.

Traffic Access Streets are not intended to carry regional through trips with no trips ends in the district. On Traffic Access Streets, reduction in motor vehicle congestion is given less priority than supporting pedestrian access and enhancing the pedestrian environment, maintain on-street parking to support land uses, accommodating transit or accommodating bicycles. Furthermore, the City discourages the acquisition of additional right of way to reduce congestion.

The existing curb-to-curb width is 64 feet, south of SE Stark Street. North of SE Stark Street, the existing curb-to-curb width is 36 feet. SE 7th Avenue would be converted to three northbound lanes and maintain on-street parking on both sides of the road. On-street parking on SE 7th Avenue would be eliminated north of SE Stark Street. The existing bike lanes would be eliminated and moved to SE Grand Avenue. Figures 4-3 and 4-4 show potential cross-sections for SE 7th Avenue.

**Figure 4-3
Typical Mid-block Section of SE 7th Avenue, South of SE Stark Street
Two-Way Grand Avenue Alignment Option**




Source: URS Corporation, 2006

SE 7th Avenue south of SE Stark Street would be designed to accommodate three northbound travel lanes and on-street parking. Southbound bike lanes would be redirected to SE Grand Avenue. Several options for the northbound bike lanes have been developed including 1) keeping the northbound bike lane on SE 7th Avenue, 2) redirecting the northbound bike lane to SE Grand Avenue, or 3) creating a new bike boulevard on SE 8th or SE 9th Avenues.

On SE 7th Avenue, north of SE Stark Street, there is only enough pavement width to accommodate three northbound travel lanes. On-street parking and bike lanes would be eliminated from this section of roadway between SE Stark and NE Couch Street.

Figure 4-4
Typical Mid-block Section of SE 7th Avenue, North of SE Stark Street
Two-Way Grand Avenue Alignment Option



Source: URS Corporation, 2006

The character of SE 7th Avenue would change significantly under this design option. SE 7th Avenue serves local traffic destined to locations on or near SE 7th Avenue consistent with its classification. Potential impacts from the change in traffic flow could include changes to truck loading and unloading north of SE Stark Street and confusion in local access circulation. Local access would need to circle adjacent blocks for access from the north. Because 7th Avenue would serve the function of northbound Grand Avenue today, this change would bring more through traffic to the roadway and local traffic would be diverted to other local or neighborhood streets.

SE 7th Avenue would provide access to the bridgeheads from the south. Under this design option, one or two turn lanes from SE 7th Avenue to bridgeheads could be accommodated.

This design option includes transition points at the north and south end of the new MLK Jr. Boulevard/7th Avenue couplet. At the south, northbound vehicles coming from SE McLoughlin Boulevard would be diverted at SE Stephens Street to SE 7th Avenue. At the north end,

northbound vehicles would be diverted at NE Couch to transition back to a one-way northbound SE Grand Avenue. Some property acquisition would be necessary at the north and south transition areas, as a new connector could not be accommodated in any existing right-of-way.

The Two-Way Grand Avenue design option would require amending the street classification designations of Grand and 7th Avenues in the City's TSP and likely Metro's RTP. The alignment would likely result in traffic impacts greater than the MLK/Grand couplet alternative, diversion of traffic into the neighborhood or local street network, impacts to the Industrial Sanctuary, and impacts to private property.

The Two-Way Grand design option is different than the MLK/Grand couplet alternative and additional impacts or issues. These include:

- Significant right of way impacts and cost at each of end SE 7th Avenue to transition back to a one-way northbound SE Grand Avenue.
- Impacts on adjacent local or neighborhood streets due to traffic diversion to avoid the longer travel times or confusing local access and circulation.
- Impacts to on-street parking and loading and unloading zones on SE 7th Avenue north SE Stark Street.
- Impacts to capacity particularly for trucks access the various bridgeheads.
- Impacts to bike lanes on SE 7th Avenue, where bike lanes would be redirected to either SE Grand Avenue or a bike boulevard on SE 8th or SE 9th Avenues.
- Additional capital cost associated with changing SE Grand Avenue from a one-way roadway to two-way operations and changing SE 7th Avenue from two-way operations to a one-way roadway.

2025 Traffic Volumes

Metro's travel demand model, which is based on the Financially Constrained 2025 RTP network was used to identify the future 2025 travel patterns for both the MLK/Grand couplet and the Two-Way Grand design option. The 2025 PM 2-hour peak volumes were used to identify potential travel patterns and major destinations and origins using Grand Avenue and 7th Avenue.

Travel Patterns for the MLK/Grand Couplet:

Grand Avenue serves as the primary north/south route on the east side of the river. Grand Avenue provides four northbound travel lanes and on-street parking with direct connections to each of the bridges crossing the Willamette River as well as access to eastbound I-84. Grand Avenue is expected to carry about 5,380 northbound vehicles during the 2025 PM 2-hour peak period.

The major destinations for vehicles on Grand Avenue include Lloyd District and point north (3,500 vehicles), I-84 (1,300 vehicles), and the Morrison Bridge (1,570 vehicles). Major origins for vehicles on SE Grand Avenue include SE McLoughlin Boulevard (2,650 vehicles) just south of the Ross Island Bridge, and the Burnside Bridge (1,540 vehicles).

SE 7th Avenue is a local street serving the industrial area in southeast Portland. SE 7th Avenue provides one lane in each direction with a center turn lane, bike lanes and on-street parking. This street also provides a direction connection to E Burnside and Sandy Boulevard. At SE Washington Street, SE 7th Avenue becomes Sandy Boulevard. Both E Burnside and Sandy Boulevard are major arterials providing access to east Portland.

SE 7th Avenue carries approximately 2,220 trips (1,470 southbound and 750 northbound) south of the Morrison Bridge and 2,700 (920 southbound and 1,790 northbound) vehicles on Sandy Boulevard north of SE Washington Street during the 2025 PM 2-hour peak period.

The major destinations for vehicles on 7th Avenue include the Hawthorne Bridge (580 vehicles), northbound Sandy Boulevard (1,070 vehicles), and eastbound Burnside Street (750 vehicles). Major origins for vehicles on SE 7th Avenue include the Hawthorne Bridge (540 vehicles), Morrison Bridge (650 vehicles), I-5 (430 vehicles), southbound Sandy Boulevard (680 vehicles), and NE 12th Avenue (1,140 vehicles) north of E Burnside Street or Lloyd District:

The volumes on Grand and 7th Avenue are typical of the function for that type of roadway. 2025 PM 2-hour peak period volumes on Grand Avenue show that the trips on Grand Avenue are typically moving the through to points outside the corridor. As a major arterial, Grand Avenue serves an important function of connecting to I-84, the bridges, and providing long distance travel patterns. SE 7th Avenue provides for shorter trips distributing them to local streets and destinations within short distances.

Travel Patterns for the Two-Way Grand Avenue Design Option:

Under the Two-Way Grand design option, through traffic would be re-routed to SE 7th Avenue while SE Grand Avenue would provide for the local trip distribution function. The Metro regional travel demand model demonstrated that travel patterns would change between the two design options.

Grand Avenue would be expected to carry approximately 2,210 (1,420 northbound and 930 southbound) vehicles during the 2025 PM 2-hour peak period. The major destinations for vehicles on Grand Avenue include Lloyd District and point north (1,450 vehicles), I-84 (1,070 vehicles), and the Morrison Bridge (870 vehicles). Major origins for vehicles on SE Grand Avenue include the Morrison Bridge (970 vehicles), and the Burnside Bridge (1,680 vehicles).

SE 7th Avenue is expected to carry about 4,500 northbound vehicles during the 2025 PM 2-hour peak period. The major destination from SE 7th Avenue would include Sandy Boulevard (1,120 vehicles), Morrison Bridge (1,050 vehicles), and the Morrison Bridge (780 vehicles). Major origins for vehicles on SE 7th Avenue include the SE McLoughlin Boulevard south of Ross Island Bridge (1,900 vehicles), Hawthorne Bridge (990 vehicles), and I-5 (560 vehicles), and the Morrison Bridge (500 vehicles).

The following summarizes some changes in travel patterns between the two scenarios (MLK/Grand couplet and Two-Way Grand design option):

- Under the couplet scenario trips to I-84 were taken via Grand Avenue. Under the Two-Way Grand design option, trips wanting to access I-84 did not use SE 7th Avenue through the corridor, instead they stayed on Grand Avenue to I-84.
- From 7th Avenue, many of the trips turned onto NE Couch Street instead of using NE Everett Street to get back to NE Grand Avenue.
- With the Two-Way Grand Avenue design option, some neighborhood traffic diversion is anticipated. The most prominent diversion of traffic occurs south of the SE Madison Street.
 - Volumes would increase on I-5 northbound and access the highway via the new McLoughlin/I-5 on- and off-ramps.
 - Volumes would increase on SE 11th and 12th Avenue between SE Division Street and SE Hawthorne Boulevard.
 - Volumes would increase on SE Water Avenue between SE Division Street and SE Clay Street.
 - Volumes would increase on SE Hawthorne and SE Madison Street between the Hawthorne Bridge and SE 11th Avenue.

Two-Way Grand Avenue Design Option Considerations

During the next phase of study, if the Two-Way Grand design option is chosen as the preferred alternatives than further refinement of this design option would be needed. The following design considerations potential issues to study further during the next phase include, but are not limited to:

Transitions at the North End: The current design for SE 7th Avenue provides three northbound lanes. The transition for the through traffic from SE 7th Avenue to NE Grand Avenue would occur at NE Everett Street. Trips heading towards the Burnside Bridge would have an exclusive right turn lane from NE 7th Avenue to NE Couch Street. From NE Couch Street, NE 7th Avenue would have two northbound travel lanes to NE Everett Street and NE Grand Avenue. At the intersection of NE Everett Street and NE Grand Avenue also provide access to the eastbound I-84 ramp. Access to eastbound I-84 would be difficult under this design option. Additionally, the designs identify potential structural modifications needed to the ramp. Further study should be conducted at this location to identify other potential streets to transition at other NE Everett Street. NE Davis and SE Ankeny Streets were not proposed because they would be important access streets to the proposed development at the Burnside Bridgehead.

Streetcar Transition at E Burnside Street: The current design includes southbound streetcar transitioning from NE MLK Jr. Boulevard to two-way Grand Avenue at E Burnside Street. The streetcar would operate in the right lane on MLK Jr. Boulevard and turn left to the left lane on E Burnside. From the left lane on E Burnside, the streetcar would turn right to the right lane on Grand Avenue. The streetcar would likely need an exclusive streetcar phase at each the signalized intersection at E Burnside and MLK Jr. Boulevard and Grand Avenue. Under this scenario, all traffic would be stopped to allow streetcar through these intersections. Further evaluation of the traffic impacts to these two intersections would need to be conducted. As well, further study should be done to evaluate whether this is the best street for streetcar to use as a transition to two-way Grand Avenue.

Morrison MOS: Two-Way Grand design option could be implemented with any of the MOS designs. Further refinement of operating two-way Grand Avenue with the Morrison MOS should further evaluate streetcar operations at SE Morrison Street. It is likely the streetcar would turn right from SE Grand Avenue to SE Morrison Street without much conflict. However, for streetcar to turn left from SE Morrison Street to the SE Grand Avenue, the streetcar would need an exclusive streetcar only phase to make this maneuver. Further evaluation should be conducted to analyze the potential of allowing the through movement on SE Morrison Street to the Morrison Bridge to move while the streetcar phase at the signalized intersection is accommodated. The right turn lane on SE Morrison Street that would be used to access SE Grand Avenue or SE Morrison Street south of SE Grand Avenue would be stopped while streetcar is present.

Bike Lanes: The current cross-section for two-way SE Grand Avenue shows bike lanes on both sides of the streets. This option is not optimal for bicyclists because it creates a conflict between the streetcar and bicycles at the streetcar platforms. Streetcar platforms would extend out into the bike lanes, forcing bicyclists to use the streetcar lane. This option creates an unsafe environment for bicyclists. Other options to be studied further include the following:

- Northbound bike lanes could be accommodated on SE 7th Avenue between SE Stephens Street and SE Stark Street. North of SE Stark Street, there is only room to accommodate the three northbound travel lanes, unless the lane widths were reduced to one 11 foot and two 10 foot travel lanes.
- Southbound bike lanes could be provided on SE MLK Jr. Boulevard or SE Grand Avenue.

- SE 9th Avenue or SE 8th Avenue could potentially be redesigned to become bike boulevard streets.

SE Grand Avenue: The current design for this option provides one lane southbound and two lanes northbound on SE Grand Avenue. Further study should identify the feasibility of providing one lane in each direction and a center turn lane. The center turn lane could provide left turn refuge at key locations as well as room for center streetcar platforms. By relocating the streetcar platforms to the center of the roadway, this would improve the bike environment because this would remove the conflicts between the streetcar and bicycles.

Transitions at the South End: Under the Two-Way Grand design option, SE 7th Avenue just north of the McLoughlin Viaduct would transition from a two-way street to a one-way street at SE Stephens Street. SE Grand Avenue would transition from a one-way northbound street to providing both northbound and southbound travel. This would have to be further analyzed to evaluate if the current design could carry the potential traffic demand that is destined through the corridor and would use SE 7th Avenue.

Adding two new signals on SE MLK Jr. Boulevard at SE Mill Street and SE Stephens Street for the streetcar operations has been identified as potential issues with the lane configuration on SE MLK Jr. Boulevard. At this location, SE MLK Jr. Boulevard is transitioning from four to three to two through lanes on the McLoughlin Viaduct. Addition of the two new signals could cause further congestion at this location. Further study would need to be conducted to identify the traffic issues and potential solutions. Moving the high volumes from SE Grand Avenue to SE 7th Avenue would potentially create an unsafe pedestrian environment at SE Mill Street and SE 6th Avenue.

Traffic Analysis: Detailed traffic analysis using VISSIM was conducted for the MLK Jr. Boulevard/Grand Avenue couplet streetcar operations. However, this was not conducted for the two-way Grand design option. Many of the traffic impacts are unknown at this time and further traffic analysis would need to be conducted to identify the potential traffic impacts to:

- Providing northbound and southbound travel on SE Grand Avenue;
- Restricting SE 7th Avenue to northbound travel only;
- Prohibiting left turns from SE Grand Avenue to the bridges;
- Providing progression along SE Grand Avenue; and
- Diversion of traffic into the neighborhoods.

Chapter 5. Environmental, Social, Neighborhood and Community Impacts

Introduction

Almost any proposed transportation project, whether locally funded or state or federally assisted or requiring a federal or state permit, or whether a maintenance project or new facility will generate questions and concerns about possible adverse impacts to the residents, businesses, and physical setting within which the project is proposed. This chapter is intended to provide information about the process that will occur to assess any adverse impacts and answer any questions about the project that the public may have.

Potential Environmental Consequences

An Central City transit circulator would likely have environmental costs and benefits. By federal law, potential adverse environmental impacts of a project with federal financial support, or which must obtain a federal permit, must be addressed consistent with the National Environmental Policy Act, which is addressed below. In addition to potential adverse environmental impacts, there are likely environmental benefits that could result in a transit circulator.

For example, a streetcar would have very low air pollutant emissions when compared to diesel buses, even those with the newest air quality technologies and fuels. Further, a streetcar, using electricity generated from hydroelectric facilities nearby the region would help reduce reliance on non domestic fuels. These aspects of streetcars, compared with diesel buses, could be considered among the other characteristics when deliberations as to the preferred alternative are made.

NEPA and Proposed Documented Categorical Exclusion

As the Eastside Transit Project is proposed as a federally assisted Small Start undertaking and may require a federal permit even if federal transportation funding were not sought, it must comply with a variety of federal regulations, including the National Environmental Policy Act (NEPA). This act mandates that a project seeking federal transportation funding support or requiring a federal permit shall identify, evaluate and disclose the potential adverse environmental consequences of that project. As projects can range from ones with very little adverse impacts to ones with substantial consequences, the NEPA (49 CFR 771.115 *Classes of actions*) provides for a range of environmental reviews as follows:

"There are three classes of actions which prescribe the level of documentation required in the NEPA process.

(a) Class I (EISs). Actions that significantly affect the environment require an EIS (40 CFR 1508.27). The following are examples of actions that normally required an EIS:

- (1) A new controlled access freeway.*
- (2) A highway project of four or more lanes on a new location.*
- (3) New construction or extension of fixed rail transit facilities (e.g., rapid rail, light rail, commuter rail, automated guideway transit).*
- (4) New construction or extension of a separate roadway for buses or high occupancy vehicles not located within an existing highway facility.*

(b) Class II (CEs). Actions that do not individually or cumulative have a significant environmental effect are excluded from the requirement to prepare an EA or EIS. A specific list of CEs normally not requiring NEPA documentation is set forth in 771.117(c). When appropriately documented, additional projects may also qualify as CEs

pursuant to 771.117(d).

(c) Class III (EAs). Actions in which the significance of the environmental impact is not clearly established. All actions that are not Class I or II are Class III. All actions in this class require the preparation of an EA to determine the appropriate environmental document required".

While the Eastside Transit Project could include the new construction of a fixed rail project, the Project is proposed to operate on existing local streets, will not require acquisition of or displacement of any homes or businesses and is proposed for an area that has been urbanized for 80 or 100 years or more, so most elements of the natural landscape have long ago been removed.

On the other hand, the Project is not included in the lists of categorically exempt projects and there are some environmental, social, neighborhood and community resources that should be assessed for any potential adverse consequences in relation to a transit project in the Eastside.

Categorical Exclusions are defined as:

" ...actions which: do not induce significant impacts to planned growth or land use for the area; do not require the relocation of significant numbers of people; do not have a significant impact on any natural, cultural, recreational, historic or other resource; do not involve significant air, noise, or water quality impacts; do not have significant impacts on travel patterns; or do not otherwise, either individually or cumulatively, have any significant environmental impacts."

A Documented Categorical Exclusion (DCE) has been proposed as a way to address possible adverse impacts of an Eastside Transit Project at a level consistent with the possibility that such a project could have no significant adverse impacts.

Potential adverse impacts could include:

- activities in association with the reconstruction or use of the Broadway Bridge,
- traffic impacts with regard to diversion of vehicular trips into adjoining neighborhoods
- increased traffic congestion in association with any transit improvements on existing local streets, particularly arterials such as Martin Luther King Jr. Boulevard, Grand Avenue, Broadway Boulevard and Wiedler Street.

This Evaluation Report does not include addressing these issues. A recommendation for a DCE will be prepared to assess the above issues - as well as any other issues that may be identified in the public involvement process for the Eastside Transit Alternatives Analysis Project. The recommendation for DCE will be submitted to the Federal Transit Administration (FTA) for reconsideration. Written FTA concurrence with the DCE must be obtained in order to complete compliance with the NEPA requirements.

Appendix

Eastside Development Projects Completed between 2000 and April 2005

(from pages 14 and 15 of the *Central City Development and Redevelopment Projects*, Portland Business Alliance, April 2005 as prepared by Heritage Consulting Group.)

The Jupiter (800 E. Burnside; completed 2005) – Tod Breslau and Kelsey Bunker transformed a dilapidated c. 1960s budget motel into a trendy 80-room inn, complemented by the “Doug Fir” lounge.

Oregon Convention Center Expansion (777 NE Martin Luther King Jr. Blvd; completed 2003) – The \$98.5 million expansion increased the OCC’s convention and trade show capacity by 60%. The expansion includes 350,000 square feet of new exhibitor space, divisible meeting rooms, a second ballroom, lobby and support areas that will nearly double the building’s current event capacity. The program also includes a two-level, below grade parking garage, adding 1,200 new spaces, and a retail component in the link between old and new facilities. ZGF was the architect.

The Merrick (1231 NE Martin Luther King, Jr. Boulevard; completed 2005) – Trammell Crow Residential, working with Robert Leeb Architects, developed a full-block residential project on the former Lyons Restaurant site. The 6-story Merrick includes 15,000 square feet of ground floor retail, 185 residential units, and 218 ground and below grade parking spaces.

1201 Lloyd Building (1201 NE Lloyd Boulevard; completed 2002) – Transworld and Insignia, working with ZGF Architects, developed this \$41 million, 222,777 square foot, 11-story office tower with adjacent 5-story parking structure.

The Cascadian (NE 6th Avenue & Holladay Street; completed 2002): Enterprise Development, working with Sienna Architects, built The Cascadian, a half-block \$8 million, nine-story building with 59 condominiums ranging in size from 440 to 2036 square feet, with ground floor parking and retail. A second phase with 260 market-rate units is in the planning stage.

Oregon Ballet Theater (612 SE Morrison; completed 2000) – Holst Architects turned a 20,000 square foot bank building on a full block into two studios, an office, a ticketing desk, and locker rooms for the Oregon Ballet. The \$3 million Phase I also included a seismic upgrade and re-roofing. Fundraising for Phase 2, with plans for a 20,000 square foot addition, is underway.

Architectural Heritage Center (701 SE Grand Avenue; completed 2005) – With William Hawkins as architect, the Bosco Milligan Foundation rehabilitated the 1883 West’s Block Building for education and exhibit functions. The \$2.3 million renovation allowed the organization to expand programming and display its collection of historical architectural artifacts, one of the largest collections in the country.

The Ritzdorf (1225 SE Belmont Street; completed 2000) – The \$7 million residential project offers 90-units of permanent housing for previously homeless households. REACH is the owner and manager.

ActiveSpace (SE 9th Avenue and Main Street; completed 2003) – ActiveSpace developed this quarter-block, 4-story wood frame building for use as low cost workshop space.

Holman Building (49 SE Clay Street; completed in 2004) – PDC renovated this 1952 warehouse into a boathouse for light watercraft, complemented by offices uses on the upper floors.

Development Projects within Streetcar Improvement Districts
1997 to January 2006

***PROJECTS LIST
1997 - PRESENT***

All projects shown are located within the Streetcar Local Improvement District.
Construction costs shown are based upon hard costs. Information sources include
published project information and developer interviews.

Portland Streetcar Development Summary
January 2006

Project Name	Construction Cost	Year Complete	Residential Units	Non-resid SQ FT	Comments
10th at Hoyt 911 NW Hoyt	\$20,300,000	2004	178	15,000	Apartments & ground floor retail, parking
1963 NW Overton	\$3,500,000	2004	12	0	Rowhouses, 25,000 SF
8 NW 8th (Danmore) NE corner E Burnside/8th	\$13,500,000	2004	180	12,000	Low-income apartments (30% MFI), 120 units transitional housing, two-floor clinic Portland Alternative Health Clinic, LEED certified
12th/13th/Washington/Stark	\$130,000,000	2007	264	224,000	Five floors pkg (400 spaces), 65ksf ZGF office, 17 floors apartments, 170-room hotel, West End
Art Museum Renovation	\$17,300,000	2000	0	50,000	Project for the Millennium, renovation and remodel
Atwater Place SW Gaines/River Parkway	\$95,000,000	2007	212	10,300	319 parking spaces, LEED silver, S. Waterfront
Avenue Lofts 1001 NW 14th Avenue	\$25,000,000	2004	166	0	Loft condominiums, 186 parking spaces
Balfour Guthrie Building 731 SW Oak	\$1,200,000	2002	0	18,000	1913 building renovation for architectural office
Benson Tower 1500 SW 11th	\$30,000,000	2007	143	0	27-story, 150 underground parking spaces, 13 KSF site
Bridgeport Condominiums 1130 NW 12th	\$35,000,000	2003	123	8,000	Condominiums & ground floor retail
Burlington Tower Apts 900 NW Lovejoy	\$27,000,000	2005	155	11,000	10 story mixed use apartment with ground floor retail, 126 u/g parking spaces, 36 surface pkg spaces
The Casey Condos 311 NW 12th Ave	\$42,000,000	2007	56	4,200	16 stories, ground floor retail, LEED platinum, 194,225 GSF above and below grade, River Dist
Clyde Hotel	\$1,000,000	2006	0	N/A	Boutique hotel, River Dist
Cornerstone Condominiums 1130 SW Jefferson	\$3,400,000	2000	50	3,000	Condominiums with ground floor retail, 10,000 square foot site, 6-story building
Crane Building 710 NW 14th	\$10,524,000	2006	32	37,000	Basement converted to 46 pkg spaces, 3 floors residential, Guardian Management office, River Dist
Cronin Block NW 12/13/Marshall/Northrup	\$50,000,000	2007	250	N/A	335 pkg spaces, townhomes and condos, River Dist
ED Distributing/Moe's Pianos 140 NW 14th	N/A	2003	0	40,000	Retail office, light industrial with u/g parking
Edge 805 NW 14th	\$27,000,000	2003	125	35,000	Condominiums & ground floor retail, 3 parking lots, one underground
Eliot SW 10th/11th/Jefferson	\$60,000,000	2006	223	9,000	Condominiums and ground floor retail
Elizabeth Lofts 333 NW 9th	\$38,000,000	2005	182	14,500	Condominiums & ground floor retail, 16 stories
First Presbyterian Church	\$11,000,000	0	0	40,000	170-space underground parking garage and plaza, Future site for church facilities, West End
Fox Tower 805 SW Broadway	\$65,000,000	2000	0	438,000	28-story office w/ approx. 400 spaces of underground parking and built-in cinema, two floors with 63,000 ft of retail, 375 ksf office

Project Name	Construction Cost	Year Complete	Residential Units	Non-resid SQ FT	Comments
Gallena 921 SW Morrison	\$9,000,000	2003	0	60,000	Building renovation for Western Culinary Institute
Gregory 420 SW 10th Avenue	\$29,500,000	2002	133	47,000	12 story condo project w/ 145 res units, 29,000 of office, 210 parking stalls, 18 ksf retail
Hamilton West 1212 SW Clay Street	\$7,900,000	1999	152	2,500	Apartments - Housing Authority of Portland, ground floor retail
Inn at Northrup Station 2025 NW Northrup	\$3,000,000	2002	0	31,000	Boutique hotel
The John Ross SW River Parkway	\$118,000,000	2007	314	19,000	Ground floor retail with 4-story podium and 31-story building - 404 parking spaces. LEED silver, S Waterfront
Johnson Street Townhomes 1116-1142 NW Johnson	\$7,000,000	2000	13	0	Townhouses
Kafoury Commons 1230 SW Columbia	\$7,100,000	2000	129	0	10-story 129 unit complex, 29 affordable
Kearney Plaza Apartments 930 NW 11th, 97209	\$18,000,000	2000	139	7,500	Apartments & ground floor retail
Lexis on the Park 1125 NW 9th	\$23,000,000	2004	139	9,000	Market rate apartments converted to condos in 2005, ground floor retail
Lovejoy Building Office 1624 NW Lovejoy	\$2,000,000	2004	0	20,000	14 ksf office, 6 ksf retail
Lovejoy Square NW Kearney/Lovejoy/13/14th	\$3,200,000	2004	0	38,000	13 ksf office, 25 ksf retail
Lovejoy Station 1040 NW 10th Avenue	\$18,630,000	2001	181	6,500	5 story mixed use project with 4 floors, 181 units affordable apt over 85 parking spaces, 124 apt units, ground floor retail
Manzana Rotisserie Grill 1203 NW Glisan	\$1,950,000	2002	0	20,000	Building renovation for 10 ksf ground floor restaurant and 10 ksf 2nd floor offices
Marshall Wells Lofts 1001 NW 14th Ave	\$34,000,000	2002	164	0	Condominiums renovation
Maverick Sports Club 2025 NW Overton	\$400,000	2002	0	18,000	Commercial renovation
McKenzie Lofts 408 NW 12th Avenue	\$15,500,000	1997	68	13,500	Condominiums & ground floor retail
The Merwether SW River Pkwy/SW Curry	\$82,500,000	2006	245	11,800	347 parking spaces, LEED silver rating, S Waterfront
The Metropolitan (Block 9) NW 10/11/Lovejoy/Marshall	\$63,000,000	2007	136	18,000	230 pks spaces, 19 stories, concierge service, common rooms and guest suites, River Dist
Mosaic 1400 SW 11th Ave	\$5,700,000	2003	40	0	Condominiums
Museum of Contemporary & Modern Art, North Building	\$32,000,000	2005	0	146,000	Building conversion
Museum Place 1030 SW Jefferson	\$29,000,000	2003	140	48,000	Mixed income apartments, Safeway
North Park Lofts 300 NW 8th Avenue	\$8,000,000	1999	66	3,000	Condominiums, redeveloped 1908 building, ground floor retail
Northrup Commons Condos 2327 NW Northrup	\$3,600,000	1999	20	0	4-story residential, 65,500 SF, two levels of parking

Project Name	Construction Cost	Year Complete	Residential Units	Non-resid SQ FT	Comments
OHSU Center for Health & Healing at South Waterfront SW Moody Ave	\$103,500,000	2006	0	294,400	Physical practices, outpatient surgery, wellness center, research labs, classrooms, 650 pkg sp, 3-story underground garage, LEED platinum, South Waterfront
Oregon History Center 1200 SW Park	\$2,750,000	2003	0	4,000	Visitor facilities and exhibit area renovation, addition and outdoor plaza
Outside In 1132 SW 13th	\$3,500,000	2001	0	30,000	Youth center, 4-story building, supervised housing
Overton Park Apartments 2315 N.W. Overton	\$4,000,000	2002	18	0	Apartments with ground floor retail
Paramount Hotel 808 SW Taylor	\$14,000,000	1999	0	140,000	14-story 154-room hotel with street level retail
Park NW Condos 327 NW Park Avenue	N/A	2000	18	3,000	Condominiums
Park Place Condominiums 922 NW 11th	\$47,000,000	2004	124	15,000	91 flats, 25 lofts, 8 penthouses, 7 townhomes, 4 of 7 live/work
Pearl Court Apartments 920 NW Kearney Street	\$10,000,000	1997	199	0	Apartments - Housing Authority of Portland, affordable housing
Pearl Townhomes 602-636 NW 11th Avenue	\$4,000,000	1997	10	0	Townhouses
Pearl Townhouses, Ph 2 NW 11th btwn Hoyt/Irving	N/A	2000	10	0	Townhouses
Pinnacle 1255 NW 9th	\$37,000,000	2005	176	7,000	Condominiums, ground floor retail
Pacific NW College of Art 1241 NW Johnson	\$1,000,000	1998	0	40,000	Full block renovation including new classrooms, library, meeting & performance space- art college
Powell's Books 24-34 NW 11th	\$5,000,000	1999	0	50,000	Building expansion and renovation--2 sites
Reed/Harris/Block 90 NW 13/14/Flanders, 322 NW 14th	N/A	2007	12	0	21 pkg spaces, River Dist
Residence Inn by Marriott 2115 SW River Pkwy	\$24,500,000	2001	0	275,000	258-suite extended stay hotel, includes 58,000 SF pkg
Riverstone Condominiums 821 NW 11th	\$25,000,000	1998	121	10,000	Condominiums & ground floor retail
RiverTec 1220 NW Lovejoy	\$10,000,000	2000	0	75,000	Office renovation
Safeway Blocks NW 12/13/Lovejoy/Marshall	\$40,000,000	2008/9	235	60,000	Rental, two buildings, 15% affordable, ground floor retail, 145-160 pkg for 40 ksf Safeway, 145 pkg for RiverTec, River Dist
St. Francis Apartments 1024 SW Main	\$10,800,000	2003	132	6,000	Affordable apartments, ground floor retail
The Sitka 1115 NW Northrup	\$32,000,000	2005	210	7,150	Rentals, 130 pkg spaces, 6 stories, 50-60% MFI, ground floor retail
Station Place 1020 NW 9th	\$18,000,000	2005	176	1,600	Senior affordable apartments, 150,000, Lovejoy/Marshall, 26,000 SF of retail on Marshall, east of lower 6th Avenue frontage is 5-story garage
Station Place Parking Garage	\$8,800,000	2004	0	100,000	425-car parking garage
Station Place Retail	\$2,400,000	2006	0	26,000	Two-story retail

Project Name	Construction Cost	Year Complete	Residential Units	Non-resid SQ FT	Comments
The Strand	\$95,000,000	2006, 2007	216	9,700	Three towers, 100-space underground public parking garage, 160 spaces resident pkg, 2.7-acre site, destination restaurant, retail and live/work
Streetcar Lofts 1030 NW 12th Ave, 97209	\$28,000,000	2002	139	9,000	Condominiums & ground floor retail
Tanner Place 1030 NW Johnson	\$31,000,000	2000	120	12,000	Condominiums & ground floor retail
Telegram Building 1101 SW Washington	\$5,600,000	2004	0	44,000	Renovation for two floor health club, 20 ksf of office, restaurant
Vollum Natural Cap. Ctr. 721 NW 9th Avenue	\$8,000,000	2001	0	50,000	Renovation for 40 ksf office/10 ksf retail, LEED gold certification
Westin Hotel 750 SW Alder	\$20,000,000	1999	0	135,500	20-story 200-room hotel
Wieden and Kennedy 1227 NW Davis	\$20,000,000	1999	0	200,000	Full block renovation - 175 ksf office, 25 ksf retail and adjoining parking, PICA ground floor
Workspace Lofts 1720 NW Lovejoy	\$1,100,000	2001	N/A	0	Workspace Lofts
YWCA Renovation 1111 NW 10th Avenue	\$6,000,000	2003	25	63,000	Renovation
Portland State University					
Epler Hall 1809 SW 11th	\$8,000,000	2003	130	0	6-story, 4 floors student housing, 1 floor classroom/office, ground floor retail
PSU Urban Center 506 SW Mill	\$24,000,000	2002	0	130,000	Class space, office and public meeting space, 25,000 sf ground floor retail
Helen Gordon Child Development Center Expansion, Phase 1 1609 SW 12th	\$2,600,000	2003	0	15,000	
Helen Gordon Child Development Center Expansion, Phase 2 1609 SW 12th	\$2,700,000	2004	0	13,000	Historic structure renovation
Native American Student Center SW Jackson and Broadway SW corner	\$2,800,000	2003	0	10,000	Academic support space
Simon Benson House 1803 SW Park	\$1,400,000	2000	0	3,000	Academic support space, relocated historic structure.
Parking Expansion and Renovation South of Smith Center	\$7,500,000	2002	0	100,000	349 new parking spaces, renovation of 810 spaces
Smith Memorial Union Renovation 1802 SW Broadway	\$8,000,000	2006	0	220,000	Seismic upgrades and office, entry, ballroom and food court renovations
NW Center for Science Engineering and Technology Between 3rd and 4th at College	\$30,000,000	2006	0	136,000	Academic classrooms, offices and labs; LEED Silver
The Broadway 621 SW Jackson St	\$47,500,000	2004	384	35,000	10-story 220,000 SF; 8 floor student housing, 1 floor academic, 15 ksf ground floor retail
The Ondine Renovation	\$7,700,000	2005	0	100,000	Ground floor renovation and upgrade of existing residential units in the 15-story building housing 500 residents.
Brewery Blocks					
Block 1 NW 12th/13th/Burnside/Couch	\$300,000,000	2002	0	158,000	40 ksf Whole Foods and 3 floors office space, renovation
Block 2 NW 11th/12th/Burnside/Couch		2004	0	225,000	40 ksf ground floor retail with office above, renovation

Project Name	Construction Cost	Year Complete	Residential Units	Non-resid SQ FT	Comments
Bob and Diana Gerding Theater		2006	0	40,000	Performing arts space, goal of LEED platinum \$20 million
The Henry 132 NW 12th		2003	123	14,000	Luxury condominiums, 3 floors parking, ground floor retail
Block 4 NW 11th/12th/Couch/Davis		2004	0	270,000	Spec office, 20 ksf ground floor retail
South Pearl NW Couch/Davis/12th/13th		2004	240	0	16-floor Apartments
Total	\$2,267,854,000		7,248	4,624,150	

Total Non-residential SF	4,524,150
Ground Floor Retail	886,350
Art	280,000
Education	782,000
Other Institutional	145,000
Health	290,300
Office	1,432,000
Hotel	708,500
New Construction (non-res)	3,208,150
Renovation/expansion (non-res)	1,316,000



METRO

Joint Policy Advisory Committee on Transportation

MINUTES

June 22, 2006

7:30 a.m. – 9:00 a.m.

Council Chambers

MEMBERS PRESENT

AFFILIATION

Rex Burkholder, Chair	Metro Council
Rod Park, Vice Chair	Metro Council
Brian Newman	Metro Council
Sam Adams	City of Portland
Bill Kennemer	Clackamas County
Rob Drake	City of Beaverton, representing Cities of Washington County
Lynn Peterson	City of Lake Oswego, representing Cities of Clackamas County
Maria Rojo de Steffey	Multnomah County
Fred Hansen	TriMet
Jason Tell	Oregon Department of Transportation (ODOT - Region 1)
Paul Thalsofer	City of Troutdale, representing Cities of Multnomah County
Bill Wyatt	Port of Portland
John Leeper	Washington County

ALTERNATES PRESENT

AFFILIATION

Doug Ficco	Washington DOT
Susie Lahsene	Port of Portland
Dean Lookingbill	Southwest Washington Regional Transportation Council

OTHER COUNCILORS PRESENT

John Hartsock	City of Damascus
---------------	------------------

GUESTS PRESENT

AFFILIATION

Kenny Asher	City of Milwaukie
Scott Bricker	BTA
Kathy Busse	Washington County
Roland Chlapowski	City of Portland
Olivia Clark	TriMet
Danielle Cowan	City of Wilsonville

GUESTS PRESENT (cont.) AFFILIATION

Nancy Kraushaar	City of Oregon City
Tom Markgraf	CRC
Sharon Nasset	ETA
Ron Papsdorf	City of Gresham
Karen Schilling	Multnomah County
Phil Selinger	TriMet
Lainie Smith	ODOT
Paul Smith	City of Portland
Janice Wilson	Oregon Transportation Commission

STAFF

Andy Cotugno, Richard Brandman, Jessica Martin, Robin McArthur, Tom Kloster

I. CALL TO ORDER

Chair Rex Burkholder declared a quorum and called the meeting to order at 7:36 a.m.

II. INTRODUCTIONS

Chair Rex Burkholder introduced Commissioner John Leeper, representing Washington County in Commissioner Roy Rogers and Commissioner Tom Brian's absence. He also introduced Oregon Transportation Commissioner, Janice Wilson.

III. CITIZEN COMMUNICATIONS

There were none.

IV. CONSENT AGENDA

Consideration of minutes for the June 8, 2006 JPACT meeting

ACTION: Mayor Rob Drake moved, seconded by Ms. Lynn Peterson to approve the June 8, 2006 meeting minutes. The motion passed.

V. COMMENTS FROM THE CHAIR

World Urban Forum

Chair Burkholder updated the committee on the World Urban Forum, which took place in Vancouver, Canada, from June 19-23, 2006. The main theme was: Our Future: Sustainable Cities – Turning Ideas into Action.

VI. ACTION ITEMS

Resolution No. 06-3663, For The Purpose of Proposing A List Of Highway Modernization Projects To Receive Funding In The 2008-11 State Transportation Improvement Program (STIP)

Chair Burkholder introduced the resolution, which would provide the Oregon Transportation Commission (OTC) with a recommendation of local priorities for consideration of the use of state "modernization" funds, as set defined by the Commission, for use on highway related projects that address capacity in the Metro region.

Chair Burkholder directed the committee's attention to a proposed amended version of Exhibit A to Resolution No. 06-3663, as submitted by Washington County (included as part of the meeting record). The amended exhibit proposed the following changes:

Prioritization Summary of Potential ODOT Region 1 Modernization Projects 2008-11 STIP			
	Cost (millions)	Recommendation (millions)	Recommended Phases
I-5 Delta Park Phase II: PE and ROW for Columbia Blvd access to I-5	\$14.000	\$7.000	PE, ROW
I-5 SB/I-205 SB Merge Lane extension	\$3.000	\$0.000	
US26: 185th to Cornell	\$19.500 \$18.2	\$12.500 \$14.3	PE to Con
Troutdale Marine Dr./Backage Road	\$7.900	\$0.500	PE
US26: Springwater Interchange Phase I	\$5.800	\$3.000	PE to Con
I-5: Wilsonville Interchange	\$10.500	\$8.000	PE to Con
Sunrise Corridor	\$7.000	\$0.000	
Preservation Supplement for Ped/Bike	\$1.000	\$0.000	
STA Implementation Project: McLouglin Blvd in Oregon City Phase 2 as example.	\$3.450	\$0.000	
US26: Kane/257th/Palmquist Interchange		\$0.000	
Highway 217 EIS	\$1 to \$3 million	\$0.500 MTIP Funds	
I-205/Powell Interchange EA/PE		\$0.000	
I-205 South: I-84 to I-5 EIS (OIPP coordination)		\$0.500 MTIP; Metro and ODOT Planning or OIPP funds	
I-405 Loop: I-5 to I-84 refinement plan		\$0.000	
North Milwaukie Industrial Area Plan		TGM grant	
Total	\$73.850	\$32.000 \$32.8	
Metro Area 2008-11 STIP Modernization Target after existing commitments	\$32 million		
Committed Projects in 2008-09			
I-205/Mall LRT	\$5.000		
Sellwood Bridge	\$1.500		
I-5 Delta Park Ph. 1: PE/ROW	\$2.104		
Preservation supplement for Ped/Bike	\$1.000		
New funding Committed to Projects in 2008-09			
I-5 Delta Park Ph. 1: Construction	\$16.000		

MOTION: Commissioner Leeper moved, seconded by Commissioner Bill Kennemer, to approve Resolution 06-3663, with the amended Exhibit A (shown above) and removal of Exhibit B.

Commissioner Leeper spoke to the motion.

Councilor Brian Newman noted that the proposed amended version of Exhibit A shows the total increasing from \$32 million to \$32.8 million. He inquired as to the rational and justification for this increase. Historically, there has been an 80/20 split of the funds, with 80% going to projects in the Metro area and 20% for those outside of it. By using that method, ODOT came up with a range of \$32-\$32.8 million.

MOTION TO AMEND MAIN MOTION: Councilor Newman moved, seconded by Councilor Lynn Peterson, to amend Exhibit A by removing the two references to MTIP in the recommendation column and replacing them with zeros.

In response to Commissioner Leeper's motion, which would remove \$500,000 from the Highway 217 EIS, Mayor Rob Drake stated his uneasiness with not having Highway 217 on ODOT's radar in a formal way. He also stated his concern with how this action could be perceived and interpreted by the Congressional delegation.

The committee discussed whether Oregon Innovative Partnership Program (OIPP) funds could be a potential source of money for this project. Mr. Tell noted that OIPP has money committed to projects that are already being considered. He added that Mr. Jim Whitty would know how much of the funds available would be spent.

In response to Councilor Newman's motion regarding removal of any reference to MTIP, Mr. Fred Hansen suggested that adding asterisk or footnote stating that Washington County intends to be able to submit an MTIP application and pursue other funds might satisfy Mayor Drake's concerns.

Councilor Rod Park noted that several months ago when Mayor Drake and Commissioner Tom Brian met with Congressman Wu, he felt that there was some level of commitment by ODOT for the Highway 217 project. Mr. Tell responded that he has been communicating with the Congressman's office and has been up front about the situation. He added that when the 150% list was published, the project was not listed. He noted that the commitment ODOT made was that they determined that Highway 217 was an important project and alternative funding would be looked into.

VOTE ON MOTION TO AMEND MAIN MOTION: With Commissioner Leeper opposed and Mr. Tell abstaining, the motion passed.

MOTION TO AMEND #2: Mayor Drake moved that JPACT add to the Highway 217 EIS project \$300,000 to match Congressman Wu's earmark.

Mr. Tell noted that even if the committee decided to add \$300,000 to the Highway 217 EIS project, it would still only be partially funded.

Mayor Drake added that by not recommending any dollars to the project, it could be interpreted by Congressman Wu that the committee is not interested in the project.

Mr. Hansen stated that JPACT should not exceed the \$32.8 million total and that he would be voting against any motion that increased that amount.

The committee further discussed whether or not to increase the dollar amount.

VOTE ON MOTION TO AMEND #2: With three members in favor, Mr. Tell abstaining and the remaining committee members opposing, the motion failed.

VOTE ON MAIN MOTION AS AMENDED: With Councilor Park and Mr. Tell abstaining and the remaining committee members voting in approval, the motion to approve Resolution No. 06-3713 as amended passed.

VIII. ADJOURN

There being no further business, Chair Burkholder adjourned the meeting at 8:37 a.m.

Respectfully submitted,

Jessica Martin
Recording Secretary

BEFORE THE METRO COUNCIL

FOR THE PURPOSE OF ADOPTING THE)	RESOLUTION NO. 06- 3713
EASTSIDE TRANSIT ALTERNATIVE)	
ANALYSIS LOCALLY PREFERRED)	Introduced by Rex Burkholder
ALTERNATIVE, LOCATED WITHIN THE)	
PORTLAND CENTRAL CITY)	

WHEREAS, in 1988, the City of Portland adopted the *Central City Plan*, which identified the need and desire for an inner city transit loop, specifically citing the location for such transit loop on the Eastside as "...possibly on Grand Avenue"; and

WHEREAS, in 1995, the City of Portland adopted the *Central City Transportation Management Plan* (CCTMP) to implement the Central City Plan to improve transit circulation and distribution throughout the Central City districts and stating the need to: "Identify a strategy for developing the Central City streetcar system and integrating it with other transit services"; and

WHEREAS, in 1997, the Portland City Council approved a locally funded streetcar that was opened for service on the west side of the Central City in 2001, and

WHEREAS, on June 25, 2003, the Portland City Council adopted a *Eastside Streetcar Alignment Study* that recommended the locally funded streetcar be extended to the Eastside with Federal Transit Administration (FTA) assistance; and

WHEREAS, the Metro Council approved Resolution No. 03-3380A, For the Purpose of Adopting the 2004 Regional Transportation Plan to Meet Federal Planning Requirements, and said *2004 Regional Transportation Plan* includes in the Financially Constrained System projects 1106 and 1107, "Portland Streetcar - Eastside", constructing a streetcar to the Lloyd and Central Eastside districts; and

WHEREAS, TriMet's five-year *Transit Improvement Plan* adopted by the TriMet Board of Directors on June 22, 2005, includes expanding high capacity transit service, specifically including streetcar, as a priority; and

WHEREAS, the recent SAFETEA-LU reauthorization adopted in 2005 includes the Federal Transit Administration's (FTA) Small Starts program for transit projects costing less than \$250 million with a maximum of \$75 million federal share which could possibly provide a source of federal support for Eastside transit improvements; and

WHEREAS, on April 28, 2005, the Metro Council approved Resolution No. 05-3541, For the Purpose of Approving the FY 2006 Unified Planning Work Program, and this work plan included on pages 41 and 42 the preparation of the Eastside Transit Alternatives Analysis, and

WHEREAS, in 2005, an Eastside Transit Alternative Analysis, consistent with Metro Council direction and Federal Transit Administration (FTA) requirements, was initiated to assess the feasibility of a transit circulator for the whole Central City including the Eastside districts; and

WHEREAS, in May 2006, Metro published the *Eastside Transit Alternatives Analysis Evaluation Report* for the purpose of evaluating potential transit modes, alignments and terminus locations; and

WHEREAS, opportunities for public comment were provided at open houses and through written, telephone and email mediums and public comments were received on the *Eastside Transit Alternatives Analysis Evaluation Report* and compiled in the *Eastside Transit Alternatives Analysis Draft Public Comment Summary* published June 2006; and

WHEREAS, the *Eastside Transit Alternatives Analysis Evaluation Report* found that the streetcar mode is preferred because:

1. The streetcar mode results in approximately 30% higher ridership than an equivalent level of bus service operating in the same Central City mixed-traffic environment, indicating an inherent preference for streetcar.
2. A streetcar line would leverage higher levels of economic development and would provide better opportunities for land use that fosters compact urban form.
3. A streetcar line has garnered strong community support and the support of adjacent property owners, as evidenced by support for the current streetcar line through participation in local improvement districts, and through the stated intent of property owners along the Eastside line to participate in such a district.

WHEREAS, on May 31, 2006 the Eastside Project Management Group (PMG) recommended an *Eastside Transit Alternatives Analysis Locally Preferred Alternative* (LPA) which generally includes a streetcar loop connecting downtown to the Lloyd and Central Eastside districts via the Broadway Bridge and the Weidler/Broadway and MLK/Grand couplets; and an *Eastside Transit Project Work Program Considerations*; and

WHEREAS, on June 1, 2006, the Eastside Project Advisory Committee (EPAC) recommended an LPA consistent with the PMG and made minor amendments or revisions; and

WHEREAS, the recommended LPA recognizes that the full loop would need to be constructed in stages, with OMSI being the interim terminus until such time as the Caruthers crossing or other Willamette River crossing is available; and

WHEREAS, the recommended LPA also recommends that the initial construction segment from the present streetcar line's northeastern extent at Northwest Lovejoy Street be constructed to Oregon Street, until such time as the additional financial resources and project conditions are met; and

WHEREAS, on June 5, 2006 the Eastside Project Steering Committee recommended an LPA consistent with the PMG and EPAC and made minor amendments or revisions; and

WHEREAS, the City of Portland Planning Commission, the Portland City Council, TriMet Board of Directors, Multnomah County Board of Commissioners and the Portland Streetcar Inc. Board recommended an *Eastside Transit Alternatives Analysis Locally Preferred Alternative*, which generally includes a streetcar loop connecting downtown to the Lloyd and Central Eastside districts via the Broadway Bridge and the Weidler/Broadway and MLK/Grand couplets, and also recommended the *Eastside Transit Project Work Program Considerations*; and

WHEREAS, the Metro Council has considered the LPA recommendations including the *Eastside Transit Project Work Program Considerations* and the Metro Council concludes the reasons, included in the LPA recommended by the Steering Committee dated June 5, 2006, for selecting this project are compelling; now therefore

BE IT RESOLVED that the Metro Council hereby adopts the Locally Preferred Alternative in Exhibit A, attached, the *Eastside Transit Alternatives Analysis Locally Preferred Alternative Recommendation Report*, which generally includes a streetcar loop connecting the downtown to the Lloyd and Central Eastside districts via the Broadway Bridge and the Weidler/Broadway and MLK/Grand couplets.

BE IT FURTHER RESOLVED that the Metro Council endorses the *Eastside Transit Project Work Program Considerations*, marked Exhibit B, attached, and directs staff to complete these work elements and return to the Metro Council with recommendations for addressing these considerations.

ADOPTED by the Metro Council this ____ day of July, 2006.

David Bragdon, Council President

Approved as to Form:

Daniel B. Cooper, Metro Attorney

Eastside Transit Alternatives Analysis

Locally Preferred Alternative Recommendation

Adopted by the Steering Committee
June 5, 2006



♻️ Printed on 30% recycled post-consumer paper.

I. Overview

This document presents the Locally Preferred Alternative (LPA) recommendation for transit improvements for the Eastside transit project in Portland's Central City. These recommendations are based on information documented in the *Eastside Transit Alternatives Analysis Evaluation Report* (Metro, May 2006) and from public input received during the public comment period and in the hearing held May 10, 2006 before the Eastside Project Advisory Committee (EPAC).

The LPA decision consists of three distinct decisions on project implementation and phasing. The **mode decision** chooses between streetcar, and the no-build bus network. The **terminus decision** addresses whether the project can be completed in one phase or in construction segments defined by three minimum operable segments (MOS). The streetcar alternative includes two potential alignments through the Central Eastside, the MLK/Grand Couplet and the two-way Grand design option and the **alignment decision** will choose between them.

II. Eastside Transit Project Locally Preferred Alternative

A. Transit Mode - Streetcar

Streetcar is the preferred transit mode for the Eastside project as defined by the **Full Loop Streetcar Alternative**. This alternative best meets the project's purpose and need and goals and objectives as outlined in the *Eastside Transit Alternatives Analysis Evaluation Report (Evaluation Report)*. The project also garners significant public support as shown by the public comments received.

The **streetcar mode** is preferred because:

- The streetcar mode results in approximately 30% higher ridership than an equivalent level of bus service operating in the same Central City mixed-traffic environment, indicating an inherent preference, or modal bias for streetcar
- A streetcar line would leverage higher levels of economic development and would provide better opportunities for land use that fosters compact urban form, reduced vehicle miles traveled and higher transit mode split than bus transit alone could provide, as shown by the experience of the existing Portland Streetcar
- A streetcar line has garnered strong community support, and the support of adjacent property owners, as evidenced by support for the current streetcar line through participation in local improvement districts, and through the stated intent of property owners along the Eastside line to participate in such a district.

The **Full Loop Streetcar Alternative** performs better than the no-build or MOS options in several key areas:

- Highest streetcar ridership and highest ridership per mile of operation
- Most cost-effective project by all three measures evaluated – annualized capital and operating cost and capital cost per new streetcar rider, federal capital cost per new streetcar rider and operating cost per new streetcar rider

- Best implements land use and economic plans and policies for the Central City
- Provides best potential for economic development given the geographic extent of the line
- Provides the greatest travel time improvements due to a new Willamette River crossing
- Provides potential for the highest level of local funding through a local improvement district and possible amendment of urban renewal areas
- Best meets the transit circulator function outlined in the Purpose and Need for the project.

B. Terminus

1. Interim Project Terminus – OMSI MOS

The **Full Loop Streetcar Alternative** is the project's ultimate objective. However construction of the project will need to occur in shorter segments to respond to the anticipated availability of federal and local funds and the timing of the Milwaukie Light Rail Project and construction of the new Caruthers Bridge across the Willamette River. The **OMSI MOS** is the logical interim terminus for the full project until such time that the proposed Caruthers Bridge or other Willamette River streetcar crossing is viable. Current estimates for completion of the Milwaukie Light Rail Project put completion at 2014. The OMSI MOS would have a capital funding gap between project costs and anticipated revenues of \$37 million. It is recommended that major component costs and funding be reviewed seeking to reduce the overall cost and to identify additional revenue sources for the construction to OMSI as soon as possible.

2. First Construction Segment – Oregon Street MOS

The **Oregon Street MOS** is recommended as the first construction segment for the project for the following reasons:

- The Oregon Street MOS would require \$60 million in FTA Small Starts funding, less than the statutory maximum of \$75 million for a single project. All other MOS options and the Full Loop Alternative would require the maximum level of FTA participation.
- The City of Portland needs to complete key analyses regarding the alignment south of Oregon Street. The Oregon Street MOS is the only MOS that could be advanced expeditiously independent of additional analyses for the MLK/Grand couplet in the Central Eastside.

C. Alignment – MLK/Grand Couplet

The preferred alignment through the Central Eastside is the **MLK/Grand couplet**, contingent on the conditions set forth in section D below, for the following reasons:

- The MLK/Grand couplet alignment enjoys a higher level of community and business support than the two-way Grand Alignment.
- The MLK/Grand couplet alignment better supports existing city policy in the Portland Comprehensive Plan, Transportation System Plan and Central City Transportation Management Plan
- The two-way Grand alignment would result in greater local and neighborhood traffic impacts, would require major improvements on SE 7th Avenue including transitions to and from Grand Avenue, and would add \$17 million to the cost of the Morrison or OMSI MOS options or the Full Loop Alternative.
- The added cost of the two-way Grand alignment would strain finite local and federal funding sources and could delay the ultimate completion of the project.
- The MLK/Grand couplet would allow for a wider Local Improvement District and could enhance the ability to acquire local funding for the project.

Although MLK/Grand is the preferred alignment, the Steering Committee has raised some concerns regarding the MLK/Grand Couplet alignment and construction of the project through the Central Eastside including:

- Quality of the pedestrian environment, particularly on MLK Blvd, and its effect on the ultimate success of the project
- Connectivity with east-west bus routes at the bridgeheads, particularly from MLK Blvd
- Commitment of urban renewal funding, parking meter revenue and other sources to solidify local funding to construct the alignment south of Oregon Street.

D. Conditions for Extending the Project to OMSI

Extension of the project south of Oregon Street is therefore contingent on the City of Portland addressing the following Steering Committee concerns regarding the Central Eastside alignment:

- Progress towards a signed development agreement between the Portland Development Commission and the developer of the Burnside Bridgehead project
- Development of an MLK/Grand Transportation Management Plan that will:
 - Improve pedestrian access to the streetcar
 - Improve pedestrian safety and increase pedestrian crossing opportunities at streetcar stops, with special attention paid to the needs of the elderly and handicapped and connections to the bridgeheads
 - Provide for efficient streetcar operations through evaluation of transit priority measures that could include capital improvements such as curb extensions and operational improvements such as signal timing and spacing, or other measures

- Provide for efficient vehicle and freight movements through coordinated signalization, or any other operational improvements that will address the issues
- Identification of additional private and public redevelopment opportunities and projects along the corridor in addition to the proposed Burnside Bridgehead project
- Amending the Central Eastside Urban Renewal District to facilitate development objectives within the District
- Development of a parking management plan that includes a plan for raising revenues to help fund streetcar operations

When the project Steering Committee determines that the conditions have been met, project sponsors will seek to immediately extend the project to the OMSI MOS. If that is not possible for financial reasons, the shorter Morrison Street MOS should be considered as an interim terminus. The overall short-term goal is to proceed with the project to the OMSI MOS until such time that the Caruthers Bridge or other Willamette River streetcar crossing is available.

If the preceding conditions are not met or are not met satisfactorily, the Steering Committee will evaluate other alignments and measures, which will meet these conditions.

Eastside Transit Project

Work Program Considerations

Adopted by the Steering Committee
June 5, 2006



Overview

These future work program elements and the issues they address are defined here because the Steering Committee wants to ensure continuity as the project moves beyond the Alternatives Analysis and Conceptual Design phases of project development. The following outlines issues and work program elements that have emerged from the Eastside Transit Alternatives Analysis process. Specific requirements to report back to the Steering Committee are noted below. The Steering Committee anticipates that this issues list will change as current issues are addressed and as new issues are identified.

1. Coordination with Ongoing Planning Efforts

Project staff will need to coordinate with other planning efforts that may be taking place along the project alignment and in the surrounding area. The City of Portland will be undertaking an update to the Central City Plan and Central City Transportation Management Plan. As part of this planning, the City may re-examine the land use and zoning along the Streetcar alignment to increase development potential and employment density.

Proposed Action: City of Portland staff should brief the Steering Committee if and when changes are proposed that could affect the streetcar project.

2. Preparation of Alternative User Benefit Measures

Project staff should develop a rationale related to streetcar's effect on redevelopment and the "trip not taken" for consideration by the FTA. This work needs to strengthen the project's justification and should be focused on affecting the Transportation System User Benefit (TSUB) number.

Proposed Action: The Steering Committee should be briefed on the progress of developing this measure prior to submittal of an application to enter the Project Development phase of FTA's Small Starts program.

3. Refinement of Capital Costs and Funding Plan

The City of Portland should finalize the capital funding plan with a focused review of the capital cost estimate related to a likely schedule for FTA approvals (risk assessment.) This capital cost should include costs inherent in the fleet management plan and finance plan. The capital funding plan should also identify the funding sources for the "by others" pedestrian and transportation improvements included in the Conceptual Design for the Alternatives Analysis.

Proposed Action: A capital cost review and draft funding plan should be submitted to the Steering Committee for review prior to submittal of an application to enter the Project Development phase of FTA's Small Starts program, and should be completed prior to the end of Project Development.

4. Definition of Operating and Maintenance Revenue Sources

The Steering Committee acknowledges TriMet's constrained operating revenue situation for the first years of project operation, given the demands of opening both the Portland Mall/I-205 Light Rail Project and the Wilsonville to Beaverton Commuter Rail line.

These are in addition to increasing service for fixed route bus lines, the LIFT and other dial-a-ride services as well as other fixed-guideway projects under consideration by the region such as Milwaukie Light Rail, Columbia River Crossing and Lake Oswego streetcar. Prior to applying for construction approval and funding, both the full capital costs and a 20-year operating plan will need to be finalized. This plan may need to identify new funding sources that reflect that the project is as much about development as it is about transportation. The goal of the funding plan should be to provide for streetcar operations in a manner that allows TriMet to implement its adopted five year service plan, fund operations of the South Corridor Phase II Milwaukie Light Rail Project, and meet other regional transit needs.

Proposed Action: The Steering Committee requests that it be briefed by Portland Streetcar, Inc and the City of Portland prior to submittal of an application to enter Small Starts Project Development, regarding the status of the capital, operations and maintenance funding plan. Prior to applying for construction funding, the Steering Committee also requests that it be briefed by the City of Portland on capital, operating and maintenance funding plans and briefed by TriMet regarding any potential service cuts or reallocations that might be required to share in the operating costs of the Eastside Project. The operations funding plan should be finalized prior to the end of Project Development. Any concerns raised at the Steering Committee would need to be resolved prior to applying for Small Starts funding.

5. Traffic and Streetcar Operations

The Alternatives Analysis identified a number of key intersections that may need additional operational improvements to maintain streetcar reliability. The City of Portland will analyze the traffic and transit operational considerations described in Chapter 4 of the *Eastside Transit Alternatives Analysis Evaluation Report* including cost, potential impacts and speed improvements and their effect on streetcar reliability. In particular, northbound Grand Ave. is already congested between NE Oregon and NE Broadway. At a minimum, such congestion requires a detailed plan for mitigation if streetcar is expected to operate northbound on Grand Ave. without further deteriorating auto movement or compromising streetcar's ability to maintain its schedule.

Proposed Action: A proposed plan for capital and operational improvements to maintain the reliability of streetcar operations should be prepared prior to submittal of an application to enter the Project Development phase of FTA's Small Starts program and should be completed prior to the end of Project Development.

6. Refinement of Streetcar Alignment and Capital Cost Reduction

Recognizing that capital cost reductions may be necessary in order to advance the project to the OMSI interim terminus, the City of Portland should investigate modifying the proposed Streetcar Conceptual Design (*URS, April 2006*). Specifically, streetcar operations on the left side of Grand Avenue and on the right side of NE Broadway and Weidler streets should be evaluated for their potential to save construction costs associated with utility relocation. Traffic impacts of this alignment modification should

also be assessed. In addition, cost reductions should be pursued for proposed modifications to the Broadway Bridge.

Proposed Action: An evaluation of potential alignment modifications and a proposed plan to evaluate and implement capital cost reductions should be prepared prior to submittal of an application to enter the Project Development phase of FTA's Small Starts program. This information will be critical to inform any Steering Group action to advance the project to the OMSI interim terminus.

7. Evaluate Emergency Shared Light Rail and Streetcar Operations Between Rose Quarter and the Caruthers Bridge

The Steering Committee requests that TriMet and the City of Portland evaluate the potential for shared light rail and streetcar operations between the Caruthers Bridge and Rose Quarter in the event of an emergency that closes the Steel Bridge. The ability to use a new Willamette River streetcar crossing and the Central Eastside streetcar alignment for all light rail lines builds an important safeguard in the event of an emergency situation. The Steering Committee requests that this evaluation be conducted prior to applying for FTA Small Starts funding.

Proposed Action: Prior to entering Small Starts Project Development, the Steering Committee will review the feasibility of including provisions for joint emergency operations with light rail in the project scope. TriMet and the City of Portland should evaluate the feasibility of shared light rail operations. This evaluation should inform the design standards to be used in Project Development and identify any special design and operational considerations for joint operation of streetcar and light rail.

STAFF REPORT

IN CONSIDERATION OF RESOLUTION NO. 06-3713 FOR THE PURPOSE OF ADOPTING THE EASTSIDE TRANSIT ALTERNATIVE ANALYSIS LOCALLY PREFERRED ALTERNATIVE, LOCATED WITHIN THE PORTLAND CENTRAL CITY

Date: June 30, 2006

Prepared by: Richard Brandman
Ross Roberts

BACKGROUND

Since 1988, City of Portland plans have called for a transit circulator in the Central City as a way to connect, strengthen and enhance the region's urban core. The *Central City Plan* (1988) and *Central City Transportation Management Plan* (1995) included a transit circulator and for a streetcar system integrated with the rest of the transit system. In 1997, the City of Portland approved a locally funded streetcar and in 2001 streetcar service began in the west side of the Central City. In 2003, based on the success of the streetcar, the City approved the *Eastside Streetcar Alignment Study*, which called for extension of the streetcar to the Eastside and to seek federal funding assistance.

In 2003, the Metro Council approved projects 1106 and 1107 calling for the construction of "Portland Streetcar - Eastside" as part of the Financially Constrained System of the *2004 Regional Transportation Plan*.

In 2005, SAFETEA-LU, the federal surface transportation funding law, included funding for Small Starts - transit projects no larger than \$250 million in total with federal share no greater than \$75 million. Also in 2005 the Metro Council approved the *FY 2005-2006 Unified Planning Work Program* that included an Eastside Transit Alternatives Analysis as a work element to be completed in fiscal year 2005/2006.

In 2005 the Eastside Transit Alternatives Analysis was initiated consistent with the UPWP. The purpose of the Eastside Transit Alternatives Analysis was to develop and evaluate transit alternatives so that a transit alternative is selected that is: 1) responsive to community needs, 2) addresses travel demand in the Central City and 3) benefits the economic development and land uses of the area. This alternatives analysis process has been conducted consistent with the Federal Transit Administration's (FTA) newly approved Small Starts program and the National Environmental Policy Act. Potential alternatives included the extension of the streetcar or circulator bus /existing rail service on the eastside.

An *Eastside Transit Alternatives Analysis Evaluation Report* (Attachment 1 to this staff report) was produced by Metro, assessing the alternatives. Ridership, cost-effectiveness, economic development potential and other evaluation measures were assessed for each alternative.

The results of the *Evaluation Report* were discussed by technical and policy advisory committees. A locally preferred alternative was created and recommended by the Project Management Group, Eastside Transit Alternatives Policy Advisory Committee and Transit Alternatives Steering Committee. The recommended Locally Preferred Alternative (LPA) includes extending streetcar service from the west side of Portland's Central City to the Eastside, providing a transit circulator.

The LPA recommendation consists of three distinct proposed decisions on project implementation and phasing concerning: mode, terminus, and alignment. A streetcar is the preferred transit mode for the Eastside project as defined by the Full Loop Streetcar Alternative. This alternative best meets the

project's purpose and need and goals and objectives as outlined in the LPA attached as Exhibit A to Resolution No. 06-3713, For the Purpose of Adopting the Eastside Transit Alternative Analysis Locally Preferred Alternative, located within the Portland Central City. More specifically, the LPA recommends:

1. Streetcar as the preferred transit mode because the streetcar has approximately 30 percent higher ridership than a comparable bus, a streetcar would leverage substantially more economic development, and the streetcar has garnered significant public support.
2. A full loop alignment configuration because the full loop has the highest ridership per mile of operation, is the most cost-effective by the measures used, best implements land use plans, provides the highest level of economic development potential, provides the greatest travel time improvements due to a new Willamette River crossing, provides the highest level of local funding and best meets the transit circulator function of the Purpose and Need statement.
3. An interim terminus of OMSI with a first construction segment to Oregon Street, after consideration of the availability of local funds, the federal Small Starts fund availability and the need for the City of Portland to complete analyses regarding the alignment south of Oregon Street.

There are numerous detailed issues, which need to be addressed in the next phase of work and as a result, the Eastside Transit Project Work Program Considerations (Exhibit B to the resolution) were drafted and are recommended to be adopted as a means of addressing these concerns.

ANALYSIS/INFORMATION

Known Opposition

The study offered numerous opportunities for public involvement including attendance at Eastside Project Advisory Committee meetings, several facts sheets and study information available on Metro's web site, two open houses (April 2005 and May 2006), two e-newsletters (April and May 2006), a public hearing (May 2006), a forty-five day comment period (May-June 2006) and meetings with community and neighborhood groups.

The LPA and work program considerations were unanimously recommended by the Eastside Transit Alternatives Policy Advisory Committee, composed of representatives of neighborhoods, business associations, property owners and other interested parties from the project area.

In addition to traditional public involvement opportunities, property owners on the Eastside were contacted to discuss support for formation of a local improvement district to provide funding for the project.

Public comment generally favored a Central City transit circulator, especially the full loop, with some supporting extension to the north or east of the alignments studied. Some comments favored a bus or trolley bus, in part because of the cost. Other comments were made concerning design issues relating to pedestrian and/or traffic issues. Of those who favored streetcar, no one specifically supported the two-way Grand design option but some favored modifications to or considerations besides the MLK/Grand design option. Concern about potential traffic congestion consequences was expressed about the use of Grand Avenue for the streetcar prior to implementation of Milwaukie light rail.

Legal Antecedents

Metro

Resolution No. 03-3380A, For the Purpose of Adopting the 2004 Regional Transportation Plan to Meet Federal Planning Requirements

Resolution No. 05-3541, For the Purpose of Approving the FY 2006 Unified Planning Work Program

Federal

SAFETEA-LU

Anticipated Effects

The existing Portland Streetcar line demonstrates the impact of transit on development. To date, about \$2.3 billion of investments have been made within three blocks of the existing streetcar line since the City Council approval of the Streetcar in 1997. The Eastside has numerous proposed economic development projects that would benefit from transit, and especially a streetcar, because of the streetcars' demonstrated higher attraction of riders and greater passenger capacity. This larger public investment in a streetcar would likely result in greater private investments in the Eastside than would occur with the provision of bus service. Assuming existing zoning and the provision of an Eastside Streetcar, it is estimated that 3,400 more housing units could be expected to be built between 2005 and 2025 - as compared with a bus alternative.

Budget Impacts

No Metro funds are proposed for this project. Additional work that Metro may perform to advance the next phase of this project would come from a combination of funds from the Federal Transit Administration and the City of Portland.

RECOMMENDED ACTION

Adopt Resolution No. 06-37-3713, For the Purpose of Adopting the Eastside Transit Alternative Analysis Locally Preferred Alternative, located within the Portland Central City.

[CLICK HERE FOR FULL REPORT](#)

Eastside Transit Alternatives Analysis

Evaluation Report

May 2006



METRO

TRI  MET



U.S. Department
of Transportation
Federal Transit Administration
Federal Highway Administration

BEFORE THE METRO COUNCIL

FOR THE PURPOSE OF ENDORSING)	RESOLUTION NO. 06-3717
REGIONAL SUPPORT OF THE “PLUG-IN”)	Introduced by Councilor Burkholder
PARTNERS NATIONAL CAMPAIGN.)	

WHEREAS, the over-reliance of the United States on foreign oil has become a serious and growing threat to the economic vitality and national security interests our country; and

WHEREAS, automobile emissions are a major contributing factor to global warming and smog, which threaten the health of our citizens and the sustainability of our planet; and

WHEREAS, the imbalance between oil resources and worldwide demand is creating increasing volatility in gasoline prices, which stands to overburden commerce, hurt economic growth and cause serious hardship to our citizens; and

WHEREAS, the technology exists today to build flexible-fuel “plug-in” hybrid electric automobiles, which could help reduce oil imports, fuel costs and automobile emissions by dramatic margins if they replaced conventional automobiles in large numbers; now therefore

BE IT RESOLVED that Metro joins the Plug-in Partners National Campaign; and

BE IT FURTHER RESOLVED that Metro makes a commitment to support local, state and federal policies that will promote flexible-fuel plug-in electric hybrid vehicles; and

BE IT FURTHER RESOLVED that Metro will work with the local government, education, business and environmental communities to advocate for the purchase of flexible-fuel plug-in hybrid electric vehicles.

ADOPTED by the Metro Council this __ day of _____, 2006.

David Bragdon, Council President

Approved as to Form:

Daniel B. Cooper, Metro Attorney

STAFF REPORT

IN CONSIDERATION OF RESOLUTION NO. 06-3717, FOR THE PURPOSE OF ENDORSING REGIONAL SUPPORT OF THE “PLUG-IN” PARTNERS NATIONAL CAMPAIGN.

Date: May 4, 2006

Prepared by: Kathryn Sofich

BACKGROUND

“Plug-In Partners,” begun in Austin, Texas, is a national grass-roots initiative to demonstrate to automakers that a market for flexible-fuel Plug-in Hybrid Electric Vehicles (PHEVs) exists. The goal of this initiative is to encourage local and state governments to work with utilities and environmental, consumer and business organizations to demonstrate the viability of a market for PHEVs through the development of rebates and incentives, “soft” fleet orders, petitions, and endorsements.

There are currently no commercially available PHEVs, but prototypes are in operation. In addition, traditional hybrid vehicles have been converted to plug-ins. Work at the Hybrid Center at the University of California at Davis has demonstrated that plug-in technology works. Despite this, the cost of the batteries needed to power a PHEV a sufficient distance is considered to be the stumbling block.

The Plug-In Partners campaign, which kicked off January 24, 2006 at the National Press Club in Washington, DC, is forming coalitions with local and state governments, utilities, businesses and non-profit organizations. To date, Plug-In Partners have received 676 “soft orders,” and 19 cities, 6 counties and local governments, 20 non-profits, 18 national/local environmental groups, and 123 public power utilities have signed on as partners.

In becoming a partner, Metro will pass a resolution of support, sign a letter of commitment, and make a “soft” fleet order. Making a “soft” fleet order says that we will “seriously consider” purchasing a certain amount of vehicles if they are produced by automakers. In addition, Metro will make a commitment to support local, state and federal policies that will promote flexible-fuel plug-in hybrid vehicles and work with the local government, education, business and environmental community to advocate for the purchase of flexible-fuel plug-in hybrid vehicles. This campaign supports the Metro Council’s goals of conserving resources and protecting the environment. In addition, this campaign compliments Metro’s Regional Travel Options program, which works to provide alternatives and awareness of alternatives to driving alone. Both programs provide options that reduce pollution and decrease dependency on and consumption of fossil fuels.

ANALYSIS/INFORMATION

1. Known Opposition: none
2. Legal Antecedents: none

3. Anticipated Effects:
 - A. Provides consistency with Metro's institutional goals of conserving resources and protecting the environment.
 - B. Provides the Council and Metro employees and staff the opportunity to speak publicly, on behalf of Metro, in favor of promoting the development of a market for flexible-fuel Plug-in Hybrid Electric Vehicles (PHEVs).
4. Budget impacts: None

Frequently asked Questions about Plug-In Hybrid Electric Vehicles (PHEV)

Are PHEVs available today?

There are no commercially available PHEVs today, but there are prototypes in operation. DaimlerChrysler has developed and is testing a plug-in Sprinter Van prototype with an all-electric range of 20 miles. There are also many conventional hybrids, from sedans to SUVs, that have been converted to plug-ins. Some are getting up to 60 all-electric miles per charge.

Does plug-in technology work?

Yes. This has been clearly demonstrated by several sedan and SUV conversions at the Hybrid Center at the University of California at Davis. A California non-profit, California Cars, modified a Prius by adding a 2.4 kWh lead-acid pack to prove that it could be done. Then, an R&D company, EnergyCS, replaced the standard 1.3 kWh battery pack with a 9 kWh battery pack. The larger battery pack was sufficient to provide half of the power needed to drive the first 60 miles each day. It's like having a second small fuel tank, only you fill this one with electricity at an equivalent cost of under \$1 per gallon, depending on your car and your electric rate. You refill at home, from an ordinary 120-volt socket, with energy that's much cleaner and cheaper and not imported.

What is the problem then?

The cost of the batteries needed to power a PHEV a sufficient distance is considered to be the stumbling block. However, battery technology is advancing rapidly and cost is expected to decrease with mass manufacture.

What distance must a commercially produced PHEV be able to achieve on the battery alone?

According to EPRI (Electric Power Research Institute), half the cars on U.S. roads are driven 25 miles a day or less. Consequently, a plug-in with a 25-mile all electric range could eliminate gasoline use in the daily commute of tens of millions of Americans. Furthermore drivers of PHEVs would only need to fill up with fuel a few times a year, versus the current 24-36 times a year on average.

Won't PHEVs just replace air pollution from automobiles with air pollution from power plants?

No. In almost every conceivable power generation mix plug-ins reduce greenhouse gases and other pollutants. Additionally, emissions would be concentrated in one location that is often away from critically-endangered air sheds. Also, it is less difficult to control emissions from a relatively few number of smokestacks rather than millions of vehicle tail pipes. And, efforts to clean up coal plants and other emissions will continue. In recent decades, many power plants have been modified to lower emissions while a number of older plants have been retired. This trend has resulted in a 25% decrease in emissions from U.S. power plants over the last 25 years. This trend is continuing so emissions will continue to get cleaner over time, meaning emissions generated from electric transportation will get cleaner over time. Furthermore, an increasing share of America's electricity is being produced by zero emission sources - wind and solar. There is a synergy between increased use of PHEVs and expanded use of wind energy.

Widespread use of PHEVs in an electric system makes it easier for that system to accept more wind energy. This is because most PHEVs will be charging at night, when demand for electricity is at its lowest, and wind energy production tends to be at its highest in many parts of the country. Also, PHEV batteries can act as storage for wind energy produced at off-peak times.

What about performance? Will PHEVs be slow?

No. A Toyota Prius, modified with a larger plug-in battery, has essentially the same accelerating power and speed capability of a current hybrid.

How much more will a PHEV cost versus a comparably sized conventional hybrid?

EPRI estimates that, with mass production, the cost of a PHEV battery will add \$2,000 to \$3,000 to the cost of a conventional hybrid. EPRI studies project that after considering the lower costs of fuel and maintenance, a mass-produced PHEV should provide better overall economics than either a conventional hybrid or a conventional vehicle.

CONTACT INFORMATION

www.pluginpartners.org



Materials following this page were distributed at the meeting.



CITY OF

PORTLAND, OREGON

OFFICE OF PUBLIC UTILITIES

Sam Adams, Commissioner
1221 S.W. Fourth Avenue, Rm. 220
Portland, Oregon 97204-1994
(503) 823-3008
FAX: (503) 823-3017
E: samadams@ci.portland.or.us
www.commissionersam.com

**Commissioner Sam Adams
Frequently Asked Questions:
Hayden Island Development Delay Resolution
Revised July 12, 2006**

What is the purpose of the resolution you propose for Portland City Council consideration on Thursday, July 13, 2006 at 3:00 p.m. at City Hall, 1221 SW Fourth Ave?

Oregon Law requires a 45-day public notice in order for Portland City Council to consider enacting a temporary moratorium – a development delay – on developments that have the potential to restrict access on or off the Hayden Island, significantly increase traffic congestion on I-5 or threaten the Columbia River Crossing Project.

Why are you proposing this resolution to consider a development delay?

I am proposing this pause in development on Hayden Island for three reasons:

First, Hayden Island and I-5 lack adequate public transportation facilities to accommodate an estimated 13,000 additional vehicle trips per day that could come if Wal-Mart or another big box retailer builds a store at the old Thunderbird Hotel site. This section of I-5 is already considered one of the worst freeway choke points on the US west coast.

Second, the proposal to tear down what remains of the Jantzen Beach SuperCenter and replace it with a strip mall will perpetuate a dysfunctional and substandard street system on the Island and threaten freeway access – the only way on and off the Island.

And, third, these developments should wait until an alignment is chosen for the new \$1.5 billion Columbia River crossing.

Who supports your proposal?

This draft resolution is an expression of many Hayden Islanders who view the recently announced proposed developments on Hayden Island as a 'tipping point' for the need to pause for adequate planning.

Over the past three weeks, I have been working closely with community leaders from Hayden Island to weigh all options and craft this draft resolution.

There is also regional concern. Vancouver Mayor Royce Pollard, among other regional leaders, support considering a development hiatus.

Does the proposed resolution require the Portland City Council to enact a temporary moratorium --- a development delay -- on any traffic-producing commercial development on Hayden Island?

No. Approval of the proposed resolution does not require the Portland City Council to actually enact a temporary development moratorium. Oregon State Law requires a 45 day public notice when a city wants to consider any type of temporary development moratorium. The resolution provides the required public notice and starts the 45-day clock for the City, island residents and stakeholders to figure out all the details before deciding to enact a delay.

Are you proposing consideration of a development delay on all projects on Hayden Island?

No. I am proposing consideration of a development delay on commercial development that would restrict access, significantly increase vehicle trips or threaten the Columbia River Crossing Project in a to-be-defined geographic area on the Hayden Island (we have a draft map for public comment).

We expect that smaller construction projects, remodels, tenant improvements, industrial developments and residential projects would NOT be subject to a temporary moratorium.

What would be the boundaries of a temporary development moratorium on Hayden Island?

After consulting residents, it would be up to the entire Portland City Council to decide the boundaries of a temporary development moratorium. But the attached map includes a draft boundary line for the purposes of obtaining feedback.

Are you proposing consideration of a temporary development moratorium on development any place else in the City of Portland?

No. A temporary moratorium on development potentially delays an owner's right to develop when they want to develop, so it must be carefully and prudently considered.

I believe temporary development moratoriums should only be considered when adequate public services to support additional development are not available and the proposed development would significantly and permanently harm Portland.

Doesn't your proposal send a message that the City of Portland is anti-business?

No. Actually, the region's economy stands to be harmed if we do not intervene on Hayden Island. The freeway choke point will turn into gridlock and that affects all businesses in the region.

Your criticism of Wal-Mart is well known. Isn't this just a backdoor way to stop Wal-Mart from moving forward with their plans to build a new store on Hayden Island?

No. I am passionate about the plight of Portland's working class and I feel very protective of our small businesses against Wal-Mart's predatory business practices. I opposed the proposed Wal-Mart in Portland's Sellwood area, but I did not and would not propose a temporary development moratorium to stop it. As much as I am critical of Wal-Mart's business practices, I would be concerned about enacting a moratorium focused on the development plans of only one company.

But their proposed store was just one of the proposals that served as a tipping point. This resolution is about giving the region and Hayden Island the necessary time to complete a neighborhood plan, improve its dysfunctional and substandard street system, and provide time for the Columbia River Crossing project to decide where the replacement bridge will land on the Island.

You recently approved the big box development of Ikea at Cascade Station. What is the difference between Hayden Island and Cascade Station?

Cascade Station was developed with the proper infrastructure as well as a transportation plan that includes light rail and a street grid to handle the trip generation at this location. Unfortunately, Hayden Island lacks such an adequate plan.

If the proposed Resolution is approved by the Portland City Council, what is the timeline for actually considering a temporary development moratorium on Hayden Island?

At least 45 days before City Council would consider the moratorium at a public hearing, though it is possible that it would take a bit longer.

Has the City of Portland ever before enacted a moratorium on development?

Yes. The City enacted a moratorium on Electronic Data Storage facilities, often referred to as "Telco Hotels," along streetcar-impact zones in 2001.

You have recused yourself from Portland City Council land use decisions regarding Wal-Mart. Will you recuse yourself from decisions about the moratorium?

This City Attorney has advise me that I can vote on this resolution. I will continue to rely on their advice for further participation in this process.

RESOLUTION No.

Express Joint Policy Advisory Committee on Transportation (JPACT) support for Portland City Council Resolution No. 967, which confers the City of Portland the opportunity to consider the adoption of a temporary moratorium on certain development located on Hayden Island.

WHEREAS, (re)developments of existing parcels on Hayden Island have been and could be proposed that could add significant vehicle trips to public transportation facilities including street and freeway facilities such that these facilities could exceed existing capacity;

WHEREAS, remaining capacity of public transportation facilities on Hayden Island may have accommodated as much as possible the economic development needs of the affected area and the region;

WHEREAS, failure or worsening of access to public transportation facilities would cause harm to existing economic development and housing activities on Hayden Island and the region;

WHEREAS, Hayden Island's limited entrance and egress, allowing only one way on and off the island by way of Interstate 5, often results in negative impacts on Interstate 5 and the Interstate 5 bridge including increased congestion, heavy delay, restricted access and increased public safety responses;

WHEREAS, the Interstate 5 bridge is a major lifeline for our community, linking Portland and Vancouver, WA and carrying the freight, commuters, and traffic that support the economy and vitality of the region and the West Coast;

WHEREAS, operation of the I-5 crossing over the Columbia River is directly influenced by the 5-mile segment of I-5 between SR 500 in Vancouver, WA and Columbia Boulevard in Portland, known as the I-5 Bridge Influence Area. This segment includes, among Hayden Island's interchanges, six other interchanges, including connections with four state highways and with several major arterial roadways, that serve a variety of land uses, and provides access to downtown Vancouver, two international ports, industrial centers, residential neighborhoods, retail centers, and recreational areas.

WHEREAS, The Columbia River Crossing project identified that travel demand exceeds capacity in the I-5 Bridge Influence Area, causing heavy congestion and delay during peak travel periods for automobile, transit, and freight traffic. This limits mobility within the region and impedes access to major activity centers. This demand affects transit as well, such that between 1998 and 2005, local bus travel times between the Vancouver Transit Center and Hayden Island increased 50 percent during the peak period.

WHEREAS, The Columbia River Crossing project is currently considering a new Interstate 5 bridge spanning the Columbia River and has not completed work identifying a locally preferred alternative that outlines the alignment of a new crossing;

WHEREAS, certain development could not only increase demand, congestion and traffic delays on I-5 public facilities with no solutions for capacity increases, but could jeopardize such development should alignment of a new I-5 bridge span these lots;

WHEREAS, the Cost of Congestion study prepared in December 2005 for the Portland Business Alliance, Metro, Port of Portland and Oregon Department of Transportation concluded that failure to invest adequately in transportation improvements, like the a new Columbia River crossing, will result in a potential loss valued at of \$844 million annually by 2025 – that's \$782 per household -- and 6,500 jobs. It equates to 118,000 hours of vehicle travel per day – that's 28 hours of travel time per household annually;

WHEREAS, moratoria pursuant to ORS 197.505-197.540 should only be considered when adequate public services to support future development are not available and future development would significantly harm existing services;

WHEREAS, Hayden Island has not had a Neighborhood Plan process to allow residents, businesses, property owners and other stakeholders to adequately plan for the future of economic and housing development on the island;

NOW, THEREFORE, BE IT RESOLVED that Joint Policy Advisory Committee on Transportation (JPACT) expresses its support for Portland City Council Resolution No. 967 and giving the City of Portland the opportunity to consider the adoption of a temporary moratorium on certain development located on Hayden Island.

Lynn



Seniors and People with Disabilities Transportation and Land Use Study

An ODOT Special Transportation Project
Conducted by TriMet

July 13, 2006
JPACT



The Challenge

- Region 2040 is about providing transportation choices for our community.... Can we better provide those choices for the seniors and persons with disabilities?
- Rapid growth in TriMet door-to-door LIFT ridership is sapping resources. How can we moderate that growth?
- Community demographics are changing. Are we prepared to provide mobility services for a growing senior population?



The Challenge



- LIFT ridership growth has averaged 7.1% annually for the last 5 years, resulting in \$1.5 million annual operating cost increases.
- The cost per one-way LIFT trip is \$22 versus \$2.63 for fixed route.
- A 5% reduction in LIFT use is worth \$84,000 per month or \$1 million a year.

Questions




- What are the locational and mobility preferences of seniors and persons with disabilities?
- What influences locational decisions by development for persons with special needs?
- How does land use policy help or hinder bringing this community closer to fixed route transit services?
- What barriers preclude seniors and the disabled from using fixed route transit?

Research

- What do we know about the travel behavior and needs of seniors and people with disabilities?
- What priority do developers place on locating and designing for access to transit? What are the competing priorities of these developers?
- Does existing zoning near "Frequent Bus" stops with safe crossings allow multifamily housing for seniors or those with disabilities?





National Research



Regional Research

Percentage Regional Population Change from 1990-2004




Source: Tri-County Elderly and Disabled Transportation Plan, pg. 28.

National and Regional Research

LIFT Analysis

Top 50 origins and destinations by trip type



National and Regional Research

LIFT Walking Distance Evaluation

	Percentage within Walking Distance of Fixed Route	
	1/4 mile	1/8 mile
All Trip Origins	89%	75%
All Trip Destinations	90%	76%
Top 50 Origins	100%	84%
Top 50 Destinations	100%	90%

Regional Research

- 59% LIFT service users could be also use fixed route services:
 - 35% consider themselves dual mode
 - 24% would consider using fixed route if it were more convenient
- Extreme caution should be given to moving seniors out of home and/or community.

Case studies

If the fastest growth is in the suburbs, do developers consider transit access important? Are they designing for access?

Facility Name	Location	Transit Access	Pedestrian/Transit Route Access
Farmington Square at Tualatin	Tualatin	None	None
Honeywoods	Milwaukie	30 to 60 minute service	Requires transfer
River Valley Senior Living	Tualatin	30 minute service 78th Avenue/Tualatin	Direct from bus line
Avalon at Hillsboro	Hillsboro	Frequent service 57-TV Highway	Direct from bus line
Rolling Green, Hillsboro Apartments	Hillsboro	Frequent service 57-TV Highway	Direct from bus line
Hazelwood Station	Portland	Blue Line MAX	Direct from MAX
Town Center Village	Clackamas	15 to 30 minute service 89th Ave-122nd Ave	Direct from bus line, available to Clackamas Town Center

FARMINGTON SQUARE AT TUALATIN

Location: 17950 SW 112th Avenue, Tualatin
Year operations commenced: 1995
Facility size: Approximately 30,000 square feet
Parcel size: 1.99 acres

Facility type: For-profit assisted living and skilled nursing
Number of units: 16 assisted living, 20 enhanced care, 23 memory care units; total of 59 residents
Resident mobility: No residents drive, 20 use a mobility device; 15 are able to travel independently
One-way LIFT trips in May 2005: 56
Monthly LIFT trips per unit: 1.09

Transit service: No transit service
Transit proximity: N/A
Facility provided transportation: Scheduled van service Monday through Thursday; van can be reserved for physician transportation on Fridays.
Retail access: There is no retail within 1/4 mile.

Overview

Farmington Square is a for-profit assisted living facility developed by Farmington Centers. The property's small size and lack of transit access is considered a challenge by management.

Access Characteristics

The area is primarily residential and near a major industrial park. There are no retail destinations within walking distance, and there is no nearby transit service. The area does have sidewalks allowing walks in the residential neighborhood.

Site Selection

Farmington Centers reports that if the project were being built today, this site would not have been considered. If building the project today, Farmington would have sought a larger site that could accommodate both independent living and assisted living facilities on the same campus. In addition, Farmington reports that it strongly prefers sites with transit access. Farmington believes that access to transit benefits employees and allows the firm to better attract and retain staff.



Farmington Square at Tualatin would not be built today because the developer now seeks larger sites with good transit service.

Case studies – Some Findings

1. Most facilities are near transit, but with significant obstacles to access
2. Quality of transit service is an important consideration in switching from LIFT use
3. Residents of independent living units appear most likely to travel independently
4. Facilities provided examples of improvements that would improve access to fixed route transit
5. Only one of the profiled facilities was within a "walkable" 1/4-mile of a major shopping destination

Case studies - Needs

- Locate facilities on frequent service bus routes or at light rail stations,
- Complete the sidewalk network,
- Proximity to walkable local services is important,
- Provide safe street crossings with curb ramps at "measured" intervals.

Case studies - Issues

- Developers recognize the value of transit for meeting the needs of working people with disabilities
- Developers targeting higher income populations appear more willing to absorb the higher development cost and reduced efficiency of smaller, close-in sites closer to transit
- The dynamics of changes in facility size for developers warrant further exploration

Corridor and Center Analysis

Is it even possible to locate multi-family housing facility for seniors or people with disabilities in frequent service transit corridors?


1. SE Division: 11th to 60th
2. SE Division: I-205 to 182nd
3. Hwy 99W: Tigard to King City
4. Hwy 99E: Milwaukie to Gladstone
5. Gateway Regional Center
6. Beaverton Regional Center

Corridor and Center Analysis



Data Summarized

1. Percent acreage with complete sidewalks
2. Percent acreage that allows facilities outright or conditionally
3. Number of local attractions
4. Percent in small, medium, large lots sizes



Center Analysis Gateway



Corridor and Center Analysis Inner Division



Corridor and Center Analysis McLoughlin Boulevard



Corridor and Center Analysis Findings

1. Make special needs housing an outright allowed use in transit corridors
2. Allow mixed-use development at key intersections
3. Close sidewalk gaps within transit corridors
4. Link accessibility improvements to new development
5. Create more affordable housing opportunities near transit for people with disabilities
6. Assist housing developers in aggregating larger sites for modern "age-in-place" facilities

Action Items

- **Overlay zoning information with a "transit accessibility index" to illustrate opportunities to better meet the needs of this community**
- **Explore opportunities for showcase TODs targeting seniors and persons with disabilities**
- **Address these needs and opportunities within the Regional Transportation Plan**

END

Regional Travel Options Program



JPACT Update

July 13, 2006

Drive less. Save more.

www.DriveLessSaveMore.com



- Objective is to raise awareness of need to reduce drive-alone trips and increase use of travel options
- Strategies include paid media (TV, radio, outdoor), earned media, and direct outreach

Program Partners



Program Goals



- Reduce SOV trips
- Increase use of travel options for all trips
- Develop "umbrella" marketing campaign
- Develop program performance measures
- Develop program structure that supports collaboration
- Develop sustainable program funding

Program Components



- Program Administration
- Evaluation Program
- Collaborative Marketing
- Regional Rideshare Program
- Transportation Management Assoc. Program
- Region 2040 Initiatives Grant Program

Evaluation Program



FY 05-06 Goals

- Transition program from TriMet to Metro
- Determine measures that will be tracked and used to evaluate RTO programs
- Conduct on going data collection and tracking for all RTO funded programs
- Complete 2004-2005 evaluation report

Evaluation Next Steps



- Complete research and evaluation work plan
- Establish methods to measure awareness, participation, customer satisfaction and program impact of RTO programs
- Develop prediction factors to select projects most likely to reduce SOV trips

Regional Travel Options Staff



Pam Peck
Program Manager
peckp@metro.dst.or.us
(503) 797-1866

Caleb Winter
Evaluation and TDM Technical Assistance
winterc@metro.dst.or.us
(503) 797-1758

Mary Ann Aschenbrenner
Rideshare Marketing and Customer Service
aschenbrenner@metro.dst.or.us
(503) 813-7566

Evaluation Process

- Sources
 - Reports
 - Interviews
 - Data analysis
- Preliminary draft for RTO Subcommittee review

RTO 2004-05 Program
Evaluation (July 13, 2006)

Key Findings


- Positive reactions about recent changes to program
 - Increased regional collaboration
 - Broadening of program beyond commute
 - More transparent funding process

RTO 2004-05 Program
Evaluation (July 13, 2006)

Key Findings

- Most programs implemented many or most of their planned activities.
- Results
 - Sustained and increased participation
 - Reduced SOV use

RTO 2004-05 Program
Evaluation (July 13, 2006)



Key Findings

- Programs did not always accomplish what was planned
 - Staff turnover
 - Less funding than anticipated
- Many programs are not measuring outcomes
- Many activities in the Work Plan were not clearly defined

RTQ 2004-05 Program Evaluation (July 13, 2006)

Key Findings

- Some TMA objectives not aligned with RTO objectives
- Carpools and vanpools need more attention
- Metro RTO staff and activities now addressing many of the issues identified

RTQ 2004-05 Program Evaluation (July 13, 2006)

Some Recommendations

- Develop a new work plan
 - Establish clear, specific, quantifiable, and reasonable objectives for each program
 - Both outputs and outcomes

RTO 2004-05 Program
Evaluation (July 13, 2006)

Some Recommendations

- Develop consistent methods for measuring results
 - Standard survey questions
 - Measure satisfaction with programs
- Consider conducting a separate survey
- Use existing data sources to maximum extent

RTO 2004-05 Program
Evaluation (July 13, 2006)

TRANSPORTATION PRIORITIES 2008-11 PROGRAM:
Investing in the 2040 Growth Concept
REGIONAL TRAVEL OPTIONS APPLICATION SUMMARY

The Regional Travel Options (RTO) Program is the region's transportation demand management (TDM) strategy for reducing reliance on the automobile and improving air quality. The program, which is administered by Metro, maximizes the efficiency of the existing transportation system, reducing the demand for roadways and the need to expand infrastructure. The RTO program application will fund the following programs:

Local Programs

- Clackamas Regional Center TMA
- Gresham Regional Center TMA
- Lloyd TMA
- Swan Island TMA
- Troutdale TMA
- Westside Transportation Alliance
- Wilsonville SMART TDM Program
- Individualized Marketing Project
- Regional Travel Options Grants

Regional Programs

- Regional Collaborative Marketing Program (Drive Less. Save More.)
- TriMet Employer Program
- Regional Rideshare Program (carpool and vanpool)
- Evaluation Program

Project Cost/Requested Funds: Regional flexible funds: \$4,446,820
(Local match: \$473,961, other: \$900,000, program total: \$5,820,781)

Multi-modal benefit

The program leverages the region's investment in transit, pedestrian and bicycle infrastructure and supports implementation of the 2040 Growth Concept and Regional Transportation Plan by increasing the use of travel options. The program is a key strategy for reaching the modal targets for non-SOV trips established in the Regional Transportation Plan (RTP). An analysis of surveys conducted by employers found that programs funded by the RTO Program increased the share of work trips made in non-single-occupant-vehicle (SOV) modes from 26% in 1996 to 33% in 2005.

Economic impact/jobs benefit

The RTO program is an economic development tool for regional centers and industrial areas. Program strategies support economic growth in centers by freeing up land currently used for parking for jobs and housing, and by increasing the capacity of current transportation infrastructure thereby saving millions of dollars in costly road expansion projects. A study by the Lloyd TMA (Transportation Management Association) found that over \$170 million in parking infrastructure costs could be saved using more cost effective RTO strategies.

Air quality benefits

Motor vehicles are the largest single source of air pollution in the Portland area. Programs funded by the RTO program improve regional air quality by reducing vehicle miles of travel (VMT) and supporting non-polluting modes of travel. In 2005, RTO programs reduced 39 million VMT.

